



2016 HIV Fast Facts



Division of Public and Behavioral Health

Office of Public Health Informatics and Epidemiology

HIV/AIDS Surveillance Program



Brian Sandoval, Governor
State of Nevada

Cody L. Phinney, MPH, Administrator
Division of Public and Behavioral Health

Richard Whitley, MS, Director
Department of Health and Human Services

Dr. John DiMuro, D.O., MBA,
Chief Medical Officer



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Nevada New HIV Diagnoses, 2016

County of Diagnosis	Total			Male			Female		
	N	Column %^	Rate*	n	Column %^	Rate*	n	Column %^	Rate*
Clark	469	90%	22.1	402	89.9%	37.8	67	92%	6.3
Washoe	41	8%	9.2	37	8.3%	16.5	4	5%	~
All Other Counties**	10	2%	~	8	1.8%	~	2	3%	~
Total	520	100%	17.9	447	100%	30.6	73	100%	5.1
Race/Ethnicity									
White, non-Hispanic	151	29%	9.9	135	30%	17.4	16	22%	2.1
Black, non-Hispanic	166	32%	67.2	124	28%	99.8	42	58%	34.2
Hispanic	167	32%	20.1	156	35%	36.9	11	15%	2.7
Asian/Hawaiian/ Pacific Islander	22	4%	8.4	19	4%	15.6	3	4%	~
American Indian/ Alaska Native	9	2%	~	8	2%	~	1	1%	~
Multi-race/Other	5	1%	NA	5	1%	NA	0	0%	NA
Total	520	100%	17.9	447	100%	30.6	73	100%	5.1
Age Group at Diagnosis									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 24	98	19%	21.5	87	19%	37.0	11	15%	~
25 to 34	212	41%	54.1	189	42%	94.3	23	32%	12.0
35 to 44	106	20%	26.6	86	19%	42.3	20	27%	10.2
45 to 54	78	15%	19.7	64	14%	31.7	14	19%	7.2
55 to 64	22	4%	6.3	18	4%	10.5	4	5%	~
65 +	4	1%	~	3	1%	~	1	1%	~
Total	520	100%	17.9	447	100%	30.6	73	100%	5.1
Transmission Category									
Male-to-male sexual contact (MSM)	322	62%	NA	322	72%	NA	0	0%	NA
Injection drug use (IDU)	23	4%	NA	16	4%	NA	7	10%	NA
MSM+IDU	19	4%	NA	19	4%	NA	0	0%	NA
Heterosexual contact	31	6%	NA	13	3%	NA	18	25%	NA
Perinatal exposure	0	0%	NA	0	0%	NA	0	0%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	125	24%	NA	77	17%	NA	48	66%	NA
Total	520	100%	17.9	447	100%	30.6	73	100%	5.1

Source: Division of Public and Behavioral Health, HIV Reporting System (eHARS), (March 2017)

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but who currently live in Nevada. HIV diagnoses and AIDS diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in the same year.

* Rates per 100,000 population were calculated using 2016 population projections from the Nevada State Demographer vintage 2015 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

~ The table above contains counts under 12. Please use caution when interpreting the data as the Relative Standard Error (RSE) is greater than 30%

^Percent's may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Nevada New HIV Stage 3 (AIDS) Diagnoses, 2016

	Total			Male			Female		
	N	Column %^	Rate*	n	Column %^	Rate*	n	Column %^	Rate*
County of Diagnosis									
Clark	212	92%	10.0	176	92%	16.6	36	95%	3.4
Washoe	13	6%	2.9	11	6%	~	2	5%	~
All Other Counties**	5	2%	~	5	3%	~	0	0%	0.0
Total	230	100%	7.9	192	100%	13.1	38	100%	2.6
Race/Ethnicity									
White, non-Hispanic	72	31%	72.0	63	33%	8.1	9	24%	~
Black, non-Hispanic	69	30%	69.0	53	28%	42.6	16	42%	13.0
Hispanic	63	27%	63.0	56	29%	13.2	7	18%	~
Asian/Hawaiian/ Pacific Islander	16	7%	16.0	13	7%	10.7	3	8%	~
American Indian/ Alaska Native	4	2%	~	2	1%	~	2	5%	~
Multi-race/Other	6	3%	NA	5	3%	NA	1	3%	NA
Total	230	100%	7.9	192	100%	13.1	38	100%	2.6
Age Group at Diagnosis									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 24	15	7%	3.3	13	7%	5.5	2	5%	~
25 to 34	73	32%	18.6	62	32%	30.9	11	29%	~
35 to 44	54	23%	13.5	43	22%	21.2	11	29%	~
45 to 54	60	26%	15.2	50	26%	24.7	10	26%	~
55 to 64	22	10%	6.3	18	9%	10.5	4	11%	~
65 +	6	3%	~	6	3%	~	0	0%	0.0
Total	230	100%	7.9	192	100%	13.1	38	100%	2.6
Transmission Category									
Male-to-male sexual contact (MSM)	135	59%	NA	135	70%	NA	0	0%	NA
Injection drug use (IDU)	10	4%	NA	7	4%	NA	3	8%	NA
MSM+IDU	10	4%	NA	10	5%	NA	0	0%	NA
Heterosexual contact	25	11%	NA	7	4%	NA	18	47%	NA
Perinatal exposure	0	0%	NA	0	0%	NA	0	0%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	50	22%	NA	33	17%	NA	17	45%	NA
Total	230	100%	7.9	192	100%	13.1	38	100%	2.6

Source: Division of Public and Behavioral Health, HIV Reporting System (eHARS), (March 2017)

New stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include stage 3 (AIDS) and HIV cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but who currently live in Nevada. Stage 3 (AIDS) diagnoses and HIV diagnoses may duplicate case counts if the person was diagnosed with both stage 3 (AIDS) and HIV in the same year.

* Rates per 100,000 population were calculated using 2016 population projections from the Nevada State Demographer vintage 2015 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

~ The table above contains counts under 12. Please use caution when interpreting the data as the Relative Standard Error (RSE) is greater than 30%

^Percent's may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Persons Living with HIV^s in Nevada, 2016

	Total			Male			Female		
	N	Column % [^]	Rate [*]	n	Column % [^]	Rate [*]	n	Column % [^]	Rate [*]
County of Residence									
Clark	9,361	86%	441.8	7,891	87%	742.2	1,470	86%	139.3
Washoe	1,030	10%	230.8	874	10%	389.1	156	9%	70.4
All Other Counties**	430	4%	127.3	346	4%	200.7	84	5%	50.8
Unknown	2	0%	NA	2	0%	NA	0	0%	NA
Total	10,823	100%	372.8	9,113	100%	624.1	1,710	100%	118.5
Race/Ethnicity									
White, non-Hispanic	4,802	44%	313.4	4,245	47%	547.7	557	33%	73.6
Black, non-Hispanic	2,818	26%	1,140.4	2,025	22%	1,629.1	793	46%	645.7
Hispanic	2,560	24%	308.8	2,292	25%	541.8	268	16%	66.0
Asian/Hawaiian/ Pacific Islander	397	4%	151.7	343	4%	282.0	54	3%	38.6
American Indian/Alaska Native	93	1%	284.4	73	1%	447.2	20	1%	122.1
Multi-race/Other	153	1%	NA	135	1%	NA	18	1%	NA
Unknown	0	0%	NA	0	0%	NA	0	0%	NA
Total	10,823	100%	372.8	9,113	100%	624.1	1,710	100%	118.5
Age Group at End of Year									
< 13	13	0%	2.6	4	0%	~	9	1%	~
13 to 24	359	3%	78.9	305	3%	129.7	54	3%	24.6
25 to 34	1,881	17%	479.6	1,642	18%	818.9	239	14%	124.7
35 to 44	2,216	20%	555.1	1,824	20%	897.3	392	23%	200.1
45 to 54	3,486	32%	882.0	2,946	32%	1,458.0	540	32%	279.6
55 to 64	2,107	19%	604.7	1,761	19%	1,022.6	346	20%	196.4
65 +	703	6%	170.8	582	6%	306.0	121	7%	54.7
Missing	58	1%	NA	49	1%	NA	9	1%	NA
Total	10,823	100%	372.8	9,113	100%	624.1	1,710	100%	118.5
Transmission Category									
Male-to-male sexual contact	6,954	64%	NA	6,954	76%	NA	0	0%	NA
Injection drug use (IDU)	764	7%	NA	511	6%	NA	253	15%	NA
MSM+IDU	684	6%	NA	684	8%	NA	0	0%	NA
Heterosexual contact	1,305	12%	NA	309	3%	NA	996	58%	NA
Perinatal exposure	72	1%	NA	30	0%	NA	42	2%	NA
Transfusion/Hemophilia	11	0%	NA	7	0%	NA	4	0%	NA
No identified risk (NIR)	1,033	10%	NA	618	7%	NA	415	24%	NA
Total	10,823	100%	372.8	9,113	100%	624.1	1,710	100%	118.5

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2017)

Persons living with HIV data include data on persons living in Nevada with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in Nevada.

* Rates per 100,000 population were calculated using 2016 population projections from the Nevada State Demographer vintage 2015 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

~ The table above contains counts under 12. Please use caution when interpreting the data as the Relative Standard Error (RSE) is greater than 30%

^sPersons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2016.

[^]Percent's may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Clark County New HIV Diagnoses, 2016

	Total			Male			Female		
	N	Column %^	Rate*	n	Column %^	Rate*	n	Column %^	Rate*
Race/Ethnicity									
White, non-Hispanic	127	27%	12.9	115	29%	23.0	12	18%	2.5
Black, non-Hispanic	164	35%	70.9	122	30%	106.1	42	63%	36.1
Hispanic	146	31%	22.0	137	34%	40.7	9	13%	~
Asian/Hawaiian/ Pacific Islander	22	5%	9.8	19	5%	18.1	3	4%	~
American Indian/ Alaska Native	6	1%	~	5	1%	~	1	1%	~
Multi-race/Other	4	1%	NA	4	1%	NA	0	0%	NA
Total	469	100%	22.1	402	100%	37.8	67	100%	6.3
Age Group at Diagnosis									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 24	90	19%	27.3	79	20%	46.6	11	16%	~
25 to 34	191	41%	66.9	170	42%	116.9	21	31%	15.0
35 to 44	94	20%	30.3	78	19%	49.4	16	24%	10.5
45 to 54	72	15%	24.5	58	14%	38.7	14	21%	9.7
55 to 64	20	4%	8.2	16	4%	13.4	4	6%	~
65 +	2	0%	~	1	0%	~	1	1%	~
Total	469	100%	22.1	402	100%	37.8	67	100%	6.3
Transmission Category									
Male-to-male sexual contact (MSM)	297	63%	NA	297	74%	NA	0	0%	NA
Injection drug use (IDU)	19	4%	NA	13	3%	NA	6	9%	NA
MSM+IDU	13	3%	NA	13	3%	NA	0	0%	NA
Heterosexual contact	26	6%	NA	11	3%	NA	15	22%	NA
Perinatal exposure	0	0%	NA	0	0%	NA	0	0%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	114	24%	NA	68	17%	NA	46	69%	NA
Total	469	100%	22.1	402	100%	37.8	67	100%	6.3

Source: Division of Public and Behavioral Health, HIV Reporting System (eHARS), (March 2017)

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but who currently live in Nevada. HIV diagnoses and HIV stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in the same year.

* Rates per 100,000 population were calculated using 2016 population projections from the Nevada State Demographer vintage 2015 data.

~ The table above contains counts under 12. Please use caution when interpreting the data as the Relative Standard Error (RSE) is greater than 30%

^Percent's may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Clark County New HIV Stage 3 (AIDS) Diagnoses, 2016

	Total			Male			Female		
	N	Column %^	Rate*	n	Column %^	Rate*	n	Column %^	Rate*
Race/Ethnicity									
White, non-Hispanic	62	29%	6.3	54	31%	10.8	8	22%	~
Black, non-Hispanic	69	33%	29.8	53	30%	46.1	16	44%	13.7
Hispanic	57	27%	8.6	51	29%	15.2	6	17%	~
Asian/Hawaiian/ Pacific Islander	14	7%	6.2	11	6%	~	3	8%	~
American Indian/ Alaska Native	4	2%	~	2	1%	~	2	6%	~
Multi-race/Other	6	3%	NA	5	3%	NA	1	3%	NA
Total	212	100%	10.0	176	100%	16.6	36	100%	3.4
Age Group at Diagnosis									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 24	15	7%	4.5	13	7%	7.7	2	6%	~
25 to 34	69	33%	24.2	58	33%	39.9	11	31%	~
35 to 44	49	23%	15.8	40	23%	25.3	9	25%	~
45 to 54	56	26%	19.1	46	26%	30.7	10	28%	~
55 to 64	20	9%	8.2	16	9%	13.4	4	11%	~
65 +	3	1%	~	3	2%	~	0	0%	0.0
Total	212	100%	10.0	176	100%	16.6	36	100%	3.4
Transmission Category									
Male-to-male sexual contact (MSM)	126	59%	NA	126	72%	NA	0	0%	NA
Injection drug use (IDU)	9	4%	NA	6	3%	NA	3	8%	NA
MSM+IDU	10	5%	NA	10	6%	NA	0	0%	NA
Heterosexual contact	23	11%	NA	6	3%	NA	17	47%	NA
Perinatal exposure	0	0%	NA	0	0%	NA	0	0%	NA
Transfusion/ Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	44	21%	NA	28	16%	NA	16	44%	NA
Total	212	100%	10.0	176	100%	16.6	36	100%	3.4

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2017)

New stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include stage 3 (AIDS) and HIV cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but who currently live in Nevada. Stage 3 (AIDS) diagnoses and HIV diagnoses may duplicate case counts if the person was diagnosed with both stage 3 (AIDS) and HIV in the same year.

* Rates per 100,000 populations were calculated using 2016 population projections from the Nevada State Demographer vintage 2015 data.

~ The table above contains counts under 12. Please use caution when interpreting the data as the Relative Standard Error (RSE) is greater than 30%

^Percent's may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Persons Living with HIV[§] in Clark County, 2016

	Total			Male			Female		
	N	Column % [^]	Rate* [*]	n	Column % [^]	Rate* [*]	n	Column % [^]	Rate* [*]
Race/Ethnicity									
White, non-Hispanic	3,858	41%	391.5	3,454	44%	690.6	404	27%	83.2
Black, non-Hispanic	2,652	28%	1,145.9	1,892	24%	1,644.9	760	52%	652.9
Hispanic	2,281	24%	344.0	2,054	26%	610.8	227	15%	69.5
Asian/Hawaiian/ Pacific Islander	365	4%	162.2	318	4%	303.4	47	3%	39.1
American Indian/ Alaska Native	68	1%	493.9	52	1%	741.3	16	1%	236.9
Multi-race/Other	137	1%	NA	121	2%	NA	16	1%	NA
Total	9,361	100%	441.8	7,891	100%	742.2	1,470	100%	139.3
Age Group at End of Year									
< 13	11	0%	~	4	0%	~	7	0%	~
13 to 24	326	3%	98.7	276	3%	162.9	50	3%	31.1
25 to 34	1,692	18%	592.7	1,484	19%	1,020.5	208	14%	148.5
35 to 44	1,962	21%	631.6	1,614	20%	1,022.3	348	24%	227.8
45 to 54	2,962	32%	1,008.2	2,517	32%	1,679.5	445	30%	309.2
55 to 64	1,777	19%	732.1	1,478	19%	1,235.6	299	20%	242.9
65 +	574	6%	204.9	469	6%	364.4	105	7%	69.3
Missing	57	1%	NA	49	1%	NA	8	1%	NA
Total	9,361	100%	441.8	7,891	100%	742.2	1,470	100%	139.3
Transmission Category									
Male-to-male sexual contact (MSM)	6,175	66%	NA	6,175	78%	NA	0	0%	NA
Injection drug use (IDU)	597	6%	NA	399	5%	NA	198	13%	NA
MSM+IDU	546	6%	NA	546	7%	NA	0	0%	NA
Heterosexual contact	1,144	12%	NA	261	3%	NA	883	60%	NA
Perinatal exposure	63	1%	NA	28	0%	NA	35	2%	NA
Transfusion/Hemophilia	9	0%	NA	7	0%	NA	2	0%	NA
No identified risk (NIR)	827	9%	NA	475	6%	NA	352	24%	NA
Total	9,361	100%	441.8	7,891	100%	742.2	1,470	100%	139.3

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2017)

Persons living with HIV data include data on persons living in Nevada with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in Nevada.

* Rates per 100,000 population were calculated using 2016 population projections from the Nevada State Demographer vintage 2015 data.

~ The table above contains counts under 12. Please use caution when interpreting the data as the Relative Standard Error (RSE) is greater than 30%

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2016.

^Percent's may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Washoe County New HIV Diagnoses and New HIV Stage 3 (AIDS) Diagnoses, 2016

	New HIV Diagnoses			New HIV Stage 3 (AIDS) Diagnoses		
	N	Column % [^]	Rate*	N	Column % [^]	Rate*
Sex at Birth						
Male	37	90%	16.5	11	85%	~
Female	4	10%	~	2	15%	~
Total	41	100%	9.2	13	100%	2.9
Race/Ethnicity						
White, non-Hispanic	18	44%	7.7	5	38%	~
Black, non-Hispanic	1	2%	~	0	0%	0.0
Hispanic	19	46%	7.5	6	46%	~
Asian/Hawaiian/Pacific Islander	0	0%	16.9	2	15%	~
American Indian/Alaska Native	2	5%	~	0	0%	0.0
Multi-race/Other	1	2%	NA	0	0%	0.0
Total	41	100%	9.2	13	100%	2.9
Age Group at Diagnosis						
< 13	0	0%	0.0	0	0%	0.0
13 to 24	6	15%	~	0	0%	0.0
25 to 34	18	44%	28.1	3	23%	~
35 to 44	10	24%	~	4	31%	~
45 to 54	4	10%	~	3	23%	~
55 to 64	2	5%	~	1	8%	~
65 +	1	2%	~	2	15%	~
Total	41	100%	9.2	13	100%	2.9
Transmission Category						
Males						
Male-to-male sexual contact (MSM)	21	57%	NA	6	55%	NA
Injection drug use (IDU)	2	5%	NA	1	9%	NA
MSM+IDU	6	16%	NA	0	0%	NA
Heterosexual contact	2	5%	NA	1	9%	NA
Perinatal Exposure	0	0%	NA	0	0%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA
No identified risk (NIR)	6	16%	NA	3	27%	NA
Subtotal	37	100%	16.5	11	100%	~
Females						
IDU	1	25%	NA	0	0%	NA
Heterosexual contact	1	25%	NA	1	50%	NA
Perinatal Exposure	0	0%	NA	0	0%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA
No identified risk (NIR)	2	50%	NA	1	50%	NA
Subtotal	4	100%	~	2	100%	~
Total	41	100%	9.2	13	100%	2.9

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2017)

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but who currently live in Nevada. HIV diagnoses and stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in 2016.

* Rates per 100,000 population were calculated using 2016 population projections from the Nevada State Demographer vintage 2015 data.

~ The table above contains counts under 12. Please use caution when interpreting the data as the Relative Standard Error (RSE) is greater than 30%

[^]Percent's may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Persons Living with HIV^s in Washoe County, 2016

	Total			Male			Female		
	N	Column % [^]	Rate [*]	n	Column % [^]	Rate [*]	n	Column % [^]	Rate [*]
Race/Ethnicity									
White, non-Hispanic	655	63.6%	227.2	562	64.3%	387.3	93	59.6%	64.9
Black, non-Hispanic	119	11.6%	1071.1	95	10.9%	1555.1	24	15.4%	479.9
Hispanic	203	19.7%	185.8	173	19.8%	310.0	30	19.2%	56.1
Asian/Hawaiian/Pacific Islander	27	2.6%	89.0	22	2.5%	156.4	5	3.2%	~
American Indian/Alaska Native	16	1.6%	220.2	13	1.5%	367.7	3	1.9%	~
Multi-race/Other	10	1.0%	NA	9	1.0%	NA	1	0.6%	NA
Unknown	0	0.0%	NA	0	0.0%	NA	0	0.0%	NA
Total	1,030	100.0%	230.8	874	100.0%	389.1	156	100.0%	70.4
Age Group at End of Year									
< 13	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
13 to 24	27	2.6%	37.6	24	2.7%	64.5	3	1.9%	~
25 to 34	144	14.0%	224.5	120	13.7%	367.8	24	15.4%	76.2
35 to 44	186	18.1%	336.2	155	17.7%	552.3	31	19.9%	113.7
45 to 54	364	35.3%	639.9	300	34.3%	1037.6	64	41.0%	228.8
55 to 64	227	22.0%	395.2	202	23.1%	710.4	25	16.0%	86.2
65 +	82	8.0%	125.7	73	8.4%	238.9	9	5.8%	~
Missing	0	0.0%	NA	0	0.0%	NA	0	0.0%	NA
Total	1,030	100.0%	230.8	874	100.0%	389.1	156	100.0%	70.4
Transmission Category									
Male-to-male sexual contact (MSM)	596	57.9%	NA	596	68.2%	NA	0	0.0%	NA
Injection drug use (IDU)	94	9.1%	NA	63	7.2%	NA	31	19.9%	NA
MSM+IDU	91	8.8%	NA	91	10.4%	NA	0	0.0%	NA
Heterosexual contact	105	10.2%	NA	27	3.1%	NA	78	50.0%	NA
Perinatal Exposure	4	0.4%	NA	1	0.1%	NA	3	1.9%	NA
Transfusion/Hemophilia	0	0.0%	NA	0	0.0%	NA	0	0.0%	NA
No identified risk (NIR)	140	13.6%	NA	96	11.0%	NA	44	28.2%	NA
Total	1,030	100.0%	230.8	874	100.0%	389.1	156	100.0%	70.4

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2017)

Persons living with HIV data include data on persons living in Nevada with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in Nevada.

* Rates per 100,000 population were calculated using 2016 population projections from the Nevada State Demographer vintage 2015 data.

~ The table above contains counts under 12. Please use caution when interpreting the data as the Relative Standard Error (RSE) is greater than 30%

^sPersons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2016.

[^]Percent's may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Annual Percent Change: New HIV Diagnoses and Persons Living with HIV[§] in Nevada, 2015-2016

	New HIV Diagnoses					All Persons Living with HIV [§]				
	2015		2016		Annual % Change:	2015		2016		Annual % Change:
	N	Column %	N	Column %	% Change [†]	N	Column %	N	Column %	% Change [†]
County										
Clark	432	91%	469	90%	9%	8,753	86%	9,361	86%	7%
Washoe	38	8%	41	8%	8%	970	10%	1,030	10%	6%
All Other Counties**	7	1%	10	2%	NA ^{††}	415	4%	430	4%	4%
Total	477	100%	520	100%	9%	10,138	100%	10,823	100%	7%
Sex at Birth										
Male	417	87%	447	86%	7%	8,527	84%	9,113	84%	7%
Female	60	13%	73	14%	22%	1,611	16%	1,710	16%	6%
Total	477	100%	520	100%	9%	10,138	100%	10,823	100%	7%
Race/Ethnicity										
White, non-Hispanic	164	34%	151	29%	-8%	4,651	46%	4,802	44%	3%
Black, non-Hispanic	118	25%	166	32%	41%	2,547	25%	2,818	26%	11%
Hispanic	147	31%	167	32%	14%	2,349	23%	2,560	24%	9%
Asian/Hawaiian/Pacific Islander	38	8%	22	4%	-42%	368	4%	397	4%	8%
American Indian/Alaska Native	4	1%	9	2%	NA ^{††}	82	1%	93	1%	13%
Multi-race/Other	6	1%	5	1%	NA ^{††}	141	1%	153	1%	9%
Unknown	0	0%	0	0%	NA	0	1%	0	0%	NA
Total	477	100%	520	100%	9%	10,138	100%	10,823	100%	7%
Age Group*										
< 13	2	0%	0	0%	NA ^{††}	15	0%	13	0%	-13%
13 to 24	82	17%	98	19%	20%	365	4%	359	3%	-2%
25 to 34	163	34%	212	41%	30%	1,649	16%	1,881	17%	14%
35 to 44	114	24%	106	20%	-7%	2,128	21%	2,216	20%	4%
45 to 54	87	18%	78	15%	-10%	3,412	34%	3,486	32%	2%
55 to 64	22	5%	22	4%	0%	1,895	19%	2,107	19%	11%
65 +	7	1%	4	1%	NA ^{††}	616	6%	703	6%	14%
Missing	0	0%	0	0%	NA	58	1%	58	1%	0%
Total	477	100%	520	100%	9%	10,138	100%	10,823	100%	7%
Transmission Category										
Males										
Male-to-male sexual contact (MSM)	315	76%	322	72%	2%	6,484	76%	6,954	76%	7%
IDU	12	3%	16	4%	33%	498	6%	511	6%	3%
MSM+IDU	23	6%	19	4%	-17%	665	8%	684	8%	3%
Heterosexual contact	12	3%	13	3%	8%	304	4%	309	3%	2%
Perinatal Exposure	0	0%	0	0%	NA	32	0%	30	0%	-6%
Transfusion/Hemophilia	0	0%	0	0%	NA	7	0%	7	0%	NA ^{††}
No identified risk (NIR)	55	13%	77	17%	40%	537	6%	618	7%	15%
Subtotal	417	100%	447	100%	7%	8,527	100%	9,113	100%	7%
Females										
IDU	6	10%	7	10%	NA ^{††}	249	15%	253	15%	2%
Heterosexual contact	20	33%	18	25%	-10%	967	60%	996	58%	3%
Perinatal Exposure	1	2%	0	0%	NA ^{††}	43	3%	42	2%	-2%
Transfusion/Hemophilia	0	0%	0	0%	NA	4	0%	4	0%	NA ^{††}
No identified risk (NIR)	33	55%	48	66%	45%	348	22%	415	24%	19%
Subtotal	60	100%	73	100%	22%	1,611	100%	1,710	100%	6%
Total	477	100%	520	100%	9%	10,138	100%	10,823	100%	7%

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2017)

Persons living HIV data includes data on persons living in Nevada with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in Nevada.

* For New HIV diagnoses, age refers to age at HIV infection diagnosis. For persons living with HIV, age refers to age at the end of the report year.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2016.

†Annual % Change is the percentage increase or decrease relative to the number of cases in 2016. Take caution when interpreting percent changes calculated from small case counts because they can be susceptible to high variability and are likely to be misleading.

††Percent change for small counts are not shown as they are susceptible to high variability and are misleading.

^Percent's may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program

Facility of Diagnosis for New HIV Diagnoses, Nevada HIV Fast Facts, 2016

	Nevada		Clark County		Washoe County		All Other Counties*	
	N	Column %	n	Column %	n	Column %	n	Column %
Facility of Diagnosis								
HIV Counseling and Testing Site	152	29%	139	30%	12	29%	1	10%
Private Physician's Office	176	34%	172	37%	3	7%	1	10%
Inpatient Facility/Hospital	53	10%	48	10%	2	5%	3	30%
Outpatient Facility (unspecified)	33	6%	29	6%	3	7%	1	10%
Adult HIV Clinic	26	5%	7	1%	15	37%	4	40%
Correctional Facility	35	7%	33	7%	2	5%	0	0%
STD Clinic	16	3%	16	3%	0	0%	0	0%
Blood Bank or Plasma Center	10	2%	10	2%	0	0%	0	0%
Emergency Room	3	1%	0	0%	1	2%	2	20%
Tuberculosis Clinic	2	0%	2	0%	0	0%	0	0%
Obstetrics and Gynecology Clinic	3	1%	0	0%	1	2%	2	20%
Facility/Other/Unknown	17	3%	13	3%	4	10%	0	0%
Total	520	100%	469	100%	41	100%	10	100%



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program

Facility of Diagnosis for New Stage 3 (AIDS) Diagnoses, Nevada HIV Fast Facts, 2016

	Nevada		Clark County		Washoe County		All Other Counties*	
	N	Column %	n	Column %	n	Column %	n	Column %
Facility of Diagnosis								
HIV Counseling and Testing Site	30	13%	30	14%	0	0%	0	0%
Private Physician's Office	80	35%	76	36%	4	31%	0	0%
Inpatient Facility/Hospital	58	25%	55	26%	0	0%	3	60%
Outpatient Facility (unspecified)	21	9%	20	9%	1	8%	0	0%
Adult HIV Clinic	15	7%	9	4%	5	38%	1	20%
Correctional Facility	4	2%	4	2%	0	0%	0	0%
STD Clinic	4	2%	4	2%	0	0%	0	0%
Blood Bank or Plasma Center	0	0%	0	0%	0	0%	0	0%
Emergency Room	0	0%	0	0%	0	0%	0	0%
Tuberculosis Clinic	0	0%	0	0%	0	0%	0	0%
Obstetrics and Gynecology Clinic	0	0%	0	0%	0	0%	0	0%
Facility/Other/Unknown	18	8%	14	7%	3	23%	1	20%
Total	230	100%	212	100%	13	100%	5	100%

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2017)

New HIV Diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states, but who currently live in Nevada. HIV diagnoses and stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in 2016.

*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

^Percent's may not equal 100% due to rounding and unknown counts.

For more information, contact:

Danika Williams, MPH
HIV Surveillance Coordinator
Office of Public Health Informatics and Epidemiology
Division of Public and Behavioral Health
4126 Technology Way Ste 201
Carson City NV 89706
Phone: (775) 684-2219
Dmwilliams@health.nv.gov

Joseph Rand, MS
HIV/STD Biostatistician
Office of Public Health Informatics and Epidemiology
Division of Public and Behavioral Health
4126 Technology Way Ste 201
Carson City NV 89706
Phone: (775) 684-3229
jrand@health.nv.gov

Theron Huntamer
HIV/AIDS Epidemiology Capacity Coordinator
Office of Public Health Informatics and Epidemiology
Division of Public and Behavioral Health
500 Damonte Ranch Parkway Ste 657
Reno NV 89521
Phone: (775) 684-5288
thuntamer@health.nv.gov

Recommended Citation:

Office of Public Health Informatics and Epidemiology. Division of Public and Behavioral Health. *2016 HIV Fast Facts*. Carson City, Nevada. e1.0. July 2017.

The authors would like to recognize the Centers for Disease Control and Prevention (CDC) for their support through Grant Number U62PS004024-05 for the HIV/AIDS Surveillance Program. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the CDC or the Department of Health and Human Services.