

CADTH RAPID RESPONSE REPORT: SUMMARY OF ABSTRACTS Cannabis Use During Pregnancy: Safety

Service Line:Rapid Response ServiceVersion:1.0Publication Date:April 26, 2017Report Length:10 Pages

Authors: Calvin Young, Charlene Argáez

Cite As: Cannabis use during pregnancy: safety. Ottawa: CADTH; 2017 Apr. (CADTH rapid response report: summary of abstracts).

Acknowledgments:

Disclaimer: The information in this document is intended to help Canadian health care decision-makers, health care professionals, health systems leaders, and policy-makers make well-informed decisions and thereby improve the quality of health care services. While patients and others may access this document, the document is made available for informational purposes only and no representations or warranties are made with respect to its fitness for any particular purpose. The information in this document should not be used as a substitute for professional medical advice or as a substitute for the application of clinical judgment in respect of the care of a particular patient or other professional judgment in any decision-making process. The Canadian Agency for Drugs and Technologies in Health (CADTH) does not endorse any information, drugs, therapies, treatments, products, processes, or services.

While care has been taken to ensure that the information prepared by CADTH in this document is accurate, complete, and up-to-date as at the applicable date the material was first published by CADTH, CADTH does not make any guarantees to that effect. CADTH does not guarantee and is not responsible for the quality, currency, propriety, accuracy, or reasonableness of any statements, information, or conclusions contained in any third-party materials used in preparing this document. The views and opinions of third parties published in this document do not necessarily state or reflect those of CADTH.

CADTH is not responsible for any errors, omissions, injury, loss, or damage arising from or relating to the use (or misuse) of any information, statements, or conclusions contained in or implied by the contents of this document or any of the source materials.

This document may contain links to third-party websites. CADTH does not have control over the content of such sites. Use of third-party sites is governed by the third-party website owners' own terms and conditions set out for such sites. CADTH does not make any guarantee with respect to any information contained on such third-party sites and CADTH is not responsible for any injury, loss, or damage suffered as a result of using such third-party sites. CADTH has no responsibility for the collection, use, and disclosure of personal information by third-party sites.

Subject to the aforementioned limitations, the views expressed herein are those of CADTH and do not necessarily represent the views of Canada's federal, provincial, or territorial governments or any third party supplier of information.

This document is prepared and intended for use in the context of the Canadian health care system. The use of this document outside of Canada is done so at the user's own risk.

This disclaimer and any questions or matters of any nature arising from or relating to the content or use (or misuse) of this document will be governed by and interpreted in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein, and all proceedings shall be subject to the exclusive jurisdiction of the courts of the Province of Ontario, Canada.

The copyright and other intellectual property rights in this document are owned by CADTH and its licensors. These rights are protected by the Canadian *Copyright Act* and other national and international laws and agreements. Users are permitted to make copies of this document for non-commercial purposes only, provided it is not modified when reproduced and appropriate credit is given to CADTH and its licensors.

About CADTH: CADTH is an independent, not-for-profit organization responsible for providing Canada's health care decision-makers with objective evidence to help make informed decisions about the optimal use of drugs, medical devices, diagnostics, and procedures in our health care system.

Funding: CADTH receives funding from Canada's federal, provincial, and territorial governments, with the exception of Quebec.

Research Questions

1. What is the clinical evidence regarding the safety of cannabis use during pregnancy?

Key Findings

Two systematic reviews with meta-analyses and nine non-randomized studies were identified regarding the safety of cannabis use (medical or recreational) during pregnancy for pregnant women and their children.

Methods

A limited literature search was conducted on key resources including PubMed, The Cochrane Library, University of York Centre for Reviews and Dissemination (CRD) databases, Canadian and major international health technology agencies, as well as a focused Internet search. Methodological filters were applied to limit retrieval to health technology assessments, systematic reviews, and meta-analyses, randomized controlled trials, non-randomized studies, and guidelines. Where possible, retrieval was limited to the human population. The search was also limited to English language documents published between January 1, 2012 and April 13, 2017. Internet links were provided, where available.

Selection Criteria

One reviewer screened citations and selected studies based on the inclusion criteria presented in Table 1.

Population	Pregnant women and their children (up to age five)			
Intervention	Cannabis use (medical or recreational) during pregnancy			
Comparator	No cannabis use during pregnancy			
Outcomes	Safety (maternal outcomes during pregnancy, delivery, and post-partum, fetal and neonatal health and development, early childhood development [e.g., cognition, executive function social skills, behaviour])			
Study Designs	Health technology assessments, systematic reviews, meta-analyses, randomized controlled trials, non- randomized studies, evidence-based guidelines			

Table 1: Selection Criteria

Results

Rapid Response reports are organized so that the higher quality evidence is presented first. Therefore, health technology assessment reports, systematic reviews, and meta-analyses are presented first. These are followed by randomized controlled trials, non-randomized studies, and evidence-based guidelines.

Two systematic reviews with meta-analyses and nine non-randomized studies were identified regarding the safety of cannabis use (medical or recreational) during pregnancy for pregnant women and their children. No relevant health technology assessments, randomized controlled trials, or evidence-based guidelines were identified.

Additional references of potential interest are provided in the appendix.

Overall Summary of Findings

Two systematic reviews with meta-analyses¹⁻² and nine non-randomized studies³⁻¹¹ were identified regarding the safety of cannabis use (medical or recreational) during pregnancy for pregnant women and their children. There was a general disagreement in the results of these studies. One systematic review with meta-analysis² and five non-randomized studies^{3,5,9-11} observed an increased risk for various adverse neonatal outcomes in women using cannabis during pregnancy. These outcomes included anaemia,² decreased birth weight,^{2,3,9,10} increased need for intensive neonatal care,^{2,9} spontaneous preterm birth,⁵ and an increased risk for stillbirth.¹¹ These results were contradicted by another systematic review with meta-analysis¹ and three non-randomized studies,^{4,6,8} where the authors concluded that cannabis use during pregnancy did not result in increased risk for adverse neonatal outcomes. Detailed study characteristics are provided in Table 2.

First Author, Year	Study Characteristics	Intervention	Comparator	Outcomes	Conclusions	
Systematic Reviews and Meta-Analyses						
Conner, 2016 ¹	 31 included observational studies N = NR 	Cannabis use during pregnancy	 No cannabis use during pregnancy 	 Low birth weight Preterm delivery Birth weight Gestational age at delivery Level II or greater nursery admission Stillbirth Spontaneous abortion Apgar score Placental abruption Perinatal death 	Cannabis use did not have an effect on adverse neonatal outcomes when other confounding factors were controlled for	
Gunn, 2016 ²	24 included case-control studies, cross-	Cannabis use during pregnancy	 No cannabis use during pregnancy 	AnaemiaBirth weightNeonatal length	 Cannabis use during pregnancy led to an increased number of 	

Table 2: Summary of Included Studies on the Safety of Cannabis Use During Pregnancy for Pregnant Women and their Children

Table 2: Summary of Included Studies on the Safety of Cannabis Use During Pregnancy forPregnant Women and their Children

First Author, Year	Study Characteristics	Intervention	Comparator	Outcomes	Conclusions
	sectional, and cohort studies • N = NR			 Placement in the neonatal intensive care unit Gestational age Head circumference Preterm birth 	adverse outcomes for women and their children (including anaemia, decreased birth weight, and increased likelihood to need placement in the neonatal intensive care unit)
		Non-Rand	domized Studies		
Brown, 2016 ³	• N = 344	Cannabis use during pregnancy	 No cannabis use during pregnancy 	 Infant birth weight Gestational age 	Cannabis use during pregnancy led to increased risk of low birth weight and increased likelihood of being small for their gestational age
Dotters-Katz, 2016 ⁴	• N = 1,867	Cannabis use during pregnancy	 No cannabis use during pregnancy 	 Death Intraventricular hemorrhage Periventricular leukomalacia Bronchopulmonar y dysplasia Necrotizing enterocolitis Cerebral palsy Bayley II Scales <70 at age 2 	 Marijuana exposure in-utero was not associated with adverse neonatal or childhood outcomes
Leemaqz, 2016 ⁵	• N = 5,588	Cannabis use during pregnancy	 No cannabis use during pregnancy 	 Preeclampsia Gestational hypertension Small-for- gestational-age Spontaneous preterm births Gestational diabetes 	Cannabis use led to increased risk for spontaneous preterm birth
Mark, 2016 ⁶	• N = 396	Cannabis use during pregnancy	 No cannabis use during pregnancy 	 Incidence of low birth weight Preterm delivery Neonatal intensive care unit admissions Prenatal care utilization 	There were no differences in measured outcomes between the two groups

Table 2: Summary of Included Studies on the Safety of Cannabis Use During Pregnancy forPregnant Women and their Children

First Author, Year	Study Characteristics	Intervention	Comparator	Outcomes	Conclusions
McLemore, 2016 ⁷	• N = NR	Cannabis use during pregnancy	 No cannabis use during pregnancy 	 Fetal gestational age Neonatal responses Cognitive and behavioral skills Birth length and weight Neonatal body length Infant-child sleep, cognition, and behavioral parameters Growth Infant-child attention and aggression 	No results or author's conclusions were available in the abstract
Conner, 2015 ⁸	• N= 8,138	 Cannabis use during pregnancy 	 No cannabis use during pregnancy 	 Birth weight Neonatal intensive care unit admission 5-minute Apgar score Umbilical artery pH 	• The use of marijuana during pregnancy did not significantly increase poor neonatal outcomes after adjusting for other risk factors
Warshak, 2015 ⁹	• N = 6,468	Cannabis use during pregnancy	 No cannabis use during pregnancy 	 Preterm delivery Pre-eclampsia Gestational diabetes Cesarean delivery Fetal growth restriction Stillbirth Neonatal intensive care unit admission Perinatal mortality 	Marijuana use during pregnancy increased the risk for small for gestational age and neonatal intensive care unit admissions
Janisse, 2014 ¹⁰	• N = 3,164	Cannabis use during pregnancy	No cannabis use during pregnancy	 Gestational duration Fetal growth and birth weight 	 Marijuana use decreased birth weight
Varner, 2014 ¹¹	• N= 2,595	Cannabis use during pregnancy	 No cannabis use during pregnancy 	Rate of stillbirth	 Cannabis use was associated with an increased risk of stillbirth

Abbreviations: NR = not reported.

References Summarized

Health Technology Assessments

No literature identified.

Systematic Reviews and Meta-Analyses

- Conner SN, Bedell V, Lipsey K, Macones GA, Cahill AG, Tuuli MG. Maternal marijuana use and adverse neonatal outcomes: a systematic review and meta-analysis. Obstet Gynecol. 2016 Oct;128(4):713-23.
 <u>PubMed: PM27607879</u>
- Gunn JK, Rosales CB, Center KE, Nunez A, Gibson SJ, Christ C, et al. Prenatal exposure to cannabis and maternal and child health outcomes: a systematic review and meta-analysis. BMJ Open. 2016 Apr 5;6(4):e009986. Available from: http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4823436

PubMed: PM27048634

Randomized Controlled Trials

No literature identified.

Non-Randomized Studies

 Brown SJ, Mensah FK, Ah KJ, Stuart-Butler D, Glover K, Leane C, et al. Use of cannabis during pregnancy and birth outcomes in an Aboriginal birth cohort: a crosssectional, population-based study. BMJ Open. 2016 Feb 23;6(2):e010286. Available from: <u>http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4769386</u>

PubMed: PM26908527

- Dotters-Katz SK, Smid MC, Manuck TA, Metz TD. Risk of neonatal and childhood morbidity among preterm infants exposed to marijuana. J Matern Fetal Neonatal Med. 2016 Dec 6;1-19. PubMed: PM27921445
- Leemaqz SY, Dekker GA, McCowan LM, Kenny LC, Myers JE, Simpson NA, et al. Maternal marijuana use has independent effects on risk for spontaneous preterm birth but not other common late pregnancy complications. Reprod Toxicol. 2016 Jul;62:77-86.

PubMed: PM27142189

- Mark K, Desai A, Terplan M. Marijuana use and pregnancy: prevalence, associated characteristics, and birth outcomes. Arch Womens Ment Health. 2016 Feb;19(1):105-11.
 - PubMed: PM25895138
- McLemore GL, Richardson KA. Data from three prospective longitudinal human cohorts of prenatal marijuana exposure and offspring outcomes from the fetal period through young adulthood. Data Brief. 2016 Dec;9:753-7. Available from: <u>http://www.ncbi.nlm.nih.gov/pmc/articles/PMC5096595</u>

PubMed: PM27833935



- Conner SN, Carter EB, Tuuli MG, Macones GA, Cahill AG. Maternal marijuana use and neonatal morbidity. Am J Obstet Gynecol. 2015 Sep;213(3):422-4. <u>PubMed: PM26026918</u>
- Warshak CR, Regan J, Moore B, Magner K, Kritzer S, Van Hook J. Association between marijuana use and adverse obstetrical and neonatal outcomes. J Perinatol. 2015 Dec;35(12):991-5. PubMed: PM26401751
- Janisse JJ, Bailey BA, Ager J, Sokol RJ. Alcohol, tobacco, cocaine, and marijuana use: relative contributions to preterm delivery and fetal growth restriction. Subst Abus. 2014;35(1):60-7.
 <u>PubMed: PM24588295</u>
- 11. Varner MW, Silver RM, Rowland Hogue CJ, Willinger M, Parker CB, Thorsten VR, et al. Association between stillbirth and illicit drug use and smoking during pregnancy. Obstet Gynecol. 2014 Jan;123(1):113-25. Available from: <u>http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3931517</u> PubMed: PM24463671

Guidelines and Recommendations

No literature identified.

Appendix — Further Information

Systematic Reviews and Meta-Analyses

Cannabis Exposure Unspecified

 Irner TB. Substance exposure in utero and developmental consequences in adolescence: a systematic review. Child Neuropsychol. 2012;18(6):521-49. <u>PubMed: PM22114955</u>

Non-Randomized Studies

Alternate Outcomes

- Carter RC, Wainwright H, Molteno CD, Georgieff MK, Dodge NC, Warton F, et al. Alcohol, methamphetamine, and marijuana exposure have distinct effects on the human placenta. Alcohol Clin Exp Res. 2016 Apr;40(4):753-64. <u>PubMed: PM27038593</u>
- 14. El Marroun H, Tiemeier H, Franken IH, Jaddoe VW, van der Luqt A, Verhulst FC, et al. Prenatal cannabis and tobacco exposure in relation to brain morphology: a prospective neuroimaging study in young children. Biol Psychiatry. 2016 Jun 15;79(12):971-9. PubMed: PM26422004

Alternate Population

- Sonon K, Richardson GA, Cornelius J, Kim KH, Day NL. Developmental pathways from prenatal marijuana exposure to Cannabis Use Disorder in young adulthood. Neurotoxicol Teratol. 2016 Nov;58:46-52.
 <u>PubMed: PM27208888</u>
- Day NL, Goldschmidt L, Day R, Larkby C, Richardson GA. Prenatal marijuana exposure, age of marijuana initiation, and the development of psychotic symptoms in young adults. Psychol Med. 2015 Jun;45(8):1779-87. PubMed: PM25534593
- Sonon KE, Richardson GA, Cornelius JR, Kim KH, Day NL. Prenatal marijuana exposure predicts marijuana use in young adulthood. Neurotoxicol Teratol. 2015 Jan;47:10-5. Available from: <u>http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4381999</u> <u>PubMed: PM25446014</u>
- Goldschmidt L, Richardson GA, Willford JA, Severtson SG, Day NL. School achievement in 14-year-old youths prenatally exposed to marijuana. Neurotoxicol Teratol. 2012 Jan;34(1):161-7. Available from: <u>http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3260381</u> PubMed: PM21884785

Qualitative Studies

7

 Chabarria KC, Racusin DA, Antony KM, Kahr M, Suter MA, Mastrobattista JM, et al. Marijuana use and its effects in pregnancy. Am J Obstet Gynecol. 2016 Oct;215(4):506-

PubMed: PM27263998

Clinical Practice Guidelines - Unspecified Methodology

- 20. Committee on Obstetrics, American College of Obstetricians and Gynecologists [Internet]. Marijuana use during pregnancy and lactation [committee opinion no. 637]. Washington (DC): American College of Obstetricians and Gynecologists; 2015 Jul [cited 2017 Apr 20]. Available from: <u>http://www.acog.org/Resources-And-</u> <u>Publications/Committee-Opinions/Committee-on-Obstetric-Practice/Marijuana-Use-</u> <u>During-Pregnancy-and-Lactation</u>
- 21. Reece-Stremtan S, Marinelli KA, and The Academy of Breastfeeding Medicine. Guidelines for breastfeeding and substance use or substance use disorder [Internet]. Breast Med. 2015 [cited 2017 Apr 20];10(3):135-141. Available from: <u>http://www.bfmed.org/Media/Files/Protocols/Guidelines%20for%20Breastfeeding%20an</u> <u>d%20Substance%20Use%20or%20Use%20Disorder.pdf</u>

Review Articles

- 22. Forray A. Substance use during pregnancy. F1000Res. 2016 May 13;5. Available from: <u>http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4870985</u> PubMed: PM27239283
- Porath-Waller AJ. Clearing the smoke on cannabis: maternal cannabis use during pregnancy – an update [Internet]. Ottawa (ON): Canadian Centre on Substance Abuse; 2015. Available from: <u>http://www.ccsa.ca/Resource%20Library/CCSA-Cannabis-Maternal-Use-Pregnancy-Report-2015-en.pdf</u>
- Jaques SC, Kingsbury A, Henshcke P, Chomchai C, Clews S, Falconer J, et al. Cannabis, the pregnant woman and her child: weeding out the myths. J Perinatol. 2014 Jun;34(6):417-24.
 <u>PubMed: PM24457255</u>
- 25. Behnke M, Smith VC, Committee on Substance Abuse, Committee on Fetus and Newborn [Internet]. Prenatal substance abuse: short- and long-term effects on the exposed fetus. Pediatrics. 2013 [cited 2017 Apr 20] 131(3). Available from: <u>http://pediatrics.aappublications.org/content/131/3/e1009</u>
- 26. United Nations Office on Drugs and Crime (UNODC) [Internet]. Cannabis: a short review [discussion paper]. Vienna (Austria): UNODC; 2012. Available from: <u>https://www.unodc.org/documents/drug-prevention-and-treatment/cannabis_review.pdf</u> *See: page 9, Cannabis and Pregnancy*