

2014

Sexually Transmitted Disease

Fast Facts



Division of Public and Behavioral Health
Office of Public Health Informatics and Epidemiology
STD Prevention and Control Program

Brian Sandoval
Governor
State of Nevada

Richard Whitley, MS
Director
Department of Health and Human Services



Marta E. Jensen
Acting Administrator
Division of Public and Behavioral Health

Tracey D. Green, MD
Chief Medical Officer
Division of Public and Behavioral Health

**Division of Public and Behavioral Health, STD Prevention and Control Program
Chlamydia Cases in Nevada, 2014**

	Total			Male			Female		
	n	%	Rate*	n	%	Rate*	n	%	Rate*
Resident County at Diagnosis									
Clark	10,312	79.8%	502.5	3,070	77.6%	297.7	7,215	80.8%	706.9
Washoe	1,757	13.6%	401.5	635	16.1%	288.0	1,121	12.5%	516.4
Carson/Douglas/Lyon	441	3.4%	282.1	118	3.0%	150.4	323	3.6%	414.9
All Other Counties**	408	3.2%	223.0	132	3.3%	139.1	275	3.1%	312.3
Total	12,918	100.0%	456.7	3,955	100.0%	277.5	8,934	100.0%	636.5
Race/Ethnicity									
White, non-Hispanic	2,726	21.1%	178.5	956	24.2%	123.7	1,768	19.8%	234.5
Black, non-Hispanic	1,921	14.9%	812.7	770	19.5%	646.7	1,151	12.9%	981.1
Hispanic	2,357	18.2%	299.8	790	20.0%	196.4	1,565	17.5%	407.6
American Indian/Alaska Native	95	0.7%	292.4	27	0.7%	166.0	68	0.8%	419.3
Asian/Hawaiian/Pacific Islander	381	2.9%	154.3	96	2.4%	83.6	285	3.2%	215.7
Unknown/Other	5,438	42.1%	NA	1,316	33.3%	NA	4,097	45.9%	NA
Total	12,918	100.0%	456.7	3,955	100.0%	277.5	8,934	100.0%	636.5
Age Group									
< 9	9	0.1%	2.4	~	~	~	6	0.1%	3.2
10-14	76	0.6%	40.8	11	0.3%	11.4	65	0.7%	72.2
15-19	3,136	24.3%	1,719.1	697	17.6%	742.5	2,438	27.3%	2,753.4
20-24	4,844	37.5%	2,470.2	1,310	33.1%	1,290.6	3,522	39.4%	3,723.4
25-29	2,438	18.9%	1,282.3	903	22.8%	929.5	1,532	17.1%	1,647.7
30-34	1,097	8.5%	584.6	423	10.7%	443.1	672	7.5%	729.0
35-39	638	4.9%	316.7	264	6.7%	256.8	369	4.1%	373.9
40-44	313	2.4%	159.9	141	3.6%	140.1	169	1.9%	177.7
45-54	282	2.2%	73.4	162	4.1%	82.4	120	1.3%	63.9
55-64	56	0.4%	16.7	29	0.7%	17.5	27	0.3%	15.8
65+	17	0.1%	4.4	9	0.2%	5.0	8	0.1%	3.9
Unknown	12	0.1%	NA	~	~	~	6	0.1%	NA
Total	12,918	100.0%	456.7	3,955	100.0%	277.5	8,934	100.0%	636.5

Source: Division of Public and Behavioral Health, Sexually Transmitted Disease Management Information Systems (STD*MIS), data as of March 2015

*Crude rates per 100,000 population were calculated using 2013 population projections from the Nevada State Demographer vintage 2014 data.

**All other counties include Churchill, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Mineral, Nye, Pershing, Storey, and White Pine.

~Counts under 5 or cases of complementary suppression.

Division of Public and Behavioral Health, STD Prevention and Control Program

Gonorrhea Cases in Nevada, 2014

	Total			Male			Female		
	n	%	Rate*	n	%	Rate*	n	%	Rate*
Resident County at Diagnosis									
Clark	2,802	82.4%	136.6	1,643	83.7%	159.3	1,153	80.5%	113.0
Washoe	490	14.4%	112.0	265	13.5%	120.2	225	15.7%	103.6
Carson/Douglas/Lyon	47	1.4%	30.1	18	0.9%	22.9	29	2.0%	37.3
All Other Counties**	62	1.8%	33.9	36	1.8%	37.9	26	1.8%	29.5
Total	3,401	100.0%	120.2	1,962	100.0%	137.7	1,433	100.0%	102.1
Race/Ethnicity									
White, non-Hispanic	768	22.6%	50.3	450	22.9%	58.2	318	22.2%	42.2
Black, non-Hispanic	889	26.1%	376.1	550	28.0%	462.0	339	23.7%	289.0
Hispanic	454	13.3%	57.7	274	14.0%	68.1	180	12.6%	46.9
American Indian/Alaska Native	26	0.8%	80.0	13	0.7%	79.9	13	0.9%	80.2
Asian/Hawaiian/Pacific Islander	68	2.0%	27.5	40	2.0%	34.8	28	2.0%	21.2
Unknown/Other	1,196	35.2%	NA	635	32.4%	NA	555	38.7%	NA
Total	3,401	100.0%	120.2	1,962	100.0%	137.7	1,433	100.0%	102.1
Age Group									
< 9	~	~	~	~	~	~	~	~	~
10-14	30	0.9%	16.1	12	0.6%	12.5	18	1.3%	20.0
15-19	557	16.4%	305.3	227	11.6%	241.8	330	23.0%	372.7
20-24	875	25.7%	446.2	450	22.9%	443.3	425	29.7%	449.3
25-29	718	21.1%	377.6	432	22.0%	444.7	286	20.0%	307.6
30-34	441	13.0%	235.0	265	13.5%	277.6	173	12.1%	187.7
35-39	277	8.1%	137.5	182	9.3%	177.1	95	6.6%	96.3
40-44	188	5.5%	96.0	135	6.9%	134.1	53	3.7%	55.7
45-54	216	6.4%	56.2	174	8.9%	88.5	39	2.7%	20.8
55-64	78	2.3%	23.2	68	3.5%	41.1	10	0.7%	5.9
65+	16	0.5%	4.1	15	0.8%	8.3	~	~	~
Unknown	~	~	~	~	~	~	~	~	~
Total	3,401	100.0%	120.2	1,962	100.0%	137.7	1,433	100.0%	102.1

Source: Division of Public and Behavioral Health, Sexually Transmitted Disease Management Information Systems (STD*MIS), data as of March 2015

*Crude rates per 100,000 population were calculated using 2013 population projections from the Nevada State Demographer vintage 2014 data.

**All other counties include Churchill, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Mineral, Nye, Pershing, Storey, and White Pine.

~Counts under 5 or cases of complementary suppression.

**Division of Public and Behavioral Health,
STD Prevention and Control Program
Primary and Secondary Syphilis Cases in Nevada, 2014**

	N	%	Rate*
Sex at Birth			
Male	283	92.5%	19.9
Female	23	7.5%	1.6
Total	306	100.0%	10.8
Resident County at Diagnosis			
Clark	259	84.6%	12.6
Washoe	36	11.8%	8.2
Carson/Douglas/Lyon	~	~	~
All Other Counties**	~	~	~
Total	306	100.0%	10.8
Race/Ethnicity			
White, non-Hispanic	128	41.8%	8.4
Black, non-Hispanic	63	20.6%	26.7
Hispanic	87	28.4%	11.1
American Indian/Alaska Native	~	~	~
Asian/Hawaiian/Pacific Islander	11	3.6%	4.5
Unknown/Other	~	~	~
Total	306	100.0%	10.8
Age Group			
< 9	0	0.0%	0.0
10-14	0	0.0%	0.0
15-19	10	3.3%	5.5
20-24	63	20.6%	32.1
25-29	66	21.6%	34.7
30-34	53	17.3%	28.2
35-39	40	13.1%	19.9
40-44	21	6.9%	10.7
45-54	36	11.8%	9.4
55-64	15	4.9%	4.5
65+	~	~	~
Unknown	~	~	~
Total	306	100.0%	10.8

Source: Division of Public and Behavioral Health, Sexually Transmitted Disease Management Information Systems (STD*MIS), data as of March 2015

*Crude rates per 100,000 population were calculated using 2013 population projections from the Nevada State Demographer vintage 2014 data.

**All other counties include Churchill, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Mineral, Nye, Pershing, Storey, and White Pine counties.

~Counts under 5 or cases of complementary suppression.

**Division of Public and Behavioral Health, STD Prevention and Control Program
Early Latent Syphilis Cases in Nevada, 2014**

	Total			Male			Female		
	n	%	Rate*	n	%	Rate*	n	%	Rate*
Resident County at Diagnosis									
Clark	306	95.0%	14.9	259	95.9%	25.1	46	90.2%	4.5
Washoe	16	5.0%	3.7	11	4.1%	5.0	~	~	~
Carson/Douglas/Lyon	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
All Other Counties**	0	0.0%	0.0	0	0.0%	0.0	~	~	~
Total	322	100.0%	11.4	270	100.0%	18.9	51	100.0%	3.6
Race/Ethnicity									
White, non-Hispanic	96	29.8%	6.3	82	30.4%	10.6	14	27%	1.9
Black, non-Hispanic	84	26.1%	35.5	70	25.9%	58.8	14	27%	11.9
Hispanic	109	33.9%	13.9	98	36.3%	24.4	11	22%	2.9
American Indian/Alaska Native	~	~	~	~	~	~	0	0%	0.0
Asian/Hawaiian/Pacific Islander	13	4.0%	40.0	7	2.6%	6.1	6	12%	4.5
Unknown/Other	~	~	~	~	~	~	6	12%	NA
Total	322	100.0%	11.4	270	100.0%	18.9	51	100%	3.6
Age Group									
<9	0	0.0%	0.0	0	0.0%	0.0	0	0%	0.0
10-14	0	0.0%	0.0	0	0.0%	0.0	0	0%	0.0
15-19	8	2.5%	4.4	~	~	~	~	~	~
20-24	47	14.6%	24.0	32	11.9%	31.5	15	29%	15.9
25-29	69	21.4%	36.3	55	20.4%	56.6	14	27%	15.1
30-34	58	18.0%	30.9	50	18.5%	52.4	8	16%	8.7
35-39	45	14.0%	22.3	41	15.2%	39.9	~	~	~
40-44	20	6.2%	10.2	17	6.3%	16.9	~	~	~
45-54	59	18.3%	15.4	54	20.0%	27.5	~	~	~
55-64	14	4.3%	4.2	14	5.2%	8.5	0	0%	0.0
65+	~	~	~	~	~	1.1	0	0%	0.0
Unknown	~	~	~	0	0.0%	NA	0	0%	NA
Total	322	100.0%	11.4	270	100.0%	18.9	51	100%	3.6

Source: Division of Public and Behavioral Health, Sexually Transmitted Disease Management Information Systems (STD*MIS), data as of March 2015

*Crude rates per 100,000 population were calculated using 2013 population projections from the Nevada State Demographer vintage 2014 data.

**All other counties include Churchill, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Mineral, Nye, Pershing, Storey, and White Pine.

~Counts under 5 or cases of complementary suppression.

**Division of Public and Behavioral Health, STD Prevention and Control Program
All Reported STD Cases in Nevada, 2014**

	Chlamydia			Gonorrhea			P & S Syphilis ¹			EL Syphilis ²		
	n	%	Rate*	n	%	Rate*	n	%	Rate*	n	%	Rate*
Resident County at Diagnosis												
Clark	10,312	79.8%	502.5	2,802	82.4%	136.6	259	84.6%	12.6	306	95.0%	14.9
Washoe	1,757	13.6%	401.5	490	14.4%	112.0	36	11.8%	8.2	16	5.0%	3.7
Carson/Douglas/Lyon	441	3.4%	282.1	47	1.4%	30.1	~	~	~	0	0.0%	0.0
All Other Counties**	408	3.2%	223.0	62	1.8%	33.9	~	~	~	0	0.0%	0.0
Total	12,918	100%	456.7	3,401	100%	120.2	306	100%	10.8	322	100%	11.4
Race/Ethnicity												
White, non-Hispanic	2,726	21.1%	178.5	768	22.6%	50.3	128	41.8%	8.4	96	29.8%	6.3
Black, non-Hispanic	1,921	14.9%	812.7	889	26.1%	376.1	63	20.6%	26.7	84	26.1%	35.5
Hispanic	2,357	18.2%	299.8	454	13.3%	57.7	87	28.4%	11.1	109	33.9%	13.9
American Indian/Alaska Native	95	0.7%	292.4	26	0.8%	80.0	~	~	~	~	~	~
Asian/Hawaiian/Pacific Islander	381	2.9%	154.3	68	2.0%	27.5	11	3.6%	4.5	13	4.0%	5.3
Unknown/Other	5,438	42.1%	NA	1,196	35.2%	NA	~	~	~	~	~	~
Total	12,918	100%	456.7	3,401	100%	120.2	306	100%	10.8	322	100%	11.4
Age Group												
<9	9	0.1%	2.4	~	~	~	0	0.0%	0.0	0	0.0%	0.0
10-14	76	0.6%	40.8	30	0.9%	16.1	0	0.0%	0.0	0	0.0%	0.0
15-19	3,136	24.3%	1,719.1	557	16.4%	305.3	10	3.3%	5.5	8	2.5%	4.4
20-24	4,844	37.5%	2,470.2	875	25.7%	446.2	63	20.6%	32.1	47	14.6%	24.0
25-29	2,438	18.9%	1,282.3	718	21.1%	377.6	66	21.6%	34.7	69	21.4%	36.3
30-34	1,097	8.5%	584.6	441	13.0%	235.0	53	17.3%	28.2	58	18.0%	30.9
35-39	638	4.9%	316.7	277	8.1%	137.5	40	13.1%	19.9	45	14.0%	22.3
40-44	313	2.4%	159.9	188	5.5%	96.0	21	6.9%	10.7	20	6.2%	10.2
45-54	282	2.2%	73.4	216	6.4%	56.2	36	11.8%	9.4	59	18.3%	15.4
55-64	56	0.4%	16.7	78	2.3%	23.2	15	4.9%	4.5	14	4.3%	4.2
65+	17	0.1%	4.4	16	0.5%	4.1	~	~	~	~	~	~
Unknown	12	0.1%	NA	~	~	~	~	~	~	~	~	~
Total	12,918	100%	456.7	3,401	100%	120.2	306	100%	10.8	322	100%	11.4

Source: Division of Public and Behavioral Health, Sexually Transmitted Disease Management Information Systems (STD*MIS), data as of March 2015

*Crude rates per 100,000 population were calculated using 2013 population projections from the Nevada State Demographer vintage 2014 data.

**All other counties include Churchill, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Mineral, Nye, Pershing, Storey, and White Pine.

¹Syphilis, P & S refers to Primary and Secondary Syphilis.

²Syphilis, EL refers to Early Latent Syphilis.

~Counts under 5 or cases of complementary suppression.

**Division of Public and Behavioral Health, STD Prevention and Control Program
Percent Change in STD Cases in Nevada, 2013 to 2014**

	Chlamydia			Gonorrhea			P&S Syphilis ¹			EL Syphilis ²		
	2013	2014	% Change	2013	2014	% Change	2013	2014	% Change	2013	2014	% Change
Resident County at Diagnosis												
Clark	8,614	10,312	19.7%	2,090	2,802	34.1%	170	259	52.4%	220	306	39.1%
Washoe	1,686	1,757	4.2%	367	490	33.5%	31	36	16.1%	14	16	14.3%
Carson/Douglas/Lyon	413	441	6.8%	38	47	23.7%	~	~	NA**	~	~	NA
All Other Counties*	394	408	3.6%	54	62	14.8%	~	~	NA**	~	~	NA**
Total	11,107	12,918	16.3%	2,549	3,401	33.4%	207	306	47.8%	235	322	37.0%
Race/Ethnicity												
White, non-Hispanic	2,644	2,726	3.1%	585	768	31.3%	78	128	64.1%	76	96	26.3%
Black, non-Hispanic	1,870	1,921	2.7%	746	889	19.2%	39	63	61.5%	65	84	29.2%
Hispanic	2,179	2,357	8.2%	348	454	30.5%	60	87	NA	62	109	75.8%
American Indian/Alaska Native	125	95	-24.0%	28	26	-7.1%	0	~	NA**	~	~	NA**
Asian/Hawaiian/Pacific Islander	358	381	6.4%	48	68	41.7%	13	11	-15.4%	~	~	~
Unknown/Other	3,931	5,438	38.3%	794	1,196	50.6%	17	~	NA**	22	19	-13.6%
Total	11,107	12,918	16.3%	2,549	3,401	33.4%	207	306	47.8%	235	322	37.0%
Age Group												
<9	9	9	NA**	~	~	NA**	0	0	NA	0	0	NA
10-14	81	76	-6.2%	27	30	11.1%	0	0	NA	~	~	NA**
15-19	2,978	3,136	5.3%	543	557	2.6%	9	10	11.1%	6	8	33.3%
20-24	4,018	4,844	20.6%	687	875	27.4%	47	63	34.0%	55	47	-14.5%
25-29	2,005	2,438	21.6%	460	718	56.1%	43	66	53.5%	44	69	56.8%
30-34	995	1,097	10.3%	327	441	34.9%	26	53	103.8%	32	58	81.3%
35-39	486	638	31.3%	172	277	61.0%	22	40	81.8%	16	45	181.3%
40-44	254	313	23.2%	115	188	63.5%	17	21	23.5%	27	20	-25.9%
45-54	222	282	27.0%	159	216	35.8%	32	36	12.5%	35	59	68.6%
55-64	35	56	60.0%	42	78	85.7%	9	15	66.7%	16	14	-12.5%
65+	17	17	0.0%	13	16	23.1%	~	~	NA**	~	~	NA**
Unknown	7	12	71.4%	~	~	NA**	~	~	NA	0	0	NA
Total	11,107	12,918	16.3%	2,549	3,401	33.4%	207	306	47.8%	235	322	37.0%

Source: Division of Public and Behavioral Health, Sexually Transmitted Disease Management Information Systems (STD* MIS), data as of March 2015

*All other counties include Churchill, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Mineral, Nye, Pershing, Storey, and White Pine counties.

**Percent change for small counts are not shown as they are susceptible to high variability and are misleading.

¹Syphilis, P & S refers to Primary and Secondary Syphilis.

²Syphilis, EL refers to Early Latent Syphilis.

~Counts under 5 or cases of complementary suppression.

Division of Public and Behavioral Health, STD Prevention and Control Program

STD Diagnosis by Ordering Provider in Nevada, 2014

Provider	Chlamydia		Gonorrhea		P&S Syphilis ¹		EL Syphilis ²	
	N	%	N	%	N	%	N	%
Private Physician/HMO	866	7%	147	4%	16	5%	13	4%
STD Clinic	703	5%	230	7%	25	8%	17	5%
Laboratory	539	4%	88	3%	~	~	11	3%
Emergency Room/Hospital	3746	29%	1098	32%	85	28%	81	25%
Family Planning	334	3%	53	2%	~	~	0	0%
Prenatal	346	3%	25	1%	~	~	~	~
Other Provider	240	2%	45	1%	6	2%	~	~
Unknown	2268	18%	817	24%	59	19%	71	22%
Other Clinic	3574	28%	810	24%	88	29%	110	34%
Correctional Facility	103	1%	62	2%	6	2%	~	~
HIV Test Site	98	1%	19	1%	16	5%	13	4%
Military	26	0%	0	0%	0	0%	~	~
Job Corps	50	0%	~	~	0	0%	0	0%
Indian Health Service	21	0%	~	~	0	0%	0	0%
Local Pharmacy Clinic (Walgreens-Take Home Clinic)	~	~	0	0%	0	0%	0	0%
Mental Health Provider	~	~	~	~	0	0%	0	0%
Blood Bank	0	0%	0	0%	~	~	~	~
Total	12,918	100%	3,401	100%	306	100%	322	100%

Source: Division of Public and Behavioral Health, Sexually Transmitted Disease Management Information Systems (STD*MIS), data as of March 2015

¹Syphilis, P & S refers to Primary and Secondary Syphilis.

²Syphilis, EL refers to Early Latent Syphilis.

Data are entered into STD*MIS from provider/clinic who ordered laboratory tests. Data come to state/county via laboratory results.

~Counts under 5 or cases of complementary suppression.

For more information, contact:

**Chelsi Cheatom, MPH
STD/Hepatitis Program Manager
Office of Public Health Informatics and Epidemiology
Division of Public and Behavioral Health
3811 W Charleston Ste 205
Las Vegas NV 89102
Phone: (702) 486-0484
ccheatom@health.nv.gov**

**James Kuzhippala, MPH
HIV/STD Epidemiologist
Office of Public Health Informatics and Epidemiology
Division of Public and Behavioral Health
4126 Technology Way Ste 201
Carson City NV 89706
Phone: (775) 684-5979
jkuzhippala@health.nv.gov**

**Theron Huntamer
HIV/AIDS Epidemiology Capacity Coordinator
Office of Public Health Informatics and Epidemiology
Division of Public and Behavioral Health
4126 Technology Way Ste 201
Carson City NV 89706
Phone: (775) 684-4152
thuntamer@health.nv.gov**

Recommended Citation:

Office of Public Health Informatics and Epidemiology. Division of Public and Behavioral Health. *2014 Sexually Transmitted Disease Fast Facts*. Carson City, Nevada. e1.0. July 2015.

The authors would like to recognize the Centers for Disease Control and Prevention (CDC) for their support through Grant Number 1H25PS004376-01 for the STD Prevention and Control Program. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the CDC.