

NARCAN NASAL SPRAY 4mg Physician/Medical Director Standing Order

NARCAN is indicated for the reversal of opioid overdose induced by natural or synthetic opioids and exhibited by respiratory depression or unresponsiveness. NARCAN is delivered by intranasal administration as indicated.

This standing order covers the possession and distribution of NARCAN Nasal Spray 4mg.

Trained staff of _____ may possess and distribute NARCAN Nasal Spray 4mg to 1) a person at risk of experiencing an opioid-related overdose or 2) a family member, friend, or other person(s) in a position to assist a person at risk of experiencing an opioid-related overdose.

Administration of NARCAN Nasal Spray 4mg to a person suspected of an opioid overdose with respiratory depression or unresponsiveness as follows:

Use NARCAN Nasal Spray for known or suspected opioid overdose in adults and children. Important: For use in the nose only.

- Do not remove or test the NARCAN Nasal Spray until ready to use.
- Each NARCAN Nasal Spray has 1 dose and cannot be reused.
- You do not need to prime NARCAN Nasal Spray.

How to use NARCAN nasal spray:

Step 1. Lay the person on their back to receive a dose of NARCAN Nasal Spray.

Step 2. Remove NARCAN Nasal Spray from the box. Peel back the tab with the circle to open the NARCAN Nasal Spray.

Step 3. Hold the NARCAN Nasal Spray with your thumb on the bottom of the plunger and your first and middle fingers on either side of the nozzle.

Step 4. Tilt the person's head back and provide support under the neck with your hand. Gently insert the tip of the nozzle into one nostril until your fingers on either side of the nozzle are against the bottom of the person's nose.

Step 5. Press the plunger firmly to give the dose of NARCAN Nasal Spray.

Step 6. Remove the NARCAN Nasal Spray from the nostril after giving the dose.

Step 7. Get emergency medical help right away. • Move the person on their side (recovery position) after giving NARCAN Nasal Spray. • Watch the person closely. • If the person does not respond by waking up, to voice or touch, or breathing normally another dose may be given. NARCAN Nasal Spray may be dosed every 2 to 3 minutes, if available. • Repeat Steps 2 through 6 using a new NARCAN Nasal Spray to give another dose in the other nostril. If additional NARCAN Nasal Sprays are available, Steps 2 through 6 may be repeated every 2 to 3 minutes until the person responds or emergency medical help is received.

Step 8. Put the used NARCAN Nasal Spray back into its box.

Step 9. Throw away (dispose of) the used NARCAN Nasal Spray in a place that is away from children.

QTY: _____ REFILLS: _____ SIG: _____

DATE ____/____/____ Dr. Signature _____

Print Dr. Name and contact information: _____

