


OVERVIEW

OVERVIEW

HIGHLIGHTS

- Lung and Bronchus Cancer was the leading type of cancer for incidence, inpatient hospital discharges and mortality in Nevada from 1999 to 2003. This type of cancer accounted for 16.4% of the total cancer incidence, 14.2% of all cancer inpatient hospital discharges, and 31.3% of cancer mortality during this period.
- Thyroid Gland Cancer by far had the highest comparison ratio of incidence to mortality age-adjusted rates of any type of cancer in Nevada, with a ratio of 26.77, from 1999 to 2003. This means that for every 100 deaths from Thyroid Gland Cancer there would be 2,677 cases. The second leading type was Hodgkin's Lymphoma with a ratio of 7.29.
- Pancreatic Cancer had the lowest comparison ratio of incidence to mortality age-adjusted rates of any type of cancer in Nevada, with a ratio of 1.08 during this period. This means that for every 100 deaths from Pancreatic Cancer there were 108 cases. The second leading type of cancer, Liver and Intrahepatic Bile Ducts, had a ratio of 1.15.

Figure 1. Top Ten Leading Types of Cancer by Percentage of Total Incidence, Discharges and Mortality, Nevada Residents, 1999-2003



Note: "N/A" indicates that this type of Cancer was not in the Top Ten for the respective data source.

Figure 2. Highest Incidence to Mortality Age-Adjusted Rate Ratios by Type of Cancer, Nevada Residents, 1999-2003




Figure 3. Lowest Incidence to Mortality Age-Adjusted Rate Ratios by Type of Cancer, Nevada Residents, 1999-2003




Table 1. Nevada Incidence, Inpatient Hospital Discharges and Mortality by Type of Cancer, Nevada, 1999-2003

Type of Cancer	Incidence		Inpatient Discharges		Mortality	
	Number	Rate*	Number	Rate*	Number	Rate*
Total	47,808	483.00	34,449	343.00	18,821	200.00
Lip, Oral Cavity and Pharynx	1,141	11.00	530	5.10	277	2.90
Lip	47	0.46	7	---	1	---
Base of Tongue	167	1.60	83	0.78	5	---
Other & Unspecified Parts of Tongue	175	1.70	100	0.96	76	0.73
Parotid Gland	90	0.95	47	0.47	13	0.13
Other & Unspecified Major Salivary glands	32	0.32	13	0.13	3	---
Floor of Mouth	87	0.86	51	0.47	6	---
Gum	29	0.29	29	0.29	3	---
Palate	46	0.46	13	0.12	4	---
Other & Unspecified Parts of Mouth	64	0.64	24	0.23	26	0.28
Nasopharynx	73	0.70	23	0.22	23	0.22
Tonsil	152	1.40	46	0.43	17	0.17
Oropharynx	49	0.47	30	0.27	17	0.18
Pyriiform Sinus	43	0.44	15	0.15	1	---
Hypopharynx	37	0.36	25	0.24	5	---
Other & Unspecified Oral (Buccal) Cavity & Pharynx	50	0.51	24	0.24	77	0.81
Digestive System	8,205	85.00	6,879	71.00	4,373	47.00
Esophagus	522	5.20	302	3.00	449	4.50
Stomach	607	6.40	578	5.90	351	3.80
Small Intestine	133	1.30	162	1.60	31	0.34
Colon (excluding Rectum)	3,526	37.00	2,926	31.00	1,661	18.00
Cecum	792	8.50	618	6.70	7	---
Appendix	48	0.48	37	0.35	4	---
Ascending Colon	475	5.20	548	5.90	3	---
Hepatic Flexure	143	1.50	124	1.40	0	---
Transverse Colon	255	2.70	247	2.70	1	---
Splenic Flexure	100	1.00	118	1.20	0	---
Descending Colon	169	1.70	143	1.50	0	---
Sigmoid Colon	994	10.00	792	8.20	9	---
Large Intestine, NOS	550	6.20	299	3.10	1,637	18.00
Rectum	898	9.00	700	7.10	206	2.20
Rectosigmoid Junction	476	4.80	605	6.10	75	0.81
Anus, Anal Canal and Anorectum	138	1.40	133	1.30	18	0.18
Liver	483	4.90	323	3.20	388	4.00
Intrahepatic Bile Ducts	64	0.69	45	0.48	75	0.77
Gallbladder	64	0.69	34	0.36	40	0.45
Other & Unspecified Biliary Tract	143	1.60	143	1.50	50	0.56
Pancreas	1,068	11.00	822	8.40	977	10.00
Retroperitoneum	38	0.37	48	0.47	6	---
Peritoneum, Omentum and Mesentery	25	0.24	51	0.51	13	0.14
Other Digestive Organs	20	0.20	7	---	33	0.35
Respiratory System	8,396	85.00	5,220	52.00	6,032	62.00
Nasal Cavity and Middle Ear	39	0.39	12	0.13	0	---
Accessory Sinuses	30	0.29	17	0.17	13	0.12
Larynx	389	3.90	182	1.80	112	1.20
Lung and Bronchus	7,840	80.00	4,883	49.00	5,895	61.00
Pleura	81	0.84	58	0.60	3	---
Trachea	7	---	16	0.15	2	---
Mediastinum and Other Respiratory Organs	10	0.09	52	0.50	7	---
Bones, Joints and Articular Cartilage	80	0.78	122	1.20	46	0.49
Bones, Joints & Articular Cartilage of Limbs	38	0.37	53	0.50	1	---
Bones, Joints & Articular Cartilage of Other & Unspec Sites	42	0.40	69	0.69	45	0.48
Soft Tissue (Including Heart)	242	2.40	162	1.70	106	1.10
Heart	2	---	1	---	3	---
Peripheral Nerves & Autonomic Nervous System	3	---	0	---	3	---
Connective, Subcutaneous & Other Soft Tissues	237	2.40	161	1.60	100	1.00

* Rates are per 100,000 population and age-adjusted to the 2000 US Standard population. Gender specific cancers are per 100,000 gender-specific population and age-adjusted to the 2000 US Standard population.

Note: The "---" is used for rates calculated on numbers less than ten. Caution should be used when comparing inpatient hospital discharge data to other data sources, since it is occurrence-based data. Please See Technical Notes for more information.

Table 1. Nevada Incidence, Inpatient Hospital Discharges and Mortality by Type of Cancer, Nevada, 1999-2003 (Continued)

Type of Cancer	Incidence		Inpatient Discharges		Mortality	
	Number	Rate*	Number	Rate*	Number	Rate*
Total	47,808	483.00	34,449	343.00	18,821	200.00
Skin (Excluding Basal And Squamous)	1,787	18.00	225	2.30	369	3.80
Melanomas Of The Skin	1,787	18.00	93	0.91	289	2.90
Other Non-Epithelial Skin	0	---	132	1.40	80	0.85
Breast	7,498	74.00	2,426	24.00	1,306	14.00
Female Genital System*	2,439	47.00	2,440	47.00	753	15.00
Cervix Uteri*	516	9.90	624	12.00	139	2.70
Corpus Uteri*	925	18.00	869	17.00	56	1.10
Uterus, NOS*	59	1.20	27	0.53	93	1.90
Ovary*	752	14.00	709	14.00	426	8.40
Vagina*	38	0.75	44	0.85	10	0.20
Vulva*	125	2.50	124	2.50	14	0.29
Placenta*	2	---	0	---	1	---
Other Female Genital Organs*	22	0.42	43	0.81	14	0.29
Male Genital System*	7,336	156.00	2,725	54.00	997	29.00
Prostate*	7,030	150.00	2,651	53.00	979	28.00
Testis*	268	4.90	57	1.00	13	0.27
Penis*	25	0.59	13	0.32	4	---
Other Male Genital Organs*	13	0.24	4	---	1	---
Urinary System	3,761	39.00	2,132	22.00	850	9.30
Urinary Bladder	2,444	26.00	1,067	11.00	449	5.10
Kidney	1,152	11.00	897	8.70	372	3.80
Renal Pelvis	75	0.76	88	0.90	5	---
Ureter	55	0.55	63	0.63	9	---
Other Urinary Organs	35	0.39	17	0.16	15	0.16
Eye and Orbit	58	0.57	5	---	8	---
Brain and Other Central Nervous System	649	6.50	891	8.70	402	4.10
Brain	598	6.00	829	8.10	398	4.00
Meninges	26	0.26	40	0.40	0	---
Spinal Cord, Cranial Nerves, & Other Parts of CNS	25	0.24	22	0.21	4	---
Endocrine System	1,032	9.70	1,442	14.00	56	0.59
Thyroid Gland	982	9.20	1,401	13.00	32	0.34
Adrenal Gland	21	0.22	17	0.16	13	0.14
Other Endocrine (Including Thymus)	29	0.29	24	0.24	11	0.11
Hodgkin's Lymphoma	251	2.40	107	1.00	33	0.33
Non-Hodgkin's Lymphoma	1,679	17.00	1,029	10.00	617	6.70
Multiple Myeloma	443	4.60	346	3.50	313	3.30
Leukemia	1,131	12.00	1,045	10.00	667	7.30
Lymphocytic	482	5.00	440	4.40	173	2.00
Acute Lymphocytic	91	0.89	288	2.70	37	0.38
Chronic Lymphocytic	362	3.80	149	1.60	129	1.50
Other Lymphocytic	29	0.29	3	---	7	---
Myeloid and Monocytic	533	5.50	547	5.50	276	2.90
Acute Myeloid	374	3.80	436	4.30	211	2.20
Acute Monocytic	18	0.20	8	---	1	---
Chronic Myeloid	128	1.40	96	1.00	46	0.50
Other Myeloid/Monocytic	13	0.13	7	---	18	0.19
Other	116	1.30	58	0.59	218	2.40
Other Acute	53	0.57	41	0.41	86	0.90
Aleukemic, Subleukemic and NOS	63	0.74	17	0.18	132	1.50
Mesothelioma	0	---	2	---	79	0.84
Kaposi Sarcoma	0	---	0	---	0	---
Other, Ill-Defined and Unspecified Sites	1,680	18.00	6,721	66.00	1,537	17.00

* Rates are per 100,000 population and age-adjusted to the 2000 US Standard population. Gender specific cancers are per 100,000 gender-specific population and age-adjusted to the 2000 US Standard population.

Note: The "----" is used for rates calculated on numbers less than ten. Caution should be used when comparing inpatient hospital discharge data to other data sources, since it is occurrence-based data. Please See Technical Notes for more information.

Table 2. Leading Types of Cancer for Nevada Incidence, Inpatient Hospital Discharges and Mortality, Nevada Residents, 1999-2003

Type of Cancer	Incidence		Hospital Admissions		Mortality	
	Number	Percent	Number	Percent	Number	Percent
Lung and Bronchus	7,840	16.4%	4,883	14.2%	5,897	31.3%
Breast	7,498	15.7%	2,426	7.0%	1,307	6.9%
Prostate	7,030	14.7%	2,651	7.7%	979	5.2%
Lip, Oral Cavity and Pharynx	1,141	2.4%	530	1.5%	277	1.5%
Urinary Bladder	2,444	5.1%	1,067	3.1%	449	2.4%
Non-Hodgkin's Lymphoma	1,679	3.5%	1,029	3.0%	617	3.3%
Pancreas	1,067	2.2%	822	2.4%	977	5.2%
Thyroid Gland	982	2.1%	1,401	4.1%	32	0.2%
Ovary	752	1.6%	709	2.1%	426	2.3%
Stomach	607	1.3%	578	1.7%	351	1.9%
Esophagus	522	1.1%	302	0.9%	449	2.4%
Cervix Uteri	516	1.1%	624	1.8%	139	0.7%
Multiple Myeloma	443	0.9%	346	1.0%	313	1.7%
Larynx	389	0.8%	182	0.5%	112	0.6%
Hodgkin's Lymphoma	251	0.5%	107	0.3%	33	0.2%
Colorectal	5,038	10.5%	4,364	12.7%	1,960	10.4%
Kidney and Renal Pelvis	1,227	2.6%	985	2.9%	377	2.0%
Leukemia	1,130	2.4%	1,044	3.0%	667	3.5%
Skin	1,786	3.7%	93	0.3%	289	1.5%
Corpus Uteri & Uterus NOS	984	2.1%	896	2.6%	149	0.8%
Brain and Other Central Nervous System	649	1.4%	891	2.6%	402	2.1%
Liver and Intrahepatic Bile Ducts	547	1.1%	368	1.1%	463	2.5%
All Other Sites	3,282	6.9%	8,150	23.7%	2,159	11.5%
Total	47,804	100.0%	34,448	100.0%	18,824	100.0%

Note: Caution should be used when comparing inpatient hospital discharge data to other data sources, since it is occurrence-based data. Please See Technical Notes for more information.

Table 3. Top Ten Types of Cancer by Gender, Incidence, Hospital Discharges, and Mortality, Nevada Residents, 1999-2003

Ranking	Total								
	Incidence			Hospital Admissions			Mortality		
	Type	Number	Percent	Type	Number	Percent	Type	Number	Percent
1	Lung And Bronchus	7,840	16.4%	Lung And Bronchus	4,883	14.2%	Lung And Bronchus	5,897	31.3%
2	Breast	7,498	15.7%	Colorectal	4,364	12.7%	Colorectal	1,960	10.4%
3	Prostate	7,030	14.7%	Prostate	2,651	7.7%	Breast	1,307	6.9%
4	Colorectal	5,038	10.5%	Breast	2,426	7.0%	Prostate	979	5.2%
5	Urinary Bladder	2,444	5.1%	Thyroid Gland	1,401	4.1%	Pancreas	977	5.2%
6	Skin	1,786	3.7%	Urinary Bladder	1,067	3.1%	Leukemia	667	3.5%
7	Non-Hodgkin's Lymphoma	1,679	3.5%	Leukemia	1,044	3.0%	Non-Hodgkin's Lymphoma	617	3.3%
8	Kidney And Renal Pelvis	1,227	2.6%	Non-Hodgkin's Lymphoma	1,029	3.0%	Liver And Intrahepatic Bile Ducts	463	2.5%
9	Lip, Oral Cavity And Pharynx	1,141	2.4%	Kidney And Renal Pelvis	985	2.9%	Esophagus	449	2.4%
10	Leukemia	1,130	2.4%	Corpus Uteri & Uterus Nos	896	2.6%	Urinary Bladder	449	2.4%
	Total of Top 10	36,813	77.0%	Total of Top 10	20,746	60.2%	Total of Top 10	13,765	73.1%
-	Total	47,808	100.0%	Total	34,449	100.0%	Total	18,821	100.0%

Ranking	Male								
	Incidence			Hospital Admissions			Mortality		
	Type	Number	Percent	Type	Number	Percent	Type	Number	Percent
1	Prostate	7,030	14.7%	Prostate	2,651	7.7%	Lung And Bronchus	3,256	17.3%
2	Lung And Bronchus	4,189	8.8%	Lung And Bronchus	2,517	7.3%	Colorectal	1,112	5.9%
3	Colorectal	2,760	5.8%	Colorectal	2,300	6.7%	Prostate	979	5.2%
4	Urinary Bladder	1,893	4.0%	Urinary Bladder	829	2.4%	Pancreas	509	2.7%
5	Skin	1,064	2.2%	Kidney And Renal Pelvis	645	1.9%	Leukemia	391	2.1%
6	Non-Hodgkin's Lymphoma	960	2.0%	Leukemia	605	1.8%	Esophagus	362	1.9%
7	Lip, Oral Cavity And Pharynx	819	1.7%	Non-Hodgkin's Lymphoma	555	1.6%	Non-Hodgkin's Lymphoma	344	1.8%
8	Kidney And Renal Pelvis	791	1.7%	Brain And Other Central Nervous	491	1.4%	Urinary Bladder	331	1.8%
9	Leukemia	664	1.4%	Pancreas	429	1.2%	Liver And Intrahepatic Bile Ducts	315	1.7%
10	Pancreas	566	1.2%	Stomach	395	1.1%	Kidney And Renal Pelvis	257	1.4%
	Total of Top 10	20,736	82.3%	Total of Top 10	11,417	68.2%	Total of Top 10	7,856	76.8%
-	Total	25,192	100.0%	Total	16,736	100.0%	Total	10,227	100.0%

Ranking	Female								
	Incidence			Hospital Admissions			Mortality		
	Type	Number	Percent	Type	Number	Percent	Type	Number	Percent
1	Breast	7,417	15.5%	Breast	2,404	7.0%	Lung And Bronchus	2,641	14.0%
2	Lung And Bronchus	3,651	7.6%	Lung And Bronchus	2,366	6.9%	Breast	1,293	6.9%
3	Colorectal	2,278	4.8%	Colorectal	2,064	6.0%	Colorectal	848	4.5%
4	Corpus Uteri & Uterus Nos	984	2.1%	Thyroid Gland	1,106	3.2%	Pancreas	468	2.5%
5	Thyroid Gland	763	1.6%	Corpus Uteri & Uterus Nos	896	2.6%	Ovary	426	2.3%
6	Ovary	752	1.6%	Ovary	709	2.1%	Leukemia	276	1.5%
7	Skin	722	1.5%	Cervix Uteri	624	1.8%	Non-Hodgkin's Lymphoma	273	1.5%
8	Non-Hodgkin's Lymphoma	719	1.5%	Non-Hodgkin's Lymphoma	474	1.4%	Brain And Other Central Nervous	171	0.9%
9	Urinary Bladder	551	1.2%	Leukemia	439	1.3%	Corpus Uteri & Uterus Nos	149	0.8%
10	Cervix Uteri	516	1.1%	Brain And Other Central Nervous	400	1.2%	Liver And Intrahepatic Bile Ducts	148	0.8%
	Total of Top 10	18,353	81.2%	Total of Top 10	11,482	64.8%	Total of Top 10	6,693	77.9%
-	Total	22,612	100.0%	Total	17,712	100.0%	Total	8,594	100.0%

Note: Those of other/unknown gender are not listed separately, but are included in the total.

Table 4. Incidence to Mortality Age-Adjusted Rate Ratios for the Leading Types of Cancer, Nevada Residents, 1999-2003

Type of Cancer	Incidence			Mortality			Ratio
	Number	Rate*	95% C.I.	Number	Rate*	95% C.I.	
Lung and Bronchus	7,840	79.72	(77.9-81.5)	5,895	60.95	(59.4-62.6)	1.31
Breast*	7,417	141.8	(138.5-145.1)	1,292	25.5	(24.1-26.9)	5.56
Prostate*	7,030	150.1	(146.4-153.9)	979	28.2	(26.3-30.2)	5.32
Colorectal	5,038	52.7	(51.2-54.2)	1,960	21.7	(20.7-22.7)	2.43
Urinary Bladder	2,444	25.7	(24.6-26.7)	449	5.1	(4.7-5.7)	5.00
Non-Hodgkin's Lymphoma	1,679	17.1	(16.3-18.0)	617	6.7	(6.2-7.3)	2.55
Kidney and Renal Pelvis	1,227	12.1	(11.4-12.8)	377	3.9	(3.5-4.3)	3.13
Leukemia	1,131	11.8	(11.2-12.6)	667	7.3	(6.7-7.9)	1.62
Lip, Oral Cavity and Pharynx	1,141	11.1	(10.5-11.8)	277	2.9	(2.5-3.2)	3.89
Pancreas	1,068	11.1	(10.4-11.8)	977	10.3	(9.6-11.0)	1.08
Skin	1,787	17.7	(16.8-18.5)	289	2.9	(2.6-3.3)	6.08
Corpus Uteri & Uterus NOS*	984	18.8	(17.6-20.0)	149	3.0	(2.6-3.6)	6.22
Ovary*	752	14.5	(13.5-15.6)	426	8.4	(7.6-9.2)	1.73
Thyroid Gland	982	9.2	(8.7-9.8)	32	0.3	(0.2-0.5)	26.74
Brain and Other Central Nervous System	649	6.5	(6.0-7.0)	402	4.1	(3.7-4.5)	1.59
Stomach	607	6.4	(5.9-6.9)	351	3.8	(3.4-4.2)	1.68
Liver and Intrahepatic Bile Ducts	547	5.5	(5.1-6.0)	463	4.8	(4.4-5.3)	1.15
Cervix Uteri*	516	9.9	(9.1-10.8)	139	2.7	(2.3-3.2)	3.67
Esophagus	522	5.2	(4.8-5.7)	449	4.5	(4.1-5.0)	1.15
Larynx	389	3.9	(3.5-4.3)	112	1.2	(0.9-1.4)	3.35
Multiple Myeloma	443	4.6	(4.2-5.0)	313	3.3	(3.0-3.7)	1.37
Hodgkin's Lymphoma	251	2.4	(2.1-2.7)	33	0.3	(0.2-0.5)	7.29
All Other Sites	3,283	33.8	(32.6-35.0)	2,159	23.3	(22.3-24.3)	1.45
Total	47,808	482.6	(478.2-487.1)	18,821	200.3	(197.3-203.2)	2.41


* Rates are per 100,000 population and age-adjusted to the 2000 US Standard population. Gender specific cancers are per 100,000 gender-specific population and age-adjusted to the 2000 US Standard population.

INCIDENCE

HIGHLIGHTS

- Lung and Bronchus Cancer was the leading type of cancer in Nevada from 1999 to 2003. This type of cancer accounted for 16.4% of all resident cancer cases during this period. The second leading type, Breast Cancer, accounted for 15.7% of all cancer incidence.
- When compared to national (1998-2002) incidence, Nevada had a much higher percentage of Lung and Bronchus Cancer, 16.4% vs 12.8% during the 1999-2003 period.
- Blacks had the highest ratio of the remaining racial/ethnic groups when compared to the age-adjusted cancer incidence rates for Whites, with a ratio of 0.92. This means that for every 100 White cancer cases Blacks would be expected to have 92 cases. Asians, Hispanics and Native Americans had comparison ratios of 0.55, 0.50 and 0.11, respectively, for Nevada from 1999 to 2003.
- Multiple Myeloma had the highest age-adjusted incidence comparison ratio for Blacks when compared to Whites in Nevada from 1999 to 2003 with a comparison ratio of 1.93. This means that for every 100 White Multiple Myeloma cancer cases Blacks would be expected to have 193. Liver and Intrahepatic Bile Duct cancer had the highest age-adjusted comparison ratio for Asians when compared to Whites in Nevada from 1999 to 2003 at 2.59.
- Skin cancer had the lowest age-adjusted incidence comparison ratio for Blacks, Asians and Hispanics when compared to whites with ratios of 0.13, 0.05, and 0.14 respectively. Meaning for every 100 White Skin cancer cases Blacks would be expected to have 13, Asians 5 and Hispanics 14.
- Hodgkin's Lymphoma had the lowest median age at time of diagnosis for Nevada residents from 1999 to 2003 at 40 years. The median age for females diagnosed with Hodgkin's Lymphoma was 38.5 years, while for males it was 42 years.
- Urinary Bladder Cancer had the highest median ages at time of diagnosis for Nevada residents during the 1999 to 2003 period at 71 years. The median age for females and males diagnosed with this type of cancer was 71 years.

Figure 4. Top Ten Leading Cancers as a Percentage of Total Cases, Nevada (1999-2003) and SEER-13 (1998-2002)



Note: "N/A" indicates that this type of Cancer was not in the Top Ten for the SEER region.

Figure 5. Comparison of Age-Adjusted (2000) Incidence Rates of Blacks compared to Whites, Nevada Residents, 1999-2003





Figure 6. Comparison of Age-Adjusted (2000) Incidence Rates of Native Americans compared to Whites, Nevada Residents, 1999-2003



Note: "N/A" indicates that a comparison ratio could not be calculated.

Figure 7. Comparison of Age-Adjusted (2000) Incidence Rates of Asians compared to Whites, Nevada Residents, 1999-2003




Figure 8. Comparison of Age-Adjusted (2000) Incidence Rates of Hispanics compared to Whites, Nevada Residents, 1999-2003




Table 5. Nevada Incidence by Type of Cancer, Nevada (1999-2003) and SEER-13 (1998-2002)

Type of Cancer	Incidence (1999-2003)			SEER-13 (1998-2002)		
	Number	Rate*	95% C.I.	Number	Rate*	95% C.I.
Total	47,808	483.00	(478.2-487.1)	831,938	469.59	(468.6-470.6)
Lip, Oral Cavity and Pharynx	1,141	11.00	(10.5-11.8)	18,785	10.49	(10.3-10.6)
Lip	47	0.46	(0.3-0.6)	1,623	0.92	(0.9-1.0)
Base of Tongue	167	1.60	(1.3-1.8)	2,061	1.15	(1.1-1.2)
Other & Unspecified Parts of Tongue	175	1.70	(1.4-1.9)	2,634	1.47	(1.4-1.5)
Parotid Gland	90	0.95	(0.8-1.2)	1,687	0.94	(0.9-1.0)
Other & Unspecified Major Salivary glands	32	0.32	(0.2-0.5)	452	0.25	(0.2-0.3)
Floor of Mouth	87	0.86	(0.7-1.1)	1,382	0.78	(0.7-0.8)
Gum	29	0.29	(0.2-0.4)	717	0.41	(0.4-0.4)
Palate	46	0.46	(0.3-0.6)	991	0.55	(0.5-0.6)
Other & Unspecified Parts of Mouth	64	0.64	(0.5-0.8)	1,179	0.67	(0.6-0.7)
Nasopharynx	73	0.70	(0.5-0.9)	1,294	0.70	(0.7-0.7)
Tonsil	152	1.40	(1.2-1.7)	2,387	1.31	(1.3-1.4)
Oropharynx	49	0.47	(0.3-0.6)	530	0.30	(0.3-0.3)
Pyriform Sinus	43	0.44	(0.3-0.6)	844	0.48	(0.5-0.5)
Hypopharynx	37	0.36	(0.3-0.5)	562	0.32	(0.3-0.4)
Other & Unspecified Oral (Buccal) Cavity & Pharynx	50	0.51	(0.4-0.7)	0	---	---
Digestive System	8,205	85.00	(83.4-87.2)	158,878	90.75	(90.3-91.2)
Esophagus	522	5.20	(4.8-5.7)	7,888	4.51	(4.4-4.6)
Stomach	607	6.40	(5.9-6.9)	15,315	8.74	(8.6-8.9)
Small Intestine	133	1.30	(1.1-1.6)	3,089	1.74	(1.7-1.8)
Colon (excluding Rectum)	3,526	37.00	(36.2-38.7)	66,614	38.24	(38.0-38.5)
Cecum	792	8.50	(7.9-9.1)	15,444	8.91	(8.8-9.1)
Appendix	48	0.48	(0.4-0.7)	909	0.50	(0.5-0.5)
Ascending Colon	475	5.20	(4.7-5.7)	10,954	6.32	(6.2-6.4)
Hepatic Flexure	143	1.50	(1.3-1.8)	3,816	2.20	(2.1-2.3)
Transverse Colon	255	2.70	(2.4-3.1)	6,036	3.47	(3.4-3.6)
Splenic Flexure	100	1.00	(0.8-1.2)	2,461	1.41	(1.4-1.5)
Descending Colon	169	1.70	(1.5-2.0)	3,966	2.27	(2.2-2.3)
Sigmoid Colon	994	10.00	(9.5-10.8)	19,606	11.21	(11.1-11.4)
Large Intestine, NOS	550	6.20	(5.6-6.7)	3,422	1.96	(1.9-2.0)
Rectum	898	9.00	(8.4-9.7)	18,198	10.30	(10.2-10.5)
Rectosigmoid Junction	476	4.80	(4.4-5.3)	7,570	4.31	(4.2-4.4)
Anus, Anal Canal and Anorectum	138	1.40	(1.1-1.6)	2,504	1.39	(1.3-1.5)
Liver	483	4.90	(4.4-5.3)	9,525	5.37	(5.3-5.5)
Intrahepatic Bile Ducts	64	0.69	(0.5-0.9)	1,392	0.80	(0.8-0.8)
Gallbladder	64	0.69	(0.5-0.9)	2,126	1.22	(1.2-1.3)
Other & Unspecified Biliary Tract	143	1.60	(1.3-1.8)	2,747	1.58	(1.5-1.6)
Pancreas	1,068	11.00	(10.4-11.8)	19,198	11.02	(10.9-11.2)
Retroperitoneum	38	0.37	(0.3-0.5)	775	0.43	(0.4-0.5)
Peritoneum, Omentum and Mesentery	25	0.24	(0.2-0.4)	1,056	0.60	(0.6-0.6)
Other Digestive Organs	20	0.20	(0.1-0.3)	881	0.50	(0.5-0.5)
Respiratory System	8,396	85.00	(83.4-87.2)	114,000	65.50	(65.1-65.9)
Nasal Cavity and Middle Ear	39	0.39	(0.3-0.5)	698	0.39	(0.4-0.4)
Accessory Sinuses	30	0.29	(0.2-0.4)	775	0.43	(0.4-0.5)
Larynx	389	3.90	(3.5-4.3)	6,435	3.65	(3.6-3.7)
Lung and Bronchus	7,840	80.00	(77.9-81.5)	105,973	60.97	(60.6-61.3)
Pleura	81	0.84	(0.7-1.1)	63	0.04	(0.0-0.1)
Trachea	7	---	---	106	0.06	(0.1-0.1)
Mediastinum and Other Respiratory Organs	10	0.09	(0.0-0.2)	311	0.16	(0.1-0.2)
Bones, Joints and Articular Cartilage	80	0.78	(0.6-1.0)	2,273	1.22	(1.2-1.3)
Bones, Joints & Articular Cartilage of Limbs	38	0.37	(0.3-0.5)	1,060	0.56	(0.5-0.6)
Bones, Joints & Articular Cartilage of Other & Unspec Sites	42	0.40	(0.3-0.6)	1,213	0.66	(0.6-0.7)
Soft Tissue (Including Heart)	242	2.40	(2.1-2.8)	5,288	2.87	(2.8-3.0)
Heart	2	---	---	75	0.04	(0.0-0.1)
Peripheral Nerves & Autonomic Nervous System	3	---	---	274	0.14	(0.1-0.2)
Connective, Subcutaneous & Other Soft Tissues	237	2.40	(2.1-2.7)	5,582	3.05	(3.0-3.1)

* Rates are per 100,000 population and age-adjusted to the 2000 US Standard population. Gender specific cancers are per 100,000 gender-specific population and age-adjusted to the 2000 US Standard population.

Note: The "----" is used for rates calculated on numbers less than ten.

Table 5. Nevada Incidence by Type of Cancer, Nevada (1999-2003) and SEER-13 (1998-2002) (Continued)

Type of Cancer	Incidence (1999-2003)			SEER-13 (1998-2002)		
	Number	Rate*	95% C.I.	Number	Rate*	95% C.I.
Total	47,808	483.0	(478.2-487.1)	831,938	469.59	(468.6-470.6)
Skin (Excluding Basal And Squamous)	1,787	18.00	(16.8-18.5)	34,837	19.07	(18.9-19.3)
Melanomas Of The Skin	1,787	18.00	(16.8-18.5)	31,586	17.26	(17.1-17.5)
Other Non-Epithelial Skin	0	---	---	3,251	1.81	(1.8-1.9)
Breast*	7,498	74.00	(72.2-75.6)	130,920	134.41	(133.7-135.1)
Female Genital System*	2,439	24.00	(23.2-25.1)	49,572	50.75	(50.3-51.2)
Cervix Uteri*	516	5.00	(4.5-5.4)	8,815	8.95	(8.8-9.1)
Corpus Uteri*	925	9.10	(8.5-9.7)	23,533	24.25	(23.9-24.6)
Uterus, NOS*	59	0.63	(0.5-0.8)	461	0.46	(0.4-0.5)
Ovary*	752	7.50	(7.0-8.1)	13,573	13.87	(13.6-14.1)
Vagina*	38	0.39	(0.3-0.6)	695	0.70	(0.7-0.8)
Vulva*	125	1.30	(1.1-1.6)	2,226	2.22	(2.1-2.3)
Placenta*	2	---	---	99	0.10	(0.1-0.1)
Other Female Genital Organs*	22	0.22	(0.1-0.4)	638	0.66	(0.6-0.7)
Male Genital System*	7,336	73.00	(71.4-74.8)	138,169	180.33	(179.4-181.3)
Prostate*	7,030	70.00	(68.5-71.9)	131,996	173.96	(173.0-174.9)
Testis*	268	2.50	(2.2-2.8)	5,334	5.26	(5.1-5.4)
Penis*	25	0.26	(0.2-0.4)	579	0.77	(0.7-0.8)
Other Male Genital Organs*	13	0.12	(0.1-0.2)	260	0.34	(0.3-0.4)
Urinary System	3,761	39.00	(37.4-40.0)	0	---	---
Urinary Bladder	2,444	26.00	(24.6-26.7)	35,374	20.36	(20.2-20.6)
Kidney	1,152	11.00	(10.7-12.0)	19,227	10.81	(10.7-11.0)
Renal Pelvis	75	0.76	(0.6-1.0)	1,501	0.87	(0.8-0.9)
Ureter	55	0.55	(0.4-0.7)	887	0.51	(0.5-0.6)
Other Urinary Organs	35	0.39	(0.3-0.6)	520	0.30	(0.3-0.3)
Eye and Orbit	58	0.57	(0.4-0.8)	1,386	0.76	(0.7-0.8)
Brain and Other Central Nervous System	649	6.50	(6.0-7.0)	11,742	6.37	(6.3-6.5)
Brain	598	6.00	(5.5-6.5)	11,729	6.37	(6.3-6.5)
Meninges	26	0.26	(0.2-0.4)	226	0.13	(0.1-0.1)
Spinal Cord, Cranial Nerves, & Other Parts of CNS	25	0.24	(0.2-0.4)	631	0.33	(0.3-0.4)
Endocrine System	1,032	9.70	(9.1-10.4)	15,771	8.28	(8.2-8.4)
Thyroid Gland	982	9.20	(8.7-9.8)	14,527	7.62	(7.5-7.7)
Adrenal Gland	21	0.22	(0.1-0.4)	553	0.29	(0.3-0.3)
Other Endocrine (Including Thymus)	29	0.29	(0.2-0.4)	748	0.40	(0.4-0.4)
Hodgkin's Lymphoma	251	2.40	(2.1-2.7)	5,178	2.67	(2.6-2.8)
Non-Hodgkin's Lymphoma	1,679	17.00	(16.3-18.0)	34,190	19.15	(19.0-19.4)
Multiple Myeloma	443	4.60	(4.2-5.0)	9,694	5.55	(5.4-5.7)
Leukemia	1,131	12.00	(11.2-12.6)	21,832	12.17	(12.0-12.3)
Lymphocytic	482	5.00	(4.6-5.5)	10,030	5.56	(5.5-5.7)
Acute Lymphocytic	91	0.89	(0.7-1.1)	2,961	1.52	(1.5-1.6)
Chronic Lymphocytic	362	3.80	(3.4-4.3)	6,261	3.59	(3.5-3.7)
Other Lymphocytic	29	0.29	(0.2-0.4)	808	0.45	(0.4-0.5)
Myeloid and Monocytic	533	5.50	(5.1-6.0)	10,413	5.81	(5.7-5.9)
Acute Myeloid	374	3.80	(3.4-4.3)	6,780	3.79	(3.7-3.9)
Acute Monocytic	18	0.20	(0.1-0.3)	482	0.27	(0.2-0.3)
Chronic Myeloid	128	1.40	(1.1-1.6)	2,872	1.59	(1.5-1.7)
Other Myeloid/Monocytic	13	0.13	(0.1-0.2)	279	0.16	(0.1-0.2)
Other	116	1.30	(1.1-1.6)	1,389	0.80	(0.8-0.8)
Other Acute	53	0.57	(0.4-0.8)	693	0.40	(0.4-0.4)
Aleukemic, Subleukemic and NOS	63	0.74	(0.6-1.0)	696	0.40	(0.4-0.4)
Mesothelioma	0	---	---	1,774	1.02	(1.0-1.1)
Kaposi Sarcoma	0	---	---	1,728	0.89	(0.9-0.9)
Other, Ill-Defined and Unspecified Sites	1,680	18.00	(16.8-18.5)	18,322	10.48	(10.3-10.6)

* Rates are per 100,000 population and age-adjusted to the 2000 US Standard population. Gender specific cancers are per 100,000 gender-specific population and age-adjusted to the 2000 US Standard population.

Note: The "---" is used for rates calculated on numbers less than ten.

Table 6. Nevada Incidence by Type of Cancer and Gender, Nevada, 1999-2003

Type of Cancer	Total*		Male		Female	
	Number	Rate**	Number	Rate**	Number	Rate**
Total	47,808	483.00	25,192	542.00	22,612	439.00
Lip, Oral Cavity and Pharynx	1,141	11.00	819	16.00	322	6.20
Lip	47	0.46	44	0.91	3	---
Base of Tongue	167	1.60	139	2.70	28	0.53
Other & Unspecified Parts of Tongue	175	1.70	123	2.40	52	0.98
Parotid Gland	90	0.95	57	1.40	33	0.65
Other & Unspecified Major Salivary glands	32	0.32	19	0.40	13	0.24
Floor of Mouth	87	0.86	54	1.10	33	0.65
Gum	29	0.29	15	0.31	14	0.27
Palate	46	0.46	27	0.55	19	0.37
Other & Unspecified Parts of Mouth	64	0.64	37	0.77	27	0.52
Nasopharynx	73	0.70	53	0.99	20	0.39
Tonsil	152	1.40	124	2.30	28	0.53
Oropharynx	49	0.47	39	0.80	10	0.18
Pyriform Sinus	43	0.44	33	0.74	10	0.20
Hypopharynx	37	0.36	26	0.50	11	0.21
Other & Unspecified Oral (Buccal) Cavity & Pharynx	50	0.51	29	0.67	21	0.41
Digestive System	8,205	85.00	4,733	104.00	3,471	69.00
Esophagus	522	5.20	402	8.40	120	2.30
Stomach	607	6.40	399	8.90	208	4.20
Small Intestine	133	1.30	68	1.40	65	1.30
Colon (excluding Rectum)	3,526	37.00	1,871	42.00	1,655	33.00
Cecum	792	8.50	401	9.30	391	7.90
Appendix	48	0.48	28	0.60	20	0.38
Ascending Colon	475	5.20	230	5.30	245	5.00
Hepatic Flexure	143	1.50	73	1.60	70	1.40
Transverse Colon	255	2.70	128	2.80	127	2.60
Splenic Flexure	100	1.00	50	1.10	50	0.96
Descending Colon	169	1.70	103	2.20	66	1.30
Sigmoid Colon	994	10.00	558	12.00	436	8.50
Large Intestine, NOS	550	6.20	300	7.40	250	5.20
Rectum	898	9.00	554	12.00	344	6.70
Rectosigmoid Junction	476	4.80	282	6.00	194	3.80
Anus, Anal Canal and Anorectum	138	1.40	53	1.00	85	1.70
Liver	483	4.90	350	7.20	133	2.60
Intrahepatic Bile Ducts	64	0.69	36	0.85	28	0.57
Gallbladder	64	0.69	24	0.57	40	0.80
Other & Unspecified Biliary Tract	143	1.60	85	2.00	58	1.20
Pancreas	1,068	11.00	566	12.00	501	9.90
Retroperitoneum	38	0.37	23	0.45	15	0.29
Peritoneum, Omentum and Mesentery	25	0.24	8	---	17	0.32
Other Digestive Organs	20	0.20	12	0.27	8	---
Respiratory System	8,396	85.00	4,618	100.00	3,778	73.00
Nasal Cavity and Middle Ear	39	0.39	25	0.56	14	0.26
Accessory Sinuses	30	0.29	20	0.39	10	0.19
Larynx	389	3.90	310	6.40	79	1.60
Lung and Bronchus	7,840	80.00	4,189	91.00	3,651	71.00
Pleura	81	0.84	64	1.50	17	0.32
Trachea	7	---	5	---	2	---
Mediastinum and Other Respiratory Organs	10	0.09	5	---	5	---
Bones, Joints and Articular Cartilage	80	0.78	43	0.80	37	0.73
Bones, Joints & Articular Cartilage of Limbs	38	0.37	17	0.31	21	0.42
Bones, Joints & Articular Cartilage of Other & Unspec Sites	42	0.40	26	0.50	16	0.31
Soft Tissue (Including Heart)	242	2.40	143	2.90	99	2.00
Heart	2	---	0	---	2	---
Peripheral Nerves & Autonomic Nervous System	3	---	2	---	1	---
Connective, Subcutaneous & Other Soft Tissues	237	2.40	141	2.90	96	1.90

* Those of unknown gender are not shown separately, but are included in the total.

** Rates are per 100,000 population and age-adjusted to the 2000 US Standard population. Gender specific cancers are per 100,000 gender-specific population and age-adjusted to the 2000 US Standard population.

Note: The "----" is used for rates calculated on numbers less than ten.

**Table 6. Nevada Incidence by Type of Cancer and Gender,
Nevada, 1999-2003 (Continued)**

Type of Cancer	Total*		Male		Female	
	Number	Rate**	Number	Rate**	Number	Rate**
Total	47,808	483.00	25,192	542.00	22,612	439.00
Skin (Excluding Basal And Squamous)	1,787	18.00	1,064	22.00	722	14.00
Melanomas Of The Skin	1,787	18.00	1,064	22.00	722	14.00
Other Non-Epithelial Skin	0	---	0	---	0	---
Breast	7,498	74.00	81	1.80	7,417	142.00
Female Genital System	2,439	24.00	0	---	2,439	47.00
Cervix Uteri	516	5.00	0	---	516	9.90
Corpus Uteri	925	9.10	0	---	925	18.00
Uterus, NOS	59	0.63	0	---	59	1.20
Ovary	752	7.50	0	---	752	14.00
Vagina	38	0.39	0	---	38	0.75
Vulva	125	1.30	0	---	125	2.50
Placenta	2	---	0	---	2	---
Other Female Genital Organs	22	0.22	0	---	22	0.42
Male Genital System	7,336	73.00	7,336	156.00	0	---
Prostate	7,030	70.00	7,030	150.00	0	---
Testis	268	2.50	268	4.90	0	---
Penis	25	0.26	25	0.59	0	---
Other Male Genital Organs	13	0.12	13	0.24	0	---
Urinary System	3,761	39.00	2,745	61.00	1,016	20.00
Urinary Bladder	2,444	26.00	1,893	43.00	551	11.00
Kidney	1,152	11.00	748	15.00	404	7.80
Renal Pelvis	75	0.76	43	0.93	32	0.61
Ureter	55	0.55	39	0.83	16	0.31
Other Urinary Organs	35	0.39	22	0.51	13	0.27
Eye and Orbit	58	0.57	36	0.72	22	0.43
Brain and Other Central Nervous System	649	6.50	377	7.70	272	5.30
Brain	598	6.00	350	7.10	248	4.80
Meninges	26	0.26	11	0.21	15	0.30
Spinal Cord, Cranial Nerves, & Other Parts of CNS	25	0.24	16	0.32	9	---
Endocrine System	1,032	9.70	250	4.90	782	15.00
Thyroid Gland	982	9.20	219	4.20	763	14.00
Adrenal Gland	21	0.22	14	0.35	7	---
Other Endocrine (Including Thymus)	29	0.29	17	0.37	12	0.23
Hodgkin's Lymphoma	251	2.40	133	2.50	118	2.30
Non-Hodgkin's Lymphoma	1,679	17.00	960	21.00	719	14.00
Multiple Myeloma	443	4.60	258	5.70	185	3.60
Leukemia	1,131	12.00	664	15.00	466	9.40
Lymphocytic	482	5.00	293	6.50	189	3.80
Acute Lymphocytic	91	0.89	49	0.97	42	0.83
Chronic Lymphocytic	362	3.80	222	5.10	140	2.80
Other Lymphocytic	29	0.29	22	0.45	7	---
Myeloid and Monocytic	533	5.50	305	6.70	227	4.50
Acute Myeloid	374	3.80	217	4.70	156	3.10
Acute Monocytic	18	0.20	8	---	10	0.24
Chronic Myeloid	128	1.40	74	1.70	54	1.10
Other Myeloid/Monocytic	13	0.13	6	---	7	---
Other	116	1.30	66	1.60	50	1.00
Other Acute	53	0.57	32	0.76	21	0.42
Aleukemic, Subleukemic and NOS	63	0.74	34	0.87	29	0.62
Mesothelioma	0	---	0	---	0	---
Kaposi Sarcoma	0	---	0	---	0	---
Other, Ill-Defined and Unspecified Sites	1,680	18.00	932	20.00	747	15.00

* Those of unknown gender are not shown separately, but are included in the total.

** Rates are per 100,000 population and age-adjusted to the 2000 US Standard population. Gender specific cancers are per 100,000 gender-specific population and age-adjusted to the 2000 US Standard population.

Note: The "---" is used for rates calculated on numbers less than ten.

Table 7. Nevada Incidence by Type of Cancer and Stage of Cancer, Nevada, 1999-2003

Type of Cancer	Total	In situ	Localized	Regional	Distant	Unstaged
Total	47,808	2,107	19,093	8,569	8,780	9,259
Lip, Oral Cavity and Pharynx	1,141	---	360	437	105	239
Lip	47	---	36	5	1	5
Base of Tongue	167	---	29	92	16	30
Other & Unspecified Parts of Tongue	175	---	85	42	9	39
Parotid Gland	90	---	41	25	5	19
Other & Unspecified Major Salivary glands	32	---	10	11	1	10
Floor of Mouth	87	---	34	34	10	9
Gum	29	---	8	11	6	4
Palate	46	---	21	12	4	9
Other & Unspecified Parts of Mouth	64	---	22	16	8	18
Nasopharynx	73	---	8	25	12	28
Tonsil	152	---	35	85	6	26
Oropharynx	49	---	8	18	12	11
Pyramiform Sinus	43	---	8	25	5	5
Hypopharynx	37	---	13	16	4	4
Other & Unspecified Oral (Buccal) Cavity & Pharynx	50	---	2	20	6	22
Digestive System	8,205	---	2,124	2,499	1,798	1,784
Esophagus	522	---	98	96	136	192
Stomach	607	---	124	169	158	156
Small Intestine	133	---	34	46	31	22
Colon (excluding Rectum)	3,526	---	1,042	1,329	689	466
Cecum	792	---	224	354	167	47
Appendix	48	---	15	20	9	4
Ascending Colon	475	---	158	218	71	28
Hepatic Flexure	143	---	50	58	27	8
Transverse Colon	255	---	80	117	47	11
Splenic Flexure	100	---	28	53	15	4
Descending Colon	169	---	55	74	29	11
Sigmoid Colon	994	---	372	370	198	54
Large Intestine, NOS	550	---	60	65	126	299
Rectum	898	---	334	278	123	163
Rectosigmoid Junction	476	---	157	196	88	35
Anus, Anal Canal and Anorectum	138	---	68	25	16	29
Liver	483	---	125	36	90	232
Intrahepatic Bile Ducts	64	---	12	13	8	31
Gallbladder	64	---	16	24	19	5
Other & Unspecified Biliary Tract	143	---	24	39	20	60
Pancreas	1,068	---	76	237	391	364
Retroperitoneum	38	---	13	7	8	10
Peritoneum, Omentum and Mesentery	25	---	1	2	12	10
Other Digestive Organs	20	---	0	2	9	9
Respiratory System	8,396	---	1,454	1,631	2,814	2,497
Nasal Cavity and Middle Ear	39	---	19	4	3	13
Accessory Sinuses	30	---	8	10	5	7
Larynx	389	---	164	79	29	117
Lung and Bronchus	7,840	---	1,240	1,515	2,759	2,326
Pleura	81	---	19	19	17	26
Trachea	7	---	1	3	0	3
Mediastinum and Other Respiratory Organs	10	---	3	1	1	5
Bones, Joints and Articular Cartilage	80	---	32	17	13	18
Bones, Joints & Articular Cartilage of Limbs	38	---	22	5	4	7
Bones, Joints & Articular Cartilage of Other & Unspec Sites	42	---	10	12	9	11
Soft Tissue (Including Heart)	242	---	105	22	36	79
Heart	2	---	1	0	0	1
Peripheral Nerves & Autonomic Nervous System	3	---	0	1	1	1
Connective, Subcutaneous & Other Soft Tissues	237	---	104	21	35	77

**Table 7. Nevada Incidence by Type of Cancer and Stage of Cancer,
Nevada, 1999-2003 (Continued)**

Type of Cancer	Total	In situ	Localized	Regional	Distant	Unstaged
Total	47,808	2,107	19,093	8,569	8,780	9,259
Skin (Excluding Basal And Squamous)	1,787	---	1,283	141	90	273
Melanomas Of The Skin	1,787	---	1,283	141	90	273
Other Non-Epithelial Skin	0	---	0	0	0	0
Breast	7,498	1,198	3,536	1,848	358	558
Female Genital System	2,439	---	1,179	488	473	299
Cervix Uteri	516	---	273	152	43	48
Corpus Uteri	925	---	662	140	49	74
Uterus, NOS	59	---	11	8	18	22
Ovary	752	---	125	147	351	129
Vagina	38	---	16	11	4	7
Vulva	125	---	86	24	3	12
Placenta	2	---	1	1	0	0
Other Female Genital Organs	22	---	5	5	5	7
Male Genital System	7,336	---	5,680	668	296	692
Prostate	7,030	---	5,480	621	258	671
Testis	268	---	179	42	37	10
Penis	25	---	13	5	1	6
Other Male Genital Organs	13	---	8	0	0	5
Urinary System	3,761	909	1,672	416	309	455
Urinary Bladder	2,444	909	971	231	97	236
Kidney	1,152	---	621	151	203	177
Renal Pelvis	75	---	38	20	5	12
Ureter	55	---	29	9	4	13
Other Urinary Organs	35	---	13	5	0	17
Eye and Orbit	58	---	27	1	1	29
Brain and Other Central Nervous System	649	---	429	21	4	195
Brain	598	---	406	19	4	169
Meninges	26	---	13	2	0	11
Spinal Cord, Cranial Nerves, & Other Parts of CNS	25	---	10	0	0	15
Endocrine System	1,032	---	688	205	43	96
Thyroid Gland	982	---	667	199	36	80
Adrenal Gland	21	---	6	3	7	5
Other Endocrine (Including Thymus)	29	---	15	3	0	11
Hodgkin's Lymphoma	251	---	94	34	53	70
Non-Hodgkin's Lymphoma	1,679	---	425	141	576	537
Multiple Myeloma	443	---	5	0	414	24
Leukemia	1,131	---	0	0	1,098	33
Lymphocytic	482	---	0	0	477	5
Acute Lymphocytic	91	---	0	0	91	0
Chronic Lymphocytic	362	---	0	0	358	4
Other Lymphocytic	29	---	0	0	28	1
Myeloid and Monocytic	533	---	0	0	527	6
Acute Myeloid	374	---	0	0	371	3
Acute Monocytic	18	---	0	0	18	0
Chronic Myeloid	128	---	0	0	127	1
Other Myeloid/Monocytic	13	---	0	0	11	2
Other	116	---	0	0	94	22
Other Acute	53	---	0	0	49	4
Aleukemic, Subleukemic and NOS	63	---	0	0	45	18
Mesothelioma	0	---	0	0	0	0
Kaposi Sarcoma	0	---	0	0	0	0
Other, Ill-Defined and Unspecified Sites	1,680	---	0	0	299	1,381

Table 8. Top Ten Types of Cancer Incidence by County/Region of Residence, Nevada Residents, 1999-2003

Rank	Type of Cancer		County/Region of Residence			
			Nevada Total	Clark	Washoe	All Other Counties
1	Lung And Bronchus	Incidence	7,840	5,512	1,407	1,174
		Rate*	79.72	82.73	85.25	73.37
		95% C.I.	(77.9-81.5)	(80.5-85.0)	(80.8-89.9)	(69.2-77.8)
2	Breast	Incidence	7,498	5,104	1,312	1,086
		Rate*	73.84	73.73	82.67	68.33
		95% C.I.	(72.2-75.6)	(71.7-75.8)	(78.2-87.4)	(64.3-72.6)
3	Prostate	Incidence	7,030	4,632	1,154	987
		Rate*	70.20	67.69	73.74	62.31
		95% C.I.	(68.5-71.9)	(65.7-69.7)	(69.5-78.2)	(58.4-66.4)
4	Colorectal	Incidence	5,038	3,472	864	702
		Rate*	52.67	53.48	56.66	45.32
		95% C.I.	(51.2-54.2)	(51.7-55.4)	(52.9-60.7)	(42.0-48.9)
5	Urinary Bladder	Incidence	2,444	1,650	384	410
		Rate*	25.67	25.39	25.47	26.81
		95% C.I.	(24.6-26.7)	(24.1-26.7)	(22.9-28.3)	(24.2-29.6)
6	Skin	Incidence	1,787	1,314	271	234
		Rate*	17.67	19.06	16.76	15.28
		95% C.I.	(16.8-18.5)	(18.0-20.2)	(14.8-18.9)	(13.4-17.4)
7	Non-Hodgkin's Lymphoma	Incidence	1,679	1,174	262	211
		Rate*	17.14	17.70	15.37	13.94
		95% C.I.	(16.3-18.0)	(16.7-18.8)	(13.6-17.4)	(12.1-16.0)
8	Kidney And Renal Pelvis	Incidence	1,227	841	218	168
		Rate*	12.09	12.15	13.32	10.48
		95% C.I.	(11.4-12.8)	(11.3-13.0)	(11.6-15.3)	(8.9-12.3)
9	Lip, Oral Cavity And Pharynx	Incidence	1,141	820	183	168
		Rate*	11.11	12.71	11.05	10.66
		95% C.I.	(10.5-11.8)	(11.8-13.7)	(9.5-12.8)	(9.1-12.5)
10	Leukemia	Incidence	1,131	790	180	158
		Rate*	11.85	11.26	10.04	10.94
		95% C.I.	(11.2-12.6)	(10.5-12.1)	(8.6-11.6)	(9.1-13.8)
---	Total	Incidence	47,808	32,910	8,091	6,805
		Rate*	482.63	487.86	506.64	437.62
		95% C.I.	(478.2-487.1)	(482.5-493.3)	(495.5-518.0)	(427.0-449.0)

* Rates are per 100,000 population and age-adjusted to the 2000 US Standard population.

Note: The "---" indicates that this type of cancer was not in the Top Ten for this specific region.

Table 9. Top Ten Types of Cancer Incidence by Age Group, Nevada Residents, 1999-2003

Ranking	Age Group								
	0-14	15-24	25-34	35-44	45-54	55-64	65-74	75+	Total
1	Leukemia 77 25.2%	Thyroid Gland 54 14.6%	Thyroid Gland 159 16.6%	Breast 733 28.1%	Breast 1,576 25.9%	Prostate 1,946 17.6%	Prostate 2,851 20.1%	Lung & Bronchus 2,350 19.2%	Lung & Bronchus 7,840 16.4%
2	Brain and OCNS 52 17.0%	HL 37 10.0%	Skin 129 13.5%	Skin 259 9.9%	Lung & Bronchus 619 10.2%	Breast 1,919 17.3%	Lung & Bronchus 2,848 20.1%	Colorectal 1,720 14.1%	Breast 7,498 15.7%
3	KRP 19 6.2%	Skin 36 9.8%	Breast 96 10.0%	Thyroid Gland 224 8.6%	Colorectal 539 8.8%	Lung & Bronchus 1,896 17.1%	Breast 1,837 13.0%	Prostate 1,719 14.1%	Prostate 7,029 14.7%
4	NHL 16 5.2%	Brain and OCNS 27 7.3%	Cervix Uteri 67 7.0%	Colorectal 163 6.3%	Prostate 490 8.0%	Colorectal 1,034 9.3%	Colorectal 1,541 10.9%	Breast 1,328 10.9%	Colorectal 5,038 10.5%
5	Liver and IBD 13 4.2%	Leukemia 26 7.0%	NHL 63 6.6%	Cervix Uteri 134 5.1%	Skin 314 5.2%	Urinary Bladder 458 4.1%	Urinary Bladder 842 5.9%	Urinary Bladder 902 7.4%	Urinary Bladder 2,444 5.1%
6	HL 13 4.2%	NHL 25 6.8%	HL 48 5.0%	NHL 122 4.7%	Thyroid Gland 234 3.8%	NHL 354 3.2%	NHL 417 2.9%	NHL 468 3.8%	Skin 1,787 3.7%
7	Skin 6 2.0%	Breast 8 2.2%	Brain and OCNS 39 4.1%	Lung & Bronchus 113 4.3%	LOCP 218 3.6%	LOCP 353 3.2%	Skin 377 2.7%	Leukemia 360 2.9%	NHL 1,679 3.5%
8	LOCP 5 1.6%	Ovary 8 2.2%	Colorectal 37 3.9%	CU & Uterus NOS 79 3.0%	NHL 214 3.5%	Skin 335 3.0%	KRP 334 2.4%	Pancreas 355 2.9%	KRP 1,227 2.6%
9	Thyroid Gland 4 1.3%	LOCP 6 1.6%	Leukemia 36 3.8%	KRP 74 2.8%	KRP 198 3.2%	KRP 333 3.0%	Pancreas 322 2.3%	Skin 331 2.7%	LOCP 1,141 2.4%
10	Urinary Bladder 2 0.7%	Cervix Uteri 5 1.4%	Ovary 28 2.9%	Brain and OCNS 68 2.6%	CU & Uterus NOS 183 3.0%	CU & Uterus NOS 266 2.4%	LOCP 286 2.0%	KRP 256 2.1%	Leukemia 1,131 2.4%
Sum	207	232	702	1,969	4,585	8,894	11,655	9,789	36,814
Percent	67.6%	62.9%	73.2%	75.6%	75.3%	80.3%	82.2%	80.1%	77.0%
Total	306 100.0%	369 100.0%	959 100.0%	2,604 100.0%	6,093 100.0%	11,077 100.0%	14,181 100.0%	12,216 100.0%	47,805 100.0%

Abbreviations: Brain and OCNS = Brain and Other Central Nervous System, CU & Uterus NOS = Corpus Uteri and Uterus NOS, HL = Hodgkin’s Lymphoma, KRP = Kidney and Renal Pelvis, LOCP = Lip, Oral Cavity and Pharynx, Liver and IBD = Liver and Intrahepatic Bile Ducts, NHL = Non-Hodgkin’s Lymphoma.
 Note: Those cases with unknown ages are not shown separately, but are included in the total.

Table 10. Median Age at Time of Diagnosis by Leading Types of Cancer and Race/Ethnicity, Nevada Residents, 1999-2003

Type of Cancer	Race/Ethnicity					
	White	Black	Native American	Asian	Hispanic	Total
Lung and Bronchus	69.0	67.0	.	66.0	67.0	69.0
Breast	62.0	58.0	60.5	55.0	53.0	61.0
Prostate	68.0	65.0	63.0	67.0	67.0	68.0
Colorectal	70.0	66.0	57.0	65.0	63.0	70.0
Urinary Bladder	71.0	68.0	.	71.0	65.0	71.0
Non-Hodgkin's Lymphoma	66.0	56.5	.	62.0	54.0	66.0
Kidney and Renal Pelvis	64.0	61.0	.	57.0	59.0	64.0
Leukemia	69.0	62.0	.	57.0	32.5	68.0
Lip, Oral Cavity and Pharynx	63.0	58.0	0.0	54.0	50.5	62.0
Pancreas	70.0	66.0	0.0	65.0	64.0	69.0
Skin	59.5	70.5	.	38.0	44.0	59.0
Corpus Uteri & Uterus NOS	63.0	67.0	51.0	55.0	57.0	62.0
Ovary	64.0	67.5	.	56.0	50.0	62.0
Thyroid Gland	47.0	44.0	.	48.0	40.0	46.0
Stomach	71.0	64.0	0.0	63.0	64.0	70.0
Brain and Other Central Nervous System	59.0	50.5	0.0	50.5	36.5	57.0
Cervix Uteri	50.0	48.0	.	50.0	48.0	48.0
Liver and Intrahepatic Bile Ducts	68.0	56.0	0.0	60.0	63.5	65.0
Esophagus	67.0	64.5	0.0	60.0	64.5	67.0
Larynx	66.0	59.5	.	.	59.0	66.0
Multiple Myeloma	69.0	68.0	.	69.0	63.0	68.0
Hodgkin's Lymphoma	42.0	35.5	.	29.0	20.0	40.0
All Other Sites	67.0	58.0	56.0	61.5	45.0	66.0
Total	67.0	63.0	60.0	61.0	58.0	66.0

Note: Those of other/unknown race/ethnicity are not shown separately, but are included in the total. Those deaths of other/unknown gender and/or unknown ages are not included in this table. The median age was not calculated for those numbers less than five.

INPATIENT HOSPITAL DISCHARGES

HIGHLIGHTS

- Lung and Bronchus Cancer was the leading type of cancer for inpatient discharges in Nevada from 1999 to 2003. This type of cancer accounted for 14.2% of all resident cancer inpatient hospital discharges during this period. The second leading type of cancer was Colorectal Cancer, which accounted for 12.7% of all cancer inpatient discharges during this period.
- The two leading types of cancer for inpatient hospital discharges, Lung and Bronchus and Colorectal Cancer accounted for 387.3 million dollars in total billed amounts in Nevada from 1999 to 2003. This accounted for 29.7% of the total 1.3 billion dollars in billed amounts for cancer inpatient hospital discharges during this period.
- The five types of cancer that had the highest average total billed amount for Nevada from 1999 to 2003 were: Leukemia (\$79,673), Stomach (\$64,506), Ovary (\$58,986), Larynx (\$53,124), and Esophageal (\$52,040) Cancer.
- The five types of cancer that had the highest median total billed amount for Nevada from 1999 to 2003 were: Stomach (\$41,956), Ovary (\$37,768), Larynx (\$37,195), Leukemia (\$35,624), and Brain and Other Central Nervous System (\$33,685) Cancer.
- The five types of cancer that had the highest average length of stay (days) for cancer inpatient hospital discharges for Nevada from 1999 to 2003 were: Leukemia (13.7), Stomach (11.4), Larynx (10.5), Multiple Myeloma (9.8), and Pancreatic (9.5) Cancer.
- The five types of cancer that had the highest average daily billed amount for Nevada from 1999 to 2003 were: Breast (\$7,183), Prostate (\$7,021), Thyroid Gland (\$6,939), Corpus Uteri & Uterus NOS (\$6,909), and Ovary (\$6,784) Cancer.

Figure 9. Top Ten Leading Cancers in Total Inpatient Discharge Charges (000s), Nevada Residents, 1999-2003




Figure 10. Top Ten Leading Cancers in Average Inpatient Discharge Charges, Nevada Residents, 1999-2003




Figure 11. Top Ten Leading Cancers in Median Inpatient Discharge Charges, Nevada Residents, 1999-2003




Figure 12. Top Ten Leading Cancers in Total Number of Days Stayed for Inpatient Hospital Discharges, Nevada Residents, 1999-2003




Figure 13. Top Ten Leading Cancers in Average Length of Stay (Days) for Inpatient Hospital Discharges, Nevada Residents, 1999-2003




Figure 14. Top Ten Leading Cancers in Median Length of Stay (Days) for Inpatient Hospital Discharges, Nevada Residents, 1999-2003




Table 11. Nevada Inpatient Hospital Discharges by Type of Cancer and Gender, Nevada, 1999-2003

Type of Cancer	Total*		Male		Female	
	Number	Rate**	Number	Rate**	Number	Rate**
Total	34,449	343.00	16,736	351.00	17,712	342.00
Lip, Oral Cavity and Pharynx	530	5.10	368	7.20	162	3.10
Lip	7	---	6	---	1	---
Base of Tongue	83	0.78	62	1.20	21	0.40
Other & Unspecified Parts of Tongue	100	0.96	67	1.30	33	0.64
Parotid Gland	47	0.47	29	0.64	18	0.35
Other & Unspecified Major Salivary glands	13	0.13	8	---	5	---
Floor of Mouth	51	0.47	35	0.64	16	0.30
Gum	29	0.29	16	0.32	13	0.26
Palate	13	0.12	7	---	6	---
Other & Unspecified Parts of Mouth	24	0.23	17	0.32	7	---
Nasopharynx	23	0.22	17	0.32	6	---
Tonsil	46	0.43	38	0.69	8	---
Oropharynx	30	0.27	24	0.44	6	---
Pyriform Sinus	15	0.15	8	---	7	---
Hypopharynx	25	0.24	15	0.28	10	0.20
Other & Unspecified Oral (Buccal) Cavity & Pharynx	24	0.24	19	0.40	5	---
Digestive System	6,879	71.00	3,815	82.00	3,064	61.00
Esophagus	302	3.00	232	4.80	70	1.40
Stomach	578	5.90	395	8.20	183	3.70
Small Intestine	162	1.60	90	1.90	72	1.40
Colon (excluding Rectum)	2,926	31.00	1,463	33.00	1,463	29.00
Cecum	618	6.70	288	6.60	330	6.80
Appendix	37	0.35	17	0.33	20	0.37
Ascending Colon	548	5.90	264	6.00	284	5.70
Hepatic Flexure	124	1.40	65	1.50	59	1.20
Transverse Colon	247	2.70	114	2.50	133	2.70
Splenic Flexure	118	1.20	55	1.20	63	1.20
Descending Colon	143	1.50	86	2.00	57	1.10
Sigmoid Colon	792	8.20	431	9.50	361	7.10
Large Intestine, NOS	299	3.10	143	3.10	156	3.10
Rectum	700	7.10	420	9.00	280	5.50
Rectosigmoid Junction	605	6.10	349	7.30	256	5.00
Anus, Anal Canal and Anorectum	133	1.30	68	1.40	65	1.30
Liver	323	3.20	225	4.40	98	2.00
Intrahepatic Bile Ducts	45	0.48	20	0.46	25	0.50
Gallbladder	34	0.36	10	0.24	24	0.48
Other & Unspecified Biliary Tract	143	1.50	76	1.80	67	1.30
Pancreas	822	8.40	429	9.20	393	7.70
Retroperitoneum	48	0.47	28	0.59	20	0.38
Peritoneum, Omentum and Mesentery	51	0.51	6	---	45	0.87
Other Digestive Organs	7	---	4	---	3	---
Respiratory System	5,220	52.00	2,754	58.00	2,466	47.00
Nasal Cavity and Middle Ear	12	0.13	7	---	5	---
Accessory Sinuses	17	0.17	12	0.22	5	---
Larynx	182	1.80	141	2.90	41	0.81
Lung and Bronchus	4,883	49.00	2,517	53.00	2,366	45.00
Pleura	58	0.60	45	1.00	13	0.25
Trachea	16	0.15	8	---	8	---
Mediastinum and Other Respiratory Organs	52	0.50	24	0.49	28	0.52
Bones, Joints and Articular Cartilage	122	1.20	61	1.20	61	1.20
Bones, Joints & Articular Cartilage of Limbs	53	0.50	21	0.38	32	0.62
Bones, Joints & Articular Cartilage of Other & Unspec Sites	69	0.69	40	0.82	29	0.56
Soft Tissue (Including Heart)	162	1.70	78	1.70	84	1.60
Heart	1	---	0	---	1	---
Peripheral Nerves & Autonomic Nervous System	0	---	0	---	0	---
Connective, Subcutaneous & Other Soft Tissues	161	1.60	78	1.70	83	1.60

* Those of unknown gender are not shown separately, but are included in the total.

** Rates are per 100,000 population and age-adjusted to the 2000 US Standard population. Gender specific cancers are per 100,000 gender-specific population and age-adjusted to the 2000 US Standard population.

Note: The "----" is used for rates calculated on numbers less than ten.

Table 11. Nevada Inpatient Hospital Discharges by Type of Cancer and Gender, Nevada, 1999-2003 (Continued)

Type of Cancer	Total*		Male		Female	
	Number	Rate**	Number	Rate**	Number	Rate**
Total	34,449	343.00	16,736	351.00	17,712	342.00
Skin (Excluding Basal And Squamous)	225	2.30	152	3.30	73	1.40
Melanomas Of The Skin	93	0.91	61	1.20	32	0.63
Other Non-Epithelial Skin	132	1.40	91	2.10	41	0.82
Breast	2,426	24.00	22	0.52	2,404	46.00
Female Genital System	2,440	24.00	0	---	2,440	47.00
Cervix Uteri	624	5.90	0	---	624	12.00
Corpus Uteri	869	8.50	0	---	869	17.00
Uterus, NOS	27	0.27	0	---	27	0.53
Ovary	709	6.90	0	---	709	14.00
Vagina	44	0.45	0	---	44	0.85
Vulva	124	1.40	0	---	124	2.50
Placenta	0	---	0	---	0	---
Other Female Genital Organs	43	0.41	0	---	43	0.81
Male Genital System	2,725	26.00	2,725	54.00	0	---
Prostate	2,651	25.00	2,651	53.00	0	---
Testis	57	0.53	57	1.00	0	---
Penis	13	0.14	13	0.32	0	---
Other Male Genital Organs	4	---	4	---	0	---
Urinary System	2,132	22.00	1,522	33.00	610	12.00
Urinary Bladder	1,067	11.00	829	19.00	238	4.80
Kidney	897	8.70	588	12.00	309	5.90
Renal Pelvis	88	0.90	57	1.30	31	0.59
Ureter	63	0.63	40	0.84	23	0.44
Other Urinary Organs	17	0.16	8	---	9	---
Eye and Orbit	5	---	3	---	2	---
Brain and Other Central Nervous System	891	8.70	491	9.60	400	7.70
Brain	829	8.10	466	9.20	363	7.00
Meninges	40	0.40	14	0.29	26	0.50
Spinal Cord, Cranial Nerves, & Other Parts of CNS	22	0.21	11	0.20	11	0.22
Endocrine System	1,442	14.00	315	6.10	1,127	21.00
Thyroid Gland	1,401	13.00	295	5.60	1,106	21.00
Adrenal Gland	17	0.16	9	---	8	---
Other Endocrine (Including Thymus)	24	0.24	11	0.29	13	0.24
Hodgkin's Lymphoma	107	1.00	59	1.10	48	0.90
Non-Hodgkin's Lymphoma	1,029	10.00	555	12.00	474	9.30
Multiple Myeloma	346	3.50	200	4.30	146	2.80
Leukemia	1,045	10.00	605	12.00	439	8.60
Lymphocytic	440	4.40	263	5.30	176	3.50
Acute Lymphocytic	288	2.70	177	3.30	110	2.10
Chronic Lymphocytic	149	1.60	83	1.90	66	1.30
Other Lymphocytic	3	---	3	---	0	---
Myeloid and Monocytic	547	5.50	312	6.60	235	4.60
Acute Myeloid	436	4.30	239	5.00	197	3.80
Acute Monocytic	8	---	3	---	5	---
Chronic Myeloid	96	1.00	67	1.50	29	0.59
Other Myeloid/Monocytic	7	---	3	---	4	---
Other	58	0.59	30	0.66	28	0.55
Other Acute	41	0.41	21	0.48	20	0.38
Aleukemic, Subleukemic and NOS	17	0.18	9	---	8	---
Mesothelioma	2	---	1	---	1	---
Kaposi Sarcoma	0	---	0	---	0	---
Other, Ill-Defined and Unspecified Sites	6,721	66.00	3,010	63.00	3,711	71.00

* Those of unknown gender are not shown separately, but are included in the total.

** Rates are per 100,000 population and age-adjusted to the 2000 US Standard population. Gender specific cancers are per 100,000 gender-specific population and age-adjusted to the 2000 US Standard population.

Note: The "---" is used for rates calculated on numbers less than ten.

Table 12. Top Ten Types of Cancer Inpatient Hospital Discharges by County/Region of Residence, Nevada Residents, 1999-2003

Rank	Type of Cancer		County/Region of Residence			
			Nevada Total	Clark	Washoe	All Other Counties
1	Lung And Bronchus	Admissions	4,883	3,552	722	634
		Rate*	48.52	51.85	47.68	39.28
		95% C.I.	(47.2-49.9)	(50.1-53.6)	(44.2-51.4)	(36.3-42.5)
2	Colorectal	Admissions	4,364	3,046	695	596
		Rate*	45.55	46.71	43.69	38.22
		95% C.I.	(44.2-47.0)	(45.0-48.5)	(40.5-47.1)	(35.2-41.5)
3	Prostate	Admissions	2,651	1,754	486	411
		Rate*	25.30	24.70	28.69	24.59
		95% C.I.	(24.3-26.3)	(23.5-25.9)	(26.2-31.4)	(22.2-27.1)
4	Breast	Admissions	2,426	1,720	415	291
		Rate*	24.00	24.88	25.38	18.53
		95% C.I.	(23.0-25.0)	(23.7-26.1)	(23.0-28.0)	(16.4-20.9)
5	Thyroid Gland	Admissions	1,401	1,148	180	145
		Rate*	13.14	15.59	11.34	9.03
		95% C.I.	(12.5-13.9)	(14.7-16.5)	(9.7-13.2)	(7.6-10.7)
6	Urinary Bladder	Admissions	1,067	780	163	139
		Rate*	11.35	12.31	9.12	8.80
		95% C.I.	(10.7-12.1)	(11.4-13.2)	(7.8-10.7)	(7.4-10.5)
7	Leukemia	Admissions	1,045	772	152	138
		Rate*	10.47	11.17	9.17	9.32
		95% C.I.	(9.8-11.1)	(10.4-12.0)	(7.8-10.8)	(7.8-11.1)
8	Non-Hodgkin's Lymphoma	Admissions	1,029	724	148	135
		Rate*	10.43	10.66	9.49	8.62
		95% C.I.	(9.8-11.1)	(9.9-11.5)	(8.0-11.2)	(7.2-10.3)
9	Kidney And Renal Pelvis	Admissions	985	688	148	125
		Rate*	9.60	9.86	8.94	8.31
		95% C.I.	(9.0-10.2)	(9.1-10.7)	(7.5-10.6)	(6.9-10.0)
10	Corpus Uteri & Uterus Nos	Admissions	896	636	147	113
		Rate*	8.76	9.06	8.91	7.23
		95% C.I.	(8.2-9.4)	(8.4-9.8)	(7.5-10.5)	(5.9-8.7)
---	Total	Admissions	34,449	24,559	5,509	4,372
		Rate*	343.00	357.77	342.55	277.21
		95% C.I.	(339.3-346.7)	(353.2-362.4)	(333.4-351.9)	(268.9-286.2)

* Rates are per 100,000 population and age-adjusted to the 2000 US Standard population. Note: The "---" indicates that this type of cancer was not in the Top Ten for this specific region.

Table 13. Top Ten Types of Cancer Hospital Discharges by Age Group, Nevada Residents, 1999-2003

Ranking	Age Group								
	0-14	15-24	25-34	35-44	45-54	55-64	65-74	75+	Total
1	Leukemia 202 46.2%	Thyroid Gland 69 18.9%	Thyroid Gland 231 26.8%	Thyroid Gland 352 16.3%	Breast 513 10.5%	Lung & Bronchus 1,316 15.5%	Lung & Bronchus 1,717 18.0%	Colorectal 1,472 19.1%	Lung & Bronchus 4,883 14.2%
2	Brain and OCNS 65 14.9%	Leukemia 56 15.3%	Leukemia 74 8.6%	Breast 263 12.2%	Colorectal 466 9.6%	Prostate 1,044 12.3%	Colorectal 1,359 14.2%	Lung & Bronchus 1,277 16.6%	Colorectal 4,364 12.7%
3	Liver and IBD 23 5.3%	Brain and OCNS 35 9.6%	Cervix Uteri 56 6.5%	Cervix Uteri 181 8.4%	Lung & Bronchus 459 9.4%	Colorectal 899 10.6%	Prostate 939 9.8%	Urinary Bladder 464 6.0%	Prostate 2,651 7.7%
4	NHL 21 4.8%	NHL 29 7.9%	Brain and OCNS 52 6.0%	Colorectal 133 6.2%	Thyroid Gland 333 6.8%	Breast 587 6.9%	Breast 569 6.0%	Breast 446 5.8%	Breast 2,426 7.0%
5	KRP 13 3.0%	HL 18 4.9%	NHL 51 5.9%	Brain and OCNS 108 5.0%	Prostate 313 6.4%	KRP 270 3.2%	Urinary Bladder 324 3.4%	Prostate 341 4.4%	Thyroid Gland 1,401 4.1%
6	HL 11 2.5%	Stomach 8 2.2%	Breast 43 5.0%	Lung & Bronchus 99 4.6%	KRP 166 3.4%	CU & Uterus NOS 245 2.9%	KRP 279 2.9%	NHL 263 3.4%	Urinary Bladder 1,067 3.1%
7	Thyroid Gland 10 2.3%	Cervix Uteri 8 2.2%	Ovary 35 4.1%	CU & Uterus NOS 76 3.5%	Brain and OCNS 162 3.3%	Thyroid Gland 234 2.8%	Pancreas 262 2.7%	Pancreas 241 3.1%	Leukemia 1,045 3.0%
8	LOCP 4 0.9%	Lung & Bronchus 7 1.9%	Colorectal 29 3.4%	NHL 70 3.2%	CU & Uterus NOS 156 3.2%	Pancreas 194 2.3%	NHL 257 2.7%	Leukemia 208 2.7%	NHL 1,029 3.0%
9	Breast 2 0.5%	Ovary 7 1.9%	HL 17 2.0%	KRP 64 3.0%	Cervix Uteri 151 3.1%	Urinary Bladder 194 2.3%	CU & Uterus NOS 235 2.5%	KRP 183 2.4%	KRP 985 2.9%
10	Colorectal 1 0.2%	Colorectal 5 1.4%	CU & Uterus NOS 15 1.7%	Ovary 63 2.9%	Ovary 148 3.0%	NHL 193 2.3%	Leukemia 187 2.0%	CU & Uterus NOS 168 2.2%	CU & Uterus NOS 896 2.6%
Sum	352	242	603	1,409	2,867	5,176	6,128	5,063	20,747
Percent	80.5%	66.3%	70.0%	65.2%	58.8%	61.0%	64.1%	65.6%	60.2%
Total	437 100.0%	365 100.0%	862 100.0%	2,161 100.0%	4,872 100.0%	8,480 100.0%	9,556 100.0%	7,716 100.0%	34,449 100.0%

Abbreviations: Brain and OCNS = Brain and Other Central Nervous System, CU & Uterus NOS = Corpus Uteri and Uterus NOS, HL = Hodgkin's Lymphoma, KRP = Kidney and Renal Pelvis, LOCP = Lip, Oral Cavity and Pharynx, Liver and IBD = Liver and Intrahepatic Bile Ducts, NHL = Non-Hodgkin's Lymphoma. Note: Those cases with unknown ages are not shown separately, but are included in the total.

MORTALITY

HIGHLIGHTS

- Lung and Bronchus Cancer was the leading type of cancer for cancer mortality in Nevada from 1999 to 2003. This type of cancer accounted for 31.3% of all resident cancer deaths during this period. The second leading type of cancer for mortality was Colorectal Cancer, which accounted for 10.4% of all Cancer deaths.
- Blacks had the highest ratio of the remaining racial/ethnic groups when compared to the age-adjusted cancer mortality rates for Whites with a comparison ratio of 1.06. This means that for every 100 White cancer deaths Blacks would be expected to have 106 deaths. Native Americans, Asians and Hispanics had comparison ratios of 0.57, 0.55 and 0.51, respectively, for Nevada from 1999 to 2003.
- Multiple Myeloma Cancer had the highest age-adjusted mortality rate comparison ratio for Blacks when compared to Whites in Nevada from 1999 to 2003 with a ratio of 1.88. This means that for every 100 White deaths, Blacks would be expected to have 188 deaths from Multiple Myeloma Cancer. The type with the highest comparison ratio for Native Americans when compared to whites was Colorectal with a ratio of .50 and for Hispanics the type was Stomach with a ratio of 1.40. Liver and Intrahepatic Bile Duct Cancer had the highest comparison ratio for Asians when compared to Whites with a ratio of 1.92.
- Cervix Uteri Cancer had the lowest median age at time of death for Nevada residents from 1999 to 2003 at 55 years. Prostate Cancer had the highest median age at time of death for Nevada residents during this same period at 78 years.
- Hodgkin's Lymphoma had the lowest median age at time of death for male Nevada residents from 1999 to 2003 at 56.5 years, while the highest median age was for males in Nevada was for Prostate Cancer at 78 years.
- Cervix Uteri Cancer had the lowest median age at time of death for Female Nevada Residents during this same period at 55 years, while the highest median age for females in Nevada was Urinary Bladder Cancer at 76 years.

Figure 15. Top Ten Leading Cancers by Percentage of Total Cancer Mortality, Nevada Residents, 1999-2003




Figure 16. Comparison of Age-Adjusted (2000) Mortality Rates of Blacks compared to Whites, Nevada Residents, 1999-2003






Figure 17. Comparison of Age-Adjusted (2000) Mortality Rates of Native Americans compared to Whites, Nevada Residents, 1999-2003




Note: "N/A" indicates that a comparison ratio could not be calculated.

Figure 18. Comparison of Age-Adjusted (2000) Mortality Rates of Asians compared to Whites, Nevada Residents, 1999-2003



Note: "N/A" indicates that a comparison ratio could not be calculated.

Figure 19. Comparison of Age-Adjusted (2000) Mortality Rates of Hispanics compared to Whites, Nevada Residents, 1999-2003



Note: "N/A" indicates that a comparison ratio could not be calculated.

Table 14. Nevada Mortality by Type of Cancer and Gender, Nevada, 1999-2003

Type of Cancer	Total*		Male		Female	
	Number	Rate**	Number	Rate**	Number	Rate**
Total	18,821	200.00	10,227	238.00	8,594	171.00
Lip, Oral Cavity and Pharynx	277	2.90	190	4.10	87	1.80
Lip	1	---	0	---	1	---
Base of Tongue	5	---	5	---	0	---
Other & Unspecified Parts of Tongue	76	0.73	56	1.10	20	0.39
Parotid Gland	13	0.13	8	---	5	---
Other & Unspecified Major Salivary glands	3	---	3	---	0	---
Floor of Mouth	6	---	5	---	1	---
Gum	3	---	1	---	2	---
Palate	4	---	2	---	2	---
Other & Unspecified Parts of Mouth	26	0.28	14	0.31	12	0.25
Nasopharynx	23	0.22	14	0.26	9	---
Tonsil	17	0.17	10	0.22	7	---
Oropharynx	17	0.18	13	0.27	4	---
Pyriiform Sinus	1	---	1	---	0	---
Hypopharynx	5	---	5	---	0	---
Other & Unspecified Oral (Buccal) Cavity & Pharynx	77	0.81	53	1.20	24	0.48
Digestive System	4,373	47.00	2,603	60.00	1,770	36.00
Esophagus	449	4.50	362	7.60	87	1.70
Stomach	351	3.80	224	5.10	127	2.60
Small Intestine	31	0.34	15	0.36	16	0.32
Colon (excluding Rectum)	1,661	18.00	932	22.00	729	15.00
Cecum	7	---	5	---	2	---
Appendix	4	---	3	---	1	---
Ascending Colon	3	---	3	---	0	---
Hepatic Flexure	0	---	0	---	0	---
Transverse Colon	1	---	0	---	1	---
Splenic Flexure	0	---	0	---	0	---
Descending Colon	0	---	0	---	0	---
Sigmoid Colon	9	---	6	---	3	---
Large Intestine, NOS	1,637	18.00	915	22.00	722	15.00
Rectum	206	2.20	127	3.00	79	1.60
Rectosigmoid Junction	75	0.81	43	0.94	32	0.67
Anus, Anal Canal and Anorectum	18	0.18	10	0.21	8	---
Liver	388	4.00	267	5.70	121	2.50
Intrahepatic Bile Ducts	75	0.77	48	1.10	27	0.53
Gallbladder	40	0.45	14	0.40	26	0.52
Other & Unspecified Biliary Tract	50	0.56	27	0.67	23	0.47
Pancreas	977	10.00	509	11.00	468	9.30
Retroperitoneum	6	---	4	---	2	---
Peritoneum, Omentum and Mesentery	13	0.14	4	---	9	---
Other Digestive Organs	33	0.35	17	0.36	16	0.32
Respiratory System	6,032	62.00	3,354	75.00	2,678	52.00
Nasal Cavity and Middle Ear	0	---	0	---	0	---
Accessory Sinuses	13	0.12	9	---	4	---
Larynx	112	1.20	82	1.80	30	0.60
Lung and Bronchus	5,895	61.00	3,254	72.00	2,641	52.00
Pleura	3	---	2	---	1	---
Trachea	2	---	2	---	0	---
Mediastinum and Other Respiratory Organs	7	---	5	---	2	---
Bones, Joints and Articular Cartilage	46	0.49	27	0.61	19	0.39
Bones, Joints & Articular Cartilage of Limbs	1	---	0	---	1	---
Bones, Joints & Articular Cartilage of Other & Unspec Sites	45	0.48	27	0.61	18	0.36
Soft Tissue (Including Heart)	106	1.10	63	1.30	43	0.86
Heart	3	---	2	---	1	---
Peripheral Nerves & Autonomic Nervous System	3	---	2	---	1	---
Connective, Subcutaneous & Other Soft Tissues	100	1.00	59	1.20	41	0.82

* Those of unknown gender are not shown separately, but are included in the total.

**Rates are per 100,000 population and age-adjusted to the 2000 US Standard population.

Note: The "----" is used for rates calculated on numbers less than ten.

**Table 14. Nevada Mortality by Type of Cancer and Gender,
Nevada, 1999-2003 (Continued)**

Type of Cancer	Total*		Male		Female	
	Number	Rate**	Number	Rate**	Number	Rate**
Total	18,821	200.00	10,227	238.00	8,594	171.00
Skin (Excluding Basal And Squamous)	369	3.80	258	5.50	111	2.20
Melanomas Of The Skin	289	2.90	194	4.10	95	1.90
Other Non-Epithelial Skin	80	0.85	64	1.40	16	0.34
Breast	1,306	14.00	14	0.30	1,292	25.00
Female Genital System	753	7.90	0	---	753	15.00
Cervix Uteri	139	1.40	0	---	139	2.70
Corpus Uteri	56	0.62	0	---	56	1.10
Uterus, NOS	93	1.00	0	---	93	1.90
Ovary	426	4.40	0	---	426	8.40
Vagina	10	0.10	0	---	10	0.20
Vulva	14	0.16	0	---	14	0.29
Placenta	1	---	0	---	1	---
Other Female Genital Organs	14	0.16	0	---	14	0.29
Male Genital System	997	12.00	997	29.00	0	---
Prostate	979	12.00	979	28.00	0	---
Testis	13	0.13	13	0.27	0	---
Penis	4	---	4	---	0	---
Other Male Genital Organs	1	---	1	---	0	---
Urinary System	850	9.30	605	15.00	245	5.00
Urinary Bladder	449	5.10	331	8.80	118	2.50
Kidney	372	3.80	255	5.50	117	2.30
Renal Pelvis	5	---	2	---	3	---
Ureter	9	---	4	---	5	---
Other Urinary Organs	15	0.16	13	0.32	2	---
Eye and Orbit	8	---	7	---	1	---
Brain and Other Central Nervous System	402	4.10	231	4.80	171	3.40
Brain	398	4.00	229	4.80	169	3.30
Meninges	0	---	0	---	0	---
Spinal Cord, Cranial Nerves, & Other Parts of CNS	4	---	2	---	2	---
Endocrine System	56	0.59	30	0.71	26	0.51
Thyroid Gland	32	0.34	18	0.42	14	0.28
Adrenal Gland	13	0.14	6	---	7	---
Other Endocrine (Including Thymus)	11	0.11	6	---	5	---
Hodgkin's Lymphoma	33	0.33	18	0.34	15	0.30
Non-Hodgkin's Lymphoma	617	6.70	344	8.40	273	5.50
Multiple Myeloma	313	3.30	180	4.20	133	2.70
Leukemia	667	7.30	391	9.20	276	5.70
Lymphocytic	173	2.00	103	2.50	70	1.50
Acute Lymphocytic	37	0.38	24	0.54	13	0.25
Chronic Lymphocytic	129	1.50	74	1.90	55	1.20
Other Lymphocytic	7	---	5	---	2	---
Myeloid and Monocytic	276	2.90	157	3.50	119	2.40
Acute Myeloid	211	2.20	118	2.60	93	1.90
Acute Monocytic	1	---	0	---	1	---
Chronic Myeloid	46	0.50	24	0.51	22	0.46
Other Myeloid/Monocytic	18	0.19	15	0.36	3	---
Other	218	2.40	131	3.10	87	1.80
Other Acute	86	0.90	57	1.30	29	0.57
Aleukemic, Subleukemic and NOS	132	1.50	74	1.90	58	1.20
Mesothelioma	79	0.84	62	1.50	17	0.33
Kaposi Sarcoma	0	---	0	---	0	---
Other, Ill-Defined and Unspecified Sites	1,537	17.00	853	20.00	684	14.00

* Those of unknown gender are not shown separately, but are included in the total.

**Rates are per 100,000 population and age-adjusted to the 2000 US Standard population.

Note: The "---" is used for rates calculated on numbers less than ten.

Table 15. Top Ten Types of Cancer Mortality by County/Region of Residence, Nevada Residents, 1999-2003

Rank	Type of Cancer	County/Region of Residence				
		Nevada Total	Clark	Washoe	All Other Counties	
1	Lung And Bronchus	Mortality	5,895	4,015	930	950
		Rate*	60.95	61.53	60.24	59.79
		95% C.I.	(59.4-62.6)	(59.6-63.5)	(56.4-64.3)	(56.0-63.8)
2	Colorectal	Mortality	1,960	1,367	323	270
		Rate*	21.66	22.33	22.05	18.49
		95% C.I.	(20.7-22.7)	(21.1-23.6)	(19.7-24.7)	(16.3-20.9)
3	Breast	Mortality	1,306	882	247	177
		Rate*	13.75	13.68	16.08	11.51
		95% C.I.	(13.0-14.5)	(12.8-14.7)	(14.1-18.3)	(9.8-13.4)
4	Prostate	Mortality	979	669	172	163
		Rate*	11.70	10.28	12.70	10.63
		95% C.I.	(11.0-12.5)	(9.5-11.1)	(10.8-14.8)	(9.0-12.5)
5	Pancreas	Mortality	977	651	145	156
		Rate*	10.29	11.44	9.80	11.50
		95% C.I.	(9.6-11.0)	(10.5-12.4)	(8.2-11.6)	(9.7-13.5)
6	Leukemia	Mortality	667	444	117	113
		Rate*	7.29	7.17	7.86	8.47
		95% C.I.	(6.7-7.9)	(6.5-7.9)	(6.5-9.5)	(6.6-11.4)
7	Non-Hodgkin's Lymphoma	Mortality	617	396	110	104
		Rate*	6.72	6.35	7.45	7.10
		95% C.I.	(6.2-7.3)	(5.7-7.0)	(6.1-9.0)	(5.8-8.7)
8	Liver And Intrahepatic Bile Ducts	Mortality	463	326	76	72
		Rate*	4.81	4.99	4.94	4.61
		95% C.I.	(4.4-5.3)	(4.4-5.6)	(3.9-6.2)	(3.6-5.9)
9	Esophagus	Mortality	449	320	73	71
		Rate*	4.52	4.75	4.70	4.46
		95% C.I.	(4.1-5.0)	(4.2-5.3)	(3.7-6.0)	(3.5-5.7)
10	Urinary Bladder	Mortality	449	313	69	69
		Rate*	5.13	5.36	4.54	4.78
		95% C.I.	(4.7-5.7)	(4.8-6.0)	(3.5-5.8)	(3.7-6.1)
---	Total	Mortality	18,821	12,771	3,111	2,939
		Rate*	200.27	200.47	206.40	193.92
		95% C.I.	(197.3-203.2)	(196.9-204.1)	(199.1-213.9)	(186.7-201.8)

* Rates are per 100,000 population and age-adjusted to the 2000 US Standard population. Note: The "---" indicates that this type of cancer was not in the Top Ten for this specific region.

Table 16. Top Ten Types of Cancer Mortality by Age Group, Nevada Residents, 1999-2003

Ranking	Age Group								
	0-14	15-24	25-34	35-44	45-54	55-64	65-74	75+	Total
1	Leukemia 16 39.0%	Leukemia 11 20.8%	Brain and OCNS 13 10.6%	Breast 79 16.2%	Lung & Bronchus 420 25.1%	Lung & Bronchus 1,262 34.1%	Lung & Bronchus 2,117 37.6%	Lung & Bronchus 2,023 28.4%	Lung & Bronchus 5,895 31.3%
2	Brain and OCNS 12 29.3%	Brain and OCNS 8 15.1%	Leukemia 12 9.8%	Lung & Bronchus 66 13.5%	Breast 211 12.6%	Colorectal 324 8.8%	Colorectal 580 10.3%	Colorectal 862 12.1%	Colorectal 1,960 10.4%
3	Liver and IBD 3 7.3%	Liver and IBD 4 7.5%	Breast 9 7.3%	Colorectal 45 9.2%	Colorectal 140 8.4%	Breast 298 8.1%	Pancreas 307 5.4%	Prostate 615 8.6%	Breast 1,306 6.9%
4	KRP 1 2.4%	NHL 4 7.5%	Colorectal 8 6.5%	Skin 34 7.0%	Pancreas 85 5.1%	Pancreas 201 5.4%	Breast 299 5.3%	Breast 409 5.8%	Prostate 979 5.2%
5	NHL 1 2.4%	Skin 3 5.7%	Skin 8 6.5%	Brain and OCNS 30 6.1%	Liver and IBD 71 4.2%	Esophagus 130 3.5%	Prostate 261 4.6%	Pancreas 362 5.1%	Pancreas 977 5.2%
6	LOCP 0 0.0%	Stomach 2 3.8%	NHL 7 5.7%	Leukemia 28 5.7%	Ovary 61 3.7%	KRP 110 3.0%	NHL 177 3.1%	Leukemia 288 4.0%	Leukemia 667 3.5%
7	Esophagus 0 0.0%	HL 2 3.8%	Stomach 6 4.9%	NHL 23 4.7%	Brain and OCNS 57 3.4%	NHL 102 2.8%	Leukemia 157 2.8%	NHL 262 3.7%	NHL 617 3.3%
8	Stomach 0 0.0%	LOCP 1 1.9%	Lung & Bronchus 6 4.9%	Cervix Uteri 22 4.5%	Skin 55 3.3%	Leukemia 101 2.7%	Liver and IBD 140 2.5%	Urinary Bladder 237 3.3%	Liver and IBD 463 2.5%
9	Colorectal 0 0.0%	Colorectal 1 1.9%	Cervix Uteri 5 4.1%	Pancreas 17 3.5%	Leukemia 54 3.2%	Ovary 87 2.4%	Esophagus 136 2.4%	Stomach 144 2.0%	Esophagus 449 2.4%
10	Pancreas 0 0.0%	Pancreas 1 1.9%	Pancreas 4 3.3%	Ovary 17 3.5%	NHL 41 2.5%	Prostate 85 2.3%	Urinary Bladder 117 2.1%	Ovary 144 2.0%	Urinary Bladder 449 2.4%
Sum	33	37	78	361	1,195	2,700	4,291	5,346	13,762
Percent	80.5%	69.8%	63.4%	74.0%	71.5%	73.0%	76.1%	75.2%	73.1%
Total	41 100.0%	53 100.0%	123 100.0%	488 100.0%	1,671 100.0%	3,698 100.0%	5,635 100.0%	7,112 100.0%	18,821 100.0%

Abbreviations: Brain and OCNS = Brain and Other Central Nervous System, CU & Uterus NOS = Corpus Uteri and Uterus NOS, HL = Hodgkin's Lymphoma, KRP = Kidney and Renal Pelvis, LOCP = Lip, Oral Cavity and Pharynx, Liver and IBD = Liver and Intrahepatic Bile Ducts, NHL = Non-Hodgkin's Lymphoma. Note: Those cases with unknown ages are not shown separately, but are included in the total.

Table 17. Median Age at Time of Death by Leading Types of Cancer and Race/Ethnicity, Nevada Residents, 1999-2003

Type of Cancer	Race/Ethnicity					
	White	Black	Native American	Asian	Hispanic	Total
Lung and Bronchus	70.0	67.0	68.5	66.0	69.0	70.0
Breast	68.0	62.0	60.0	57.0	57.5	67.0
Prostate	78.0	75.0	---	75.5	78.5	78.0
Colorectal	73.0	68.0	66.0	68.0	69.5	73.0
Urinary Bladder	75.0	74.0	---	74.0	82.5	75.0
Non-Hodgkin's Lymphoma	73.0	66.0	---	70.0	67.0	73.0
Kidney and Renal Pelvis	69.0	64.0	64.0	61.0	59.0	68.0
Leukemia	73.0	64.0	---	60.5	61.0	72.0
Lip, Oral Cavity and Pharynx	70.0	64.0	---	57.0	70.0	69.0
Pancreas	71.0	68.0	69.5	69.0	63.5	70.0
Skin	62.0	---	---	---	---	62.0
Corpus Uteri & Uterus NOS	72.0	70.0	---	56.5	64.0	71.0
Ovary	69.0	67.0	---	62.0	59.5	68.0
Thyroid Gland	74.0	---	---	---	---	73.0
Stomach	73.0	67.5	---	63.0	62.0	71.0
Brain and Other Central Nervous System	65.0	69.0	---	56.0	49.0	64.0
Cervix Uteri	57.0	52.0	---	58.5	51.0	55.0
Liver and Intrahepatic Bile Ducts	71.0	61.0	69.0	60.0	65.0	69.0
Esophagus	68.0	65.0	---	61.0	64.0	68.0
Larynx	68.0	68.0	---	---	---	68.0
Multiple Myeloma	72.0	67.0	---	---	68.5	71.0
Hodgkin's Lymphoma	58.0	---	---	---	---	58.0
All Other Sites	72.0	65.0	71.0	67.0	61.0	71.0
Total	71.0	67.0	70.0	65.0	65.0	71.0

Note: Those of other/unknown race/ethnicity are not shown separately, but are included in the total. Those deaths of other/unknown gender and/or unknown ages are not included in this table. The median age was not calculated for those numbers less than five.

SURVIVAL RATE

HIGHLIGHTS

- Thyroid Gland Cancer had the highest one-year survival rate of all types of cancer in Nevada from 1999 to 2003 with a rate of 98.6%. This was followed by Breast, Prostate, Hodgkin's Lymphoma, and Skin Cancers, which had one-year survival rates of 95.1%, 95.0%, 93.8%, and 93.2%, respectively.
- Pancreatic Cancer had the lowest one-year survival rate of all types of cancer in Nevada from 1999 to 2003 with a rate of 22.5%. This was followed by Liver and Intrahepatic Bile Duct Cancer, Esophageal, Lung and Bronchus, and Stomach Cancers which had One-Year Survival rates of 29.3%, 38.2%, 40.8%, and 41.4%, respectively.
- The five types of cancer with the highest five-year survival rates in Nevada from 1999 to 2003 were Thyroid Gland (93.9%), Hodgkin's Lymphoma (88.2%), Prostate (87.1%), Breast (83.5%), and Corpus Uteri & Uterus NOS (82.0%) Cancers.
- The five types of cancer with the lowest five-year survival rates in Nevada from 1999 to 2003 were Pancreatic (9.2%), Liver and Intrahepatic Bile Ducts (15.4%), Stomach (16.5%), Esophageal (18.2%), and Lung and Bronchus (18.5%) Cancers.

Figure 20. Ten Highest One-Year Survival Rates by Type of Cancer, Nevada Residents, 1999-2003




Figure 21. Ten Lowest One-Year Survival Rates by Type of Cancer, Nevada Residents, 1999-2003




Figure 22. Ten Highest Five-Year Survival Rates by Type of Cancer, Nevada Residents, 1999-2003




Figure 23. Ten Lowest Five-Year Survival Rates by Type of Cancer, Nevada Residents, 1999-2003




Table 18. One-Year, Five-Year and Median Survival Rates by Type of Cancer, Nevada Residents, 1999-2003

Type of Cancer	1-Year	5-Year	Median Survival (Years)
Lung and Bronchus	40.8%	18.5%	0.84
Colorectal	77.4%	55.1%	> 5 YEARS
Breast	95.1%	83.5%	> 5 YEARS
Prostate	95.0%	87.1%	> 5 YEARS
Pancreas	22.5%	9.2%	0.64
Non-Hodgkin's Lymphoma	76.2%	58.4%	> 5 YEARS
Leukemia	59.6%	38.6%	2.45
Liver and Intrahepatic Bile Ducts	29.3%	15.4%	0.71
Urinary Bladder	86.8%	73.5%	> 5 YEARS
Esophagus	38.2%	18.2%	0.81
Ovary	72.1%	36.8%	3.18
Stomach	41.4%	16.5%	0.85
Kidney and Renal Pelvis	76.5%	62.5%	> 5 YEARS
Brain and Other Central Nervous System	52.7%	35.2%	1.31
Skin	93.2%	79.0%	> 5 YEARS
Multiple Myeloma	60.0%	28.4%	1.70
Lip, Oral Cavity and Pharynx	77.2%	54.9%	> 5 YEARS
Larynx	79.4%	62.4%	> 5 YEARS
Cervix Uteri	87.3%	71.3%	> 5 YEARS
Corpus Uteri & Uterus NOS	91.8%	82.0%	> 5 YEARS
Hodgkin's Lymphoma	93.8%	88.2%	> 5 YEARS
Thyroid Gland	98.6%	93.9%	> 5 YEARS
All Other Sites	58.7%	44.4%	2.21
Total	74.2%	58.3%	> 5 YEARS

Notes: 1) The "---" indicates that survival rate could not be calculated due to small cell size. Caution should be used when interpreting survival rates based upon categories with a small number of cases. 2) These rates may not be directly comparable to national rates because of different methodologies. Caution should be used when trying to compare rates for Nevada and the nation. For more information on the calculation of survival rates, please refer to Technical Notes section.

Table 19. One-, Five-Year and Median Survival Rates by Type of Cancer, Nevada Residents (1999-2003) and SEER-13 (1998-2002)

Type of Cancer	1-Year		5-Year		Median Survival	
	Nevada	SEER	Nevada	SEER	Nevada	SEER
Lung and Bronchus	40.8%	43.9%	18.5%	16.1%	0.84	0.89
Colorectal	77.4%	84.0%	55.1%	62.0%	> 5 YEARS	> 5 YEARS
Breast	95.1%	97.1%	83.5%	86.2%	> 5 YEARS	> 5 YEARS
Prostate	95.0%	98.1%	87.1%	90.4%	> 5 YEARS	> 5 YEARS
Pancreas	22.5%	25.2%	9.2%	5.0%	0.64	0.67
Non-Hodgkin's Lymphoma	76.2%	80.2%	58.4%	62.4%	> 5 YEARS	> 5 YEARS
Leukemia	59.6%	68.2%	38.6%	48.4%	2.45	4.39
Liver and Intrahepatic Bile Ducts	29.3%	35.6%	15.4%	14.6%	0.71	0.78
Urinary Bladder	86.8%	91.0%	73.5%	77.2%	> 5 YEARS	> 5 YEARS
Esophagus	38.2%	47.2%	18.2%	17.1%	0.81	0.95
Ovary	72.1%	75.7%	36.8%	42.5%	3.18	3.70
Stomach	41.4%	51.2%	16.5%	25.0%	0.85	1.08
Kidney and Renal Pelvis	76.5%	80.1%	62.5%	63.9%	> 5 YEARS	> 5 YEARS
Brain and Other Central Nervous System	52.7%	60.5%	35.2%	34.8%	1.31	1.68
Skin	93.2%	96.7%	79.0%	88.0%	> 5 YEARS	> 5 YEARS
Multiple Myeloma	60.0%	76.6%	28.4%	34.4%	1.70	3.13
Lip, Oral Cavity and Pharynx	77.2%	84.9%	54.9%	60.0%	> 5 YEARS	> 5 YEARS
Larynx	79.4%	87.2%	62.4%	65.0%	> 5 YEARS	> 5 YEARS
Cervix Uteri	87.3%	89.4%	71.3%	72.9%	> 5 YEARS	> 5 YEARS
Corpus Uteri & Uterus NOS	91.8%	92.9%	82.0%	80.6%	> 5 YEARS	> 5 YEARS
Hodgkin's Lymphoma	93.8%	94.6%	88.2%	86.0%	> 5 YEARS	> 5 YEARS
Thyroid Gland	98.6%	97.2%	93.9%	94.4%	> 5 YEARS	> 5 YEARS
All Other Sites	58.7%	65.2%	44.4%	48.2%	2.21	4.12
Total	74.2%	79.5%	58.3%	63.0%	> 5 YEARS	> 5 YEARS

Notes: 1) The "---" indicates that survival rate could not be calculated due to small cell size. Caution should be used when interpreting survival rates based upon categories with a small number of cases. 2) Those cases where the gender and/or race/ethnicity were other/unknown, are not shown separately, but are included in the category totals. 3) These rates may not be directly comparable to national rates because of different methodologies. Caution should be used when trying to compare rates for Nevada and the nation. For more information on the calculation of survival rates, please refer to Technical Notes section.

Table 20. One- and Five-Year Survival Rates by Type of Cancer and Gender, Nevada Residents, 1999-2003

Type of Cancer	Gender					
	Total		Male		Female	
	1-Year	5-Year	1-Year	5-Year	1-Year	5-Year
Lung and Bronchus	40.8%	18.5%	38.0%	17.5%	44.0%	19.5%
Colorectal	77.4%	55.1%	76.3%	52.7%	78.6%	58.1%
Breast	95.1%	83.5%	90.8%	49.2%	95.1%	83.9%
Prostate	95.0%	87.1%	95.0%	87.1%	---	---
Pancreas	22.5%	9.2%	23.4%	7.5%	21.5%	10.6%
Non-Hodgkin's Lymphoma	76.2%	58.4%	75.8%	59.1%	76.7%	57.3%
Leukemia	59.6%	38.6%	58.7%	35.4%	61.2%	41.3%
Liver and Intrahepatic Bile Ducts	29.3%	15.4%	24.0%	12.3%	41.6%	26.2%
Urinary Bladder	86.8%	73.5%	88.0%	74.3%	83.0%	70.8%
Esophagus	38.2%	18.2%	36.4%	15.7%	44.5%	27.9%
Ovary	72.1%	36.8%	---	---	72.1%	36.8%
Stomach	41.4%	16.5%	40.9%	19.9%	42.4%	12.5%
Kidney and Renal Pelvis	76.5%	62.5%	75.3%	61.5%	78.7%	64.1%
Brain and Other Central Nervous System	52.7%	35.2%	51.9%	32.2%	53.9%	40.1%
Skin	93.2%	79.0%	91.8%	72.7%	95.2%	87.6%
Multiple Myeloma	60.0%	28.4%	62.4%	27.4%	56.6%	28.9%
Lip, Oral Cavity and Pharynx	77.2%	54.9%	76.4%	55.3%	79.3%	54.2%
Larynx	79.4%	62.4%	80.7%	62.7%	73.9%	61.2%
Cervix Uteri	87.3%	71.3%	---	---	87.3%	71.3%
Corpus Uteri & Uterus NOS	91.8%	82.0%	---	---	91.8%	82.0%
Hodgkin's Lymphoma	93.8%	88.2%	91.0%	85.7%	97.0%	91.2%
Thyroid Gland	98.6%	93.9%	97.1%	81.2%	99.0%	97.3%
All Other Sites	58.7%	44.4%	61.2%	47.5%	55.3%	40.1%
Total	74.2%	58.3%	72.1%	56.4%	76.5%	60.4%

Notes: 1) The "---" indicates that survival rate could not be calculated due to small cell size. Caution should be used when interpreting survival rates based upon categories with a small number of cases. 2) Those cases where the gender and/or race/ethnicity were other/unknown, are not shown separately, but are included in the category totals. 3) These rates may not be directly comparable to national rates because of different methodologies. Caution should be used when trying to compare rates for Nevada and the nation. For more information on the calculation of survival rates, please refer to Technical Notes section.