

Influenza Weekly Report

2014 Week 19 (May 4 – 10) through 2015 Week 19 (May 10 – 16)

Department of Health and Human Services
Division of Public and Behavioral Health
Office of Public Health Informatics and Epidemiology



Brian Sandoval
Governor
State of Nevada

Richard Whitley, MS
Director
Department of Health and Human Services

Marta E. Jensen
Acting Administrator
Division of Public and Behavioral Health

Tracey D Green, MD
Chief Medical Officer
Division of Public and Behavioral Health

*June 2015
Edition 1.0*

Data for the graphs and tables on the following pages are provisional and may be updated as additional information becomes available.


Purpose

The purpose of this report is to provide an overview of and statistics for the influenza season in Nevada for the local public health authorities, sentinel providers and the public.

Influenza-Like Illness Network Surveillance (ILINet)

Respiratory specimens are tested for influenza by the World Health Organization (WHO) and National Respiratory and Enteric Virus Surveillance System (NRVESS) collaborating laboratories by sub-type. During week 19, there were 7,952 specimens collected and tested for influenza, of those 321 were positive (4.0%).


Figure 1



Source of Data: CDC: FluView Weekly Report.

The Nevada total includes laboratory tests for all Nevada residents including out of state laboratories. During week 19, there was 11 specimen collected and tested for influenza, of those 1 was positive (9.1%).

Figure 2



Source of Data: CDC: ILINet.

Nevada State Public Health Laboratory (NSPHL) has tested 413 specimens for influenza from sentinel providers, of which 283 have been positive (68.5%). Southern Nevada Public Health Laboratory (SNPHL) has test 501 specimens this season of which 115 were positive. Nationally, there have been 685,615 specimens sent to the WHO and NERVSS laboratories of which 125,277 were positive or 18.3%. The national numbers in Table 1 are reflected in Figure 1. The state of Nevada data in Table 1 is reflected in Figure 2. The Nevada total includes laboratory test for all Nevada residents including out of state laboratories.


Table 1

ILINet Surveillance: Influenza Specimens Tested State and Nationally										
	NSPHL	SNPHL	State of Nevada (Week 19)		State of Nevada (Season)		National (Week 19)		National (Season)	
			#	%	#	%	#	%	#	%
Specimens Tested	413	501	11		969		7,952		685,615	
Positives to Influenza	283	115	1	9.1	423	43.7	321	4.0	125,277	18.3
Influenza A:	257	103	0	0.0	382	90.3	38	11.8	104,799	83.7
A(2009 H1N1)	2	0	0	0.0	2	0.5	1	2.6	219	0.2
A(H3)	255	103	0	0.0	380	99.5	12	31.6	52,287	49.9
A(Sub-typing not performed)	0	0	0	0.0	0	0.0	25	65.8	52,293	49.9
Influenza B:	22	11	1	100.0	37	8.7	283	88.2	20,477	16.3

Source of Data: CDC: FluView Report and CDC: ILINet.

Influenza-like illness (ILI) Surveillance Network has each sentinel providers report the number of patients that meet the ILI case definition and number of patients that visit the provider weekly. The “percentage of visits” is the number of ILI patients divided by the total number of patients visit per week. Nevada’s ILI percentage of visits to providers for week 19 is 0.5% and is below the state baseline 1.4%. Region 9 ILI percentage for week 19 is 2.1% and is below the region baseline of 2.7%. Region 9 includes the following states/territory: Arizona, California, Guam, Hawaii, and Nevada. The national ILI percentage for week 19 is 1.3% and is below the national baseline 2.0%.


Figure 3



Source of Data: CDC: Flu View Report and CDC: ILINet.

During week 19, 0.5% of visits to sentinel providers were due to ILI; this is less than the 2013-2014 influenza season (0.7%). There were 16,752 patients seen by ILI providers during week 19, of which 82 patients presented with ILI; week 19 of 2014, there were 110 patients seen with ILI. There was no week 53 in the previous influenza season displayed below; therefore the week 53 data point for those seasons is an average of week 52 and 1.


Figure 4



Source of Data: CDC: ILINet.

Influenza-like Illness is reported by age groups, during week 19, patients age 5-24 were the greatest number of patients seen with ILI, at 32 patients seen. The rate for week 19 is 2.9 per 100,000. The rate is calculated by the number of patients presented with ILI, divided by the state population, multiplied by 100,000. The estimated state population for 2015 is 2,855,061.

Figure 5



Source of Data: CDC: ILINet.

Influenza Positive Surveillance (NBS and NETSS)


Positive cases of influenza are reported to the state health authority for surveillance purposes. Table 2 and Figure 6 reflect all positive influenza cases reported to the state. Types of influenza testing include commercial rapid diagnostic test (rapid), viral culture, fluorescent antibody, enzyme immunoassay, RT-PCR (PCR), and Immunohistochemistry. The two most common test types in Nevada are Rapid and PCR tests. During week 19, there were 29 influenza cases reported to the state, 1 influenza A case and 28 influenza B cases subtyping.

Table 2

Reporting Jurisdiction	Reported Influenza Cases by County Jurisdiction and Influenza Type									
	Current Week (Week 19)					Cumulative Influenza Season				
	H1N1	A	B	Unknown	Total	H1N1	A	B	Unknown	Total
Carson City Health and Human Services	0	0	0	0	0	0	937	127	3	1,067
Rural Community Health Services	0	0	3	0	3	0	563	64	48	675
Southern Nevada Health District	0	0	14	0	14	1	3,236	423	233	3,893
Washoe County Health District	0	1	11	0	12	1	1,496	202	52	1,751
State of Nevada	0	1	28	0	29	2	6,232	816	336	7,386

Source: OPHIE: NBS and SNHD: NETSS.

Figure 6



Source of Data: OPHIE: NBS and SNHD: NETSS.

Hospitalizations

There have been 5 hospitalizations associated with influenza reported to the state health authority during week 19.

Table 3


Reporting Jurisdiction	Influenza Hospitalizations			
	Current Week (Week 19)		Cumulative Influenza Season	
	#	%	#	%
Carson City Health and Human Services	0	0.0	44	7.2
Rural Community Health Services	0	0.0	30	4.9
Southern Nevada Health District	5	100	312	51.2
Washoe County Health District	0	0.0	223	36.6
State of Nevada	5	100	609	100

Source: Reported to Office of Public Health Informatics and Epidemiology from each Jurisdiction.

Pneumonia and Influenza (P&I) Mortality Surveillance

The Pneumonia and Influenza (P&I) mortality percentage is the deaths, where Pneumonia or Influenza is listed as the underlying or contributing cause of death, divided by the total deaths in Nevada for each week. As of June 17, there were 20 P&I deaths and 419 total deaths for week 19. The P&I mortality percent is below the threshold at 4.8% (threshold 6.6%). Nationally, the P&I mortality is below the national epidemic threshold at 6.0% for week 19.

Figure 7



Source: OVR: WEVRRS and CDC: FluView.

Technical Notes

- Influenza-like illness (ILI): a fever greater than or equal 100°F with cough and/or sore throat
- Percent positive: The number of positive influenza laboratory tests divided by the total number of tests performed.
- Incidence rate is per 100,000 population as estimated by the state demographer.

This report contains information from national and state-level data sources. Influenza surveillance data is collected by a various systems, including:

- Influenza-like Illness Network (ILINet): a sentinel surveillance system in collaboration with the Centers for the Disease Control and Prevention (CDC) where outpatient providers report ILI information weekly.
- National Electronic Telecommunication System for Surveillance (NETSS): a system whereby data is transmits to CDC. Influenza data collected through NETSS does not provide influenza sub-typing information.
- National Electronic Disease Surveillance System (NEDSS): a system for collecting data and monitoring disease trends and outbreaks.
- NEDSS Based System (NBS): an implementation of the NEDSS standards. It provides a secure, accurate, and efficient means of collecting, transmitting, and analyzing public health data.

Citations

1. CDC. FluView: A Weekly Influenza Surveillance Report. <http://www.cdc.gov/flu/weekly/pastreports.htm>.
2. Nevada State Demographer's Office. 2003-2014 ASRHO Estimates and Projections. Division of Public and Behavioral Health edition. Vintage 2014.
3. OPHIE. DPBS. BioSense. 2013-2014. Accessed June 2015.
4. OPHIE. DPBH. NBS. 2013-2014. Accessed June 2015.
5. Office of Vital Records (OVR). DPBH. Web Enabled Vital Records Registry System (WEVRRS) [unpublished data]. 2013-2014. Accessed June 2015.
6. Southern Nevada Health District (SNHD). NETSS/Trisano. 2013-2014. Accessed June 2015.

Comments, suggestions, and requests for further information may be addressed to:

NEVADA INFLUENZA SURVEILLANCE PROGRAM
OFFICE OF PUBLIC HEALTH INFORMATICS AND EPIDEMIOLOGY
4126 TECHNOLOGY WAY, STE 200
CARSON CITY NV 89706
TEL: (775) 684-5897
FAX: (775) 684-5999

Compiled and Written by:

JEN THOMPSON

Recommended Citation:

Division of Public and Behavioral Health. Office of Public Health Informatics and Epidemiology. Influenza Weekly Report, 2014 Week 19 (May 4) through 2015 Week 19 (May 16), Nevada. June 2015 i 19 edition 1.0.

This publication was supported by Cooperative Agreement Number TP000534-02 from the Centers for Disease Control and Prevention and/or Assistant Secretary for Preparedness and Response. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention and/or Assistant Secretary for Preparedness and Response.

