	Persons Aged Less than 75 Years		YPLL Before Age 75		
Cause of Death	Number of deaths	Percent of Row Total Deaths~	Total Number of YPLL	Average Number of YPLL per Death	YPLL Rate^
Diseases of the Heart	2,293	47.2%	32,447	14.2	1,252.1
Malignant Neoplasms (Cancer)	2,736	59.0%	33,655	12.3	1,298.7
Cerebrovascular Diseases (Stroke)	344	42.6%	4,693	13.6	181.1
Chronic Lower Respiratory Diseases	484	40.6%	4,474	9.2	172.6
Accidents	898	80.7%	29,236	32.6	1,128.2
Influenza and Pneumonia	198	41.7%	3,103	15.7	119.7
Diabetes Mellitus	197	56.1%	2,850	14.5	110.0
Essential Hypertensive Renal Disease	43	33.6%	520	12.1	20.0
Intentional Self-harm (Suicide)	502	90.3%	14,361	28.6	554.2
Chronic Liver Disease and Cirrhosis	278	86.1%	5,422	19.5	209.2
Nephritis, Nephrotic Syndrome and Nephrosis	209	43.6%	2,676	12.8	103.2
Septicemia	172	53.4%	2,614	15.2	100.9
Alzheimers Disease	28	9.5%	153	5.5	5.9
Assault (Homicide) and Legal Intervention	169	90.9%	7,029	41.6	271.2
Atherosclerosis	17	14.2%	140	8.2	5.4
All Others	1,723	42.3%	40,090	23.3	1,547.0
Total	10,291	51.6%	183,460	17.8	7,079.6

\*YPLL represents the total number of probable lost years of life, which is calculated by symming the difference between a standard age (75 years),

and the death age for each person in the population.

^YPLL rate: Total number of years of potential life lost per 100,000 population aged less than 75 years.

"The percent of persons under age 75 by total death by specific cause of death."

Cause of Death	Persons Aged	Less than 75 Years	YPLL Before Age 75		
	Number of	Percent of Row	Total Number of YPLL	Average Number	YPLL Rate^
Diseases of the Heart	2,374	51.0%	33,253	14.0	1,288.5
Malignant Neoplasms (Cancer)	2,691	60.8%	34,274	12.7	1,328.0
Cerebrovascular Diseases (Stroke)	370	43.3%	5,000	13.5	193.7
Chronic Lower Respiratory Diseases	502	40.5%	4,632	9.2	179.5
Accidents	877	86.5%	28,916	33.0	1,120.4
Influenza and Pneumonia	247	45.9%	4,302	17.4	166.7
Diabetes Mellitus	194	51.6%	2,776	14.3	107.6
Essential Hypertensive Renal Disease	55	42.0%	891	16.2	34.5
Intentional Self-harm (Suicide)	456	90.5%	13,052	28.6	505.7
Chronic Liver Disease and Cirrhosis	285	88.2%	5,738	20.1	222.3
Nephritis, Nephrotic Syndrome and Nephrosis	205	46.0%	2,713	13.2	105.1
Septicemia	171	51.5%	2,382	13.9	92.3
Alzheimers Disease	28	9.0%	154	5.5	6.0
Assault (Homicide) and Legal Intervention	150	97.4%	6,064	40.4	235.0
Atherosclerosis	16	12.3%	124	7.8	4.8
All Others	1,640	44.6%	39,887	24.3	1,545.5
Total	10,261	53.7%	184,155	17.9	7,135.4

\*YPLL represents the total number of probable lost years of life, which is calculated by symming the difference between a standard age (75 years),

and the death age for each person in the population.

^YPLL rate: Total number of years of potential life lost per 100,000 population aged less than 75 years.

~The percent of persons under age 75 by total death by specific cause of death.

Cause of Death	Persons Aged	Less than 75 Years	YPLL Before Age 75		
	Number of	Percent of Row	Total Number of YPLL	Average Number	YPLL Rate^
Diseases of the Heart	2,209	48.1%	31,207	14.1	1,195.5
Malignant Neoplasms (Cancer)	2,618	60.2%	33,280	12.7	1,275.0
Cerebrovascular Diseases (Stroke)	363	40.5%	5,179	14.3	198.4
Chronic Lower Respiratory Diseases	480	38.4%	4,324	9.0	165.7
Accidents	936	84.9%	31,700	33.9	1,214.4
Influenza and Pneumonia	219	44.8%	3,348	15.3	128.2
Diabetes Mellitus	211	56.6%	3,009	14.3	115.3
Essential Hypertensive Renal Disease	33	25.6%	428	13.0	16.4
Intentional Self-harm (Suicide)	471	91.3%	13,602	28.9	521.1
Chronic Liver Disease and Cirrhosis	280	89.7%	5,544	19.8	212.4
Nephritis, Nephrotic Syndrome and Nephrosis	211	46.6%	3,010	14.3	115.3
Septicemia	174	50.3%	2,433	14.0	93.2
Alzheimers Disease	20	7.2%	101	5.1	3.9
Assault (Homicide) and Legal Intervention	163	98.8%	6,563	40.3	251.4
Atherosclerosis	29	21.6%	243	8.4	9.3
All Others	1,593	42.9%	39,491	24.8	1,512.9
Total	10,010	52.4%	183,457	18.3	7,028.2

\*YPLL represents the total number of probable lost years of life, which is calculated by symming the difference between a standard age (75 years),

and the death age for each person in the population.

^YPLL rate: Total number of years of potential life lost per 100,000 population aged less than 75 years.

~The percent of persons under age 75 by total death by specific cause of death.

Cause of Death	Persons Aged	Less than 75 Years	YPLL Be	fore Age 75	
	Number of	Percent of Row	Total Number of YPLL	Average Number	YPLL Rate^
Diseases of the Heart	2,193	48.4%	31,047	14.2	1,197.3
Malignant Neoplasms (Cancer)	2,608	57.8%	34,031	13.0	1,312.4
Cerebrovascular Diseases (Stroke)	332	41.8%	5,156	15.5	198.8
Chronic Lower Respiratory Diseases	394	33.2%	3,813	9.7	147.0
Accidents	1,020	95.3%	34,425	33.8	1,327.6
Influenza and Pneumonia	151	32.1%	2,525	16.7	97.4
Diabetes Mellitus	196	56.6%	3,152	16.1	121.6
Essential Hypertensive Renal Disease	47	36.7%	613	13.0	23.6
Intentional Self-harm (Suicide)	421	77.1%	12,203	29.0	470.6
Chronic Liver Disease and Cirrhosis	247	78.2%	5,020	20.3	193.6
Nephritis, Nephrotic Syndrome and Nephrosis	196	41.4%	2,488	12.7	95.9
Septicemia	222	68.9%	3,247	14.6	125.2
Alzheimers Disease	25	8.4%	110	4.4	4.2
Assault (Homicide) and Legal Intervention	183	104.0%	7,869	43.0	303.4
Atherosclerosis	19	16.8%	173	9.1	6.7
All Others	1,681	41.8%	44,485	26.5	1,715.5
Total	9,935	50.8%	190,353	19.2	7,341.0

\*YPLL represents the total number of probable lost years of life, which is calculated by symming the difference between a standard age (75 years),

and the death age for each person in the population.

^YPLL rate: Total number of years of potential life lost per 100,000 population aged less than 75 years.

~The percent of persons under age 75 by total death by specific cause of death.

Cause of Death	Persons Aged	Less than 75 Years	YPLL Before Age 75		
	Number of	Percent of Row	Total Number of YPLL	Average Number	YPLL Rate^
Diseases of the Heart	2,468	49.4%	34,207	13.9	1,366.0
Malignant Neoplasms (Cancer)	2,510	59.9%	31,804	12.7	1,270.0
Cerebrovascular Diseases (Stroke)	338	40.4%	4,982	14.7	198.9
Chronic Lower Respiratory Diseases	462	43.5%	4,052	8.8	161.8
Accidents	936	87.6%	32,133	34.3	1,283.1
Influenza and Pneumonia	175	41.2%	2,722	15.6	108.7
Diabetes Mellitus	171	58.4%	2,561	15.0	102.2
Essential Hypertensive Renal Disease	35	30.2%	426	12.2	17.0
Intentional Self-harm (Suicide)	434	90.4%	13,281	30.6	530.3
Chronic Liver Disease and Cirrhosis	250	88.3%	4,705	18.8	187.9
Nephritis, Nephrotic Syndrome and Nephrosis	199	42.0%	2,649	13.3	105.8
Septicemia	216	53.6%	3,432	15.9	137.0
Alzheimers Disease	14	5.0%	94	6.7	3.8
Assault (Homicide) and Legal Intervention	223	97.0%	9,449	42.4	377.3
Atherosclerosis	22	15.6%	192	8.7	7.7
All Others	1,613	46.1%	42,971	26.6	1,715.9
Total	10,066	53.6%	189,657	18.8	7,573.4

\*YPLL represents the total number of probable lost years of life, which is calculated by symming the difference between a standard age (75 years),

and the death age for each person in the population.

^YPLL rate: Total number of years of potential life lost per 100,000 population aged less than 75 years.

~The percent of persons under age 75 by total death by specific cause of death.

Cause of Death	Persons Aged	Less than 75 Years	YPLL Before Age 75		
	Number of	Percent of Row	Total Number of YPLL	Average Number	YPLL Rate^
Diseases of the Heart	2,440	48.9%	34,130	14.0	1,419.0
Malignant Neoplasms (Cancer)	2,491	59.9%	31,941	12.8	1,328.0
Cerebrovascular Diseases (Stroke)	363	38.9%	4,955	13.6	206.0
Chronic Lower Respiratory Diseases	487	40.0%	4,257	8.7	177.0
Accidents	897	86.5%	30,289	33.8	1,259.3
Influenza and Pneumonia	184	40.7%	3,424	18.6	142.4
Diabetes Mellitus	194	58.6%	3,328	17.2	138.4
Essential Hypertensive Renal Disease	40	34.5%	563	14.1	23.4
Intentional Self-harm (Suicide)	407	88.7%	12,508	30.7	520.0
Chronic Liver Disease and Cirrhosis	230	87.5%	4,483	19.5	186.4
Nephritis, Nephrotic Syndrome and Nephrosis	184	42.4%	2,358	12.8	98.0
Septicemia	228	54.7%	3,513	15.4	146.1
Alzheimers Disease	29	9.4%	78	2.7	3.2
Assault (Homicide) and Legal Intervention	188	98.4%	8,385	44.6	348.6
Atherosclerosis	27	17.4%	246	9.1	10.2
All Others	1,560	48.6%	40,746	26.1	1,694.1
Total	9,949	53.3%	185,201	18.6	7,700.0

\*YPLL represents the total number of probable lost years of life, which is calculated by symming the difference between a standard age (75 years),

and the death age for each person in the population.

^YPLL rate: Total number of years of potential life lost per 100,000 population aged less than 75 years.

~The percent of persons under age 75 by total death by specific cause of death.

Cause of Death	Persons Aged	Less than 75 Years	YPLL Before Age 75		
	Number of	Percent of Row	Total Number of YPLL	Average Number	YPLL Rate^
Diseases of the Heart	2,145	46.2%	30,949	14.4	1,345.8
Malignant Neoplasms (Cancer)	2,482	61.5%	30,855	12.4	1,341.8
Cerebrovascular Diseases (Stroke)	407	40.4%	5,775	14.2	251.1
Chronic Lower Respiratory Diseases	468	42.1%	4,639	9.9	201.7
Accidents	846	87.2%	29,098	34.4	1,265.4
Influenza and Pneumonia	142	35.7%	2,192	15.4	95.3
Diabetes Mellitus	158	54.5%	2,200	13.9	95.7
HIV Disease	78	100.0%	2,417	31.0	105.1
Intentional Self-harm (Suicide)	382	88.4%	11,381	29.8	494.9
Chronic Liver Disease and Cirrhosis	241	87.6%	4,429	18.4	192.6
Nephritis, Nephrotic Syndrome and Nephrosis	177	42.0%	2,144	12.1	93.2
Septicemia	211	53.7%	3,192	15.1	138.8
Alzheimers Disease	23	8.1%	177	7.7	7.7
Assault (Homicide) and Legal Intervention	187	97.4%	7,818	41.8	340.0
Atherosclerosis	23	18.7%	196	8.5	8.5
All Others	1,442	48.1%	35,600	24.7	1,548.1
Total	9,412	53.3%	173,058	18.4	7,525.7

\*YPLL represents the total number of probable lost years of life, which is calculated by symming the difference between a standard age (75 years),

and the death age for each person in the population.

^YPLL rate: Total number of years of potential life lost per 100,000 population aged less than 75 years.

~The percent of persons under age 75 by total death by specific cause of death.

Cause of Death	Persons Aged	Less than 75 Years	YPLL Be	fore Age 75	
	Number of	Percent of Row	Total Number of YPLL	Average Number	YPLL Rate^
Diseases of the Heart	2,204	48.5%	33,093	15.0	1,510.9
Malignant Neoplasms (Cancer)	2,490	61.3%	31,884	12.8	1,455.7
Cerebrovascular Diseases (Stroke)	372	36.8%	5,268	14.2	240.5
Chronic Lower Respiratory Diseases	478	41.1%	4,487	9.4	204.9
Accidents	767	87.9%	27,319	35.6	1,247.3
Influenza and Pneumonia	149	36.7%	2,666	17.9	121.7
Diabetes Mellitus	181	60.7%	2,725	15.1	124.4
HIV Disease	76	100.0%	2,238	29.4	102.2
Intentional Self-harm (Suicide)	364	86.1%	11,541	31.7	526.9
Chronic Liver Disease and Cirrhosis	242	91.0%	4,897	20.2	223.6
Nephritis, Nephrotic Syndrome and Nephrosis	190	43.6%	2,744	14.4	125.3
Septicemia	206	48.8%	3,424	16.6	156.3
Alzheimers Disease	32	10.4%	261	8.2	11.9
Assault (Homicide) and Legal Intervention	177	96.2%	7,353	41.5	335.7
Atherosclerosis	30	17.8%	450	15.0	20.5
All Others	1,431	47.4%	34,764	24.3	1,587.2
Total	9,389	53.1%	175,112	18.7	7,994.9

\*YPLL represents the total number of probable lost years of life, which is calculated by symming the difference between a standard age (75 years),

and the death age for each person in the population.

^YPLL rate: Total number of years of potential life lost per 100,000 population aged less than 75 years.

~The percent of persons under age 75 by total death by specific cause of death.

Cause of Death	Persons Aged	Less than 75 Years	YPLL Before Age 75		
	Number of	Percent of Row	Total Number of YPLL	Average Number	YPLL Rate^
Diseases of the Heart	2,059	47.7%	29,426	14.3	1,398.2
Malignant Neoplasms (Cancer)	2,382	62.0%	30,078	12.6	1,429.2
Cerebrovascular Diseases (Stroke)	348	36.4%	4,881	14.0	231.9
Chronic Lower Respiratory Diseases	464	40.0%	4,327	9.3	205.6
Accidents	682	83.7%	23,831	34.9	1,132.4
Influenza and Pneumonia	110	30.1%	1,745	15.9	82.9
Diabetes Mellitus	215	63.4%	3,340	15.5	158.7
HIV Disease	74	100.0%	2,390	32.3	113.6
Intentional Self-harm (Suicide)	370	89.6%	11,027	29.8	524.0
Chronic Liver Disease and Cirrhosis	232	88.5%	4,525	19.5	215.0
Nephritis, Nephrotic Syndrome and Nephrosis	170	45.6%	2,335	13.7	111.0
Septicemia	156	47.7%	2,381	15.3	113.1
Alzheimers Disease	17	6.8%	246	14.4	11.7
Assault (Homicide) and Legal Intervention	172	96.6%	7,278	42.3	345.8
Atherosclerosis	15	13.8%	50	3.3	2.4
All Others	1,408	48.7%	35,173	25.0	1,671.3
Total	8,874	53.3%	163,031	18.4	7,746.6

\*YPLL represents the total number of probable lost years of life, which is calculated by symming the difference between a standard age (75 years),

and the death age for each person in the population.

^YPLL rate: Total number of years of potential life lost per 100,000 population aged less than 75 years.

~The percent of persons under age 75 by total death by specific cause of death.

Cause of Death	Persons Aged	Less than 75 Years	YPLL Before Age 75		
Cause of Death	Number of	Percent of Row	Total Number of YPLL	Average Number	YPLL Rate^
Diseases of the Heart	2,075	47.5%	28,590	13.8	1,404.5
Malignant Neoplasms (Cancer)	2,284	60.5%	29,592	13.0	1,453.7
Cerebrovascular Diseases (Stroke)	358	39.4%	4,988	13.9	245.0
Chronic Lower Respiratory Diseases	496	43.9%	4,469	9.0	219.5
Accidents	615	85.7%	21,193	34.5	1,041.1
Influenza and Pneumonia	132	37.4%	2,414	18.3	118.6
Diabetes Mellitus	187	58.6%	2,758	14.7	135.5
HIV Disease	74	97.4%	2,059	27.8	101.1
Intentional Self-harm (Suicide)	340	89.5%	10,181	29.9	500.1
Chronic Liver Disease and Cirrhosis	267	89.6%	5,214	19.5	256.1
Nephritis, Nephrotic Syndrome and Nephrosis	177	47.3%	2,063	11.7	101.3
Septicemia	188	48.3%	3,034	16.1	149.0
Alzheimers Disease	20	9.5%	220	11.0	10.8
Assault (Homicide) and Legal Intervention	175	94.6%	7,259	41.5	356.6
Atherosclerosis	19	23.2%	358	18.8	17.6
All Others	1,373	51.5%	33,323	24.3	1,637.0
Total	8,780	54.1%	157,711	18.0	7,747.5

\*YPLL represents the total number of probable lost years of life, which is calculated by symming the difference between a standard age (75 years),

and the death age for each person in the population.

^YPLL rate: Total number of years of potential life lost per 100,000 population aged less than 75 years.

~The percent of persons under age 75 by total death by specific cause of death.