Nevada State Health Division~ STD Program
Chlamydia Cases in Nevada, 2010

	Total				Male				Female			
	N	%	Nevada Rate*	National Rate**	n	%	Nevada Rate*	National Rate**	n	%	Nevada Rate*	National Rate**
County at Diagnosis												
Clark County	7,362	78%	374.1	409.2	1,896	73%	189.6	219.3	5,466	80%	565.0	592.2
Washoe County	1,429	15%	337.2	409.2	515	20%	239.4	219.3	914	13%	437.9	592.2
Carson/Douglas/Lyon Counties	312	3%	188.5	409.2	82	3%	99.1	219.3	230	3%	277.7	592.2
All Other Counties***	327	3%	180.0	409.2	107	4%	115.5	219.3	220	3%	247.1	592.2
Total	**9,430**	**100%**	**344.3**	**409.2**	**2,600**	**100%**	**187.0**	**219.3**	**6,830**	**100%**	**506.7**	**592.2**
Race/Ethnicity												
White, non-Hispanic	2,071	22%	121.8	178.8	655	25%	76.3	84.0	1,416	21%	168.1	270.2
Black, non-Hispanic	1,696	18%	896.5	1,559.1	617	24%	650.9	970.0	1,079	16%	1,143.1	2,095.5
Hispanic	1,630	17%	255.1	504.2	447	17%	131.6	237.3	1,183	17%	395.1	788.8
American Indian/Alaska Native	83	1%	227.9	776.5	22	1%	123.5	328.8	61	1%	327.8	1,214.9
Asian/Hawaiian/Pacific Islander	306	3%	176.0	149.0	65	3%	80.8	72.0	241	4%	257.8	221.9
Unknown/Other	3,644	39%	N/A	N/A	794	31%	N/A	N/A	2,850	42%	N/A	N/A
Total	**9,430**	**100%**	**344.3**	**401.3**	**2,600**	**100%**	**187.0**	**219.3**	**6,830**	**100%**	**506.7**	**592.2**
Age												
<14	102	1%	17.8	69.5	19	1%	6.5	13.8	83	1%	29.7	127.9
15-19	3,054	32%	1,573.9	1,999.9	624	24%	620.1	735.5	2,430	36%	2,601.6	3,329.30
20-24	3,281	35%	1,640.7	2,165.0	874	34%	840.2	1,120.60	2,407	35%	2,508.5	3,273.90
25-29	1,510	16%	748.6	895.2	480	18%	456.7	573.3	1,030	15%	1,066.4	1,234.00
30-34	740	8%	371.6	397.0	274	11%	263.5	286	466	7%	489.7	511.7
35-39	363	4%	182.8	173.3	148	6%	143.7	141.3	215	3%	225.1	205.8
40-44	199	2%	95.9	85.1	98	4%	90.8	81.9	101	1%	101.5	88.4
45-54	135	1%	36.2	34.0	63	2%	33.3	36	72	1%	39.2	32
55-64	32	0%	11.3	10.0	17	1%	12.2	11	15	0%	10.4	9.1
65+	6	0%	2.0	2.4	1	0%	0.7	2.9	5	0%	3.0	2.1
Unknown	8	0%	N/A	N/A	2	0%	N/A	N/A	6	0%	N/A	N/A
Total	**9,430**	**100%**	**367.3**	**401.3**	**2,600**	**100%**	**187.0**	**219.3**	**6,830**	**100%**	**506.7**	**592.2**

*Source: Nevada State Health Division Sexually Transmitted Disease Management Information Systems (STD*MIS), data as of March 2011*

**Nevada Rates per 100,000 population were calculated using population estimates from the Nevada State Demographer. Interim 2008 Population Estimates were used to calculate 2009 rates. The 2007 and 2008 Interim Population Estimates are based on the 2007 and 2008 Total Population Estimates provided in March 2008 and 2009, respectively and 2005 Population Estimate Breakdowns. They were updated in July 2008 and 2009 by the Nevada State Health Division, Bureau of Health Statistics, Planning, and Emergency Response.*

*** National Rates are based on the 2009 Rates from the CDC STD Surveillance Report and are expressed per 100,000 cases per population.*

**"All Other Counties" includes the counties of Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine*

Rates higlighed in red indicated a Nevada Rate higher than the National Rate.

Nevada State Health Division~ STD Program
Gonorrhea Cases in Nevada, 2010

	Total				Male				Female			
	N	%	Nevada Rate*	National Rate**	n	%	Nevada Rate*	National Rate**	n	%	Nevada Rate*	National Rate**
County at Diagnosis												
Clark County	1,511	92%	76.8	99.1	742	90%	74.2	91.9	769	93%	79.5	105.5
Washoe County	100	6%	23.6	99.1	62	8%	28.8	91.9	38	5%	18.2	105.5
Carson/Douglas/Lyon Counties	11	1%	6.6	99.1	7	1%	8.5	91.9	4	0%	4.8	105.5
All Other Counties*	23	1%	12.7	99.1	10	1%	10.8	91.9	13	2%	14.6	105.5
Total	**1,645**	**100%**	**60.1**	**99.1**	**821**	**100%**	**59.0**	**91.9**	**824**	**100%**	**61.1**	**105.5**
Race/Ethnicity												
White, non-Hispanic	259	16%	15.2	27.2	134	16%	15.6	21.5	125	15%	14.8	32.8
Black, non-Hispanic	670	41%	354.2	556.4	339	41%	357.6	555.2	331	40%	350.7	557.5
Hispanic	115	7%	18.0	58.6	64	8%	18.8	54.5	51	6%	17.0	63.0
American Indian/Alaska Native	3	0%	8.2	110.2	3	0%	16.8	75.0	0	0%	0.0	144.2
Asian/Hawaiian/Pacific Islander	29	2%	16.7	18.1	15	2%	18.7	19.1	14	2%	15.0	20.8
Unknown/Other	569	35%	N/A	N/A	266	32%	N/A	N/A	303	37%	N/A	N/A
Total	**1,645**	**100%**	**60.1**	**99.1**	**821**	**100%**	**59.0**	**91.9**	**824**	**100%**	**61.1**	**105.5**
Age												
10-14	16	1%	2.8	14.9	3	0%	1.0	5.0	13	2%	4.7	25.3
15-19	534	32%	275.2	405.4	186	23%	184.8	250	348	42%	372.6	568.8
20-24	471	29%	235.5	479.1	226	28%	217.3	407.5	245	30%	255.3	555.3
25-29	232	14%	115.0	234.3	128	16%	121.8	238.9	104	13%	107.7	229.4
30-34	117	7%	58.8	125.9	74	9%	71.2	145	43	5%	45.2	106.2
35-39	104	6%	52.4	66.7	69	8%	67.0	85.6	35	4%	36.6	47.6
40-44	67	4%	32.3	41.8	51	6%	47.3	60.8	16	2%	16.1	22.9
45-54	73	4%	19.6	21	57	7%	30.1	33.6	16	2%	8.7	8.7
55-64	23	1%	8.1	6.6	21	3%	15.0	11.4	2	0%	1.4	2.1
65+	7	0%	2.3	1.4	6	1%	4.2	2.7	1	0%	0.6	0.5
Unknown	1	0%	N/A	N/A	0	0%	N/A	N/A	1	0%	N/A	N/A
Total	**1,645**	**100%**	**60.1**	**99.1**	**821**	**100%**	**59.0**	**91.9**	**824**	**100%**	**61.1**	**105.5**

*Source: Nevada State Health Division Sexually Transmitted Disease Management Information Systems (STD*MIS), data as of March 2011*

**Nevada Rates per 100,000 population were calculated using population estimates from the Nevada State Demographer. Interim 2008 Population Estimates were used to calculate 2009 rates. The 2007 and 2008 Interim Population Estimates are based on the 2007 and 2008 Total Population Estimates provided in March 2008 and 2009, respectively and 2005 Population Estimate Breakdowns. They were updated in July 2008 and 2009 by the Nevada State Health Division, Bureau of Health Statistics, Planning, and Emergency Response.*

*** National Rates are based on the 2009 Rates from the CDC STD Surveillance Report and are expressed per 100,000 cases per population.*

**"All Other Counties" includes the counties of Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine*

Rates higlighed in red indicated a Nevada Rate higher than the National Rate.

Nevada State Health Division~ STD Program

Primary and Secondary Syphilis Cases in Nevada, 2010

	Total				Male				Female			
	N	%	Nevada Rate*	National Rate**	n	%	Nevada Rate*	National Rate**	n	%	Nevada Rate*	National Rate**
County at Diagnosis												
Clark County	126	94%	6.4	4.6	120	94%	12.0	7.8	6	86%	0.6	1.4
Washoe County	2	1%	0.5	4.6	2	2%	0.9	7.8	0	0%	0.0	1.4
Carson/Douglas/Lyon Conties	1	1%	0.6	4.6	1	1%	1.2	7.8	0	0%	0.0	1.4
All Other Counties*	5	4%	2.8	4.6	4	3%	4.3	7.8	1	14%	1.1	1.4
Total	**134**	**100%**	**4.9**	**4.6**	**127**	**100%**	**9.1**	**7.8**	**7**	**100%**	**0.5**	**1.4**
Race/Ethnicity												
White, non-Hispanic	48	36%	2.8	2.1	48	38%	5.6	3.9	0	0%	0.0	0.4
Black, non-Hispanic	40	30%	21.1	19.2	35	28%	36.9	31.3	5	71%	5.3	8.2
Hispanic	30	22%	4.7	4.5	29	23%	8.5	8.1	1	14%	0.3	0.6
American Indian/Alaska Native	1	1%	2.7	2.4	1	1%	5.6	3.9	0	0%	0.0	0.9
Asian/Hawaiian/Pacific Islander	2	1%	1.2	1.6	2	2%	2.5	3.0	0	0%	0.0	0.2
Unknown/Other	13	10%	N/A	N/A	12	9%	N/A	N/A	1	14%	N/A	N/A
Total	**134**	**100%**	**4.9**	**4.6**	**127**	**100%**	**9.1**	**7.8**	**7**	**100%**	**0.5**	**1.4**
Age												
10-14	0	0%	0.0	0.1	0	0%	0.0	0.0	0	0%	0.0	0.2
15-19	6	4%	3.1	4.7	5	4%	5.0	6.0	1	14%	1.1	3.3
20-24	27	20%	13.5	13.4	26	20%	25.0	20.7	1	14%	1.0	5.6
25-29	27	20%	13.4	11.3	25	20%	23.8	18.5	2	29%	2.1	3.6
30-34	19	14%	9.5	9.5	19	15%	18.3	15.8	0	0%	0.0	3.0
35-39	16	12%	8.1	7.7	16	13%	15.5	13.3	0	0%	0.0	1.9
40-44	16	12%	7.7	7.6	15	12%	13.9	13.7	1	14%	1.0	1.6
45-54	16	12%	4.3	4.6	14	11%	7.4	8.3	2	29%	1.1	1.0
55-64	5	4%	1.8	1.5	5	4%	3.6	2.9	0	0%	0.0	0.2
65+	2	1%	0.7	0.2	2	2%	1.4	0.5	0	0%	0.0	0.0
Unknown	0	0%	N/A	N/A	0	0%	N/A	N/A	0	0%	N/A	N/A
Total	**134**	**100%**	**4.9**	**4.6**	**127**	**100%**	**9.1**	**7.8**	**7**	**100%**	**0.5**	**1.4**

*Source: Nevada State Health Division Sexually Transmitted Disease Management Information Systems (STD*MIS), data as of March 2011*

**Nevada Rates per 100,000 popualtion were calculated using population estimates from the Nevada State Demographer. Interim 2008 Population Estimates were used to calculate 2009 rates. The 2007 and 2008 Interim Population Estimates are based on the 2007 and 2008 Total Population Estimates provided in March 2008 and 2009, respectively and 2005 Population Estimate Breakdowns. They were updated in July 2008 and 2009 by the Nevada State Health Division, Bureau of Health Statistics, Planning, and Emergency Response.*

*** National Rates are based on the 2009 Rates from the CDC STD Surveillance Report and are expressed per 100,000 cases per population.*

**"All Other Counties" includes the counties of Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine*

Rates higlighed in red indicated a Nevada Rate higher than the National Rate.

Nevada State Health Division~ STD Program
Early Latent Syphilis Cases in Nevada, 2010

	Total			Male			Female		
	N	%	Nevada Rate*	n	%	Nevada Rate*	n	%	Nevada Rate*
County at Diagnosis									
Clark County	180	98%	9.1	158	98%	15.8	22	100%	2.3
Washoe County	4	2%	0.9	4	2%	1.9	0	0%	0.0
Carson/Douglas/Lyon Conties	0	0%	0.0	0	0%	0.0	0	0%	0.0
All Other Counties*	0	0%	0.0	0	0%	0.0	0	0%	0.0
Total	**184**	**100%**	**6.7**	**162**	**100%**	**11.6**	**22**	**100%**	**1.6**
Race/Ethnicity									
White, non-Hispanic	54	29%	3.2	52	32%	6.1	2	9%	0.2
Black, non-Hispanic	59	32%	31.2	46	28%	48.5	13	59%	13.8
Hispanic	52	28%	8.1	50	31%	14.7	2	9%	0.7
American Indian/Alaska Native	0	0%	0.0	0	0%	0.0	0	0%	0.0
Asian/Hawaiian/Pacific Islander	4	2%	2.3	3	2%	3.7	1	5%	1.1
Unknown/Other	15	8%	N/A	11	7%	N/A	4	18%	N/A
Total	**184**	**100%**	**6.7**	**162**	**100%**	**11.6**	**22**	**100%**	**1.6**
Age									
10-14	0	0%	0.0	0	0%	0.0	0	0%	0.0
15-19	11	6%	5.7	3	2%	3.0	8	36%	8.6
20-24	28	15%	14.0	24	15%	23.1	4	18%	4.2
25-29	24	13%	11.9	22	14%	20.9	2	9%	2.1
30-34	28	15%	14.1	23	14%	22.1	5	23%	5.3
35-39	16	9%	8.1	15	9%	14.6	1	5%	1.0
40-44	30	16%	14.5	30	19%	27.8	0	0%	0.0
45-54	35	19%	9.4	34	21%	18.0	1	5%	0.5
55-64	9	5%	3.2	8	5%	5.7	1	5%	0.7
65+	3	2%	1.0	3	2%	2.1	0	0%	0.0
Unknown	0	0%	N/A	0	0%	N/A	0	0%	N/A
Total	**184**	**100%**	**6.7**	**162**	**100%**	**11.6**	**22**	**100%**	**1.6**

*Source: Nevada State Health Division Sexually Transmitted Disease Management Information Systems (STD*MIS), data as of March 2011*

**Nevada Rates per 100,000 popualtion were calculated using population estimates from the Nevada State Demographer. Interim 2008 Population Estimates were used to calculate 2009 rates. The 2007 and 2008 Interim Population Estimates are based on the 2007 and 2008 Total Population Estimates provided in March 2008 and 2009, respectively and 2005 Population Estimate Breakdowns. They were updated in July 2008 and 2009 by the Nevada State Health Division, Bureau of Health Statistics, Planning, and Emergency Response.*

**"All Other Counties" includes the counties of Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine*