STEVE SISOLAK
Governor

RICHARD WHITLEY, MS
Director



JULIE KOTCHEVAR, Ph D

Administrator

IHSAN AZZAM, M D.
Chief Medical Officer

## DEPARTMENT OF HEALTH AND HUMAN SERVICES DIVISION OF PUBLIC AND BEHAVIORAL HEALTH

4150 Technology Way Carson City, Nevada 89706 Telephone (775) 684-4200 • Fax (775) 687-7570 http://dpbh.nv.gov

## **MEMORANDUM**

DATE:

February 8, 2019

TO:

Subrecipients, Contractors, County Officials, and State Agencies

FROM:

Brook Adie, Bureau Chief

Behavioral Health Wellness and Prevention

RE:

Fee-For-Service Rate Schedule

During the last State Fiscal Year (SFY) 2018 (July 1, 2017 through June 30, 2018), the Bureau of Behavioral Health Wellness and Prevention (BBHWP) conducted monitors pursuant to Title 2 of the Code of Federal Regulations (CFR) section 200.331. During these monitors, BBHWP staff determined that there were various Fee-For-Service Rate Schedules distributed by BBHWP to treatment subrecipients. In these cases, the monitor findings related to this matter were issued to BBHWP via a corrective action plan. In an effort to be transparent and rectify this issue, please use the attached Fee-For-Service Rate Schedule for any Fee-For-Service BBHWP reimbursements. The attached rate schedule went into effect June 8, 2018. These rates will remain in effect until an official revised memorandum is released by BBHWP. Please review the attached rate schedule and compare it to your agency's SFY 2019 (July 1, 2018 through June 30, 2019) reimbursements to ensure that accurate rate schedule is being utilized. If your agency has determined that it used the incorrect rate schedule, please notify your designated analyst for more information. BBHWP will review this information and may require a final true-up reimbursement request for SFY 2019 subgrants. Failure to comply with this memorandum may result in a corrective action plan and the reimbursement of unallowable costs in future BBHWP monitors. BBHWP apologizes for any inconvenience this may have caused.

## Division of Public and Behavioral Health Behavioral Health Wellness, Prevention and Treatment Program

	Behavioral Health Well Арргочеd Ra					t Pro	gran										
Code	Service Code Description		SAPTA Rata	evel 0.5: Early Inte ntion	evel : Outpatie * s	evel 2.1 Inte ient Se	Level 2.5: Partial Hosp tion S	1-WM: Ambula	@13.2-WM CM R ential WM	35 CM Med-I e	3.7. MM Hig 1 nt S	3,7 WM: MM Inpa nt W	åBOT/Level Oufpatient	OBOT / Level 2.1 IOP Services	Opioid Treatme Services Includes Level OP and Level 1-VAA)	Megreriad Opioid Treatment & Recovenier	H leading
99401	Preventive med counseting	S	38.27	X	×	-		X	+	1	1	1	- <del>x</del> -	101	0.5	-5-	+-
	Smok and tobacco cessation counselva (3-10 Minutes)	\$	13.59	Х	X			X					X				
	Smoking and tobacco cessation counseling (>10 Minutes)	1 \$	26.53	X	X			X	-	1	-		X				
	Alcohol and/or substance abuse screening (15-30 Minutes)	\$	CO 44	X	X	$\vdash$	-	1 X	-	H	1	1 1	X				₽
99409	Alcohol and/or date assessment (1 unit per assessment at least 30 minutes). If a	\$	66.14	X	X	$\vdash$		X	+	-	+	$\vdash$	X	$\vdash$			⊢
H0001	Alcohol and/or drug assessment (1 unit per assessment at least 30 minutes). If a CADC-I completes the assessment, it will not be counted completed until it has been reviewed and approved by the clinical supervisor	s	15215	x	×	x	x	×					x				
	Behavioral health screening to determine eligibility fo										Т	П					
H0002	ram 1 unit ear assessment at least 30 minutes)	S	33.57	X	X	X	X	X	1	-	╄		Х	$\vdash$			-
	Alcohol and/or drug services; group counseling by a clinician (1 unit per group at	s	32.57		×		x	×					х		x	х	
	east 30 minutes}	\$	23.69		x		X	x			1		X		X	X	$\vdash$
	Alcohol and/or dag services crisis intervention toutcatient)	1								1	-	1			- ^	^	_
	Alcohol and/or drug services; intensive outpatient program (3 hours per day at least 3	S	153.23			X	X	X			1			X			
	Actival and/or drug services, methadone administration and/or service (provision of										Г						
	the drug by a licensed program)	S	4.30		<u> </u>		X	X	-	-	-	$\vdash$	X	$\vdash$	_ X	X	_
H0034	Medication training and support; per 15 minutes  Mental health partial hospitalization, treatment less than 24 hours (1 unit equals 60	S	18.53		X	$\vdash$	X	-	-	-	-	$\vdash$	X	$\vdash$	X	X	-
H0035	minutes)	s	59.76		x		x	×					х		x	×	
	Self-hele-seer service; per 15 minutes	\$	8.60		X	$\vdash$	x	1 x	-	-	+		x	$\vdash$	X	x	-
	Self-help/peer service; per 15 minutes; Use modifier HQ when requesting/billing for a	1	3.00		^		~	1 ^	-	1	+			-		^	
	roup setting_	5	1.72		. X		х	X					_ X		х	x	
	Alcohol and/or drug services; (State defined: Individual counseling by a clinician). (1									Г	Т						
	unit ser session at least 30 minutes)	\$	63.04		X		X	X		1_		$\square$	Х	Щ	X	X	
	Alcohol/drug screening(1 unit 60r screening(1	1 \$	10.64	X	X	$\vdash$	X	X	-	⊢	+	$\vdash$	X	X	X	X	-
	Interactive Complexity Psychiatric diagnostic evaluation	\$	4.80 15215		X	$\vdash$	X	X	-	⊢	+		X	$\vdash$	X	X	-
	Psychiatric diagnostic evaluation with medical services	\$	124 11		x	$\vdash$	x	Î		1	+		x	$\vdash$	x	X	-
	Psychotheraps 30 mins, with et and/or family member	S	63.04		X	$\vdash$	X	1 X	Ī	ì	1		X	ii	X	X	
	Psychotherapy, 45 mins, with pt and/or family member	1 \$	80.65		X	i	ΧI	X	i	i	1		X		X	X	
	Psysoonerapy, 60 mins, with of and/or family member	5	117.99		Х		XI	X	İ	Ì	Ì		Х		Х	X	
	Family psychologo (without the callent present)	\$	88.83		Х		X	X					X		Х	X	
	Family psycherapy (conxint therapy) (with patient present)	\$	106.75		X		X	X					X		X	X	
	Multiple-family group psychotherapy	1 \$	31.13		X	$\Box$	X	X		_	1		X		X	X	
	Group ##55cttl=65cc_dther than of a multicle-family group?  Patheracy for Crisis first 60 mins	├	32.57 122.80		X	$\vdash$	X	X	-	⊢	┿	-	X	$\vdash$	X	X	
	Psychotherepy for Crisis each additional 30 mins	S	61.39		X		X	X	-	-	-		X	1 1	X	X	-
30040	Psychotherapy, 30 mins, with pt and/or family member when performed with an E/M	3	01.35			$\vdash$	<u> </u>	<del>  ^</del>	+	$\vdash$	╫	$\vdash$	X	$\vdash$		X	-
90833		s	41.52		l x	Н	x	X		l		ш	x	ш	x	x	
90836	Psychotherapy, 45 mins, with pt and/or family member when performed with an E/M service.	s	67.34		×	П	x	×			Г		×		×	X	
90838	Psychotherapy, 60 mins, with pt and/or family member when performed with an E/M service.	s	108.54		х		х	х					х		х	x	-
99201	components: a problem focused history, a problem focused exam, and straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. 10 mins face-to-face.	s	32.23		×		x	x					ж		х	x	
99202	components: a problem focused history, a problem focused exam, and straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. 20 mins face-to- face.	S	58.41		×		x	х					x		x	x	
99203	Office or other outpatient visit for the E/M of a NEW PT, which requires 3 components: a problem focused history, a problem focused exam, and medical decision making of low complexity. Counseling end/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity, 30 mins face-to-face.	S	87.62		×		x	×	i i				x		x	x	
99204	Cffice or other outpatient visit for the Effi of a NEW PT, which requires a components: a problem focused history, a problem focused exam, and medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. 45 mins face-to-		124.21		x		x	×					X		x	× ×	
99205	components: a problem focused history, a problem focused exemination, and medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qual fied health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity 60 mins face-to-		124.21		X		X	×					X		×		
J32UJ	1896.	: 3	123,05		_ ^		^	I A	1	1	1				_^_	X	_

	Office or other outpatient visit for the End of an ESTABLISHED patient, that may not	_		1		Т			7-	1 1	- 1	-1	1 1	: 1	
	require the presence of a physician or other qualified healthcare professional.	1							í .	ш			11		
	Usually, the presenting problems are minimal. Typically, 5 minutes are spent									Į I		1	11	J	
99211	performing or supervising these services.	S	1947		X		X	X				X		_X	X
	Office or other outpatient visit for the Erm of an ESTABLISHED patient, which						П		Т		П				111
	requires at least 2 of these 3 key components: a problem focused history, a problem					П				1 1	- 1	1		- 1	
	focused examination, and straightforward medical decision making. Counseling					1				Ηi	- 1	1	l i	- 1	
	and/or coordination of care with other physicians, other qualified health care					ш	1 1			1 1	- 1		1 1	- 1	
	professionals, or agencies are provided consistent with the nature of the patient's					ш	11			1 1				- 1	
99212	problem(s) and/or famity's needs. Usually, problem(s) are self limited or minor. Tvoically, 10 minutes face-to-face.		0.457		,	ш	ارا	١	1	1 1			1		
99212	Unice or other outpatient visit for trie EAM of an ESTABLISHED patient, which	\$	3457	-	X	1	X	l x	1	$\vdash$	+	X	1 1	X J	Х
	requires at least 2 of these 3 key components: a problem focused history, e problem					1	ш	1	Î	1 1		1	1 1	Ì	
	focused examination, and medical decision making of low complexity. Counseling							Ĭ		1 1		1	11		
	end/or coordination of care with other physicians, other qualified health care						ш			1 1		1			7/
	professionals, or agencies ere provided consistent with the nature of the patient's					1	H			ш					
	problem(s) and/or family's needs. Usually, problem(s) are low to moderate severity					Ι.				I I		1			
99213	Typically, 15 minutes face-to-face.	\$	48.00	con-	X		l x l	l x		l ľ	ľ	×	f b	x	х
	Unica or other outpatient visit for the E/M of an ESTABLISHED patient, which	100		TOTAL MICE.		Г				П					
	requires at least 2 of these 3 key components: a problem focused history, a problem														
	focused examination, and medical decision making of moderate complaxity														
	Counseling end/or coordination of care with other physicians, other qualified health					1									
	care professionals, or agencies are provided consistent with the nature of the												1		
99214	patient's problem(s) and/or family's neads. Usually, problem(s) are of moderate to high severity. Typically, 25 minutes face-to-face.		74.00				ایا			1 1		"		u l	
99214	Unice or other outpatient visit for the E/M of an ESTABLISHED patient, which	3	74.86	_	X	-	X	X	+	$\vdash$	$\rightarrow$	X	++-	Х	Х
	requires at least 2 of these 3 key components; a problem focused history, a problem									Ш					- 1
	focused examination, and medical decision making of high complexity. Counseling									Ш			! !		
	and/or coordination of care with other physicians, other qualified health care			1 7	Į.					Ш					
	professionals, or agencies are provided consistent with the nature of the patient's									1 1					
	problem(s) and/or family's needs. Usually, problem(s) are of moderate to high									1 1					
99215	saverity- Typically, 40 minutes face-to-faca.	S	110.11		_ X	Į	x	X		lΙ		l x		х	X I
	Initial Changetian Care, and day for the Efficient actions which convices these 2 lay.			120			П		Т	П	$\neg$		$\Box$		î
	Initial Observation Cere, par day, for the E/M of a patient which requires these 3 key components, a detailed or comprehensive history, a detailed or comprehensive						1 1	1		ΙI					1
	examination, and medical decision making that is straightforward or of low						1 1	1		ΙI					
	complexity. Counseling and/or coordination of care with other physicians, other					Ιí				ΙI			11		
	qualified health care professionals, or agencies are provided consistent with the					ш				1 1					
	nature of the problem(s) and the patient's or family's needs. Usually, the problem(s)					ш				1 1	- 1:				
	requiring admission to "observation status" are of low severity. Typically, 30 minutes					ш			1	1 1	- 1				
99218	are spent at the badside and on the patiant's hospital floor or unit.	s	60.76		х	ļ ļ	x	l x		1 1	- 1	l x		x I	x I
						ĺ	- 1	1	$\top$	П	- 1	1	$\Box$	T	- 1
	Initial Observation Cara, per day, for the E/M of a patient which requires these 3 key					ш				1 1		1			- 1
	components: a detailed or comprehensive history, a detailed or comprehensive					ш				1 1		1			
	examination, and medical decision making moderate complaxity. Counseling and/or	1				ш		ľ.		1 1		1			
	coordination of care with other physicians, other qualified health care professionals,					П				H					
	or agencies are provided consistent with the nature of the problem(s) and the					Ш		0		1 1		1			
	patient's or family's needs. Usually, the problem(s) requiring admission to							1		1 1		1			
99219	"observation status" ere of moderate severity. Typically, 50 minutes are spent at the bedside and on the patient's hospital floor or unit.	l e	101.71		x		l . l	l ,						υ I	, l
33213	thillal Observation Care, per day, for the Erm of a patient which requires these 3 key	3	101,/1			-	X	_ <del> </del> X	+	₩	-	l x	$\vdash$	X	X
	components: a datailed or comprehensive history, a detailed or comprehensive										Ī				
	examination, and madical decision making of high complexity. Counseling and/or													Î	
	coordination of care with other physicians, other qualified health care professionals,				ь				1			A-22			
110	or agencies are provided consistent with the nature of the problem(s) and the						1								_ [
	patient's or family's neads. Usually, the problem(s) requiring admission to								1					- 1	
-	"observation status" are of high seventy. Typically, 70 minutes are spent at the										1			1	
99220	bedside and on the patiant's hospital floor or unit.	\$	142.33		Х		Хİ	X		ш		1 X	$\vdash$	x	X
31R	Residential Treatment (Level 3.1)	\$	87.28				XIX			$\sqcup$	-1		$\sqcup \sqcup$		1
32D	Detoxification (Level 3.2-D)	\$	152.74				ΧŢ	l X	X		1	1			
35R		\$	141.83	4			X [	1 X			1.0	mal No.		- 1	1
	Residential Treatment (Laval 3.5) Transitional Housing	S	43.64			-	χŀ	1 x	-J	<u> </u> 스	-				- 1