



Nevada 2019 HIV Fast Facts

Nevada Department of Health and Human Services
Division of Public and Behavioral Health
Office of HIV – HIV Prevention and Surveillance Program
Office of Public Health Investigations and Epidemiology
Office of Analytics



Steve Sisolak, Governor
State of Nevada

Lisa Sherych, MBA, Administrator
Division of Public and Behavioral Health

Richard Whitley, MS, Director
Department of Health and Human Services

Ihsan Azzam, Ph.D., MD
Chief Medical Officer

PURPOSE

The primary purpose of the Nevada 2019 HIV Fast Facts report is to provide statistics and trends on HIV and HIV Stage 3 (AIDS) in Nevada. The annual publication is a reference document for policymakers, program managers, health planners, researchers, and anyone in the community who is concerned with the public health implications of this disease. The tables provided in this edition supersede earlier publications.

METHODS

The data used for this profile comes from information gathered between January 1, 2019, to December 31, 2019, and was obtained from the electronic HIV/AIDS Registry System (eHARS). The eHARS database application is provided by the Centers for Disease and Control and Prevention (CDC) and maintained by the Division of Public and Behavioral Health (DPBH) HIV Prevention and Surveillance Program. The data is collected from medical laboratories, state and local health departments, and other community providers. The HIV case definition for this report utilizes the 2014 CDC Case Definitions. Per the CDC, a patient may be diagnosed concurrently with both HIV and HIV Stage 3 (AIDS) within the same year, allowing them to be counted in both the HIV incidence tables, as well as the HIV Stage 3 (AIDS) tables.

TECHNICAL NOTES

Per the Nevada Administrative Code (NAC) 441A.040, HIV is a reportable communicable disease. As prescribed by NRS 441A.150, a diagnosis of HIV is reported to the local health authority by providers, medical facilities, and laboratories.

- **Age Group** is defined as the age of the individual at the time of the HIV and/or HIV Stage 3 (AIDS) diagnosis, previously referred to as AIDS.
- **All other counties** include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.
- **Annual % Change** is the percent increase or decrease relative to the number of cases in 2018 to 2019. Take caution when interpreting percent changes calculated from small case counts because they can be susceptible to the high variability and are likely to be misleading.
- **Rate** is defined as the rate of the population per 100,000 persons and calculated by using the 2017 population projections from the Nevada State Demographer vintage.
- **N (incidence rate)** is the measure of disease in the total population.
- **n (incidence rate)** is the measure of disease for a given subpopulation, such as sex, race/ethnicity, age, or full address. The subpopulations may not equal the total incidence rate for the population due to unknown demographics such as sex, race/ethnicity, age, or full address.
- **NA (Not Applicable)** is used to represent cases where the data may not meet the criteria for reliability, data quality, or confidentiality due to small counts or inability to calculate rates based on an equivalent population.
- **New HIV diagnoses** are counted in the eHARS database and include HIV and Stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states, but who currently live in Nevada. HIV and AIDS diagnoses might duplicate case counts, if the person was diagnosed with both HIV and Stage 3 (AIDS) in the same year.
- **New Stage 3 (AIDS)** are diagnoses counted in the eHARS surveillance statistics database and include Stage 3 (AIDS) and HIV cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states, but who currently live in

Nevada. Stage 3 (AIDS) diagnoses and HIV diagnoses might duplicate case counts, if the person was diagnosed with both Stage 3 (AIDS) and HIV in the same year. Persons living with HIV include data on persons living in Nevada with HIV (not yet Stage 3 (AIDS)) and Stage 3 (AIDS) based on the current address listed in the HIV Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or Stage 3 (AIDS) in Nevada.

- **Population** is based on the 2019 population projections from the Nevada State Demographer vintage 2019 data.
- **Rate** is the rate of the population per 100,000 persons and calculated by using the 2018 population projections from the Nevada State Demographer vintage.
- **Relative Standard Error (RSE)** This publication contains counts under 12. Please use caution when interpreting the data, as the RSE is greater than 30%.

Recommended Citation:

State of Nevada, Office of HIV. Division of Public and Behavioral Health. *2019 HIV Fast Facts*. Las Vegas, Nevada. e1.0. April 2020.

Additional References:

1) [End HIV Nevada](#)

2) [HIV OPHIE](#)

3) [HIV Prevention Program](#)

This publication was supported by the Centers for Disease Control and Prevention (CDC) through Grant Number NU62PS924579 for the HIV Prevention and Surveillance Program. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Nevada State Department of Health and Human Services nor the Centers for Disease Control and Prevention.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Nevada New HIV Diagnoses, 2019

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
County of Diagnosis									
Clark	448	88.5	19.8	383	87.6	33.8	65	94.2	5.7
Washoe	38	7.5	8.3	38	8.7	16.4	0	0.0	0.0
All Other Counties**	20	4.0	5.8	16	3.7	9.2	4	5.8	2.3
Total	506	100.0	16.5	437	100.0	28.4	69	100.0	4.5
Race/Ethnicity									
White, non-Hispanic	158	31.2	10.2	134	30.7	17.1	24	34.8	3.1
Black, non-Hispanic	173	34.2	63.6	144	33.0	105.1	29	42.0	21.5
Hispanic	147	29.1	16.1	137	31.4	29.5	10	14.5	2.2
Asian/Hawaiian/ Pacific Islander	24	4.7	8.0	19	4.3	13.8	5	7.2	3.1
American Indian/ Alaska Native	2	0.4	5.7	1	0.2	5.8	1	1.4	5.5
Multi-race/Other	2	0.4	0.0	2	0.5	0.0	0	0.0	0.0
Total	506	100.0	16.5	437	100.0	28.4	69	100.0	4.5
Age Group at Diagnosis									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 24	90	17.8	18.2	85	19.5	33.4	5	7.2	2.1
25 to 34	206	40.7	47.5	185	42.3	83.4	21	30.4	9.9
35 to 44	99	19.6	23.9	84	19.2	40.2	15	21.7	7.3
45 to 54	71	14	17.9	56	12.8	27.7	15	21.7	7.7
55 to 64	31	6.1	8.4	21	4.8	11.5	10	14.5	5.4
65 +	9	1.8	2.0	6	1.4	2.9	3	4.3	1.2
Total	506	100.0	16.5	437	100.0	28.4	69	100.0	4.5
Transmission Category									
Male-to-male sexual contact (MSM)	310	61.3	10.1	310	70.9	20.1	-	-	-
Injection drug use (IDU)	24	4.7	0.8	15	3.4	1.0	9	13.0	0.6
MSM+IDU	26	5.1	0.8	26	5.9	1.7	-	-	-
Heterosexual contact	32	6.3	1.0	13	3.0	0.8	19	27.5	1.2
Perinatal exposure	2	0.4	0.1	2	0.5	0.1	0	0.0	0.0
Transfusion/Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	112	22.1	3.6	71	16.2	4.6	41	59.4	2.7
Total	506	100.0	16.5	437	100.0	28.4	69	100.0	4.5

Source: Division of Public and Behavioral Health, HIV Reporting System (eHARS), (March 2020)

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but who currently live in Nevada. HIV diagnoses and AIDS diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in the same year.

*Rates per 100,000 population were calculated using 2019 population projections from the Nevada State Demographer vintage 2018 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts
Nevada New HIV Stage 3 (AIDS) Diagnoses, 2019

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
County of Diagnosis									
Clark	170	91.9	7.5	140	90.9	12.4	30	96.8	2.6
Washoe	8	4.3	1.7	8	5.2	3.5	0	0.0	0.0
All Other Counties**	7	3.8	2.0	6	3.9	3.4	1	3.2	0.6
Total	185	100.0	6.0	154	100.0	10.0	31	100.0	2.0
Race/Ethnicity									
White, non-Hispanic	75	40.5	4.8	64	41.6	8.2	11	35.5	1.4
Black, non-Hispanic	50	27.0	18.4	36	23.4	26.3	14	45.2	10.4
Hispanic	50	27.0	5.5	45	29.2	9.7	5	16.1	1.1
Asian/Hawaiian/ Pacific Islander	8	4.3	2.7	7	4.5	5.1	1	3.2	0.6
American Indian/ Alaska Native	1	0.5	2.8	1	0.6	5.8	0	0.0	0.0
Multi-race/Other	1	0.5	0.0	1	0.6	0.0	0	0.0	0.0
Total	185	100.0	6.0	154	100.0	10.0	31	100.0	2.0
Age Group at Diagnosis									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 24	15	8.1	3.0	12	7.8	4.7	3	9.7	1.3
25 to 34	61	33.0	14.1	57	37.0	25.7	4	12.9	1.9
35 to 44	38	20.5	9.2	30	19.5	14.4	8	25.8	3.9
45 to 54	39	21.1	9.8	31	20.1	15.3	8	25.8	4.1
55 to 64	24	13.0	6.5	18	11.7	9.8	6	19.4	3.2
65 +	8	4.3	1.8	6	3.9	2.9	2	6.5	0.8
Total	185	100.0	6.0	154	100.0	10.0	31	100.0	2.0
Transmission Category									
Male-to-male sexual contact (MSM)	102	55.1	3.3	102	66.2	6.6	-	-	-
Injection drug use (IDU)	14	7.6	0.5	11	7.1	0.7	3	9.7	0.2
MSM+IDU	11	5.9	0.4	11	7.1	0.7	-	-	-
Heterosexual contact	18	9.7	0.6	6	3.9	0.4	12	38.7	0.8
Perinatal exposure	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Transfusion/Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	40	21.6	1.3	24	15.6	1.6	16	51.6	1.0
Total	185	100.0	6.0	154	100.0	10.0	31	100.0	2.0

Source: Division of Public and Behavioral Health, HIV Reporting System (eHARS), (March 2020)

New stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include stage 3 (AIDS) and HIV cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but who currently live in Nevada. Stage 3 (AIDS) diagnoses and HIV diagnoses may duplicate case counts if the person was diagnosed with both stage 3 (AIDS) and HIV in the same year.

* Rates per 100,000 population were calculated using 2020 population projections from the Nevada State Demographer vintage 2018 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts
Persons Living with HIV§ in Nevada, 2019

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
County of Residence									
Clark	10,110	85.9	446.0	8,503	85.8	750.4	1,607	86.7	141.8
Washoe	1,137	9.7	247.0	985	9.9	425.8	152	8.2	66.4
All Other Counties**	520	4.4	150.2	425	4.3	244.0	95	5.1	55.2
Unknown	2	0.0	-	2	0.0	-	0	0.0	-
Total	11,769	100.0	382.9	9,915	100.0	644.4	1,854	100.0	120.8
Race/Ethnicity									
White, non-Hispanic	4,839	41.1	311.9	4,253	42.9	543.2	586	31.6	76.2
Black, non-Hispanic	3,249	27.6	1,194.8	2,382	24.0	1,739.1	867	46.8	642.4
Hispanic	2,944	25.0	321.5	2,660	26.8	573.5	284	15.3	62.8
Asian/Hawaiian/ Pacific Islander	467	4.0	156.3	396	4.0	287.8	71	3.8	44.0
American Indian/Alaska Native	74	0.6	209.1	55	0.6	317.3	19	1.0	105.2
Multi-race/Other	194	1.6	-	168	1.7	-	26	1.4	-
Unknown	2	0.0	-	1	0.0	-	1	0.1	-
Total	11,769	100.0	382.9	9,915	100.0	644.4	1,854	100.0	120.8
Age Group at End of Year									
< 13	6	0.1	1.2	2	0.0	0.8	4	0.2	1.6
13 to 24	321	2.7	64.9	281	2.8	110.5	40	2.2	16.7
25 to 34	2,241	19.0	516.3	2,000	20.2	902.0	241	13.0	113.5
35 to 44	2,456	20.9	593.8	2,054	20.7	983.9	402	21.7	196.2
45 to 54	2,944	25.0	740.2	2,424	24.4	1,197.8	520	28.0	266.2
55 to 64	2,626	22.3	710.1	2,174	21.9	1,187.8	452	24.4	242.0
65 +	1,048	8.9	231.3	869	8.8	419.7	179	9.7	72.8
Missing	127	1.1	-	111	1.1	-	16	0.9	-
Total	11,769	100.0	382.9	9,915	100.0	644.4	1,854	100.0	120.8
Transmission Category									
Male-to-male sexual contact (MSM)	7,518	63.9	244.6	7,518	75.8	488.6	-	-	-
Injection drug use (IDU)	755	6.4	24.6	485	4.9	31.5	270	14.6	17.6
MSM+IDU	727	6.2	23.7	727	7.3	47.3	-	-	-
Heterosexual contact	1,361	11.6	44.3	328	3.3	21.3	1,033	55.7	67.3
Perinatal exposure	81	0.7	2.6	34	0.3	2.2	47	2.5	3.1
Transfusion/Hemophilia	9	0.1	0.3	6	0.1	0.4	3	0.2	0.2
No identified risk (NIR)	1,318	11.2	42.9	817	8.2	53.1	501	27.0	32.6
Total	11,769	100.0	382.9	9,915	100.0	644.4	1,854	100.0	120.8

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2020)

Persons living with HIV data include data on persons living in Nevada with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in Nevada.

* Rates per 100,000 population were calculated using 2019 population projections from the Nevada State Demographer vintage 2018 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2019.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Clark County New HIV Diagnoses, 2019

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	132	29.5	13.2	109	28.5	21.5	23	35.4	4.7
Black, non-Hispanic	165	36.8	64.8	137	35.8	108.1	28	43.1	21.9
Hispanic	124	27.7	16.8	115	30.0	31.0	9	13.8	2.5
Asian/Hawaiian/ Pacific Islander	24	5.4	9.2	19	5.0	15.9	5	7.7	3.6
American Indian/ Alaska Native	1	0.2	6.6	1	0.3	13.7	0	0.0	0.0
Multi-race/Other	2	0.4	0.0	2	0.5	0.0	0	0.0	0.0
Total	448	100.0	19.8	383	100.0	33.8	65	100.0	5.7
Age Group at Diagnosis									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 24	80	17.9	21.6	75	19.6	39.6	5	7.7	2.8
25 to 34	185	41.3	58.1	165	43.1	101.7	20	30.8	12.8
35 to 44	85	19.0	26.6	72	18.8	44.8	13	20.0	8.2
45 to 54	62	13.8	20.7	48	12.5	31.7	14	21.5	9.4
55 to 64	28	6.3	10.7	18	4.7	13.8	10	15.4	7.6
65 +	8	1.8	2.6	5	1.3	3.6	3	4.6	1.8
Total	448	100.0	19.8	383	100.0	33.8	65	100.0	5.7
Transmission Category									
Male-to-male sexual contact (MSM)	275	61.4	12.1	275	71.8	24.3	-	-	-
Injection drug use (IDU)	20	4.5	0.9	12	3.1	1.1	8	12.3	0.7
MSM+IDU	18	4.0	0.8	18	4.7	1.6	-	-	-
Heterosexual contact	31	6.9	1.4	12	3.1	1.1	19	29.2	1.7
Perinatal exposure	2	0.4	0.1	2	0.5	0.2	0	0.0	0.0
Transfusion/Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	102	22.8	4.5	64	16.7	5.6	38	58.5	3.4
Total	448	100.0	19.8	383	100.0	33.8	65	100.0	5.7

Source: Division of Public and Behavioral Health, HIV Reporting System (eHARS), (March 2020)

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but who currently live in Nevada. HIV diagnoses and HIV stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in the same year.

* Rates per 100,000 population were calculated using 2019 population projections from the Nevada State Demographer vintage 2018 data.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Clark County New HIV Stage 3 (AIDS) Diagnoses, 2019

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	67	39.4	6.7	57	40.7	11.2	10	33.3	2.0
Black, non-Hispanic	50	29.4	19.6	36	25.7	28.4	14	46.7	10.9
Hispanic	44	25.9	6.0	39	27.9	10.5	5	16.7	1.4
Asian/Hawaiian/ Pacific Islander	8	4.7	3.1	7	5.0	5.9	1	3.3	0.7
American Indian/ Alaska Native	1	0.6	6.6	1	0.7	13.7	0	0.0	0.0
Multi-race/Other	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Total	170	100.0	7.5	140	100.0	12.4	30	100.0	2.6
Age Group at Diagnosis									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 24	15	8.8	4.0	12	8.6	6.3	3	10.0	1.7
25 to 34	57	33.5	17.9	53	37.9	32.7	4	13.3	2.6
35 to 44	37	21.8	11.6	29	20.7	18.0	8	26.7	5.0
45 to 54	34	20.0	11.3	26	18.6	17.2	8	26.7	5.4
55 to 64	21	12.4	8.0	16	11.4	12.2	5	16.7	3.8
65 +	6	3.5	1.9	4	2.9	2.9	2	6.7	1.2
Total	170	100.0	7.5	140	100.0	12.4	30	100.0	2.6
Transmission Category									
Male-to-male sexual contact (MSM)	93	54.7	4.1	93	66.4	8.2	-	-	-
Injection drug use (IDU)	12	7.1	0.5	9	6.4	0.8	3	10.0	0.3
MSM+IDU	9	5.3	0.4	9	6.4	0.8	-	-	-
Heterosexual contact	16	9.4	0.7	5	3.6	0.4	11	36.7	1.0
Perinatal exposure	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Transfusion/ Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	40	23.5	1.8	24	17.1	2.1	16	53.3	1.4
Total	170	100.0	7.5	140	100.0	12.4	30	100.0	2.6

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2020)

New stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include stage 3 (AIDS) and HIV cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but who currently live in Nevada. Stage 3 (AIDS) diagnoses and HIV diagnoses may duplicate case counts if the person was diagnosed with both stage 3 (AIDS) and HIV in the same year.

* Rates per 100,000 populations were calculated using 2019 population projections from the Nevada State Demographer vintage 2018 data.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Persons Living with HIV§ in Clark County, 2019

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	3,795	37.5	379.3	3,359	39.5	661.1	436	27.1	88.5
Black, non-Hispanic	3,061	30.3	1,201.5	2,233	26.3	1,762.2	828	51.5	646.6
Hispanic	2,600	25.7	352.9	2,355	27.7	634.1	245	15.2	67.0
Asian/Hawaiian/ Pacific Islander	434	4.3	167.3	371	4.4	310.3	63	3.9	45.0
American Indian/ Alaska Native	53	0.5	350.3	39	0.5	533.0	14	0.9	179.2
Multi-race/Other	167	1.7	-	146	1.7	-	21	1.3	-
Total	10,110	100.0	446.0	8,503	100.0	750.4	1,607	100.0	141.8
Age Group at End of Year									
< 13	5	0.0	1.3	1	0.0	0.5	4	0.2	2.1
13 to 24	287	2.8	77.5	255	3.0	134.5	32	2.0	17.7
25 to 34	2,016	19.9	632.7	1,797	21.1	1,107.4	219	13.6	140.0
35 to 44	2,191	21.7	685.0	1,831	21.5	1,138.0	360	22.4	226.4
45 to 54	2,509	24.8	836.7	2,063	24.3	1,361.2	446	27.8	300.7
55 to 64	2,152	21.3	818.9	1,769	20.8	1,352.4	383	23.8	290.2
65 +	823	8.1	267.3	676	8.0	482.9	147	9.1	87.5
Unknown	127	1.3	-	111	1.3	-	16	1.0	-
Total	10,110	100.0	446.0	8,503	100.0	750.4	1,607	100.0	141.8
Transmission Category									
Male-to-male sexual contact (MSM)	6,631	65.6	292.5	6,631	78.0	585.2	-	-	-
Injection drug use (IDU)	574	5.7	25.3	363	4.3	32.0	211	13.1	18.6
MSM+IDU	560	5.5	24.7	560	6.6	49.4	-	-	-
Heterosexual contact	1,192	11.8	52.6	276	3.2	24.4	916	57.0	80.8
Perinatal exposure	68	0.7	3.0	30	0.4	2.6	38	2.4	3.4
Transfusion/Hemophilia	6	0.1	0.3	4	0.0	0.4	2	0.1	0.2
No identified risk (NIR)	1,079	10.7	47.6	639	7.5	56.4	440	27.4	38.8
Total	10,110	100.0	446.0	8,503	100.0	750.4	1,607	100.0	141.8

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2020)

Persons living with HIV data include data on persons living in Nevada with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in Nevada.

* Rates per 100,000 population were calculated using 2019 population projections from the Nevada State Demographer vintage 2018 data.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2019.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts
Washoe County New HIV Diagnoses and New HIV Stage 3 (AIDS) Diagnoses, 2019

	New HIV Diagnoses			New HIV Stage 3 (AIDS) Diagnoses		
	N	Column %	Rate*	N	Column %	Rate*
Sex at Birth						
Male	38	100.0	16.4	8	100.0	3.5
Female	0	0.0	0.0	0	0.0	0.0
Total	38	100.0	8.3	8	100.0	1.7
Race/Ethnicity						
White, non-Hispanic	18	47.4	6.2	4	50.0	1.4
Black, non-Hispanic	5	13.2	42.3	0	0.0	0.0
Hispanic	15	39.5	12.7	4	50.0	3.4
Asian/Hawaiian/Pacific Islander	0	0.0	0.0	0	0.0	0.0
American Indian/Alaska Native	0	0.0	0.0	0	0.0	0.0
Multi-race/Other	0	0.0	-	0	0.0	0.0
Unknown	0	0.0	-	0	0.0	0.0
Total	38	100.0	8.3	8	100.0	1.7
Age Group at Diagnosis						
< 13	0	0.0	0.0	0	0.0	0.0
13 to 24	8	21.1	10.6	0	0.0	0.0
25 to 34	13	34.2	20.0	2	25.0	3.1
35 to 44	9	23.7	15.2	0	0.0	0.0
45 to 54	5	13.2	9.1	4	50.0	7.3
55 to 64	2	5.3	3.4	1	12.5	1.7
65 +	1	2.6	1.4	1	12.5	1.4
Total	38	100.0	8.3	8	100.0	1.7
Transmission Category						
Males						
Male-to-male sexual contact (MSM)	24	63.2	10.4	6	75.0	2.6
Injection drug use (IDU)	2	5.3	0.9	1	12.5	0.4
MSM+IDU	7	18.4	3.0	1	12.5	0.4
Heterosexual contact	0	0.0	0.0	0	0.0	0.0
Perinatal Exposure	0	0.0	0.0	0	0.0	0.0
Transfusion/Hemophilia	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	5	13.2	2.2	0	0.0	0.0
Subtotal	38	100.0	16.4	8	100.0	3.5
Females						
IDU	0	0.0	0.0	0	0.0	0.0
Heterosexual contact	0	0.0	0.0	0	0.0	0.0
Perinatal Exposure	0	0.0	0.0	0	0.0	0.0
Transfusion/Hemophilia	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	0	0.0	0.0	0	0.0	0.0
Subtotal	0	0.0	0.0	0	0.0	0.0
Total	38	100.0	8.3	8	100.0	1.7

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2020)

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but who currently live in Nevada. HIV diagnoses and stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in 2019.

*Rates per 100,000 population were calculated using 2019 population projections from the Nevada State Demographer vintage 2018 data.



**Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts
Persons Living with HIV§ in Washoe County, 2019**

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	729	64.1	250.3	639	64.9	436.6	90	59.2	62.1
Black, non-Hispanic	108	9.5	913.4	83	8.4	1,275.8	25	16.4	470.1
Hispanic	242	21.3	205.6	218	22.1	363.8	24	15.8	41.6
Asian/Hawaiian/Pacific Islander	27	2.4	83.8	21	2.1	140.7	6	3.9	34.7
American Indian/Alaska Native	11	1.0	148.5	8	0.8	222.1	3	2.0	78.8
Multi-race/Other	19	1.7	-	15	1.5	-	4	2.6	-
Unknown	1	0.1	-	1	0.1	-	0	0.0	-
Total	1,137	100.0	247.0	985	100.0	425.8	152	100.0	66.4
Age Group at End of Year									
< 13	1	0.1	1.3	1	0.1	2.6	0	0.0	0.0
13 to 24	26	2.3	34.6	21	2.1	53.9	5	3.3	13.8
25 to 34	164	14.4	252.7	149	15.1	452.3	15	9.9	46.9
35 to 44	187	16.4	314.8	157	15.9	521.0	30	19.7	102.5
45 to 54	300	26.4	548.5	252	25.6	910.0	48	31.6	177.8
55 to 64	297	26.1	505.2	262	26.6	899.4	35	23.0	118.0
65 +	162	14.2	223.1	143	14.5	421.9	19	12.5	49.1
Total	1,137	100.0	247.0	985	100.0	425.8	152	100.0	66.4
Transmission Category									
Male-to-male sexual contact (MSM)	658	57.9	142.9	658	66.8	284.5	-	-	-
Injection drug use (IDU)	92	8.1	20.0	59	6.0	25.5	33	21.7	14.4
MSM+IDU	109	9.6	23.7	109	11.1	47.1	-	-	-
Heterosexual contact	102	9.0	22.2	27	2.7	11.7	75	49.3	32.7
Perinatal Exposure	7	0.6	1.5	3	0.3	1.3	4	2.6	1.7
Transfusion/Hemophilia	1	0.1	0.2	0	0.0	-	1	0.7	0.4
No identified risk (NIR)	168	14.8	36.5	129	13.1	55.8	39	25.7	17.0
Total	1,137	100.0	247.0	985	100.0	425.8	152	100.0	66.4

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2020)

Persons living with HIV data include data on persons living in Nevada with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in Nevada.

* Rates per 100,000 population were calculated using 2019 population projections from the Nevada State Demographer vintage 2018 data.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2019.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Annual Percent Change: New HIV Diagnoses and Persons Living with HIV[§] in Nevada, 2018-2019

	New HIV Diagnoses					All Persons Living with HIV [§]				
	2018		2019		Annual % Change: % Change [†]	2018		2019		Annual % Change: % Change [†]
	N	Column %	N	Column %		N	Column %	N	Column %	
County										
Clark	456	89.6	448	88.5	-2%	10,294	85.6	10,110	85.9	-2%
Washoe	40	7.9	38	7.5	-5%	1,212	10.1	1,137	9.7	-6%
All Other Counties**	13	2.6	20	4.0	54%	523	4.3	520	4.4	-1%
Unknown	0	0.0	0	0.0	0%	1	0.0	2	0	100%
Total	509	100.0	506	100.0	-1%	12,030	100.0	11,769	100.0	-2%
Sex at Birth										
Male	446	87.6	437	86.4	-2%	10,163	84.5	9,915	84.2	-2%
Female	63	12.4	69	13.6	10%	1,867	15.5	1,854	15.8	-1%
Total	509	100.0	506	100.0	-1%	12,030	100.0	11,769	100.0	-2%
Race/Ethnicity										
White, non-Hispanic	162	31.8	158	31.2	-2%	5,108	42.5	4,839	41.1	-5%
Black, non-Hispanic	158	31.0	173	34.2	9%	3,259	27.1	3,249	27.6	0%
Hispanic	150	29.5	147	29.1	-2%	2,930	24.4	2,944	25	0%
Asian/Hawaiian/Pacific Islander	34	6.7	24	4.7	-29%	456	3.8	467	4	2%
American Indian/Alaska Native	3	0.6	2	0.4	-33%	84	0.7	74	0.6	-12%
Multi-race/Other	2	0.4	2	0.4	0%	191	1.6	194	1.6	2%
Unknown	0	0.0	0	0.0	0%	2	0	2	0	0%
Total	509	100.0	506	100.0	-1%	12,030	100.0	11,769	100.0	-2%
Age Group*										
<13	1	0.2	0	0	-100%	8	0.1	6	0.1	-25%
13 to 24	98	19.3	90	17.8	-8%	332	2.8	321	2.7	-3%
25 to 34	195	38.3	206	40.7	6%	2,218	18.4	2,241	19	1%
35 to 44	105	20.6	99	19.6	-6%	2,419	20.1	2,456	20.9	2%
45 to 54	70	13.8	71	14	1%	3,357	27.9	2,944	25	-12%
55 to 64	29	5.7	31	6.1	7%	2,624	21.8	2,626	22.3	0%
65 +	11	2.2	9	1.8	-18%	945	7.9	1,048	8.9	11%
Missing	0	0	0	0	0%	127	1.1	127	1.1	0%
Total	509	100.0	506	100.0	-1%	12,030	100.0	11,769	100.0	-2%
Transmission Category										
Males										
Male-to-male sexual contact (MSM)	340	76.2	310	70.9	-9%	7,729	76.1	7,518	75.8	-3%
IDU	10	2.2	15	3.4	50%	520	5.1	485	4.9	-7%
MSM+IDU	26	5.8	26	5.9	0%	747	7.4	727	7.3	-3%
Heterosexual contact	14	3.1	13	3	-7%	330	3.2	328	3.3	-1%
Perinatal Exposure	2	0.4	2	0.5	0%	30	0.3	34	0.3	13%
Transfusion/Hemophilia	0	0	0	0	0%	7	0.1	6	0.1	-14%
No identified risk (NIR)	54	12.1	71	16.2	31%	800	7.9	817	8.2	2%
Subtotal	446	100.0	437	100.0	-2%	10,163	100.0	9,915	100.0	-2%
Females										
IDU	5	7.9	9	13.0	80%	271	14.5	270	14.6	0%
Heterosexual contact	27	42.9	19	27.5	-30%	1,051	56.3	1,033	55.7	-2%
Perinatal Exposure	1	1.6	0	0.0	-100%	46	2.5	47	2.5	2%
Transfusion/Hemophilia	0	0	0	0.0	0%	3	0.2	3	0.2	0%
No identified risk (NIR)	30	47.6	41	59.4	37%	496	26.6	501	27.0	1%
Subtotal	63	100.0	69	100.0	10%	1,867	100.0	1,854	100.0	-1%
Total	509	100.0	506	100.0	-1%	12,030	100.0	11,769	100.0	-2%

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2020)

Persons living HIV data includes data on persons living in Nevada with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in Nevada.

* For New HIV diagnoses, age refers to age at HIV infection diagnosis. For persons living with HIV, age refers to age at the end of the report year.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2019.

†Annual % Change is the percentage increase or decrease relative to the number of cases in 2019. Take caution when interpreting percent changes calculated from small case counts because they can be susceptible to high variability and are likely to be misleading.

‡Percent change for small counts are not shown as they are susceptible to high variability and are misleading.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program
Facility of Diagnosis for New HIV Diagnoses, Nevada HIV Fast Facts, 2019

	Nevada		Clark County		Washoe County		All Other Counties*	
	N	Column %	n	Column %	n	Column %	n	Column %
Facility of Diagnosis								
HIV Counseling and Testing Site	41	8%	35	8%	5	13%	1	5%
Private Physician's Office	108	21%	106	24%	0	0%	2	10%
Inpatient Facility/Hospital	100	20%	89	20%	9	24%	2	10%
Outpatient Facility (unspecified)	78	15%	73	16%	2	5%	3	15%
Adult HIV Clinic	8	2%	2	0%	5	13%	1	5%
Correctional Facility	33	7%	27	6%	1	3%	5	25%
STD Clinic	42	8%	41	9%	0	0%	1	5%
Blood Bank or Plasma Center	34	7%	32	7%	1	3%	1	5%
Emergency Room	9	2%	6	1%	3	8%	0	0%
Tuberculosis Clinic	2	0%	2	0%	0	0%	0	0%
Drug Treatment Center	1	0%	1	0%	0	0%	0	0%
Facility/Other/Unknown	50	10%	34	8%	12	32%	4	20%
Total	506	100%	448	100%	38	100%	20	100%




Division of Public and Behavioral Health- HIV/AIDS Surveillance Program
Facility of Diagnosis for New Stage 3 (AIDS) Diagnoses, Nevada HIV Fast Facts, 2019

	Nevada		Clark County		Washoe County		All Other Counties*	
	N	Column %	n	Column %	n	Column %	n	Column %
Facility of Diagnosis								
HIV Counseling and Testing Site	1	1%	0	0%	1	13%	0	0%
Private Physician's Office	26	14%	25	15%	0	0%	1	14%
Inpatient Facility/Hospital	61	33%	56	33%	3	38%	2	29%
Outpatient Facility (unspecified)	55	30%	55	32%	0	0%	0	0%
Adult HIV Clinic	8	4%	6	4%	1	13%	1	14%
Correctional Facility	3	2%	2	1%	0	0%	1	14%
STD Clinic	10	5%	10	6%	0	0%	0	0%
Blood Bank or Plasma Center	0	0%	0	0%	0	0%	0	0%
Emergency Room	3	2%	3	2%	0	0%	0	0%
Tuberculosis Clinic	2	1%	2	1%	0	0%	0	0%
Facility/Other/Unknown	16	9%	11	6%	3	38%	2	29%
Total	185	100%	170	100%	8	100%	7	100%

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2020)

New HIV Diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states, but who currently live in Nevada. HIV diagnoses and stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in 2019.

*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.



For more information, contact:

Lyell S. Collins, MBA

HIV Prevention and Surveillance Program Manager (Health Program Specialist II)
Office of HIV - HIV Prevention and Surveillance Program
Nevada Department of Health and Human Services
Division of Public and Behavioral Health
Community Health Services
1840 E. Sahara Avenue, Suite 111 Las Vegas, NV 89104
Email: lscollins@health.nv.gov
Phone: (702) 486-8105

Amy Lucas, MS

HIV/STD Biostatistician (Health Resource Analyst II)
Office of Public Health Investigations and Epidemiology / Office of Analytics
Division of Public and Behavioral Health
Bureau of Behavioral Health Wellness and Prevention
4126 Technology Way Ste 201 Carson City NV 89706
Email: alucas@health.nv.gov
Phone: (775) 684-5895

Preston Nguyen Tang, MPH

Health Program Specialist I (Contractor)
Office of HIV - HIV Prevention and Surveillance Program
Nevada Department of Health and Human Services
Division of Public and Behavioral Health
Community Health Services
1840 E. Sahara Avenue, Suite 111 Las Vegas, NV 89104
Email: ptang@health.nv.gov
Phone: (702) 486-6488

Recommended Citation:

State of Nevada, Office of HIV. Division of Public and Behavioral Health. *2019 HIV Fast Facts*. Las Vegas, Nevada. e1.0. April 2020.

Additional References:

1) [End HIV Nevada](#)

2) [HIV OPHIE](#)

3) [HIV Prevention Program](#)

This publication was supported by the Centers for Disease Control and Prevention (CDC) through Grant Number NU62PS924579 for the HIV Prevention and Surveillance Program. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Nevada State Department of Health and Human Services nor the Centers for Disease Control and Prevention.