

# Nevada

## 2015 STD Fast Facts



**Division of Public and Behavioral Health**

**Office of Public Health Informatics and Epidemiology**

**Sexually Transmitted Disease (STD) Prevention and Control Program**




Brian Sandoval, Governor  
State of Nevada

Cody L. Phinney, MPH, Administrator  
Division of Public and Behavioral Health

Richard Whitley, MS, Director  
Department of Health and Human Services

John M. DiMuro, DO, MBA  
Chief Medical Officer

	Division of Public and Behavioral Health, STD Prevention and Control Program Chlamydia Cases in Nevada, 2015								
	Total			Male			Female		
	n	%	Rate*	n	%	Rate*	n	%	Rate*
<b>Resident County at Diagnosis</b>									
Clark	10,048	77.7%	479.4	3,138	75.6%	298.2	6,885	78.7%	659.9
Washoe	2,033	15.7%	461.1	757	18.2%	340.9	1,272	14.5%	581.1
All Other Counties**	840	6.5%	249.0	255	6.1%	148.1	584	6.7%	353.7
<b>Total***</b>	<b>12,924</b>	<b>100.0%</b>	<b>449.7</b>	<b>4,151</b>	<b>100.0%</b>	<b>286.9</b>	<b>8,743</b>	<b>100.0%</b>	<b>612.5</b>
<b>Race/Ethnicity</b>									
White, non-Hispanic	2,785	21.5%	182.0	967	23.3%	124.8	1,818	20.8%	240.5
Black, non-Hispanic	1,872	14.5%	769.9	670	16.1%	547.6	1,198	13.7%	991.8
Hispanic	2,390	18.5%	294.6	795	19.2%	191.9	1,592	18.2%	401.0
American Indian/Alaska Native	131	1.0%	402.9	37	0.9%	227.6	94	1.1%	578.3
Asian/Hawaiian/Pacific Islander	410	3.2%	159.8	120	2.9%	100.6	290	3.3%	211.2
Unknown/Other	5,336	41.3%	NA	1,562	37.6%	NA	3,751	42.9%	NA
<b>Total***</b>	<b>12,924</b>	<b>100.0%</b>	<b>449.7</b>	<b>4,151</b>	<b>100.0%</b>	<b>286.9</b>	<b>8,743</b>	<b>100.0%</b>	<b>612.5</b>
<b>Age Group†</b>									
< 9	5	0.0%	1.3	1	0.0%	0.5	3	0.0%	1.6
10-14	92	0.7%	48.1	12	0.3%	12.2	80	0.9%	86.2
15-19	2,856	22.1%	1,561.6	614	14.8%	652.3	2,239	25.6%	2,522.7
20-24	4,844	37.5%	2,467.1	1,338	32.2%	1,319.2	3,486	39.9%	3,672.7
25-29	2,534	19.6%	1,274.8	976	23.5%	957.6	1,554	17.8%	1,604.4
30-34	1,206	9.3%	642.5	519	12.5%	543.9	685	7.8%	742.2
35-39	646	5.0%	316.8	289	7.0%	279.4	357	4.1%	355.3
40-44	328	2.5%	166.7	164	4.0%	162.3	164	1.9%	171.4
45-54	315	2.4%	80.6	175	4.2%	87.5	140	1.6%	73.3
55-64	77	0.6%	22.4	51	1.2%	30.1	26	0.3%	15.0
65+	19	0.1%	4.8	11	0.3%	5.9	8	0.1%	3.7
Unknown	2	0.0%	NA	1	0.0%	NA	1	0.0%	NA
<b>Total***</b>	<b>12,924</b>	<b>100.0%</b>	<b>449.7</b>	<b>4,151</b>	<b>100.0%</b>	<b>286.9</b>	<b>8,743</b>	<b>100.0%</b>	<b>612.5</b>

Source: Division of Public and Behavioral Health, Sexually Transmitted Disease Management Information Systems (STD\*MIS), data as of August 2016.

\*Crude rates per 100,000 population were calculated using 2015 population projections from the Nevada State Demographer vintage 2015 data.

\*\*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine.

\*\*\*Count totals reflect all Nevada cases and include those whose resident county and gender are unknown.

~Counts under 5 where the denominator population is less than or equal than 300,000 were suppressed.

†Reported numbers less than 12, as well as estimated numbers (and accompanying rates and trends) based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.



**Division of Public and Behavioral Health, STD Prevention and Control Program  
Gonorrhea Cases in Nevada, 2015**

	Total			Male			Female		
	n	%	Rate*	n	%	Rate*	n	%	Rate*
<b>Resident County at Diagnosis</b>									
Clark	2,975	82.0%	141.9	1,837	82.8%	174.5	1,129	80.5%	108.2
Washoe	547	15.1%	124.1	311	14.0%	140.1	235	16.8%	107.4
All Other Counties**	107	2.9%	31.7	69	3.1%	40.1	38	2.7%	23.0
<b>Total***</b>	<b>3,630</b>	<b>100.0%</b>	<b>126.3</b>	<b>2,218</b>	<b>100.0%</b>	<b>153.3</b>	<b>1,402</b>	<b>100.0%</b>	<b>98.2</b>
<b>Race/Ethnicity†</b>									
White, non-Hispanic	803	22.1%	52.5	492	22.2%	63.5	311	22.2%	41.1
Black, non-Hispanic	833	22.9%	342.6	543	24.5%	443.8	287	20.5%	237.6
Hispanic	537	14.8%	66.2	355	16.0%	85.7	181	12.9%	45.6
American Indian/Alaska Native	21	0.6%	64.6	11	0.5%	67.7	10	0.7%	61.5
Asian/Hawaiian/Pacific Islander	72	2.0%	28.1	48	2.2%	40.2	24	1.7%	17.5
Unknown/Other	1,364	37.6%	NA	769	34.7%	NA	589	42.0%	NA
<b>Total</b>	<b>3,630</b>	<b>100.0%</b>	<b>126.3</b>	<b>2,218</b>	<b>100.0%</b>	<b>153.3</b>	<b>1,402</b>	<b>100.0%</b>	<b>98.2</b>
<b>Age Group†</b>									
< 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
10-14	13	0.4%	6.8	2	0.1%	2.0	11	0.8%	11.9
15-19	484	13.3%	264.6	204	9.2%	216.7	279	19.9%	314.4
20-24	953	26.3%	485.4	532	24.0%	524.5	417	29.7%	439.3
25-29	841	23.2%	423.1	540	24.3%	529.8	299	21.3%	308.7
30-34	479	13.2%	255.2	330	14.9%	345.9	149	10.6%	161.4
35-39	321	8.8%	157.4	202	9.1%	195.3	118	8.4%	117.4
40-44	210	5.8%	106.7	153	6.9%	151.4	57	4.1%	59.6
45-54	231	6.4%	59.1	176	7.9%	88.0	54	3.9%	28.3
55-64	84	2.3%	24.5	67	3.0%	39.5	16	1.1%	9.2
65+	13	0.4%	3.3	12	0.5%	6.5	1	0.1%	0.5
Unknown	1	0.0%	NA	0	0.0%	NA	1	0.1%	NA
<b>Total***</b>	<b>3,630</b>	<b>100.0%</b>	<b>126.3</b>	<b>2,218</b>	<b>100.0%</b>	<b>153.3</b>	<b>1,402</b>	<b>100.0%</b>	<b>98.2</b>

Source: Division of Public and Behavioral Health, Sexually Transmitted Disease Management Information Systems (STD\*MIS), data as of August 2016.

\*Crude rates per 100,000 population were calculated using 2015 population projections from the Nevada State Demographer vintage 2015 data.

\*\*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine.

\*\*\*Count totals reflect all Nevada cases and include those whose resident county and gender are unknown.

~Counts under 5 where the denominator population is less than or equal than 300,000 were suppressed.

†Reported numbers less than 12, as well as estimated numbers (and accompanying rates and trends) based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.



**Division of Public and Behavioral Health, STD Prevention and Control Program  
Primary & Secondary Syphilis Cases in Nevada, 2015**

	Total			Male			Female		
	n	%	Rate*	n	%	Rate*	n	%	Rate*
<b>Resident County at Diagnosis†</b>									
Clark	305	91.0%	14.6	288	92.3%	27.4	17	73.9%	1.6
Washoe	27	8.1%	6.1	22	7.1%	9.9	5	21.7%	2.3
All Other Counties**	3	0.9%	0.9	2	0.6%	1.2	1	4.3%	0.6
<b>Total</b>	<b>335</b>	<b>100.0%</b>	<b>11.7</b>	<b>312</b>	<b>100.0%</b>	<b>21.6</b>	<b>23</b>	<b>100.0%</b>	<b>1.6</b>
<b>Race/Ethnicity†</b>									
White, non-Hispanic	138	41.2%	9.0	131	42.0%	16.9	7	30.4%	0.9
Black, non-Hispanic	74	22.1%	30.4	63	20.2%	51.5	11	47.8%	9.1
Hispanic	89	26.6%	11.0	86	27.6%	20.8	3	13.0%	0.8
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Asian/Hawaiian/Pacific Islander	18	5.4%	7.0	17	5.4%	14.3	1	4.3%	0.7
Unknown/Other	16	4.8%	NA	15	4.8%	NA	1	4.3%	NA
<b>Total</b>	<b>335</b>	<b>100.0%</b>	<b>11.7</b>	<b>312</b>	<b>100.0%</b>	<b>21.6</b>	<b>23</b>	<b>100.0%</b>	<b>1.6</b>
<b>Age Group†</b>									
< 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
10-14	1	0.3%	0.5	0	0.0%	0.0	1	4.3%	1.1
15-19	14	4.2%	7.7	10	3.2%	10.6	4	17.4%	4.5
20-24	77	23.0%	39.2	72	23.1%	71.0	5	21.7%	5.3
25-29	82	24.5%	41.3	76	24.4%	74.6	6	26.1%	6.2
30-34	49	14.6%	26.1	48	15.4%	50.3	1	4.3%	1.1
35-39	34	10.1%	16.7	31	9.9%	30.0	3	13.0%	3.0
40-44	22	6.6%	11.2	21	6.7%	20.8	1	4.3%	1.0
45-54	43	12.8%	11.0	41	13.1%	20.5	2	8.7%	1.0
55-64	8	2.4%	2.3	8	2.6%	4.7	0	0.0%	0.0
65+	5	1.5%	1.3	5	1.6%	2.7	0	0.0%	0.0
Unknown	0	0.0%	NA	0	0.0%	NA	0	0.0%	NA
<b>Total</b>	<b>335</b>	<b>100.0%</b>	<b>11.7</b>	<b>312</b>	<b>100.0%</b>	<b>21.6</b>	<b>23</b>	<b>100.0%</b>	<b>1.6</b>


Source: Division of Public and Behavioral Health, Sexually Transmitted Disease Management Information Systems (STD\*MIS), data as of August 2016.

\*Crude rates per 100,000 population were calculated using 2015 population projections from the Nevada State Demographer vintage 2015 data.

\*\*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine.

~Counts under 5 where the denominator population is less than or equal than 300,000 were suppressed.

†Reported numbers less than 12, as well as estimated numbers (and accompanying rates and trends) based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

	Division of Public and Behavioral Health, STD Prevention and Control Program Early Latent Syphilis Cases in Nevada, 2015								
	Total			Male			Female		
	n	%	Rate*	n	%	Rate*	n	%	Rate*
<b>Resident County at Diagnosis†</b>									
Clark	413	94.1%	19.7	347	95.1%	33.0	66	89.2%	6.3
Washoe	26	5.9%	5.9	18	4.9%	8.1	8	10.8%	3.7
All Other Counties**	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
<b>Total</b>	<b>439</b>	<b>100.0%</b>	<b>15.3</b>	<b>365</b>	<b>100.0%</b>	<b>25.2</b>	<b>74</b>	<b>100.0%</b>	<b>5.2</b>
<b>Race/Ethnicity†</b>									
White, non-Hispanic	141	32.1%	9.2	120	32.9%	15.5	21	28.4%	2.8
Black, non-Hispanic	105	23.9%	43.2	77	21.1%	62.9	28	37.8%	23.2
Hispanic	136	31.0%	16.8	120	32.9%	29.0	16	21.6%	4.0
American Indian/Alaska Native	2	0.5%	6.2	2	0.5%	12.3	0	0.0%	0.0
Asian/Hawaiian/Pacific Islander	34	7.7%	13.3	30	8.2%	25.2	4	5.4%	2.9
Unknown/Other	21	4.8%	NA	16	4.4%	NA	5	6.8%	NA
<b>Total</b>	<b>439</b>	<b>100.0%</b>	<b>15.3</b>	<b>365</b>	<b>100.0%</b>	<b>25.2</b>	<b>74</b>	<b>100.0%</b>	<b>5.2</b>
<b>Age Group†</b>									
< 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
10-14	1	0.2%	0.5	0	0.0%	0.0	1	1.4%	1.1
15-19	14	3.2%	7.7	9	2.5%	9.6	5	6.8%	5.6
20-24	78	17.8%	39.7	63	17.3%	62.1	15	20.3%	15.8
25-29	93	21.2%	46.8	77	21.1%	75.6	16	21.6%	16.5
30-34	62	14.1%	33.0	50	13.7%	52.4	12	16.2%	13.0
35-39	61	13.9%	29.9	54	14.8%	52.2	7	9.5%	7.0
40-44	37	8.4%	18.8	34	9.3%	33.6	3	4.1%	3.1
45-54	74	16.9%	18.9	62	17.0%	31.0	12	16.2%	6.3
55-64	15	3.4%	4.4	13	3.6%	7.7	2	2.7%	1.2
65+	4	0.9%	1.0	3	0.8%	1.6	1	1.4%	0.5
Unknown	0	0.0%	NA	0	0.0%	NA	0	0.0%	NA
<b>Total</b>	<b>439</b>	<b>100.0%</b>	<b>15.3</b>	<b>365</b>	<b>100.0%</b>	<b>25.2</b>	<b>74</b>	<b>100.0%</b>	<b>5.2</b>

Source: Division of Public and Behavioral Health, Sexually Transmitted Disease Management Information Systems (STD\*MIS), data as of August 2016.

\*Crude rates per 100,000 population were calculated using 2015 population projections from the Nevada State Demographer vintage 2015 data.

\*\*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine.

~Counts under 5 where the denominator population is less than or equal than 300,000 were suppressed.

†Reported numbers less than 12, as well as estimated numbers (and accompanying rates and trends) based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

**For more information, contact:**

**Amberlee Baxa, MPH  
Health Program Specialist  
Office of Public Health Informatics and Epidemiology  
Division of Public and Behavioral Health  
3811 W. Charleston Blvd., Ste. 205  
Las Vegas, NV 89102  
Phone: (702) 486-3567  
abaxa@health.nv.gov**

**Recommended Citation:**

Office of Public Health Informatics and Epidemiology. Division of Public and Behavioral Health. *2015 STD Fast Facts*. Carson City, Nevada. e1.1. May 2017.

**Acknowledgements:**

Thank you to all persons who contributed to this publication:

Amberlee Baxa, MPH; Chelsi Cheatom, MEd; David Rivas, MPH Candidate; James Kuzhippala, MPH; Danika Williams, MPH; Kyra Morgan, MS, CHDA.

**Funding Source:**

The authors would like to recognize the Centers for Disease Control and Prevention (CDC) for their support through Grant Number H25PS004376 for the Nevada STD Prevention and Control Program. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the CDC.