

Brian Sandoval
Governor



Marta Jensen
Administrator
Division of Health Care Financing and
Policy

Nevada Medicaid Tobacco Data

Erin Lynch, MPH
Chief, Hospital & Physician Services
April 19, 2018



How many Nevada Medicaid individuals are smoking?

2016 Data



What is considered tobacco use?

ICD-10 on claims

- F17.20 – Nicotine dependence
- O99.33 – Tobacco use disorder
- P04.2 – Newborn affected by maternal use of tobacco
- T65.2 – Toxic effect of tobacco and nicotine
- Z57.31 – Occupational exposure to environmental tobacco smoke
- Z71.6 – Tobacco abuse counseling
- Z72 – Problems related to lifestyle – tobacco use
- Z77.2 – Contact with and exposure to other hazardous substances
- Z87.8 – Personal history of other specified conditions



Tobacco Prevalence by Diagnosis

FFS				MCO				Total			
FFS Enrollment	# by ICD	Rate per 1,000	%	MCO Enrollment	# by ICD	Rate per 1,000	%	Total Enrollment	# by ICD	Rate per 1,000	%
204,784	3,347	16	2%	450,209	6,966	15	2%	654,993	10,313	16	2%

- MCO = Managed Care Organization (Clark & Washoe Counties)
- FFS = Fee-for-Service (rest of Nevada)
- Unduplicated members
- Average enrollment per month, diagnosis, rate, and percentage



Demographics

FFS & MCO

White	Black	Hispanic	Other
58%	22%	11%	9%

Age	13-18	19-24	25-34	35-44	45-54	55-64
	2%	10%	25%	21%	23%	19%

Region	Clark	Washoe	Rural	Unknown
	65%	20%	10%	4%



Cessation Products & Services

Use of Cessation Services

FFS			MCO			Total		
Smokers	Received Services	%	Smokers	Received Services	%	Smokers	Received Services	%
3,347	10	0.32%	6,966	253	3.61%	10,313	263	2.55%

CPT 99407 = Smoking Cessation Counseling

99381 - 99397 = New patient preventative medicine

99078 = Physician educational services

With at least one diagnosis of F17.20, O99.33, or T65.2

Use of Cessation Products

FFS			MCO			Total		
Smokers	Used Products	%	Smokers	Used Products	%	Smokers	Used Products	%
3,347	481	14%	6,966	418	6.0%	10,313	899	9%



Pregnant

Smoking and Pregnant

Total		
Total	% of Enrolled, Pregnant, Tobacco	% of Smokers, Pregnant
484	0.08%	5%

Use of Cessation Services by Pregnant Smokers

FFS			MCO			Total		
Pregnant & Smoking	Received Services	%	Pregnant & Smoking	Received Services	%	Total	Received Services	%
144	1	0.7%	340	7	2.2%	484	8.25	2%

Use of Cessation Products by Pregnant Smokers

FFS			Managed Care			Total		
Pregnant & Smoking	Used Products	Percent	Pregnant & Smoking	Used Products	Percent	Total	Used Products	Percent
144	3	2%	340	4	1.1%	484	12	1%



Incentives

- Providers are allowed to bill for an additional payment, but only for pregnant women.

Tobacco Cessation Counseling for Pregnant Women

CPT codes 99406 and 99407 are used to bill tobacco cessation counseling for pregnant women only. For all other recipients, these services are billed using the appropriate Evaluation and Management (E&M) office visit code.

Provider Type 20 – MD/DO

99406 = \$12.46 (3 – 10 min)

99407 = \$24.32 (> 10 min)



Summary

- Not that many Medicaid recipients are smoking. Per ICD diagnosis, approx. 2%.
- 65% live in Clark County
- 58% are White
- 25-54 years old approx. 21% – 25%
- Of the smokers:
 - 2.55% of physicians are counseling their patients.
 - 9% are using cessation products.
 - 5% are pregnant women:
 - 2% are receiving counseling
 - 1% are using cessation products



Contact Info

Erin Lynch

Division of Health Care Financing & Policy

Chief, Hospital & Physician Services

775-684-3654

erin.lynch@dhcfp.nv.gov