Weekly Report

2016 Week 50 (December 11 - December 17, 2016) through 2017 Week 50 (December 10 - December 16, 2017)

Department of Health and Human Services Office of Analytics



Brian Sandoval Governor State of Nevada

Richard Whitley, MS Director Department of Health and Human Services

Amy Roukie, MBA Administrator Division of Public and Behavioral Health Data for the graphs and tables on the following pages are provisional and may be updated as additional information becomes available.


Purpose

The purpose of this report is to provide an overview of and statistics for the influenza season in Nevada for the local public health authorities, sentinel providers and the public.

Sentinel Provider Data: Influenza-Like Illness Network Surveillance (ILINet)

Respiratory specimens are tested for influenza by the World Health Organization (WHO) and National Respiratory and Enteric Virus Surveillance System (NRVESS) collaborating laboratories by sub-type. During week 50, there were 31,548 specimens collected and tested for influenza, of those 5,583 were positive (17.7%).


Figure 1



Source of Data: CDC: FluView Weekly Report.

The Nevada total includes laboratory tests for all Nevada residents tested by sentinel providers including out of state laboratories. Laboratory data is obtained from CDC's ILINet system. During week 50, where there were 105 specimens collected, in which 51 were positive. There is a two-week delay for laboratory surveillance. Data are subject to change as we receive additional reports.

Figure 2



Source of Data: CDC: ILINet.


Nevada State Public Health Laboratory (NSPHL) has tested 137 specimens for influenza from sentinel providers, of which there have been 114 positive (83.2%). Southern Nevada Public Health Laboratory (SNPHL) has tested 16 specimens this season of which there have been 2 positive. Nationally, there have been 249,946 specimens sent to the WHO and NERVSS laboratories of which 20,481 have been positive (8.2%). The national numbers in Table 1 are reflected in Figure 1. The state of Nevada data in Table 1 is reflected in Figure 2. The Nevada total includes laboratory test for all Nevada residents tested by sentinel providers, including out of state laboratories.

Table 1

	Influenza Specimens Tested State and Nationally through Sentinel Providers										
	NSPHL	SNPHL	All Other Laboratories	State of Nevada (Week 50)		State of Nevada (Season)		National (Week 50)		National (Season)	
	1101112	0111112		#	%	#	%	#	%	#	%
Specimens Tested	137	16	368	105	-	521	-	31,548		249,946	
Influenza Positives	114	2	89	51	48.6	205	39.3	5,583	17.7	20,481	8.2
Influenza A:	104	2	86	45	88.2	192	93.7	4,810	86.2	16,688	81.5
A (2009 H1N1)	1	0	0	0	0.0	1	0.5	102	2.1	427	2.6
A (H3)	103	2	5	27	60.0	110	57.3	1,028	21.4	4,517	27.1
A (Sub-typing not performed)	0	0	81	18	40.0	81	42.2	3,680	76.5	11,744	70.4
<u>Influenza B:</u>	10	0	3	6	11.8	13	6.3	773	13.8	3,793	18.5
B (Victoria Lineage)	0	0	0	0	0.0	0	0.0	15	1.9	47	1.2
B (Yamagata Lineage)	10	0	1	5	83.3	11	84.6	118	15.3	494	13.0
B (Sub-typing not performed)	0	0	2	1	16.7	2	15.4	640	82.8	3,252	85.7

Source of Data: CDC: FluView Report and CDC: ILINet.


Influenza-like Illness (ILI) Surveillance Network has each sentinel provider report the number of patients seen that meet the ILI case definition and the total number of patients seen for any reason each week. The "percentage of visits for ILI" is the number of ILI patients divided by the total number of patients visit per week. Nevada's percentage of ILI visits for week 50 is 3.2% which is above the state baseline of 1.5%. Region 9 ILI percentage for week 50 is 3.8% which is the above the region baseline of 2.4%. Region 9 includes the following states/territory: Arizona, California, Guam, Hawaii, and Nevada. The national ILI percentage for week 50 is 3.5% which is above the national baseline 2.2%.



Source of Data: CDC: Flu View Report and CDC: ILINet.

During week 50, 3.2% of visits to sentinel providers were due to ILI; this greater than the 2016-2017 influenza season (1.5%). There were 10,448 patients seen by sentinel providers during week 50, of which 338 patients presented with ILI; week 50 of 2016, there were 266 patients seen with ILI (18,608 total patients seen). Data availability depends on sentinel provider reporting.






Source of Data: CDC: ILINet.

Influenza-like Illness is reported by age groups. During week 50, patients ages 5-24 were the greatest number of patients seen with ILI, at 109 patients seen. The rate for week 50 is 11.6 per 100,000 population. The rate is calculated by the number of patients presented with ILI, divided by the state population, multiplied by 100,000. The estimated state population for 2017 is 2,935,500.





Source of Data: CDC: ILINet.

Influenza Positive Surveillance (NBS and NETSS)


Positive cases of influenza are reported to the state health authority for surveillance purposes. Table 2 and Figure 6 reflect all positive influenza cases reported to the state. Types of influenza testing include commercial rapid diagnostic test (rapid), viral culture, fluorescent antibody, enzyme immunoassay, RT-PCR (PCR), and Immunohistochemistry. The two most common test types in Nevada are Rapid and PCR tests. During week 50, there were 509 influenza cases reported to the state, 434 influenza A, 54 influenza B and 21 unknown subtyping.

Table 2

	Reported Influenza Cases by County Jurisdiction and Influenza Type								
Reporting Jurisdiction		Current W	eek (Week 50)		Cumulative Influenza Season				
	Α	В	Unknown	Total	A	В	Unknown	Total	
Carson City Health and Human Services	64	16	0	80	355	32	0	387	
Rural Community Health Services	82	2	1	85	245	10	1	256	
Southern Nevada Health District	43	0	0	43	792	52	0	844	
Washoe County Health District	245	36	20	301	925	143	103	1,171	
State of Nevada	434	54	21	509	2,317	237	104	2,658	

Source: OPHIE: NBS and SNHD: NETSS.

Figure 6



Source of Data: OPHIE: NBS and SNHD: NETSS.

Hospitalizations

There were 80 hospitalizations associated with influenza reported to the state health authority for week 50.

Table 3


Influenza Hospitalizations								
Donosting Juriodistics	Current Weel	k (Week 50)	Cumulative Influenza Season					
Reporting Jurisdiction	#	%	#	%				
Carson City Health and Human Services	0	0.0%	33	8.1%				
Rural Community Health Services	2	2.5%	10	2.4%				
Southern Nevada Health District	48	60.0%	243	59.4%				
Washoe County Health District	30	37.5%	123	30.1%				
State of Nevada	80	100.0%	409	100.0%				

Source: Reported to Office of Public Health Informatics and Epidemiology from each Jurisdiction.

Pneumonia and Influenza (P&I) Mortality Surveillance

The Pneumonia and Influenza (P&I) mortality percentage is all deaths, where Pneumonia or Influenza is listed as the underlying or contributing cause of death, divided by the total deaths in Nevada for each week. As of December 27th, there were 26 P&I deaths and 395 total deaths for week 50 in Nevada. Please note that the CDC does not have updated P&I counts for week 50.

Figure 7



Source: OVR: WEVRRS and CDC: FluView.

Technical Notes

- Data are subject to changes, additionally, there is a lag in reporting.
- Influenza surveillance procedures vary by jurisdiction.
- Influenza-like illness (ILI): a fever greater than or equal 100°F with cough and/or sore throat.
- Percent positive: The number of positive influenza laboratory tests divided by the total number of tests performed.
- Incidence rate is per 100,000 population as estimated by the state demographer.

This report contains information from national and state-level data sources. Influenza surveillance data is collected by a various systems, including:

- Influenza-like Illness Network (ILINet): a sentinel surveillance system in collaboration with the Centers for the Disease Control and Prevention (CDC) where outpatient providers report ILI information weekly.
- National Electronic Telecommunication System for Surveillance (NETSS): a system whereby data is transmits to CDC. Influenza data collected through NETSS does not provide influenza sub-typing information.
- National Electronic Disease Surveillance System (NEDSS): a system for collecting data and monitoring disease trends and outbreaks.
- NEDSS Based System (NBS): an implementation of the NEDSS standards. It provides a secure, accurate, and efficient means of
 collecting, transmitting, and analyzing public health data.

Citations

- 1. CDC. FluView: A Weekly Influenza Surveillance Report. http://www.cdc.gov/flu/weekly/pastreports.htm.
- 2. Nevada State Demographer's Office. 2003-2020 ASRHO Estimates and Projections. Division of Public and Behavioral Health edition. Vintage 2015.
- 3. OPHIE. DPBH. NBS. 2016-2017. Accessed December 2017.
- 4. Office of Vital Records (OVR). DPBH. Web Enabled Vital Records Registry System (WEVRRS) [unpublished data]. 2016-2017. Accessed December 2017.
- 5. Southern Nevada Health District (SNHD). NETSS/Trisano. 2016-2017. Accessed December 2017.

Comments, suggestions, and requests for further information may be addressed to:

NEVADA INFLUENZA SURVEILLANCE PROGRAM OFFICE OF ANALYTICS 500 DAMONTE RANCH PKWY, STE 657 RENO, NV 89521 TEL: (775) 684-5289

Fax: (775) 684-5999

Compiled and Written by:

Helen See, MPH

Reviewed by:

Jennifer Thompson Melissa Peek-Bullock

Recommended Citation:

Department of Health and Human Services. Office of Analytics. Influenza Weekly Report, 2016 Week 50 (December 11, 2016) through 2017 Week 50 (December 16, 2017), Nevada. January 2018 i 50 edition 1.0.

This publication was supported by Cooperative Agreement Number TP000534-02 from the Centers for Disease Control and Prevention and/or Assistant Secretary for Preparedness and Response. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention and/or Assistant Secretary for Preparedness and Response.

