

LTC Stats:

Nursing Facility Patient Characteristics Report

June 2014 Update

Prepared By

Research Department
American Health Care Association



© American Health Care Association, 2014

LTC Stats: Nursing Facility Patient Characteristics Report

Table of Contents

Table 1: Nursing Facility Patient Overview	3
Table 2: Patients by Payor – Number of Patients	4
Table 3: Patients by Payor – Percentage of Patients.....	5
Table 4: Activities of Daily Living – Bathing – Percent of Patients and Dependency.....	6
Table 5: Activities of Daily Living – Dressing – Percent of Patients and Dependency	7
Table 6: Activities of Daily Living – Eating – Percent of Patients and Dependency	8
Table 7: Activities of Daily Living – Toileting – Percent of Patients and Dependency.....	9
Table 8: Activities of Daily Living – Transferring – Percent of Patients and Dependency	10
Table 9: Medical Condition – Bladder and Bowel Status.....	11
Table 10: Medical Condition – Medications	12
Table 11: Medical Condition – Mobility	13
Table 12: Medical Condition – Mental Status	14
Table 13: Medical Condition – Weight Loss and Communication	15
Table 14: Medical Condition – Advance Directives and Vaccinations	16
Table 15: Medical Condition – Skin Integrity	17
Table 16: Medical Condition – Special Care.....	18
Glossary of Terms.....	21
Contact Information.....	23

Source: Center for Medicare & Medicaid Services Certification and Survey Provider Enhanced Reporting (CMS-CASPER) formerly OSCAR data as of June 2014

Table 1: Nursing Facility Patient Overview, June 2014

State	Facilities	Total Patients	Avg Facility Patients	Median Facility Patients	State Avg ADL Dependence
US	15,651	1,369,532	87.5	80.0	4.18
AK	18	584	32.4	20.0	3.96
AL	227	22,693	100.0	95.0	4.15
AR	231	17,589	76.1	74.0	3.96
AZ	146	11,425	78.3	74.0	4.18
CA	1,222	102,208	83.6	81.0	4.33
CO	215	16,229	75.5	72.0	4.07
CT	229	24,411	106.6	105.0	3.93
DC	19	2,558	134.6	115.0	4.06
DE	46	4,339	94.3	95.0	4.04
FL	689	72,923	105.8	108.0	4.26
GA	358	33,885	94.7	90.0	4.30
HI	46	3,724	81.0	80.5	4.63
IA	441	24,995	56.7	51.0	3.82
ID	78	3,862	49.5	47.0	4.18
IL	766	73,136	95.5	84.0	3.85
IN	519	38,695	74.6	68.0	4.34
KS	345	18,434	53.4	47.0	3.77
KY	285	22,878	80.3	81.0	4.25
LA	280	25,688	91.7	93.0	4.27
MA	421	41,552	98.7	100.0	4.08
MD	227	24,112	106.2	104.0	4.24
ME	107	6,350	59.3	55.0	4.38
MI	432	39,182	90.7	86.0	4.22
MN	378	26,872	71.1	59.0	3.94
MO	512	37,864	74.0	67.0	3.76
MS	203	16,006	78.8	75.0	4.32
MT	82	4,649	56.7	51.0	3.99
NC	421	37,015	87.9	90.0	4.39
ND	81	5,717	70.6	52.0	3.96
NE	216	12,029	55.7	46.0	4.05
NH	76	6,758	88.9	84.0	3.97
NJ	364	45,497	125.0	112.0	4.10
NM	71	5,577	78.5	81.0	4.37
NV	51	4,738	92.9	91.0	4.23
NY	629	105,012	167.0	146.0	4.32
OH	952	76,560	80.4	78.0	4.25
OK	310	19,182	61.9	57.0	3.74
OR	138	7,409	53.7	49.0	4.18
PA	702	79,671	113.5	104.5	4.25
RI	84	7,953	94.7	92.0	3.96
SC	188	16,768	89.2	85.0	4.48
SD	111	6,380	57.5	49.0	3.93
TN	322	29,654	92.1	89.0	4.45
TX	1,211	93,556	77.3	78.0	4.27
UT	99	5,403	54.6	52.0	4.51
VA	286	28,295	98.9	101.5	4.33
VT	38	2,670	70.3	63.0	4.10
WA	224	17,243	77.0	75.0	4.23
WI	390	27,636	70.9	62.0	4.03
WV	126	9,566	75.9	68.5	4.16
WY	39	2,400	61.5	55.0	3.95

Source: CMS Form 672: F78 - F93

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 2: Nursing Facility Patients by Payor - Number of Patients, June 2014

State	Total Patients	Medicare	Medicaid	Other Payor
US	1,369,532	195,910	861,531	312,091
AK	584	47	484	53
AL	22,693	2,963	15,261	4,469
AR	17,589	2,045	11,858	3,686
AZ	11,425	1,890	6,615	2,920
CA	102,208	15,247	68,213	18,748
CO	16,229	1,905	9,920	4,404
CT	24,411	3,218	16,788	4,405
DC	2,558	287	2,055	216
DE	4,339	783	2,593	963
FL	72,923	15,216	42,013	15,694
GA	33,885	4,288	24,035	5,562
HI	3,724	422	2,315	987
IA	24,995	2,047	11,752	11,196
ID	3,862	633	2,470	759
IL	73,136	11,379	44,269	17,488
IN	38,695	6,358	24,333	8,004
KS	18,434	2,092	9,890	6,452
KY	22,878	3,393	15,165	4,320
LA	25,688	3,033	18,797	3,858
MA	41,552	5,318	25,860	10,374
MD	24,112	4,507	14,726	4,879
ME	6,350	943	4,137	1,270
MI	39,182	7,449	23,915	7,818
MN	26,872	2,974	14,172	9,726
MO	37,864	4,105	23,278	10,481
MS	16,006	2,286	12,029	1,691
MT	4,649	539	2,618	1,492
NC	37,015	6,167	24,070	6,778
ND	5,717	487	2,952	2,278
NE	12,029	1,526	6,241	4,262
NH	6,758	933	4,482	1,343
NJ	45,497	8,154	28,087	9,256
NM	5,577	701	3,610	1,266
NV	4,738	871	2,689	1,178
NY	105,012	12,561	73,003	19,448
OH	76,560	9,301	48,254	19,005
OK	19,182	2,305	12,657	4,220
OR	7,409	1,098	4,295	2,016
PA	79,671	8,599	49,569	21,503
RI	7,953	733	5,278	1,942
SC	16,768	3,084	10,274	3,410
SD	6,380	520	3,386	2,474
TN	29,654	5,089	18,501	6,064
TX	93,556	13,520	58,337	21,699
UT	5,403	988	2,822	1,593
VA	28,295	5,360	17,074	5,861
VT	2,670	428	1,717	525
WA	17,243	3,123	10,198	3,922
WI	27,636	3,562	15,887	8,187
WV	9,566	1,154	7,187	1,225
WY	2,400	279	1,400	721

Source: CMS Form 672: F75 - F78

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 3: Nursing Facility Patients by Payor - Percentage of Patients, June 2014

State	Total Patients	Medicare	Medicaid	Other Payor
US	1,369,532	14.3%	62.9%	22.8%
AK	584	8.0%	82.9%	9.1%
AL	22,693	13.1%	67.2%	19.7%
AR	17,589	11.6%	67.4%	21.0%
AZ	11,425	16.5%	57.9%	25.6%
CA	102,208	14.9%	66.7%	18.3%
CO	16,229	11.7%	61.1%	27.1%
CT	24,411	13.2%	68.8%	18.0%
DC	2,558	11.2%	80.3%	8.4%
DE	4,339	18.0%	59.8%	22.2%
FL	72,923	20.9%	57.6%	21.5%
GA	33,885	12.7%	70.9%	16.4%
HI	3,724	11.3%	62.2%	26.5%
IA	24,995	8.2%	47.0%	44.8%
ID	3,862	16.4%	64.0%	19.7%
IL	73,136	15.6%	60.5%	23.9%
IN	38,695	16.4%	62.9%	20.7%
KS	18,434	11.3%	53.7%	35.0%
KY	22,878	14.8%	66.3%	18.9%
LA	25,688	11.8%	73.2%	15.0%
MA	41,552	12.8%	62.2%	25.0%
MD	24,112	18.7%	61.1%	20.2%
ME	6,350	14.9%	65.1%	20.0%
MI	39,182	19.0%	61.0%	20.0%
MN	26,872	11.1%	52.7%	36.2%
MO	37,864	10.8%	61.5%	27.7%
MS	16,006	14.3%	75.2%	10.6%
MT	4,649	11.6%	56.3%	32.1%
NC	37,015	16.7%	65.0%	18.3%
ND	5,717	8.5%	51.6%	39.8%
NE	12,029	12.7%	51.9%	35.4%
NH	6,758	13.8%	66.3%	19.9%
NJ	45,497	17.9%	61.7%	20.3%
NM	5,577	12.6%	64.7%	22.7%
NV	4,738	18.4%	56.8%	24.9%
NY	105,012	12.0%	69.5%	18.5%
OH	76,560	12.1%	63.0%	24.8%
OK	19,182	12.0%	66.0%	22.0%
OR	7,409	14.8%	58.0%	27.2%
PA	79,671	10.8%	62.2%	27.0%
RI	7,953	9.2%	66.4%	24.4%
SC	16,768	18.4%	61.3%	20.3%
SD	6,380	8.2%	53.1%	38.8%
TN	29,654	17.2%	62.4%	20.4%
TX	93,556	14.5%	62.4%	23.2%
UT	5,403	18.3%	52.2%	29.5%
VA	28,295	18.9%	60.3%	20.7%
VT	2,670	16.0%	64.3%	19.7%
WA	17,243	18.1%	59.1%	22.7%
WI	27,636	12.9%	57.5%	29.6%
WV	9,566	12.1%	75.1%	12.8%
WY	2,400	11.6%	58.3%	30.0%

Source: CMS Form 672: F75 - F78

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 4: Activities of Daily Living - Bathing - Percent of Patients and Dependency, June 2014

State	Independent	Assisted	Dependent	Total Bathing Dependence
US	3.69%	63.66%	32.65%	96.31%
AK	3.77%	63.70%	32.53%	96.23%
AL	3.61%	57.64%	38.75%	96.39%
AR	3.58%	65.18%	31.24%	96.42%
AZ	3.69%	67.40%	28.91%	96.31%
CA	3.76%	58.37%	37.87%	96.24%
CO	3.94%	70.63%	25.44%	96.06%
CT	5.28%	60.35%	34.37%	94.72%
DC	7.08%	37.61%	55.32%	92.92%
DE	5.02%	51.44%	43.54%	94.98%
FL	2.89%	64.07%	33.04%	97.11%
GA	2.86%	52.76%	44.37%	97.14%
HI	1.24%	54.65%	44.12%	98.76%
IA	1.04%	81.34%	17.62%	98.96%
ID	1.58%	74.88%	23.54%	98.42%
IL	9.40%	71.02%	19.58%	90.60%
IN	2.47%	66.02%	31.51%	97.53%
KS	5.54%	72.81%	21.65%	94.46%
KY	1.71%	61.79%	36.49%	98.29%
LA	3.53%	64.42%	32.05%	96.47%
MA	4.07%	57.99%	37.94%	95.93%
MD	3.91%	46.54%	49.55%	96.09%
ME	2.39%	60.99%	36.61%	97.61%
MI	1.62%	73.43%	24.96%	98.38%
MN	3.35%	76.67%	19.98%	96.65%
MO	5.98%	71.48%	22.53%	94.02%
MS	2.21%	63.88%	33.92%	97.79%
MT	2.90%	80.06%	17.04%	97.10%
NC	3.48%	48.18%	48.33%	96.52%
ND	2.29%	78.49%	19.22%	97.71%
NE	1.14%	74.44%	24.42%	98.86%
NH	3.70%	71.41%	24.89%	96.30%
NJ	4.62%	60.55%	34.83%	95.38%
NM	1.58%	69.66%	28.76%	98.42%
NV	3.84%	56.21%	39.95%	96.16%
NY	3.47%	63.46%	33.07%	96.53%
OH	3.62%	70.02%	26.36%	96.38%
OK	5.22%	71.27%	23.51%	94.78%
OR	2.58%	73.17%	24.25%	97.42%
PA	3.93%	58.20%	37.88%	96.07%
RI	4.25%	68.44%	27.31%	95.75%
SC	1.14%	52.87%	45.99%	98.86%
SD	1.25%	80.78%	17.96%	98.75%
TN	1.85%	58.49%	39.65%	98.15%
TX	3.17%	61.55%	35.28%	96.83%
UT	2.65%	69.57%	27.78%	97.35%
VA	3.36%	49.80%	46.84%	96.64%
VT	4.64%	62.21%	33.15%	95.36%
WA	2.53%	75.30%	22.17%	97.47%
WI	2.57%	72.00%	25.43%	97.43%
WV	3.58%	47.69%	48.74%	96.42%
WY	2.33%	77.46%	20.21%	97.67%

Source: CMS Form 672: F78 - F81

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 5: Activities of Daily Living - Dressing - Percent of Patients and Dependency, June 2014

State	Independent	Assisted	Dependent	Total Dressing Dependence
US	8.34%	71.63%	20.03%	91.66%
AK	9.59%	73.80%	16.61%	90.41%
AL	7.02%	64.93%	28.05%	92.98%
AR	11.52%	66.39%	22.09%	88.48%
AZ	9.02%	72.11%	18.87%	90.98%
CA	6.64%	68.91%	24.44%	93.36%
CO	11.37%	76.36%	12.26%	88.63%
CT	9.52%	65.09%	25.38%	90.48%
DC	10.99%	47.77%	41.24%	89.01%
DE	9.33%	65.75%	24.91%	90.67%
FL	6.85%	68.57%	24.58%	93.15%
GA	6.64%	66.02%	27.34%	93.36%
HI	1.75%	70.46%	27.79%	98.25%
IA	12.12%	77.28%	10.59%	87.88%
ID	8.26%	79.65%	12.09%	91.74%
IL	15.37%	73.39%	11.24%	84.63%
IN	6.64%	79.81%	13.55%	93.36%
KS	15.68%	72.29%	12.03%	84.32%
KY	5.50%	72.54%	21.96%	94.50%
LA	10.16%	72.19%	17.66%	89.84%
MA	5.70%	63.70%	30.61%	94.30%
MD	6.38%	58.44%	35.18%	93.62%
ME	2.90%	83.24%	13.86%	97.10%
MI	6.06%	79.36%	14.58%	93.94%
MN	10.95%	80.54%	8.51%	89.05%
MO	17.31%	66.89%	15.80%	82.69%
MS	7.72%	76.26%	16.03%	92.28%
MT	12.48%	78.60%	8.93%	87.52%
NC	5.32%	70.64%	24.04%	94.68%
ND	9.53%	84.45%	6.02%	90.47%
NE	11.07%	77.75%	11.18%	88.93%
NH	8.95%	77.82%	13.23%	91.05%
NJ	8.80%	63.37%	27.83%	91.20%
NM	6.26%	78.02%	15.73%	93.74%
NV	8.72%	69.57%	21.72%	91.28%
NY	6.91%	69.40%	23.69%	93.09%
OH	7.25%	78.67%	14.08%	92.75%
OK	16.71%	65.81%	17.48%	83.29%
OR	5.87%	80.39%	13.74%	94.13%
PA	6.58%	73.36%	20.06%	93.42%
RI	8.07%	73.59%	18.33%	91.93%
SC	2.50%	70.19%	27.30%	97.50%
SD	13.07%	80.58%	6.35%	86.93%
TN	3.82%	72.64%	23.54%	96.18%
TX	8.59%	72.20%	19.22%	91.41%
UT	4.31%	81.33%	14.36%	95.69%
VA	6.74%	65.11%	28.14%	93.26%
VT	7.23%	72.92%	19.85%	92.77%
WA	7.17%	79.26%	13.57%	92.83%
WI	8.20%	79.05%	12.76%	91.80%
WV	8.31%	69.95%	21.74%	91.69%
WY	13.08%	78.21%	8.71%	86.92%

Source: CMS Form 672: F78, F82 - F84

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 6: Activities of Daily Living - Eating - Percent of Patients and Dependency, June 2014

State	Independent	Assisted	Dependent	Total Eating Dependence
US	42.51%	44.62%	12.87%	57.49%
AK	58.22%	28.60%	13.18%	41.78%
AL	47.18%	34.74%	18.08%	52.82%
AR	49.16%	37.75%	13.09%	50.84%
AZ	44.67%	43.83%	11.50%	55.33%
CA	34.71%	46.18%	19.11%	65.29%
CO	45.33%	48.21%	6.46%	54.67%
CT	55.09%	29.86%	15.05%	44.91%
DC	42.34%	36.83%	20.84%	57.66%
DE	51.90%	33.95%	14.15%	48.10%
FL	42.64%	41.71%	15.65%	57.36%
GA	35.63%	47.66%	16.71%	64.37%
HI	27.74%	47.58%	24.68%	72.26%
IA	61.50%	32.51%	5.99%	38.50%
ID	47.38%	44.61%	8.00%	52.62%
IL	46.55%	45.01%	8.44%	53.45%
IN	34.31%	57.17%	8.52%	65.69%
KS	55.57%	37.28%	7.16%	44.43%
KY	45.89%	38.95%	15.16%	54.11%
LA	26.93%	62.74%	10.34%	73.07%
MA	53.57%	33.21%	13.21%	46.43%
MD	43.70%	38.67%	17.63%	56.30%
ME	45.09%	44.54%	10.38%	54.91%
MI	49.77%	40.20%	10.03%	50.23%
MN	57.04%	36.26%	6.70%	42.96%
MO	50.81%	40.70%	8.50%	49.19%
MS	32.89%	52.56%	14.55%	67.11%
MT	46.85%	47.73%	5.42%	53.15%
NC	35.94%	50.39%	13.66%	64.06%
ND	55.62%	38.78%	5.60%	44.38%
NE	48.34%	44.44%	7.22%	51.66%
NH	53.70%	37.91%	8.39%	46.30%
NJ	45.57%	37.53%	16.90%	54.43%
NM	33.28%	58.20%	8.52%	66.72%
NV	41.54%	43.73%	14.73%	58.46%
NY	34.53%	48.67%	16.80%	65.47%
OH	40.64%	49.99%	9.37%	59.36%
OK	52.53%	36.75%	10.71%	47.47%
OR	54.31%	35.65%	10.04%	45.69%
PA	42.46%	45.73%	11.81%	57.54%
RI	56.83%	33.60%	9.57%	43.17%
SC	37.88%	44.64%	17.48%	62.12%
SD	52.85%	41.99%	5.16%	47.15%
TN	34.51%	48.89%	16.59%	65.49%
TX	34.64%	52.45%	12.91%	65.36%
UT	27.80%	63.95%	8.25%	72.20%
VA	35.29%	48.64%	16.07%	64.71%
VT	50.52%	37.19%	12.28%	49.48%
WA	45.65%	43.99%	10.36%	54.35%
WI	55.68%	36.25%	8.07%	44.32%
WV	44.55%	42.91%	12.53%	55.45%
WY	50.38%	44.58%	5.04%	49.63%

Source: CMS Form 672: F78, F91 - F93

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 7: Activities of Daily Living - Toileting - Percent of Patients and Dependency, June 2014

State	Independent	Assisted	Dependent	Total Toileting Dependence
US	12.36%	64.22%	23.43%	87.64%
AK	14.04%	57.36%	28.60%	85.96%
AL	12.27%	53.42%	34.31%	87.73%
AR	17.71%	54.86%	27.43%	82.29%
AZ	11.61%	64.60%	23.80%	88.39%
CA	9.97%	59.63%	30.41%	90.03%
CO	14.69%	69.92%	15.39%	85.31%
CT	16.59%	56.87%	26.54%	83.41%
DC	15.68%	40.81%	43.51%	84.32%
DE	13.30%	58.68%	28.02%	86.70%
FL	10.23%	61.48%	28.29%	89.77%
GA	11.19%	54.51%	34.30%	88.81%
HI	3.09%	58.97%	37.94%	96.91%
IA	18.70%	67.91%	13.39%	81.30%
ID	11.16%	70.56%	18.28%	88.84%
IL	20.83%	64.35%	14.82%	79.17%
IN	10.11%	74.72%	15.17%	89.89%
KS	20.61%	64.63%	14.76%	79.39%
KY	9.54%	65.14%	25.32%	90.46%
LA	15.28%	64.45%	20.26%	84.72%
MA	12.69%	60.69%	26.62%	87.31%
MD	9.80%	53.29%	36.90%	90.20%
ME	4.20%	78.49%	17.31%	95.80%
MI	8.85%	72.95%	18.20%	91.15%
MN	15.21%	73.74%	11.04%	84.79%
MO	22.76%	59.11%	18.13%	77.24%
MS	11.55%	66.32%	22.14%	88.45%
MT	16.58%	71.76%	11.66%	83.42%
NC	7.25%	65.73%	27.02%	92.75%
ND	15.17%	77.05%	7.78%	84.83%
NE	14.42%	70.98%	14.61%	85.58%
NH	15.74%	68.07%	16.19%	84.26%
NJ	14.23%	56.00%	29.76%	85.77%
NM	9.86%	71.26%	18.88%	90.14%
NV	10.60%	64.52%	24.88%	89.40%
NY	9.97%	62.49%	27.54%	90.03%
OH	10.41%	71.85%	17.74%	89.59%
OK	23.88%	55.45%	20.68%	76.12%
OR	8.72%	69.56%	21.72%	91.28%
PA	9.68%	68.87%	21.44%	90.32%
RI	14.64%	66.09%	19.28%	85.36%
SC	4.54%	60.32%	35.14%	95.46%
SD	17.99%	74.73%	7.27%	82.01%
TN	6.51%	65.67%	27.82%	93.49%
TX	12.30%	64.09%	23.62%	87.70%
UT	5.92%	79.18%	14.90%	94.08%
VA	9.72%	59.75%	30.53%	90.28%
VT	10.79%	66.67%	22.55%	89.21%
WA	9.91%	71.95%	18.14%	90.09%
WI	13.57%	70.53%	15.90%	86.43%
WV	11.74%	63.85%	24.41%	88.26%
WY	16.42%	69.46%	14.13%	83.58%

Source: CMS Form 672: F78, F88 - F90

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 8: Activities of Daily Living - Transferring - Percent of Patients and Dependency, June 2014

State	Independent	Assisted	Dependent	Total Transferring Dependent
US	15.09%	64.09%	20.82%	84.91%
AK	18.66%	52.57%	28.77%	81.34%
AL	14.67%	55.22%	30.11%	85.33%
AR	22.34%	55.38%	22.28%	77.66%
AZ	13.50%	64.72%	21.79%	86.50%
CA	11.70%	62.19%	26.12%	88.30%
CO	17.80%	68.71%	13.49%	82.20%
CT	20.57%	56.19%	23.24%	79.43%
DC	17.94%	42.22%	39.84%	82.06%
DE	16.66%	60.01%	23.32%	83.34%
FL	11.80%	63.43%	24.78%	88.20%
GA	13.71%	58.64%	27.66%	86.29%
HI	3.63%	63.80%	32.57%	96.37%
IA	24.78%	62.82%	12.41%	75.22%
ID	13.46%	68.54%	18.00%	86.54%
IL	23.34%	62.78%	13.88%	76.66%
IN	12.53%	72.88%	14.60%	87.47%
KS	25.23%	61.53%	13.24%	74.77%
KY	12.18%	65.33%	22.49%	87.82%
LA	16.76%	66.76%	16.48%	83.24%
MA	15.59%	62.83%	21.58%	84.41%
MD	12.59%	56.03%	31.38%	87.41%
ME	7.18%	76.30%	16.52%	92.82%
MI	11.33%	70.60%	18.07%	88.67%
MN	19.63%	67.10%	13.27%	80.37%
MO	27.38%	56.58%	16.03%	72.62%
MS	13.89%	64.29%	21.82%	86.11%
MT	22.00%	67.61%	10.39%	78.00%
NC	9.11%	66.48%	24.40%	90.89%
ND	21.78%	68.18%	10.04%	78.22%
NE	19.62%	66.38%	14.00%	80.38%
NH	21.26%	63.13%	15.61%	78.74%
NJ	16.45%	58.10%	25.45%	83.55%
NM	12.52%	73.39%	14.09%	87.48%
NV	12.79%	63.66%	23.55%	87.21%
NY	13.07%	62.27%	24.66%	86.93%
OH	12.80%	70.44%	16.76%	87.20%
OK	27.48%	54.20%	18.32%	72.52%
OR	10.81%	69.73%	19.46%	89.19%
PA	12.13%	67.20%	20.67%	87.87%
RI	20.55%	63.17%	16.28%	79.45%
SC	6.25%	65.40%	28.35%	93.75%
SD	22.01%	69.78%	8.21%	77.99%
TN	8.43%	67.88%	23.69%	91.57%
TX	14.53%	65.72%	19.75%	85.47%
UT	8.01%	77.46%	14.53%	91.99%
VA	11.85%	62.11%	26.03%	88.15%
VT	16.59%	60.60%	22.81%	83.41%
WA	12.16%	71.10%	16.74%	87.84%
WI	16.76%	66.16%	17.07%	83.24%
WV	15.38%	62.69%	21.93%	84.62%
WY	22.67%	65.33%	12.00%	77.33%

Source: CMS Form 672: F78, F85 - F87

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 9: Medical Condition - Bladder and Bowel Status, June 2014

State	Catheter	Catheter at Admission*	Bladder Incontinent	Bowel Incontinent	Training Program**
US	5.66%	4.18%	61.87%	45.44%	38.93%
AK	10.62%	6.85%	58.56%	42.64%	58.56%
AL	5.29%	3.65%	66.38%	52.70%	34.91%
AR	5.21%	3.79%	64.13%	48.66%	20.01%
AZ	9.31%	8.17%	57.25%	47.06%	29.31%
CA	6.42%	5.13%	52.87%	45.57%	35.67%
CO	7.47%	5.67%	60.52%	39.08%	35.05%
CT	4.11%	2.99%	59.01%	43.76%	40.43%
DC	2.62%	2.19%	70.37%	60.40%	18.80%
DE	6.71%	3.27%	62.73%	48.79%	52.59%
FL	5.83%	4.82%	59.24%	49.86%	31.71%
GA	4.41%	3.32%	68.46%	57.81%	33.82%
HI	3.87%	2.87%	70.35%	57.81%	30.02%
IA	5.82%	3.78%	65.25%	31.00%	23.45%
ID	8.13%	6.68%	60.18%	36.38%	56.97%
IL	4.91%	3.68%	51.54%	33.16%	39.22%
IN	5.23%	3.85%	65.51%	44.06%	56.97%
KS	5.00%	3.63%	63.38%	35.35%	68.12%
KY	6.63%	4.61%	61.88%	47.57%	37.80%
LA	4.82%	2.67%	63.85%	47.08%	37.23%
MA	5.09%	3.67%	62.54%	47.21%	29.92%
MD	5.25%	3.75%	66.55%	55.03%	60.00%
ME	6.58%	5.10%	71.50%	42.60%	65.32%
MI	5.79%	4.72%	60.77%	42.13%	46.33%
MN	6.01%	4.21%	65.35%	36.92%	55.95%
MO	4.68%	3.54%	58.43%	35.61%	33.73%
MS	4.61%	2.79%	69.44%	53.89%	27.35%
MT	6.88%	4.95%	59.04%	32.95%	51.60%
NC	5.31%	3.83%	67.38%	54.80%	32.32%
ND	6.58%	4.13%	66.26%	33.46%	28.86%
NE	6.98%	4.71%	65.14%	30.82%	50.33%
NH	6.33%	4.47%	62.86%	35.16%	62.49%
NJ	5.25%	4.36%	55.66%	45.57%	26.14%
NM	6.76%	5.25%	63.55%	47.10%	57.76%
NV	7.98%	6.65%	56.46%	50.53%	16.97%
NY	5.03%	3.58%	63.48%	50.46%	25.82%
OH	5.69%	4.14%	58.58%	37.25%	44.99%
OK	5.77%	4.41%	58.04%	40.01%	38.82%
OR	9.61%	7.67%	58.86%	43.53%	39.83%
PA	6.24%	4.41%	65.88%	48.33%	43.96%
RI	4.05%	2.93%	62.24%	40.87%	61.88%
SC	4.40%	2.87%	70.44%	59.83%	29.15%
SD	6.29%	4.22%	68.79%	32.27%	64.44%
TN	6.00%	4.03%	66.71%	51.86%	48.77%
TX	5.52%	3.96%	66.49%	51.85%	33.54%
UT	7.79%	5.81%	62.93%	40.55%	40.33%
VA	5.30%	3.82%	65.63%	52.42%	31.50%
VT	6.82%	5.17%	66.89%	43.15%	58.01%
WA	8.64%	6.56%	61.49%	45.84%	31.74%
WI	6.48%	4.85%	62.81%	35.39%	76.38%
WV	6.16%	4.53%	64.88%	45.82%	65.75%
WY	6.71%	4.46%	63.63%	31.88%	87.67%

Source: CMS Form 672: F78, F94 - F99. *As a percentage of those patients with a catheter at the time of the survey. **Total patients in bladder and/or bowel training.

Table 10: Medical Condition - Medications, June 2014

State	Psychoactive Medication*	Antibiotics	Pain Management
US	64.32%	9.26%	46.36%
AK	58.56%	7.88%	65.07%
AL	70.85%	9.15%	51.00%
AR	68.09%	9.04%	34.20%
AZ	61.65%	13.86%	51.91%
CA	55.25%	9.18%	38.18%
CO	61.60%	8.60%	58.41%
CT	70.89%	8.02%	36.80%
DC	53.44%	5.36%	34.68%
DE	58.84%	10.30%	49.30%
FL	64.87%	10.70%	39.21%
GA	65.93%	8.15%	44.45%
HI	44.01%	7.81%	43.42%
IA	65.58%	9.41%	62.32%
ID	68.05%	12.38%	61.60%
IL	65.45%	8.52%	40.35%
IN	67.26%	10.10%	49.06%
KS	67.98%	9.63%	58.38%
KY	69.16%	9.67%	43.67%
LA	68.99%	10.85%	37.75%
MA	71.34%	7.28%	44.54%
MD	60.51%	10.01%	43.09%
ME	66.30%	8.54%	59.84%
MI	62.32%	9.17%	56.64%
MN	60.59%	7.91%	66.35%
MO	69.88%	8.74%	44.75%
MS	67.22%	9.70%	43.10%
MT	63.99%	8.86%	59.56%
NC	65.23%	10.93%	45.84%
ND	64.44%	7.84%	66.84%
NE	67.72%	10.27%	61.27%
NH	66.17%	6.78%	59.22%
NJ	56.49%	8.15%	37.67%
NM	62.49%	9.47%	47.01%
NV	59.05%	14.90%	42.91%
NY	57.24%	7.88%	44.28%
OH	66.56%	9.95%	45.49%
OK	70.39%	8.91%	55.33%
OR	63.52%	10.80%	60.47%
PA	65.27%	8.45%	46.54%
RI	68.23%	8.61%	49.97%
SC	64.21%	9.86%	47.87%
SD	64.06%	9.11%	63.32%
TN	72.35%	10.12%	50.54%
TX	67.87%	10.02%	43.91%
UT	67.56%	14.31%	57.75%
VA	64.16%	10.40%	41.95%
VT	63.82%	7.68%	55.43%
WA	62.66%	10.65%	53.78%
WI	63.24%	7.56%	62.45%
WV	62.20%	10.30%	54.54%
WY	62.71%	9.88%	53.42%

Source: CMS Form 672: F78, F133 - F139. *Includes antipsychotic, antianxiety, antidepressant, and hypnotic medications.

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 11: Medical Condition - Mobility, June 2014

State	Bedfast	Chairbound	Ambulatory*	Physically Restrained	W/Orders for Restraint**	Contractures
US	3.63%	64.39%	39.66%	2.08%	0.54%	23.78%
AK	6.51%	70.55%	37.67%	0.86%	0.68%	51.88%
AL	7.39%	68.48%	25.65%	1.91%	0.53%	34.49%
AR	4.58%	65.53%	32.09%	1.89%	0.32%	17.51%
AZ	6.00%	65.61%	36.25%	0.82%	0.18%	19.49%
CA	5.12%	63.44%	41.52%	3.35%	1.38%	25.49%
CO	2.26%	60.74%	37.00%	1.58%	0.20%	19.52%
CT	1.88%	57.72%	53.07%	1.31%	0.23%	15.59%
DC	6.33%	58.17%	32.29%	5.51%	0.12%	21.11%
DE	3.57%	64.00%	33.26%	1.13%	0.16%	29.57%
FL	3.38%	72.02%	31.47%	1.94%	0.36%	18.00%
GA	5.98%	62.43%	31.67%	1.49%	0.26%	30.92%
HI	6.26%	65.84%	33.75%	3.11%	0.97%	32.87%
IA	1.20%	50.57%	57.98%	2.08%	0.61%	26.22%
ID	4.38%	72.14%	42.59%	2.77%	1.35%	29.47%
IL	1.61%	57.50%	52.66%	1.91%	0.52%	20.83%
IN	2.43%	67.06%	45.66%	1.16%	0.23%	19.03%
KS	2.07%	54.70%	42.68%	0.68%	0.24%	19.22%
KY	5.83%	61.89%	32.81%	2.83%	0.51%	23.36%
LA	4.45%	67.86%	29.29%	3.72%	0.46%	25.16%
MA	2.25%	55.45%	52.86%	1.71%	0.25%	19.36%
MD	5.33%	67.08%	30.69%	1.88%	0.59%	22.53%
ME	3.02%	64.58%	48.71%	0.76%	0.24%	27.84%
MI	2.98%	69.70%	38.24%	2.26%	0.57%	20.47%
MN	1.29%	65.14%	57.52%	1.03%	0.14%	18.42%
MO	1.80%	61.27%	44.21%	2.35%	0.87%	19.80%
MS	6.27%	70.20%	24.28%	4.30%	0.38%	40.17%
MT	1.79%	58.18%	52.38%	2.67%	0.75%	32.89%
NC	5.03%	70.66%	27.73%	1.56%	0.12%	25.70%
ND	1.54%	67.45%	58.35%	0.96%	0.23%	35.74%
NE	0.98%	64.28%	53.30%	1.39%	0.28%	21.27%
NH	3.70%	57.56%	55.82%	0.73%	0.24%	30.08%
NJ	3.82%	66.13%	36.42%	2.64%	0.78%	16.38%
NM	1.42%	71.13%	36.02%	0.88%	0.20%	22.32%
NV	6.35%	68.26%	32.42%	1.86%	0.49%	22.98%
NY	2.21%	64.26%	41.21%	2.68%	0.90%	31.56%
OH	2.98%	63.02%	49.72%	1.67%	0.34%	24.50%
OK	4.78%	60.41%	37.60%	1.19%	0.42%	19.21%
OR	5.21%	63.37%	34.13%	1.03%	0.24%	24.35%
PA	3.74%	61.09%	35.17%	1.46%	0.22%	21.57%
RI	1.36%	57.20%	63.69%	0.43%	0.15%	23.43%
SC	6.20%	72.90%	22.32%	3.24%	0.35%	31.52%
SD	1.38%	62.82%	58.51%	1.30%	0.30%	35.88%
TN	6.18%	68.42%	34.02%	3.50%	0.50%	24.89%
TX	4.36%	69.32%	26.90%	2.58%	0.86%	23.92%
UT	2.98%	62.48%	49.12%	2.42%	0.80%	24.49%
VA	5.50%	67.47%	27.91%	0.89%	0.16%	24.89%
VT	4.31%	62.36%	52.32%	0.30%	0.04%	24.98%
WA	5.28%	66.71%	40.80%	1.48%	0.68%	21.34%
WI	2.33%	66.11%	44.87%	0.92%	0.21%	24.94%
WV	4.53%	66.73%	42.24%	3.66%	0.59%	34.79%
WY	1.46%	61.04%	55.04%	1.96%	0.58%	26.29%

Source: CMS Form 672: F78, F100 - F106. *Percentage of patients that ambulate independently or w/assistive devices. **As a percentage of patients physically restrained.

Table 12: Medical Condition - Mental Status, June 2014

State	Mental Retardation	Depression	Psych Diagnosis	Dementia	Behavior Symptoms
US	.	42.58%	31.03%	47.35%	23.74%
AK	.	44.86%	21.58%	34.59%	22.77%
AL	.	38.12%	31.71%	54.66%	19.46%
AR	.	39.25%	34.16%	50.35%	21.00%
AZ	.	38.51%	24.18%	37.93%	22.90%
CA	.	29.21%	27.60%	37.55%	20.34%
CO	.	50.35%	22.87%	47.46%	29.50%
CT	.	40.18%	27.23%	50.69%	19.29%
DC	.	24.82%	26.31%	45.39%	20.60%
DE	.	42.08%	25.93%	48.54%	30.38%
FL	.	39.94%	30.08%	45.53%	22.30%
GA	.	51.68%	34.35%	51.26%	28.27%
HI	.	31.71%	8.70%	54.35%	22.72%
IA	.	53.53%	27.21%	49.22%	24.09%
ID	.	52.25%	29.36%	40.63%	30.55%
IL	.	48.27%	33.63%	40.99%	26.76%
IN	.	40.93%	28.51%	50.81%	20.78%
KS	.	50.85%	36.15%	47.81%	28.76%
KY	.	41.65%	34.36%	49.78%	23.90%
LA	.	34.32%	44.06%	39.96%	22.42%
MA	.	42.38%	33.82%	55.07%	30.78%
MD	.	33.93%	24.00%	43.89%	17.04%
ME	.	53.81%	26.13%	56.24%	34.79%
MI	.	40.37%	26.56%	53.46%	22.51%
MN	.	48.33%	29.27%	47.93%	31.93%
MO	.	42.90%	35.08%	43.77%	22.80%
MS	.	34.78%	39.43%	47.18%	22.57%
MT	.	47.99%	24.80%	46.83%	21.53%
NC	.	38.84%	29.53%	45.32%	21.81%
ND	.	56.15%	29.75%	50.41%	27.30%
NE	.	53.97%	32.55%	42.86%	30.48%
NH	.	47.29%	37.82%	57.16%	27.15%
NJ	.	31.74%	23.28%	42.23%	20.10%
NM	.	39.18%	27.72%	46.15%	28.26%
NV	.	36.15%	28.64%	36.01%	15.56%
NY	.	40.39%	24.01%	50.08%	20.06%
OH	.	54.82%	39.18%	47.68%	27.98%
OK	.	46.91%	30.60%	43.04%	22.31%
OR	.	39.26%	21.51%	36.93%	22.59%
PA	.	40.79%	31.15%	47.47%	22.06%
RI	.	44.17%	29.06%	52.38%	20.37%
SC	.	39.02%	29.24%	54.47%	24.65%
SD	.	55.69%	29.17%	47.15%	29.67%
TN	.	44.33%	42.54%	53.91%	25.82%
TX	.	47.01%	38.43%	55.48%	25.54%
UT	.	50.66%	27.60%	34.22%	32.46%
VA	.	40.67%	28.41%	44.90%	21.24%
VT	.	54.83%	33.18%	52.40%	29.81%
WA	.	48.43%	23.21%	41.88%	23.96%
WI	.	47.90%	29.69%	48.48%	24.47%
WV	.	48.63%	38.78%	53.79%	25.34%
WY	.	58.17%	24.46%	50.21%	28.17%

Source: CMS Form 672: F78, F108 - F114

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 13: Medical Condition - Weight Loss and Communication, June 2014

State	Unplanned Weight Loss/Gain	Non-English Speaking	Non-Oral Communication Devices
US	7.87%	3.33%	1.43%
AK	8.73%	4.11%	3.25%
AL	10.81%	0.20%	1.38%
AR	8.67%	0.27%	0.87%
AZ	6.98%	5.78%	2.17%
CA	7.15%	13.55%	4.67%
CO	7.82%	2.27%	1.40%
CT	5.15%	3.81%	0.87%
DC	5.20%	1.56%	0.39%
DE	7.49%	1.31%	1.11%
FL	5.05%	4.68%	0.98%
GA	9.28%	1.15%	1.17%
HI	6.90%	7.25%	3.89%
IA	9.43%	0.36%	1.19%
ID	8.36%	1.55%	1.50%
IL	9.09%	2.95%	2.05%
IN	9.39%	0.41%	0.96%
KS	7.83%	0.81%	0.90%
KY	8.24%	0.35%	0.94%
LA	10.40%	0.62%	1.34%
MA	5.39%	5.11%	1.21%
MD	7.09%	2.30%	0.95%
ME	8.24%	0.36%	0.76%
MI	8.11%	1.06%	1.23%
MN	7.55%	0.92%	0.95%
MO	9.14%	0.50%	0.69%
MS	9.60%	0.25%	1.18%
MT	10.37%	0.26%	0.77%
NC	9.19%	0.48%	0.86%
ND	9.87%	0.10%	1.63%
NE	8.95%	0.48%	1.02%
NH	9.12%	0.90%	0.74%
NJ	5.22%	6.99%	2.47%
NM	7.87%	7.12%	0.59%
NV	8.19%	3.82%	2.32%
NY	5.63%	7.41%	1.31%
OH	8.89%	0.64%	0.76%
OK	10.42%	0.68%	0.94%
OR	9.07%	1.67%	1.36%
PA	9.58%	1.64%	0.94%
RI	6.85%	4.68%	1.08%
SC	10.25%	0.23%	1.14%
SD	10.38%	0.41%	1.13%
TN	8.04%	0.33%	1.07%
TX	6.96%	3.63%	1.06%
UT	8.22%	2.39%	1.18%
VA	8.11%	1.42%	0.78%
VT	6.67%	0.26%	0.60%
WA	7.03%	3.20%	1.30%
WI	8.44%	0.52%	0.77%
WV	11.04%	0.31%	1.33%
WY	9.17%	0.63%	0.79%

Source: CMS Form 672: F78, F140 - F142

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 14: Medical Condition - Advance Directives and Vaccinations, June 2014

State	Advance Directives	Influenza Immunization	Pneumococcal Vaccine
US	54.65%	69.45%	65.34%
AK	73.63%	76.37%	80.99%
AL	36.47%	66.26%	59.69%
AR	71.20%	83.68%	78.31%
AZ	70.18%	62.90%	59.64%
CA	47.18%	68.91%	62.93%
CO	80.94%	67.42%	64.80%
CT	68.73%	75.61%	69.96%
DC	40.46%	67.32%	51.06%
DE	48.72%	70.80%	75.80%
FL	57.62%	55.56%	43.63%
GA	42.32%	67.76%	63.82%
HI	66.22%	82.38%	85.15%
IA	63.67%	80.15%	82.63%
ID	63.72%	66.75%	69.01%
IL	52.64%	63.02%	56.31%
IN	54.34%	66.48%	63.54%
KS	71.40%	73.59%	70.45%
KY	54.15%	71.60%	65.58%
LA	32.92%	68.13%	71.18%
MA	71.50%	77.92%	70.74%
MD	53.54%	68.39%	61.33%
ME	59.80%	71.54%	70.52%
MI	74.15%	65.88%	65.00%
MN	58.47%	78.25%	80.57%
MO	52.44%	69.50%	61.81%
MS	33.11%	68.36%	69.60%
MT	74.60%	67.03%	73.39%
NC	44.88%	67.39%	64.71%
ND	58.96%	79.43%	84.38%
NE	69.23%	75.59%	73.96%
NH	84.37%	78.60%	83.83%
NJ	39.20%	70.56%	65.97%
NM	48.32%	59.21%	58.31%
NV	35.84%	52.34%	41.24%
NY	63.81%	78.29%	75.03%
OH	51.35%	63.63%	60.51%
OK	33.85%	70.02%	58.65%
OR	43.92%	65.97%	69.01%
PA	58.09%	74.65%	67.93%
RI	64.76%	71.65%	70.69%
SC	47.67%	70.73%	77.63%
SD	56.69%	80.91%	85.39%
TN	67.87%	68.14%	61.59%
TX	36.68%	62.29%	57.35%
UT	58.95%	60.87%	60.10%
VA	44.58%	71.69%	65.14%
VT	61.76%	70.41%	77.04%
WA	67.12%	67.71%	67.42%
WI	80.65%	83.83%	88.01%
WV	50.03%	65.70%	67.08%
WY	60.67%	74.00%	72.96%

Source: CMS Form 672: F78, F143 - F145

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 15: Medical Condition - Skin Integrity, June 2014

State	Pressure Sores	Pressure Sores at Admission	Preventative Skin Care	Rashes
US	6.31%	3.60%	76.47%	2.88%
AK	9.08%	5.82%	73.46%	4.11%
AL	6.33%	3.75%	82.23%	2.45%
AR	5.86%	2.75%	32.34%	2.73%
AZ	7.95%	4.84%	65.78%	2.87%
CA	6.54%	4.47%	64.05%	3.62%
CO	4.79%	2.53%	81.49%	2.04%
CT	4.85%	2.49%	69.83%	4.03%
DC	6.68%	3.83%	86.00%	1.06%
DE	4.96%	2.63%	82.67%	5.07%
FL	7.21%	4.96%	80.25%	3.49%
GA	6.60%	3.78%	77.04%	2.88%
HI	4.43%	2.52%	72.56%	6.55%
IA	4.13%	1.37%	78.16%	1.88%
ID	5.46%	3.75%	82.88%	3.42%
IL	5.86%	3.36%	75.25%	2.49%
IN	5.92%	2.88%	80.77%	1.72%
KS	4.69%	2.13%	71.89%	3.24%
KY	6.77%	3.16%	78.94%	1.74%
LA	8.18%	3.89%	80.36%	2.34%
MA	4.73%	2.26%	81.44%	2.13%
MD	7.37%	4.70%	83.69%	2.52%
ME	5.40%	2.74%	72.43%	3.32%
MI	6.15%	4.04%	79.90%	2.43%
MN	4.40%	1.95%	73.53%	2.91%
MO	5.01%	2.26%	69.29%	1.77%
MS	7.25%	3.92%	75.35%	2.07%
MT	4.71%	2.06%	86.08%	2.69%
NC	7.91%	4.11%	77.69%	2.32%
ND	4.01%	1.38%	83.68%	3.88%
NE	4.14%	1.90%	81.53%	2.25%
NH	4.39%	2.18%	88.37%	5.37%
NJ	6.97%	4.38%	71.27%	2.54%
NM	6.98%	3.91%	78.38%	2.37%
NV	8.82%	7.07%	71.78%	3.19%
NY	7.34%	4.80%	78.15%	5.11%
OH	5.68%	3.20%	85.21%	2.57%
OK	6.20%	3.08%	60.68%	1.99%
OR	7.25%	4.04%	79.21%	4.56%
PA	6.21%	3.36%	85.51%	2.70%
RI	4.87%	2.39%	85.46%	2.55%
SC	7.47%	4.39%	83.12%	2.53%
SD	4.50%	1.94%	77.60%	2.59%
TN	6.93%	4.15%	81.79%	2.75%
TX	7.25%	3.74%	70.98%	1.70%
UT	6.44%	3.31%	77.03%	3.29%
VA	6.68%	4.01%	79.92%	3.10%
VT	4.01%	1.76%	83.41%	3.33%
WA	6.58%	3.74%	75.98%	5.35%
WI	4.87%	2.49%	80.83%	3.09%
WV	7.16%	4.15%	83.90%	2.47%
WY	3.96%	1.92%	80.38%	1.29%

Source: CMS Form 672: F78, F115 - F118

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 16: Medical Condition - Special Care, June 2014

State	Hospice Care	Radiation Therapy	Chemotherapy	Dialysis	IV Therapy (Nutrition or Blood)
US	4.75%	0.09%	0.37%	2.03%	1.43%
AK	0.17%	0.17%	0.34%	1.88%	1.54%
AL	5.73%	0.04%	0.26%	1.86%	0.69%
AR	4.52%	0.06%	0.21%	1.23%	0.49%
AZ	5.44%	0.08%	0.18%	3.22%	4.53%
CA	3.10%	0.08%	0.22%	2.92%	2.46%
CO	5.58%	0.04%	0.25%	1.32%	1.21%
CT	2.79%	0.11%	0.36%	1.64%	1.16%
DC	3.48%	0.04%	0.35%	3.71%	1.02%
DE	6.98%	0.02%	0.21%	3.13%	1.11%
FL	6.21%	0.12%	0.16%	2.10%	1.90%
GA	5.58%	0.11%	0.32%	2.72%	0.98%
HI	4.99%	0.08%	0.27%	2.09%	2.07%
IA	6.12%	0.06%	0.35%	0.96%	0.62%
ID	3.44%	0.16%	0.41%	2.02%	2.07%
IL	4.53%	0.14%	0.28%	1.98%	1.35%
IN	4.94%	0.12%	0.42%	1.77%	1.45%
KS	5.16%	0.05%	0.35%	1.12%	0.64%
KY	2.24%	0.08%	0.27%	1.61%	1.49%
LA	5.60%	0.09%	0.47%	2.33%	0.74%
MA	5.06%	0.12%	0.32%	1.33%	1.04%
MD	2.88%	0.10%	0.25%	3.48%	1.86%
ME	5.97%	0.05%	0.31%	0.85%	0.88%
MI	4.96%	0.10%	0.33%	2.27%	1.59%
MN	4.48%	0.09%	0.53%	1.15%	0.85%
MO	7.09%	0.06%	0.27%	1.56%	0.73%
MS	3.77%	0.06%	0.59%	2.42%	0.64%
MT	2.58%	0.06%	0.28%	0.84%	0.86%
NC	3.82%	0.12%	0.48%	2.47%	1.23%
ND	2.75%	0.03%	0.45%	1.35%	0.61%
NE	6.07%	0.06%	0.54%	1.19%	0.83%
NH	4.10%	0.04%	0.33%	1.07%	1.04%
NJ	3.58%	0.13%	0.34%	2.45%	1.63%
NM	5.94%	0.02%	0.16%	1.79%	1.45%
NV	4.71%	0.06%	0.32%	2.34%	5.57%
NY	1.65%	0.08%	0.79%	2.16%	1.17%
OH	6.70%	0.09%	0.49%	2.23%	1.79%
OK	10.08%	0.08%	0.16%	1.41%	0.69%
OR	4.39%	0.12%	0.30%	2.15%	2.11%
PA	4.72%	0.13%	0.47%	1.75%	1.59%
RI	5.53%	0.16%	0.35%	1.24%	1.28%
SC	5.82%	0.03%	0.26%	2.27%	0.67%
SD	3.32%	0.03%	0.45%	1.07%	0.91%
TN	4.70%	0.06%	0.23%	1.60%	1.36%
TX	7.39%	0.06%	0.25%	2.39%	1.36%
UT	8.03%	0.13%	0.28%	1.72%	3.39%
VA	3.39%	0.12%	0.37%	2.13%	1.43%
VT	1.20%	0.04%	0.26%	0.94%	1.16%
WA	2.61%	0.13%	0.42%	1.94%	2.00%
WI	4.50%	0.10%	0.42%	1.41%	0.83%
WV	3.89%	0.13%	0.49%	1.51%	2.17%
WY	0.88%	0.17%	0.29%	0.63%	1.21%

Source: CMS Form 672: F78, F119 - F123

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 16: Medical Condition - Special Care, June 2014

State	Respiratory Therapy	Tracheostomy Care	Ostomy Care	Suctioning	Injections
US	15.21%	1.31%	2.86%	1.55%	21.97%
AK	16.61%	2.05%	6.51%	2.74%	24.83%
AL	17.36%	0.59%	4.03%	1.10%	23.47%
AR	18.32%	0.39%	4.62%	1.17%	17.60%
AZ	20.69%	2.84%	2.80%	2.72%	27.11%
CA	14.40%	4.08%	4.23%	4.69%	24.50%
CO	30.05%	0.63%	2.03%	0.56%	17.17%
CT	12.76%	0.57%	2.06%	0.74%	18.81%
DC	9.66%	2.07%	4.69%	3.24%	27.64%
DE	16.59%	1.52%	2.56%	2.21%	20.26%
FL	17.45%	0.97%	3.68%	1.26%	24.64%
GA	13.89%	0.73%	3.62%	1.10%	23.67%
HI	8.97%	2.87%	5.29%	3.79%	14.85%
IA	14.77%	0.48%	1.88%	0.45%	16.49%
ID	25.25%	1.06%	2.54%	1.24%	24.29%
IL	12.68%	1.03%	2.46%	1.18%	22.99%
IN	15.26%	0.91%	2.14%	1.06%	21.77%
KS	15.57%	0.43%	1.72%	0.54%	18.92%
KY	19.52%	1.38%	4.05%	2.03%	23.42%
LA	10.35%	1.06%	2.77%	1.23%	22.60%
MA	11.53%	0.76%	1.86%	0.84%	17.61%
MD	14.18%	1.92%	2.54%	2.22%	24.66%
ME	13.29%	0.22%	1.73%	0.30%	18.58%
MI	15.41%	1.15%	2.51%	1.31%	23.76%
MN	13.01%	0.74%	2.02%	0.57%	17.15%
MO	14.80%	0.34%	1.91%	0.45%	20.19%
MS	11.91%	0.84%	4.74%	1.01%	24.25%
MT	19.85%	0.26%	1.98%	0.34%	16.48%
NC	15.19%	0.86%	2.45%	0.87%	24.39%
ND	14.80%	0.37%	2.19%	0.28%	20.06%
NE	16.43%	0.89%	2.49%	0.91%	17.85%
NH	14.65%	0.37%	1.66%	0.43%	17.19%
NJ	13.92%	1.71%	3.74%	2.10%	21.14%
NM	28.26%	0.38%	1.90%	0.57%	22.05%
NV	24.21%	3.90%	3.67%	3.78%	30.14%
NY	12.74%	2.13%	3.34%	2.56%	20.57%
OH	16.15%	1.17%	2.56%	1.30%	24.58%
OK	17.04%	0.88%	2.39%	1.29%	19.56%
OR	14.09%	0.67%	2.82%	0.72%	22.68%
PA	17.63%	1.46%	2.46%	1.44%	22.49%
RI	9.83%	0.35%	1.80%	0.39%	19.85%
SC	13.10%	0.60%	3.78%	0.78%	22.76%
SD	16.22%	0.16%	2.18%	0.20%	17.38%
TN	17.90%	1.03%	2.64%	1.46%	22.00%
TX	13.37%	0.91%	2.56%	1.17%	22.42%
UT	28.60%	2.17%	2.70%	2.17%	25.19%
VA	16.80%	1.00%	2.86%	1.40%	22.35%
VT	14.23%	0.67%	2.10%	0.75%	16.63%
WA	15.87%	1.24%	2.52%	1.78%	22.06%
WI	15.75%	0.67%	1.98%	0.68%	18.75%
WV	16.12%	0.40%	2.45%	0.63%	21.35%
WY	28.92%	0.04%	1.79%	0.04%	18.50%

Source: CMS Form 672: F78, F124 - F128

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 16: Medical Condition - Special Care, June 2014

State	Tube Feeding	Mechanically Altered Diet	Special Rehab	Assistive Eating Device
US	5.36%	32.78%	28.78%	8.67%
AK	6.34%	31.68%	13.53%	12.67%
AL	7.20%	37.05%	24.54%	8.17%
AR	4.57%	33.32%	19.15%	7.53%
AZ	5.18%	30.36%	33.07%	6.83%
CA	10.78%	40.55%	26.10%	6.05%
CO	2.13%	26.85%	29.52%	10.19%
CT	2.81%	35.30%	26.03%	9.19%
DC	10.79%	30.81%	24.98%	1.99%
DE	7.47%	32.27%	29.75%	7.44%
FL	6.61%	34.89%	34.54%	8.65%
GA	6.45%	36.60%	24.72%	7.70%
HI	9.56%	55.08%	19.60%	8.03%
IA	1.61%	26.01%	21.69%	15.68%
ID	3.06%	31.85%	35.03%	13.23%
IL	4.38%	26.07%	25.77%	5.96%
IN	3.81%	28.26%	37.53%	10.27%
KS	2.10%	26.31%	22.02%	10.69%
KY	6.31%	36.41%	30.03%	12.55%
LA	7.00%	29.19%	32.03%	2.67%
MA	2.81%	34.86%	25.60%	12.11%
MD	7.31%	31.38%	28.67%	4.32%
ME	1.42%	36.54%	26.90%	16.25%
MI	5.30%	28.84%	30.82%	12.28%
MN	2.08%	23.00%	22.21%	11.47%
MO	2.86%	25.67%	22.41%	7.43%
MS	9.12%	36.19%	31.61%	4.43%
MT	1.87%	25.60%	20.46%	9.31%
NC	5.37%	38.04%	33.07%	10.30%
ND	2.03%	23.70%	14.94%	18.10%
NE	2.89%	24.94%	25.43%	13.09%
NH	1.55%	31.90%	31.58%	12.55%
NJ	6.57%	34.19%	28.91%	4.62%
NM	3.12%	38.00%	27.02%	8.84%
NV	9.20%	29.38%	33.09%	4.71%
NY	6.46%	34.07%	25.61%	7.91%
OH	4.41%	28.83%	31.92%	10.18%
OK	4.13%	28.92%	16.33%	3.86%
OR	3.28%	32.35%	33.36%	8.60%
PA	4.17%	35.49%	34.57%	13.26%
RI	2.07%	29.69%	26.53%	5.27%
SC	6.35%	39.40%	28.32%	7.38%
SD	1.18%	24.76%	17.81%	11.18%
TN	5.61%	39.47%	30.38%	8.75%
TX	6.39%	34.34%	34.20%	4.87%
UT	4.22%	29.96%	35.96%	7.57%
VA	5.78%	33.59%	30.28%	7.40%
VT	1.57%	37.12%	28.16%	15.58%
WA	4.27%	31.54%	32.99%	11.36%
WI	2.32%	27.60%	28.78%	15.46%
WV	3.33%	37.43%	29.37%	8.32%
WY	1.00%	26.92%	21.46%	7.58%

Source: CMS Form 672: F78, F129 - F132

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Glossary of Terms for use with CASPER data

Activities of Daily Living (ADL) are activities done during a normal day such as getting in and out of bed, dressing, bathing, eating, and using the bathroom. Patients are considered to be *independent* if they can execute an activity of daily living independent of direct care staff or with only “set up” assistance. Patients needing *assistance* can partially execute the activity of daily living but must have considerable assistance from direct care staff to successfully complete the activity. Patients who are *dependent* for an activity of daily living are not at all capable of executing the activity of daily living.

Advance Directive (Health Care) is a written health care directive prepared by patients in advance of needing to apply its contents which documents how a patient wants medical decisions to be made on their behalf in the event they become disabled and are unable to make their own health related decisions. A health care advance directive may include a Living Will and a Durable Power of Attorney for health care.

Certified Beds This measure represents the total number of certified beds in the nursing home. Some nursing homes can have a combination of Medicare, Medicaid, and/or private pay beds. Certified beds refer to those beds certified for use under the Medicare and/or Medicaid programs.

Certified Nursing Assistants (CNAs) provide care on a twenty-four hour basis. They work under the direction of a licensed nurse to assist patients with activities of daily living, i.e., eating, grooming, hygiene, dressing, transferring, and toileting. All full-time certified nursing assistants (CNAs) must have completed a competency evaluation program or nurse assistant training within 4 months of their permanent employment. They must also pursue continuing education each year.

Hospital-based - The nursing home is affiliated with a hospital.

Medicare is the federal health insurance program for: people 65 years of age or older, certain younger people with disabilities, and people with End-Stage Renal Disease (permanent kidney failure with dialysis or a transplant, sometimes called ESRD). Medicare pays for some nursing home care in specific situations and for no more than 100 days for each benefit period. A benefit period begins the day you go to a skilled nursing facility. The benefit period ends when you have not received skilled nursing care for 60 days in a row.

Medicaid is the joint federal and state program that helps with medical costs for some people with low incomes and limited resources. Medicaid programs vary from state to state, but most health care costs are covered if you qualify for both Medicare and Medicaid. Medicaid pays for long term care for people with low incomes and resources.



Multifacility - Multi-nursing home chains have two or more homes under one ownership or operation

Occupancy This measure indicates the percentage of certified beds occupied by patients at the time of the inspection. It is obtained by taking the number of patients occupying certified beds at the time of the inspection divided by the total number of certified beds in the nursing home.

Ownership - Nursing homes can be run by private for-profit corporations, non-profit corporations or government entities.

Patients in Certified Beds This number tells you how many patients in certified beds were living in the nursing home at the time of the inspection

Primary Payor is an insurance policy, plan, or program that pays first on a claim for medical care. This could be Medicare, Medicaid or other health insurance.

Registered Nurses and Licensed Practical and Vocational Nurses - Registered nurses (RNs) have between 2 and 6 years of education. Licensed practical and vocational nurses (LPNs/LVNs) generally have 1 year of training. By law, RNs must assess residents' needs. RNs and LPNs/LVNs work together to plan care, implement care and treatment, and evaluate residents' outcomes. Nurses must be licensed in the state and are on site to provide care to residents twenty-four hours per day, seven days a week.

Restraint is any physical or chemical way to stop a patient from being free to move. These restraints are used to prevent patient injury and are not used for treating medical symptoms.



1201 L Street, NW
Washington, DC, 20005
T: (202) 842-4444
Email: research@ahca.org