



**Nevada State Health Division~ HIV/AIDS Surveillance Program
Nevada HIV Infections (New Diagnoses) Fast Facts, 2010**

	Total				Male			Female		
	N	%	Nevada Rate*	National Rate ±	n	%	Nevada Rate*	n	%	Nevada Rate*
County at Diagnosis										
Clark County	339	92%	17.2	22.8	285	93%	28.5	54	87%	5.6
Washoe County	26	7%	6.1	22.8	18	6%	8.4	8	13%	3.8
All Other Counties**	4	1%	1.2	22.8	4	1%	2.3	0	0.0%	0.0
Total	369	100%	13.5	22.8	307	100%	22.1	62	100%	4.6
Race/Ethnicity										
White, non-Hispanic	135	37%	7.9	11.5	117	38%	13.6	18	29%	2.1
Black, non-Hispanic	103	28%	54.4	83.7	70	23%	73.8	33	53%	35.0
Hispanic	104	28%	16.3	29.3	98	32%	28.9	6	10%	2.0
American Indian/Alaska Native	1	0%	2.7	14.6	1	0%	5.6	0	0%	0.0
Asian/Hawaiian/Pacific Islander	20	5%	11.5	10.3	17	6%	21.1	3	5%	3.2
Multi-race/Other	6	2%	N/A	N/A	4	1%	N/A	2	3%	N/A
Total	369	100%	13.5	22.8	307	100%	22.1	62	100%	4.6
Age										
< 13	1	0%	0.2	N/A	0	0%	0.0	1	2%	0.4
13 to 24	82	22%	20.8	N/A	74	24%	36.2	8	13%	4.2
25 to 34	106	29%	26.4	N/A	92	30%	44.0	14	23%	7.3
35 to 44	91	25%	22.4	N/A	75	24%	35.6	16	26%	8.2
45 to 54	52	14%	13.9	N/A	41	13%	21.6	11	18%	6.0
55 to 64	30	8%	10.6	N/A	20	7%	14.3	10	16%	6.9
65 +	7	2%	2.3	N/A	5	2%	3.5	2	3%	1.2
Total	369	100%	13.5	22.8	307	100%	22.1	62	100%	4.6
Risk Factor										
MSM	258	70%	N/A	N/A	258	84%	N/A	0	0%	N/A
Heterosexual contact	56	15%	N/A	N/A	5	2%	N/A	51	82%	N/A
NIR/NRR	20	5%	N/A	N/A	13	4%	N/A	7	11%	N/A
IDU	19	5%	N/A	N/A	16	5%	N/A	3	5%	N/A
MSM+IDU	15	4%	N/A	N/A	15	5%	N/A	0	0%	N/A
Perinatal exposure	1	0%	N/A	N/A	0	0%	N/A	1	2%	N/A
Total	369	100%	N/A	N/A	307	100%	N/A	62	100%	N/A

Source: Nevada State Health Division HIV/AIDS Reporting System (eHARS), (Feb 2011)

HIV/AIDS cases diagnosed in other states, but who currently live in Nevada. HIV Diagnoses and AIDS Diagnoses may duplicate case counts if the person was diagnosed with both (eHARS). These persons may or may not have been diagnosed with HIV or AIDS in Nevada.

* Rate per 100,000 population is based on 2008 interim population estimates from NV Demographics.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershings,

± Based on 2008 National Rates, available thru Hall HI, Song R, Rhodes P, et al. Estimation of HIV Incidence in the United States. JAMA. 2008;300:520-529.

Storey, & White Pine counties

For more information, please contact: Nevada State Health Division, Office of Epidemiology, Sandi Noffsinger, 702-486-6515 x261, snoffsinger@health.nv.gov



**Nevada State Health Division~ HIV/AIDS Surveillance Program
Nevada AIDS (New Diagnoses) Fast Facts, 2010**

	Total			Male			Female		
	N	%	Nevada Rate*	n	%	Nevada Rate*	n	%	Nevada Rate*
County at Diagnosis									
Clark County	211	93%	10.7	175	93%	17.5	36	95%	3.7
Washoe County	9	4%	2.1	8	4%	3.7	1	3%	0.5
All Other Counties**	7	3%	2.0	6	3%	3.4	1	2.6%	0.6
Total	227	100%	8.3	189	100%	13.6	38	100%	2.8
Race/Ethnicity									
White, non-Hispanic	92	41%	5.4	81	43%	9.4	11	29%	1.3
Black, non-Hispanic	56	25%	29.6	40	21%	42.2	16	42%	17.0
Hispanic	62	27%	9.7	55	29%	16.2	7	18%	2.3
American Indian/Alaska Native	1	0%	2.7	1	1%	5.6	0	0%	0.0
Asian/Hawaiian/Pacific Islander	12	5%	6.9	9	5%	11.2	3	8%	3.2
Multi-race/Other	4	2%	N/A	3	2%	N/A	1	3%	N/A
Total	227	100%	8.3	189	100%	13.6	38	100%	2.8
Age									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 24	17	7%	4.3	16	8%	7.8	1	3%	0.5
25 to 34	42	19%	10.5	36	19%	17.2	6	16%	3.1
35 to 44	70	31%	17.2	62	33%	29.4	8	21%	4.1
45 to 54	64	28%	17.2	54	29%	28.5	10	26%	5.4
55 to 64	28	12%	9.9	16	8%	11.5	12	32%	8.3
65 +	6	3%	2.0	5	3%	3.5	1	3%	0.6
Total	227	100%	8.3	189	100%	13.6	38	100%	2.8
Risk Factor									
MSM	141	62%	N/A	141	75%	N/A	0	0%	N/A
Heterosexual contact	37	16%	N/A	8	4%	N/A	29	76%	N/A
NIR/NRR	17	7%	N/A	12	6%	N/A	5	13%	N/A
IDU	23	10%	N/A	19	10%	N/A	4	11%	N/A
MSM+IDU	9	4%	N/A	9	5%	N/A	0	0%	N/A
Perinatal exposure	0	0%	N/A	0	0%	N/A	0	0%	N/A
Total	227	100%	N/A	189	100%	N/A	38	100%	N/A

Source: Nevada State Health Division HIV/AIDS Reporting System (eHARS), (Feb 2011)

New HIV Infections are counted in eHARS surveillance statistics and include HIV and AIDS cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states, but who currently live in Nevada. HIV Diagnoses and AIDS Diagnoses may duplicate case counts if the person was diagnosed with both HIV and AIDS in 2008.

Persons living HIV/AIDS data includes data on persons living in Nevada with HIV (not yet AIDS) and AIDS based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or AIDS in Nevada.

* Rate per 100,000 population is based on 2008 interim population estimates from NV Demographics.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing,

± Based on 2008 National Rates, available thru Hall HI, Song R, Rhodes P, et al. Estimation of HIV Incidence in the United States. JAMA. 2008;300:520-529.

Storey, & White Pine counties

For more information, please contact: Nevada State Health Division, Office of Epidemiology, Sandi Noffsinger, 702-486-6515 x261, snoffsinger@health.nv.gov



**Nevada State Health Division~ HIV/AIDS Surveillance Program
Nevada HIV/AIDS Fast Facts, 2010**

	New Diagnosis						All Person Living with HIV/AIDS		
	AIDS			HIV (New Infections)			N	%	Nevada Rate*
	N	%	Nevada Rate*	N	%	Nevada Rate*			
County at Diagnosis									
Clark County	211	93%	10.7	339	92%	17.2	7,105	85%	361.1
Washoe County	9	4%	2.1	26	7%	6.1	837	10%	197.5
All Other Counties**	7	3%	2.0	4	1%	1.2	448	5.3%	129.0
Total	227	100%	8.3	369	100%	13.5	8,390	100%	306.3
Sex									
Male	189	83%	13.6	307	83%	22.1	6,990	83%	502.6
Female	38	17%	2.8	62	17%	4.6	1,400	17%	103.9
Total	227	100%	8.3	369	100%	13.5	8,390	100%	306.3
Race/Ethnicity									
White, non-Hispanic	92	41%	5.4	135	37%	7.9	4,328	52%	254.6
Black, non-Hispanic	56	25%	29.6	103	28%	54.4	2,017	24%	1,066.2
Hispanic	62	27%	9.7	104	28%	16.3	1,704	20%	266.7
American Indian/Alaska Native	1	0%	2.7	1	0%	2.7	75	1%	205.9
Asian/Hawaiian/Pacific Islander	12	5%	6.9	20	5%	11.5	220	3%	126.5
Multi-race/Other	4	2%	N/A	6	2%	N/A	46	1%	N/A
Total	227	100%	8.3	369	100%	13.5	8,390	100%	306.3
Age									
< 13	0	0%	0.0	1	0%	0.2	60	1%	10.5
13 to 24	17	7%	4.3	82	22%	20.8	961	11%	243.9
25 to 34	42	19%	10.5	106	29%	26.4	3,009	36%	750.7
35 to 44	70	31%	17.2	91	25%	22.4	2,842	34%	700.0
45 to 54	64	28%	17.2	52	14%	13.9	1,161	14%	311.2
55 to 64	28	12%	9.9	30	8%	10.6	305	4%	107.3
65 +	6	3%	2.0	7	2%	2.3	52	1%	17.0
Total	227	100%	8.3	369	100%	13.5	8,390	100%	306.3
Risk Factor									
MSM	141	62%	N/A	258	70%	N/A	5,173	62%	N/A
Heterosexual contact	37	16%	N/A	56	15%	N/A	1,109	13%	N/A
NIR/NRR	17	7%	N/A	20	5%	N/A	718	9%	N/A
IDU	23	10%	N/A	19	5%	N/A	791	9%	N/A
MSM+IDU	9	4%	N/A	15	4%	N/A	531	6%	N/A
Perinatal exposure	0	0%	N/A	1	0%	N/A	57	1%	N/A
Hemophilia/Blood Transfusion	0	0%	N/A	0	0%	N/A	11	0%	N/A
Total	227	100%	N/A	369	100%	N/A	8,390	100%	N/A

Source: Nevada State Health Division HIV/AIDS Reporting System (eHARS), (Feb 2011)

New HIV Infections are counted in eHARS surveillance statistics and include HIV and AIDS cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states, but who currently live in Nevada. HIV Diagnoses and AIDS Diagnoses may duplicate case counts if the person was diagnosed with both HIV and AIDS in 2008.

Persons living HIV/AIDS data includes data on persons living in Nevada with HIV (not yet AIDS) and AIDS based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or AIDS in Nevada.

* Rate per 100,000 population is based on 2008 interim population estimates from NV Demographics.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershings,

± Based on 2008 National Rates, available thru Hall HI, Song R, Rhodes P, et al. Estimation of HIV Incidence in the United States. JAMA. 2008;300:520-529.

Storey, & White Pine counties

For more information, please contact: Nevada State Health Division, Office of Epidemiology, Sandi Noffsinger, 702-486-6515 x261, snoffsinger@health.nv.gov



**Nevada State Health Division~ HIV/AIDS Surveillance Program
Clark County HIV/AIDS Fast Facts, 2010**

	New Diagnosis						All Person Living with HIV/AIDS		
	AIDS			HIV (New Infections)					
	N	%	Rate*	N	%	Rate*	N	%	Rate*
Sex									
Male	175	83%	17.5	285	84%	28.5	5,916	83%	591.5
Female	36	17%	3.7	54	16%	5.6	1,189	17%	122.9
Total	211	100%	10.7	339	100%	17.2	7,105	100%	361.1
Race/Ethnicity									
White, non-Hispanic	81	38%	7.2	119	35%	10.6	3,470	49%	308.5
Black, non-Hispanic	55	26%	31.1	98	29%	55.4	1,838	26%	1,039.0
Hispanic	58	27%	11.5	96	28%	19.0	1,514	21%	299.2
American Indian/Alaska Native	1	0%	6.0	1	0%	6.0	50	1%	297.7
Asian/Hawaiian/Pacific Islander	12	6%	8.4	19	6%	13.3	195	3%	136.1
Multi-race/Other	4	2%	N/A	6	2%	N/A	38	1%	N/A
Total	211	100%	10.7	339	100%	17.2	7,105	100%	361.1
Age									
< 13	0	0%	0.0	1	0%	0.3	52	1%	15.5
13 to 24	17	8%	5.1	74	22%	22.1	830	12%	247.5
25 to 34	42	20%	13.9	98	29%	32.5	2,599	37%	863.1
35 to 44	62	29%	20.9	85	25%	28.6	2,367	33%	797.5
45 to 54	56	27%	21.8	45	13%	17.5	957	13%	372.2
55 to 64	28	13%	14.2	30	9%	15.2	259	4%	131.0
65 +	6	3%	2.8	6	2%	2.8	41	1%	19.2
Total	211	100%	10.7	339	100%	17.2	7,105	100%	361.1
Risk Factor									
MSM	136	64%	N/A	241	71%	N/A	4,524	64%	N/A
Heterosexual contact	36	17%	N/A	52	15%	N/A	959	13%	N/A
NIR/NRR	13	6%	N/A	13	4%	N/A	525	7%	N/A
IDU	17	8%	N/A	17	5%	N/A	622	9%	N/A
MSM+IDU	9	4%	N/A	15	4%	N/A	415	6%	N/A
Perinatal exposure	0	0%	N/A	1	0%	N/A	51	1%	N/A
Hemophilia/Blood Transfusion	0	0%	N/A	0	0%	N/A	9	0%	N/A
Total	211	100%	N/A	339	100%	N/A	7,105	100%	N/A

Source: Nevada State Health Division HIV/AIDS Reporting System (eHARS), (Feb 2011)

HIV/AIDS cases diagnosed in other states, but who currently live in Nevada. HIV Diagnoses and AIDS Diagnoses may duplicate case counts if the person was diagnosed with both (eHARS). These persons may or may not have been diagnosed with HIV or AIDS in Nevada.

* Rate per 100,000 population is based on 2008 interim population estimates from NV Demographics.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing,

± Based on 2008 National Rates, available thru Hall HI, Song R, Rhodes P, et al. Estimation of HIV Incidence in the United States. JAMA. 2008;300:520-529.

Storey, & White Pine counties

For more information, please contact: Nevada State Health Division, Office of Epidemiology, Sandi Noffsinger, 702-486-6515 x261, snoffsinger@health.nv.gov



**Nevada State Health Division~ HIV/AIDS Surveillance Program
Washoe County HIV/AIDS Fast Facts, 2010**

	New Diagnosis						All Person Living with HIV/AIDS		
	AIDS			HIV (New Infections)					
	N	%	Rate*	N	%	Rate*	N	%	Rate*
Sex									
Male	8	89%	3.7	18	69%	8.4	708	85%	329.2
Female	1	11%	0.5	8	31%	3.8	129	15%	61.8
Total	9	100%	2.1	26	100%	6.1	837	100%	197.5
Race/Ethnicity									
White, non-Hispanic	5	56%	1.7	14	54%	4.8	558	67%	189.5
Black, non-Hispanic	1	11%	10.8	5	19%	53.8	111	13%	1,194.8
Hispanic	3	33%	3.5	6	23%	6.9	129	15%	148.6
American Indian/Alaska Native	0	0%	0.0	0	0%	0.0	15	2%	184.6
Asian/Hawaiian/Pacific Islander	0	0%	0.0	1	4%	4.0	17	2%	67.8
Multi-race/Other	0	0%	N/A	0	0%	N/A	7	1%	N/A
Total	9	100%	2.1	26	100%	6.1	837	100%	197.5
Age									
< 13	0	0%	0.0	0	0%	0.0	3	0%	3.9
13 to 24	0	0%	0.0	7	27%	9.0	86	10%	111.2
25 to 34	0	0%	0.0	8	31%	13.4	273	33%	456.9
35 to 44	5	56%	8.0	5	19%	8.0	315	38%	501.7
45 to 54	4	44%	6.5	5	19%	8.2	124	15%	202.3
55 to 64	0	0%	0.0	0	0%	0.0	29	3%	66.2
65 +	0	0%	0.0	1	4%	2.3	7	1%	16.0
Total	9	100%	2.1	26	100%	6.1	837	100%	197.5
Risk Factor									
MSM	3	33%	N/A	15	58%	N/A	461	55%	N/A
Heterosexual contact	1	11%	N/A	4	15%	N/A	85	10%	N/A
NIR/NRR	2	22%	N/A	6	23%	N/A	125	15%	N/A
IDU	3	33%	N/A	1	4%	N/A	83	10%	N/A
MSM+IDU	0	0%	N/A	0	0%	N/A	81	10%	N/A
Perinatal exposure	0	0%	N/A	0	0%	N/A	1	0%	N/A
Hemophilia/Blood Transfusion	0	0%	N/A	0	0%	N/A	1	0%	N/A
Total	9	100%	N/A	26	100%	N/A	837	100%	N/A

Source: Nevada State Health Division HIV/AIDS Reporting System (eHARS), (Feb 2011)

excludes HIV/AIDS cases diagnosed in other states, but who currently live in Nevada. HIV Diagnoses and AIDS Diagnoses may duplicate case counts if the person was (eHARS). These persons may or may not have been diagnosed with HIV or AIDS in Nevada.

* Rate per 100,000 population is based on 2008 interim population estimates from NV Demographics.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershings,

± Based on 2008 National Rates, available thru Hall HI, Song R, Rhodes P, et al. Estimation of HIV Incidence in the United States. JAMA. 2008;300:520-529.

Storey, & White Pine counties

For more information, please contact: Nevada State Health Division, Office of Epidemiology, Sandi Noffsinger, 702-486-6515 x261, snoffsinger@health.nv.gov



**Nevada State Health Division~ HIV/AIDS Surveillance Program
Nevada HIV/AIDS Fast Facts, 2010**

	New HIV Infections					All Persons Living with HIV/AIDS				
	2009		2010		Annual % Change:	2009		2010		Annual % Change:
	N	%	N	%	% Change	N	%	N	%	% Change
County at Diagnosis										
Clark County	327	88%	339	92%	4	6,867	84%	7,105	85%	1
Washoe County	31	8%	26	7%	-1	837	10%	837	10%	0
All Other Counties**	14	4%	4	1%	-3	468	6%	448	5%	-1
Total	372	100%	369	100%	-1	8,172	100%	8,390	100%	3
Sex										
Male	310	83%	307	83%	-1	6,805	83%	6,990	83%	0
Female	62	17%	62	17%	0	1,367	17%	1,400	17%	0
Total	372	100%	369	100%	-1	8,172	100%	8,390	100%	3
Race/Ethnicity										
White, non-Hispanic	133	36%	135	37%	1	4,332	53%	4,328	52%	-1
Black, non-Hispanic	106	28%	103	28%	0	1,930	24%	2,017	24%	0
Hispanic	105	28%	104	28%	0	1,595	20%	1,704	20%	0
American Indian/Alaska Native	6	2%	1	0%	-1	204	2%	75	1%	-1
Asian/Hawaiian/Pacific Islander	20	5%	20	5%	0	77	1%	220	3%	2
Multi-race/Other	2	1%	6	2%	1	34	0%	46	1%	1
Total	372	100%	369	100%	-1	8,172	100%	8,390	100%	3
Age										
< 13	0	0%	1	0%	0	57	1%	60	1%	0
13 to 24	66	18%	82	22%	4	888	11%	961	11%	0
25 to 34	132	35%	106	29%	-6	2,957	36%	3,009	36%	0
35 to 44	86	23%	91	25%	2	2,822	35%	2,842	34%	-1
45 to 54	67	18%	52	14%	-4	1,123	14%	1,161	14%	0
55 to 64	17	5%	30	8%	3	274	3%	305	4%	1
65 +	4	1%	7	2%	1	51	1%	52	1%	0
Total	372	100%	369	100%	-1	8,172	100%	8,390	100%	3
Risk Factor										
MSM	261	70%	258	70%	0	4965	61%	5173	62%	1
Heterosexual contact	60	16%	56	15%	-1	1059	13%	1109	13%	0
NIR/NRR	22	6%	20	5%	-1	797	10%	718	9%	-1
IDU	11	3%	19	5%	2	747	9%	791	9%	0
MSM+IDU	18	5%	15	4%	-1	539	7%	531	6%	-1
Perinatal exposure	0	0%	1	0%	0	53	1%	57	1%	0
Adult Hemophilia/Blood Transfusion	0	0%	0	0%	0	12	0%	11	0%	0
Total	372	100%	369	100%	-1	8172	100%	8390	100%	3

Source: Nevada State Health Division HIV/AIDS Reporting System (eHARS), (Feb 2011)

excludes HIV/AIDS cases diagnosed in other states, but who currently live in Nevada. HIV Diagnoses and AIDS Diagnoses may duplicate case counts if the person was System (eHARS). These persons may or may not have been diagnosed with HIV or AIDS in Nevada.

* Rate per 100,000 population is based on 2008 interim population estimates from NV Demographics.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershings,

± Based on 2008 National Rates, available thru Hall HI, Song R, Rhodes P, et al. Estimation of HIV Incidence in the United States. JAMA. 2008;300:520-529.

Storey, & White Pine counties

For more information, please contact: Nevada State Health Division, Office of Epidemiology, Sandi Noffsinger, 702-486-6515 x261, snoffsinger@health.nv.gov