

# nevada

## 2013 HIV/AIDS Fast Facts



**Division of Public and Behavioral Health**  
**Office of Public Health Informatics and Epidemiology**  
**HIV/AIDS Surveillance Program**

Brian Sandoval, Governor  
State of Nevada

Romaine Gilliland, Director  
Department of Health and  
Human Services



Richard Whitley, MS, Administrator

Tracey D. Green, MD, Chief Medical  
Officer  
Division of Public and Behavioral  
Health



Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program Fast Facts

Nevada New HIV Infections (New Diagnoses), 2013

	Total			Male			Female		
	N	%	Rate*	n	%	Rate*	n	%	Rate*
<b>County of Diagnosis</b>									
Clark	388	89%	19.3	337	88%	33.2	51	91%	5.1
Washoe	38	9%	8.8	34	9%	15.6	4	7%	1.9
All Other Counties**	11	3%	3.3	10	3%	5.9	1	2%	0.6
<b>Total</b>	<b>437</b>	<b>100%</b>	<b>15.7</b>	<b>381</b>	<b>100%</b>	<b>27.2</b>	<b>56</b>	<b>100%</b>	<b>4.1</b>
<b>Race/Ethnicity</b>									
White, non-Hispanic	172	39%	10.6	155	41%	19.1	17	30%	2.1
Black, non-Hispanic	102	23%	51.2	76	20%	76.0	26	46%	26.2
Hispanic	133	30%	18.1	123	32%	31.8	10	18%	2.9
Asian/Hawaiian/Pacific Islander	17	4%	9.1	14	4%	16.1	3	5%	3.0
American Indian/Alaska Native	1	0%	2.7	1	0%	5.6	0	0%	0.0
Multi-race/Other	12	3%	NA	12	3%	NA	0	0%	NA
<b>Total</b>	<b>437</b>	<b>100%</b>	<b>15.7</b>	<b>381</b>	<b>100%</b>	<b>27.2</b>	<b>56</b>	<b>100%</b>	<b>4.1</b>
<b>Age Group at Diagnosis</b>									
< 13	2	0%	0.4	0	0%	0.0	2	4%	0.8
13 to 24	98	22%	21.9	88	23%	38.1	10	18%	4.6
25 to 34	159	36%	40.7	146	38%	71.8	13	23%	6.9
35 to 44	76	17%	20.1	67	18%	34.2	9	16%	5.0
45 to 54	69	16%	18.3	53	14%	27.3	16	29%	8.7
55 to 64	29	7%	9.1	23	6%	14.5	6	11%	3.7
65 +	4	1%	1.1	4	1%	2.5	0	0%	0.0
<b>Total</b>	<b>437</b>	<b>100%</b>	<b>15.7</b>	<b>381</b>	<b>100%</b>	<b>27.2</b>	<b>56</b>	<b>100%</b>	<b>4.1</b>
<b>Transmission Category</b>									
Male-to-male sexual contact (MSM)	291	67%	NA	291	76%	NA	0	0%	NA
Injection drug use (IDU)	18	4%	NA	13	3%	NA	5	9%	NA
MSM+IDU	30	7%	NA	30	8%	NA	0	0%	NA
Heterosexual contact	48	11%	NA	16	4%	NA	32	57%	NA
Perinatal exposure	3	1%	NA	0	0%	NA	3	5%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	47	11%	NA	31	8%	NA	16	29%	NA
<b>Total</b>	<b>437</b>	<b>100%</b>	<b>15.7</b>	<b>381</b>	<b>100%</b>	<b>27.2</b>	<b>56</b>	<b>100%</b>	<b>4.1</b>

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (April 2014)

New HIV Infections are counted in eHARS surveillance statistics and include HIV and AIDS cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states but who currently live in Nevada. HIV Diagnoses and AIDS Diagnoses may duplicate case counts if the person was diagnosed with both HIV and AIDS in the same year.

\* Rates per 100,000 population were calculated using 2013 population projections from the Nevada State Demographer vintage 2013 data.

\*\*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.



Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program Fast Facts

Nevada New AIDS Diagnoses, 2013

	Total			Male			Female		
	N	%	Rate*	n	%	Rate*	n	%	Rate*
<b>County of Diagnosis</b>									
Clark	221	89%	11.0	188	89%	18.5	33	89%	3.3
Washoe	22	9%	5.1	19	9%	8.7	3	8%	1.4
All Other Counties**	5	2%	1.5	4	2%	2.3	1	2.7%	0.6
<b>Total</b>	<b>248</b>	<b>100%</b>	<b>8.9</b>	<b>211</b>	<b>100%</b>	<b>15.0</b>	<b>37</b>	<b>100%</b>	<b>2.7</b>
<b>Race/Ethnicity</b>									
White, non-Hispanic	89	36%	5.5	79	37%	9.7	10	27%	1.2
Black, non-Hispanic	74	30%	37.1	54	26%	54.0	20	54%	20.1
Hispanic	68	27%	9.3	62	29%	16.0	6	16%	1.7
Asian/Hawaiian/Pacific Islander	12	5%	6.4	11	5%	12.7	1	3%	1.0
American Indian/Alaska Native	0	0%	0.0	0	0%	0.0	0	0%	0.0
Multi-race/Other	5	2%	NA	5	2%	NA	0	0%	NA
<b>Total</b>	<b>248</b>	<b>100%</b>	<b>8.9</b>	<b>211</b>	<b>100%</b>	<b>15.0</b>	<b>37</b>	<b>100%</b>	<b>2.7</b>
<b>Age Group at Diagnosis</b>									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 24	25	10%	5.6	21	10%	9.1	4	11%	1.8
25 to 34	67	27%	17.1	62	29%	30.5	5	14%	2.7
35 to 44	61	25%	16.1	56	27%	28.6	5	14%	2.8
45 to 54	57	23%	15.1	47	22%	24.2	10	27%	5.5
55 to 64	33	13%	10.3	20	9%	12.7	13	35%	8.1
65 +	5	2%	1.4	5	2%	3.1	0	0%	0.0
<b>Total</b>	<b>248</b>	<b>100%</b>	<b>8.9</b>	<b>211</b>	<b>100%</b>	<b>15.0</b>	<b>37</b>	<b>100%</b>	<b>2.7</b>
<b>Transmission Category</b>									
Male-to-male sexual contact (MSM)	158	64%	NA	158	75%	NA	0	0%	NA
Injection drug use (IDU)	18	7%	NA	12	6%	NA	6	16%	NA
MSM+IDU	6	2%	NA	6	3%	NA	0	0%	NA
Heterosexual contact	28	11%	NA	13	6%	NA	15	41%	NA
Perinatal exposure	2	1%	NA	0	0%	NA	2	5%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	36	15%	NA	22	10%	NA	14	38%	NA
<b>Total</b>	<b>248</b>	<b>100%</b>	<b>8.9</b>	<b>211</b>	<b>100%</b>	<b>15.0</b>	<b>37</b>	<b>100%</b>	<b>2.7</b>

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (April 2014)

New AIDS diagnoses are counted in eHARS surveillance statistics and include AIDS and HIV cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states but who currently live in Nevada. AIDS Diagnoses and HIV Diagnoses may duplicate case counts if the person was diagnosed with both AIDS and HIV in the same year.

\* Rates per 100,000 population were calculated using 2013 population projections from the Nevada State Demographer vintage 2013 data.

\*\*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.



Division of Public and Behavioral Health\*\* HIV/AIDS Surveillance Program Fast Facts

Persons Living with HIV/AIDS in Nevada, 2013

	Total			Male			Female		
	N	%	Rate*	n	%	Rate*	n	%	Rate*
<b>County of Residence</b>									
Clark	7,808	85%	388.8	6,563	85%	647.3	1,245	85%	125.2
Washoe	935	10%	216.9	794	10%	364.8	141	10%	66.1
All Other Counties**	412	5%	122.7	332	4%	194.7	80	5%	48.4
<b>Total</b>	<b>9,155</b>	<b>100%</b>	<b>329.9</b>	<b>7,689</b>	<b>100%</b>	<b>548.4</b>	<b>1,466</b>	<b>100%</b>	<b>106.8</b>
<b>Race/Ethnicity</b>									
White, non-Hispanic	4,458	49%	275.6	3,936	51%	485.3	522	36%	64.7
Black, non-Hispanic	2,216	24%	1,111.5	1,575	20%	1,575.2	641	44%	645.0
Hispanic	2,006	22%	272.9	1,771	23%	458.2	235	16%	67.4
Asian/Hawaiian/Pacific Islander	299	3%	160.1	261	3%	300.2	38	3%	38.1
American Indian/Alaska Native	71	1%	194.5	53	1%	298.5	18	1%	96.0
Multi-race/Other	105	1%	NA	93	1%	NA	12	1%	NA
<b>Total</b>	<b>9,155</b>	<b>100%</b>	<b>329.9</b>	<b>7,689</b>	<b>100%</b>	<b>548.4</b>	<b>1,466</b>	<b>100%</b>	<b>106.8</b>
<b>Age Group at End of Year</b>									
< 13	11	0%	2.2	5	0%	1.9	6	0%	2.4
13 to 24	337	4%	75.2	280	4%	121.3	57	4%	26.2
25 to 34	1,388	15%	354.9	1,172	15%	576.7	216	15%	114.9
35 to 44	2,148	23%	568.4	1,760	23%	897.5	388	26%	213.4
45 to 54	3,220	35%	853.3	2,747	36%	1,415.3	473	32%	258.1
55 to 64	1,541	17%	482.2	1,298	17%	821.0	243	17%	150.5
65 +	452	5%	128.4	377	5%	236.9	75	5%	38.9
Missing	58	1%	NA	50	1%	NA	8	1%	NA
<b>Total</b>	<b>9,155</b>	<b>100%</b>	<b>329.9</b>	<b>7,689</b>	<b>100%</b>	<b>548.4</b>	<b>1,466</b>	<b>100%</b>	<b>106.8</b>
<b>Transmission Category</b>									
Male-to-male sexual contact (MSM)	5,812	63%	NA	5,812	76%	NA	0	0%	NA
Injection drug use (IDU)	743	8%	NA	498	6%	NA	245	17%	NA
MSM+IDU	584	6%	NA	584	8%	NA	0	0%	NA
Heterosexual contact	1,173	13%	NA	283	4%	NA	890	61%	NA
Perinatal exposure	69	1%	NA	33	0%	NA	36	2%	NA
Transfusion/Hemophilia	11	0%	NA	7	0%	NA	4	0%	NA
No identified risk (NIR)	763	8%	NA	472	6%	NA	291	20%	NA
<b>Total</b>	<b>9,155</b>	<b>100%</b>	<b>329.9</b>	<b>7,689</b>	<b>100%</b>	<b>548.4</b>	<b>1,466</b>	<b>100%</b>	<b>106.8</b>

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (Feb 2014)

Persons living with HIV/AIDS data include data on persons living in Nevada with HIV (not yet AIDS) and AIDS based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or AIDS in Nevada.

\* Rates per 100,000 population were calculated using 2013 population projections from the Nevada State Demographer vintage 2013 data.

\*\*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.



Division of Public and Behavioral Health\*\* HIV/AIDS Surveillance Program Fast Facts

Clark County New HIV Infections (New Diagnoses), 2013

	Total			Male			Female		
	N	%	Rate*	n	%	Rate*	n	%	Rate*
<b>Race/Ethnicity</b>									
White, non-Hispanic	144	37%	13.5	128	38%	23.9	16	31%	3.0
Black, non-Hispanic	97	25%	52.4	73	22%	79.5	24	47%	25.7
Hispanic	118	30%	20.2	110	33%	35.9	8	16%	2.9
Asian/Hawaiian/Pacific Islander	17	4%	11.1	14	4%	19.5	3	6%	3.7
American Indian/Alaska Native	0	0%	0.0	0	0%	0.0	0	0%	0.0
Multi-race/Other	12	3%	NA	12	4%	NA	0	0%	NA
<b>Total</b>	<b>388</b>	<b>100%</b>	<b>19.3</b>	<b>337</b>	<b>100%</b>	<b>33.2</b>	<b>51</b>	<b>100%</b>	<b>5.1</b>
<b>Age Group at Diagnosis</b>									
< 13	2	1%	0.5	0	0%	0.0	2	4%	1.1
13 to 24	88	23%	27.3	78	23%	47.1	10	20%	6.4
25 to 34	137	35%	48.4	125	37%	85.1	12	24%	8.8
35 to 44	70	18%	24.8	62	18%	42.3	8	16%	5.9
45 to 54	61	16%	22.4	47	14%	33.4	14	27%	10.7
55 to 64	27	7%	12.3	22	7%	20.3	5	10%	4.5
65 +	3	1%	1.2	3	1%	2.7	0	0%	0.0
<b>Total</b>	<b>388</b>	<b>100%</b>	<b>19.3</b>	<b>337</b>	<b>100%</b>	<b>33.2</b>	<b>51</b>	<b>100%</b>	<b>5.1</b>
<b>Transmission Category</b>									
Male-to-male sexual contact (MSM)	258	66%	NA	258	77%	NA	0	0%	NA
Injection drug use (IDU)	13	3%	NA	9	3%	NA	4	8%	NA
MSM+IDU	26	7%	NA	26	8%	NA	0	0%	NA
Heterosexual contact	47	12%	NA	15	4%	NA	32	63%	NA
Perinatal exposure	3	1%	NA	0	0%	NA	3	6%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	41	11%	NA	29	9%	NA	12	24%	NA
<b>Total</b>	<b>388</b>	<b>100%</b>	<b>19.3</b>	<b>337</b>	<b>100%</b>	<b>33.2</b>	<b>51</b>	<b>100%</b>	<b>5.1</b>

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (April 2014)

New HIV Infections are counted in eHARS surveillance statistics and include HIV and AIDS cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states but who currently live in Nevada. HIV Diagnoses and AIDS Diagnoses may duplicate case counts if the person was diagnosed with both HIV and AIDS in the same year.

\* Rates per 100,000 population were calculated using 2013 population projections from the Nevada State Demographer vintage 2013 data.



Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program Fast Facts

Clark County New AIDS Diagnoses, 2013

	Total			Male			Female		
	N	%	Rate*	n	%	Rate*	n	%	Rate*
<b>Race/Ethnicity</b>									
White, non-Hispanic	77	35%	7.2	68	36%	12.7	9	27%	1.7
Black, non-Hispanic	67	30%	36.2	49	26%	53.4	18	55%	19.3
Hispanic	60	27%	10.3	55	29%	18.0	5	15%	1.8
Asian/Hawaiian/Pacific Islander	12	5%	7.8	11	6%	15.4	1	3%	1.2
American Indian/Alaska Native	0	0%	0.0	0	0%	0.0	0	0%	0.0
Multi-race/Other	5	2%	NA	5	3%	NA	0	0%	NA
<b>Total</b>	<b>221</b>	<b>100%</b>	<b>11.0</b>	<b>188</b>	<b>100%</b>	<b>18.5</b>	<b>33</b>	<b>100%</b>	<b>3.3</b>
<b>Age Group at Diagnosis</b>									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 24	23	10%	7.1	19	10%	11.5	4	12%	2.6
25 to 34	61	28%	21.5	57	30%	38.8	4	12%	2.9
35 to 44	53	24%	18.8	48	26%	32.8	5	15%	3.7
45 to 54	49	22%	18.0	40	21%	28.4	9	27%	6.9
55 to 64	30	14%	13.7	19	10%	17.5	11	33%	9.9
65 +	5	2%	2.0	5	3%	4.5	0	0%	0.0
<b>Total</b>	<b>221</b>	<b>100%</b>	<b>11.0</b>	<b>188</b>	<b>100%</b>	<b>18.5</b>	<b>33</b>	<b>100%</b>	<b>3.3</b>
<b>Transmission Category</b>									
Male-to-male sexual contact (MSM)	142	64%	NA	142	76%	NA	0	0%	NA
Injection drug use (IDU)	15	7%	NA	9	5%	NA	6	18%	NA
MSM+IDU	5	2%	NA	5	3%	NA	0	0%	NA
Heterosexual contact	26	12%	NA	12	6%	NA	14	42%	NA
Perinatal exposure	2	1%	NA	0	0%	NA	2	6%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	31	14%	NA	20	11%	NA	11	33%	NA
<b>Total</b>	<b>221</b>	<b>100%</b>	<b>11.0</b>	<b>188</b>	<b>100%</b>	<b>18.5</b>	<b>33</b>	<b>100%</b>	<b>3.3</b>

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (April 2014)

New AIDS diagnoses are counted in eHARS surveillance statistics and include AIDS and HIV cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states but who currently live in Nevada. AIDS Diagnoses and HIV Diagnoses may duplicate case counts if the person was diagnosed with both AIDS and HIV in the same year.

\* Rates per 100,000 population were calculated using 2013 population projections from the Nevada State Demographer vintage 2013 data.



Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program Fast Facts

Persons Living with HIV/AIDS in Clark County, 2013

	Total			Male			Female		
	N	%	Rate*	n	%	Rate*	n	%	Rate*
<b>Race/Ethnicity</b>									
White, non-Hispanic	3,576	46%	334.4	3,194	49%	595.9	382	31%	71.6
Black, non-Hispanic	2,052	26%	1,107.7	1,441	22%	1,569.8	611	49%	653.9
Hispanic	1,776	23%	304.7	1,577	24%	515.0	199	16%	71.9
Asian/Hawaiian/Pacific Islander	268	3%	174.3	238	4%	332.1	30	2%	36.6
American Indian/Alaska Native	48	1%	284.0	35	1%	424.7	13	1%	150.2
Multi-race/Other	88	1%	NA	78	1%	NA	10	1%	NA
<b>Total</b>	<b>7,808</b>	<b>100%</b>	<b>388.8</b>	<b>6,563</b>	<b>100%</b>	<b>647.3</b>	<b>1,245</b>	<b>100%</b>	<b>125.2</b>
<b>Age Group at End of Year</b>									
< 13	11	0%	2.9	5	0%	2.6	6	0%	3.2
13 to 24	304	4%	94.3	252	4%	152.2	52	4%	33.2
25 to 34	1,214	16%	428.5	1,032	16%	703.0	182	15%	133.4
35 to 44	1,845	24%	653.2	1,508	23%	1,029.1	337	27%	247.9
45 to 54	2,719	35%	999.8	2,328	35%	1,654.2	391	31%	298.0
55 to 64	1,293	17%	588.6	1,087	17%	1,002.9	206	17%	185.1
65 +	364	5%	148.2	301	5%	273.6	63	5%	46.4
Missing	58	1%	NA	50	1%	NA	8	1%	NA
<b>Total</b>	<b>7,808</b>	<b>100%</b>	<b>388.8</b>	<b>6,563</b>	<b>100%</b>	<b>647.3</b>	<b>1,245</b>	<b>100%</b>	<b>125.2</b>
<b>Transmission Category</b>									
Male-to-male sexual contact (MSM)	5,089	65%	NA	5,089	78%	NA	0	0%	NA
Injection drug use (IDU)	583	7%	NA	394	6%	NA	189	15%	NA
MSM+IDU	463	6%	NA	463	7%	NA	0	0%	NA
Heterosexual contact	1024	13%	NA	237	4%	NA	787	63%	NA
Perinatal exposure	61	1%	NA	30	0%	NA	31	2%	NA
Transfusion/Hemophilia	8	0%	NA	7	0%	NA	1	0%	NA
No identified risk (NIR)	580	7%	NA	343	5%	NA	237	19%	NA
<b>Total</b>	<b>7,808</b>	<b>100%</b>	<b>388.8</b>	<b>6,563</b>	<b>100%</b>	<b>647.3</b>	<b>1,245</b>	<b>100%</b>	<b>125.2</b>

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (Feb 2014)

Persons living with HIV/AIDS data include data on persons living in Nevada with HIV (not yet AIDS) and AIDS based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or AIDS in Nevada.

\* Rates per 100,000 population were calculated using 2013 population projections from the Nevada State Demographer vintage 2013 data.

Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program Fast Facts



Washoe County New HIV Infections and AIDS Diagnoses, 2013

	New HIV Infections			New AIDS Diagnoses		
	N	%	Rate*	N	%	Rate*
<b>Sex at Birth</b>						
Male	34	89%	15.6	19	86%	8.7
Female	4	11%	1.9	3	14%	1.4
<b>Total</b>	<b>38</b>	<b>100%</b>	<b>8.8</b>	<b>22</b>	<b>100%</b>	<b>5.1</b>
<b>Race/Ethnicity</b>						
White, non-Hispanic	21	55%	7.4	10	45%	3.5
Black, non-Hispanic	5	13%	51.3	7	32%	71.8
Hispanic	11	29%	10.8	5	23%	4.9
Asian/Hawaiian/Pacific Islander	0	0%	0.0	0	0%	0.0
American Indian/Alaska Native	1	3%	12.0	0	0%	0.0
Multi-race/Other	0	0%	NA	0	0%	NA
<b>Total</b>	<b>38</b>	<b>100%</b>	<b>8.8</b>	<b>22</b>	<b>100%</b>	<b>5.1</b>
<b>Age Group at Diagnosis</b>						
< 13	0	0%	0.0	0	0%	0.0
13 to 24	7	18%	9.7	2	9%	2.8
25 to 34	17	45%	26.7	4	18%	6.3
35 to 44	6	16%	10.6	7	32%	12.3
45 to 54	6	16%	10.2	7	32%	11.9
55 to 64	1	3%	1.9	2	9%	3.8
65 +	1	3%	1.9	0	0%	0.0
<b>Total</b>	<b>38</b>	<b>100%</b>	<b>8.8</b>	<b>22</b>	<b>100%</b>	<b>5.1</b>
<b>Transmission Category</b>						
<b>Males</b>						
Male-to-male sexual contact (MSM)	26	76%	NA	14	74%	NA
Injection drug use (IDU)	2	6%	NA	2	11%	NA
MSM+IDU	4	12%	NA	1	5%	NA
Heterosexual contact	1	3%	NA	1	5%	NA
Perinatal Exposure	0	0%	NA	0	0%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA
No identified risk (NIR)	1	3%	NA	1	5%	NA
<b>Subtotal</b>	<b>34</b>	<b>100%</b>	<b>15.6</b>	<b>19</b>	<b>100%</b>	<b>8.7</b>
<b>Females</b>						
IDU	1	25%	NA	0	0%	NA
Heterosexual contact	0	0%	NA	1	33%	NA
Perinatal Exposure	0	0%	NA	0	0%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA
No identified risk (NIR)	3	75%	NA	2	67%	NA
<b>Subtotal</b>	<b>4</b>	<b>100%</b>	<b>1.9</b>	<b>3</b>	<b>100%</b>	<b>1.4</b>
<b>Total</b>	<b>38</b>	<b>100%</b>	<b>8.8</b>	<b>22</b>	<b>100%</b>	<b>5.1</b>

Source: Division of Public Health and Behavioral Health, HIV/AIDS Reporting System (eHARS), (April 2014).

New HIV Infections are counted in eHARS surveillance statistics and include HIV and AIDS cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states but who currently live in Nevada. HIV Diagnoses and AIDS Diagnoses may duplicate case counts if the person was diagnosed with both HIV and AIDS in 2013.

\* Rates per 100,000 population were calculated using 2013 population projections from the Nevada State Demographer vintage 2013 data.





Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program Fast Facts

Persons Living with HIV/AIDS in Washoe County, 2013

	Total			Male			Female		
	N	%	Rate*	n	%	Rate*	n	%	Rate*
<b>Race/Ethnicity</b>									
White, non-Hispanic	606	65%	213.4	520	65%	365.9	86	61%	60.6
Black, non-Hispanic	117	13%	1,200.2	95	12%	1,835.5	22	16%	481.1
Hispanic	163	17%	160.2	139	18%	259.3	24	17%	49.9
Asian/Hawaiian/Pacific Islander	25	3%	91.8	19	2%	150.0	6	4%	41.2
American Indian/Alaska Native	16	2%	192.4	13	2%	317.3	3	2%	71.1
Multi-race/Other	8	1%	NA	8	1%	NA	0	0%	NA
<b>Total</b>	<b>935</b>	<b>100%</b>	<b>216.9</b>	<b>794</b>	<b>100%</b>	<b>364.8</b>	<b>141</b>	<b>100%</b>	<b>66.1</b>
<b>Age Group at End of Year</b>									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 24	25	3%	34.5	22	3%	59.0	3	2%	8.6
25 to 34	125	13%	196.2	102	13%	308.0	23	16%	75.2
35 to 44	219	23%	385.1	186	23%	638.4	33	23%	119.0
45 to 54	339	36%	574.0	288	36%	963.0	51	36%	175.0
55 to 64	175	19%	332.4	151	19%	576.0	24	17%	90.8
65 +	52	6%	100.7	45	6%	189.8	7	5%	25.0
Missing	0	0%	NA	0	0%	NA	0	0%	NA
<b>Total</b>	<b>935</b>	<b>100%</b>	<b>216.9</b>	<b>794</b>	<b>100%</b>	<b>364.8</b>	<b>141</b>	<b>100%</b>	<b>66.1</b>
<b>Transmission Category</b>									
Male-to-male sexual contact (MSM)	541	58%	NA	541	68%	NA	0	0%	NA
Injection drug use (IDU)	87	9%	NA	56	7%	NA	31	22%	NA
MSM+IDU	84	9%	NA	84	11%	NA	0	0%	NA
Heterosexual contact	92	10%	NA	22	3%	NA	70	50%	NA
Perinatal Exposure	4	0%	NA	1	0%	NA	3	2%	NA
Transfusion/Hemophilia	1	0%	NA	0	0%	NA	1	1%	NA
No identified risk (NIR)	126	13%	NA	90	11%	NA	36	26%	NA
<b>Total</b>	<b>935</b>	<b>100%</b>	<b>429.5</b>	<b>794</b>	<b>100%</b>	<b>364.8</b>	<b>141</b>	<b>100%</b>	<b>66.1</b>

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (Feb 2014)

Persons living with HIV/AIDS data include data on persons living in Nevada with HIV (not yet AIDS) and AIDS based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or AIDS in Nevada.

\* Rates per 100,000 population were calculated using 2013 population projections from the Nevada State Demographer vintage 2013 data.

Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program Fast Facts

Annual Percent Change: New HIV Infections and Persons Living with HIV/AIDS in Nevada, 2012-2013



County	New HIV Infections					All Persons Living with HIV/AIDS				
	2012		2013		Annual % Change:	2012		2013		Annual % Change:
	N	%	N	%	% Change <sup>†</sup>	N	%	N	%	% Change <sup>†</sup>
<b>Clark</b>	311	90%	388	89%	25%	7,515	85%	7,808	85%	4%
Washoe	26	8%	38	9%	46%	841	10%	935	10%	11%
All Other Counties**	7	2%	11	3%	NA**	436	5%	412	5%	-6%
<b>Total</b>	<b>344</b>	<b>100%</b>	<b>437</b>	<b>100%</b>	<b>27%</b>	<b>8,792</b>	<b>100%</b>	<b>9,155</b>	<b>100%</b>	<b>4%</b>
<b>Sex at Birth</b>										
Male	302	88%	381	87%	26%	7,366	84%	7,689	84%	4%
Female	42	12%	56	13%	33%	1,426	16%	1,466	16%	3%
<b>Total</b>	<b>344</b>	<b>100%</b>	<b>437</b>	<b>100%</b>	<b>27%</b>	<b>8,792</b>	<b>100%</b>	<b>9,155</b>	<b>100%</b>	<b>4%</b>
<b>Race/Ethnicity</b>										
White, non-Hispanic	129	38%	172	39%	33%	4,345	49%	4,458	49%	3%
Black, non-Hispanic	70	20%	102	23%	46%	2,127	24%	2,216	24%	4%
Hispanic	113	33%	133	30%	18%	1,885	21%	2,006	22%	6%
Asian/Hawaiian/Pacific Islander	23	7%	17	4%	-26%	284	3%	299	3%	5%
American Indian/Alaska Native	2	1%	1	0%	NA**	71	1%	71	1%	0%
Multi-race/Other	7	2%	12	3%	NA**	80	1%	105	1%	31%
<b>Total</b>	<b>344</b>	<b>100%</b>	<b>437</b>	<b>100%</b>	<b>27%</b>	<b>8,792</b>	<b>100%</b>	<b>9,155</b>	<b>100%</b>	<b>4%</b>
<b>Age Group*</b>										
< 13	0	0%	2	0%	NA	11	0%	11	0%	0%
13 to 24	74	22%	98	22%	32%	309	4%	337	4%	9%
25 to 34	111	32%	159	36%	43%	1,301	15%	1,388	15%	7%
35 to 44	88	26%	76	17%	-14%	2,208	25%	2,148	23%	-3%
45 to 54	50	15%	69	16%	38%	3,162	36%	3,220	35%	2%
55 to 64	17	5%	29	7%	71%	1,367	16%	1,541	17%	13%
65 +	4	1%	4	1%	0%	376	4%	452	5%	20%
Missing	0	0%	0	0%	NA**	58	1%	58	1%	0%
<b>Total</b>	<b>344</b>	<b>100%</b>	<b>437</b>	<b>100%</b>	<b>27%</b>	<b>8,792</b>	<b>100%</b>	<b>9,155</b>	<b>100%</b>	<b>4%</b>
<b>Transmission Category</b>										
<b>Males</b>										
Male-to-male sexual contact (MSM)	241	80%	291	76%	21%	5,555	75%	5,812	76%	5%
Injection drug use (IDU)	5	2%	13	3%	NA**	497	7%	498	6%	0%
MSM+IDU	16	5%	30	8%	88%	548	7%	584	8%	7%
Heterosexual contact	6	2%	16	4%	NA**	264	4%	283	4%	7%
Perinatal Exposure	0	0%	0	0%	NA	33	0%	33	0%	0%
Transfusion/Hemophilia	0	0%	0	0%	NA	7	0%	7	0%	0%
No identified risk (NIR)	34	11%	31	8%	-9%	462	6%	472	6%	2%
<b>Subtotal</b>	<b>302</b>	<b>100%</b>	<b>381</b>	<b>100%</b>	<b>26%</b>	<b>7,366</b>	<b>100%</b>	<b>7,689</b>	<b>100%</b>	<b>4%</b>
<b>Females</b>										
IDU	4	10%	5	9%	NA**	251	18%	245	17%	-2%
Heterosexual contact	11	26%	32	57%	191%	863	61%	890	61%	3%
Perinatal Exposure	0	0%	3	5%	NA	33	2%	36	2%	9%
Transfusion/Hemophilia	0	0%	0	0%	NA	4	0%	4	0%	0%
No identified risk (NIR)	27	64%	16	29%	-41%	275	19%	291	20%	6%
<b>Subtotal</b>	<b>42</b>	<b>100%</b>	<b>56</b>	<b>100%</b>	<b>33%</b>	<b>1,426</b>	<b>100%</b>	<b>1,466</b>	<b>100%</b>	<b>3%</b>
<b>Total</b>	<b>344</b>	<b>100%</b>	<b>437</b>	<b>100%</b>	<b>27%</b>	<b>8,792</b>	<b>100%</b>	<b>9,155</b>	<b>100%</b>	<b>4%</b>

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (Feb 2014)

New HIV Infections are counted in eHARS surveillance statistics and include HIV and AIDS cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states, but who currently live in Nevada. HIV Diagnoses and AIDS Diagnoses may duplicate case counts if the person was diagnosed with both HIV and AIDS in the same year.

Persons living HIV/AIDS data includes data on persons living in Nevada with HIV (not yet AIDS) and AIDS based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or AIDS in Nevada.

\* For New HIV infections, age refers to age at HIV infection diagnosis. For persons living with HIV/AIDS, age refers to age at the end of the report year.

\*\*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

<sup>†</sup>Annual % Change is the percentage increase or decrease relative to the number of cases in 2012. Take caution when interpreting percent changes calculated from small case counts because they can be susceptible to high variability and are likely to be misleading.

\*Percent change for small counts are not shown as they are susceptible to high variability and are misleading.



Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program

Facility of Diagnosis for New HIV Infections, Nevada HIV/AIDS Fast Facts, 2013

Facility of Diagnosis	Nevada		Clark County		Washoe County		All Other Counties*	
	N	%	n	%	n	%	n	%
HIV Counseling and Testing Site	136	31%	126	32%	10	26%	0	0%
Private Physician's Office	96	22%	94	24%	1	3%	1	9%
Inpatient Facility/Hospital	76	17%	70	18%	4	11%	2	18%
Outpatient Facility (unspecified)	18	4%	15	4%	2	5%	1	9%
Adult HIV Clinic	17	4%	1	0%	14	37%	2	18%
Correctional Facility	16	4%	13	3%	1	3%	2	18%
STD Clinic	49	11%	48	12%	0	0%	1	9%
Blood Bank or Plasma Center	10	2%	9	2%	1	3%	0	0%
Emergency Room	1	0%	1	0%	0	0%	0	0%
Tuberculosis Clinic	2	0%	2	1%	0	0%	0	0%
Facility/Other/Unknown	16	4%	9	2%	5	13%	2	18%
<b>Total</b>	<b>437</b>	<b>100%</b>	<b>388</b>	<b>100%</b>	<b>38</b>	<b>100%</b>	<b>11</b>	<b>100%</b>



Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program

Facility of Diagnosis for New AIDS Diagnoses, Nevada HIV/AIDS Fast Facts, 2013

Facility of Diagnosis	Nevada		Clark County		Washoe County		All Other Counties*	
	N	%	n	%	n	%	n	%
HIV Counseling and Testing Site	62	25%	62	28%	0	0%	0	0%
Private Physician's Office	41	17%	41	19%	0	0%	0	0%
Inpatient Facility/Hospital	89	36%	82	37%	6	27%	1	20%
Outpatient Facility (unspecified)	2	1%	2	1%	0	0%	0	0%
Adult HIV Clinic	40	16%	24	11%	14	64%	2	40%
Correctional Facility	12	5%	10	5%	1	5%	1	20%
STD Clinic	0	0%	0	0%	0	0%	0	0%
Blood Bank or Plasma Center	0	0%	0	0%	0	0%	0	0%
Emergency Room	0	0%	0	0%	0	0%	0	0%
Tuberculosis Clinic	0	0%	0	0%	0	0%	0	0%
Facility/Other/Unknown	2	1%	0	0%	1	5%	1	20%
<b>Total</b>	<b>248</b>	<b>100%</b>	<b>221</b>	<b>100%</b>	<b>22</b>	<b>100%</b>	<b>5</b>	<b>100%</b>

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (April 2014)

New HIV Infections are counted in eHARS surveillance statistics and include HIV and AIDS cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states, but who currently live in Nevada. HIV Diagnoses and AIDS Diagnoses may duplicate case counts if the person was diagnosed with both HIV and AIDS in 2013

\*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

**For more information, contact:**

**Sandi Larson, MPH  
HIV/AIDS/STD/Hepatitis Surveillance and Control Manager  
Office of Public Health Informatics and Epidemiology  
Division of Public and Behavioral Health  
3811 W Charleston Blvd Ste 205  
Las Vegas NV 89102  
Phone: (702)486-0068  
slarson@health.nv.gov**

**Angel Stachnik, MPH  
HIV/STD Epidemiologist  
Office of Public Health Informatics and Epidemiology  
Division of Public and Behavioral Health  
3811 W Charleston Blvd Ste 205  
Las Vegas NV 89102  
Phone: (702)486-0403  
astachnik@health.nv.gov**

**Theron Huntamer  
HIV/AIDS Epidemiology Capacity Coordinator  
Office of Public Health Informatics and Epidemiology  
Division of Public and Behavioral Health  
4126 Technology Way Ste 201  
Carson City NV 89706  
Phone: (775)684-4152  
thuntamer@health.nv.gov**

**Recommended Citation:**

**Office of Public Health Informatics and Epidemiology. Division of Public and Behavioral Health. *2013 HIV Fast Facts*. Carson City, Nevada. e1.0. August 2014.**

*The authors would like to recognize the Centers for Disease Control and Prevention (CDC) for their support through Grant Number 5U62PS004024-02 for the HIV/AIDS Surveillance Program. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the CDC.*