



## 2014 HIV/AIDS Fast Facts



**Division of Public and Behavioral Health**  
**Office of Public Health Informatics and Epidemiology**  
**HIV/AIDS Surveillance Program**

Brian Sandoval, Governor  
State of Nevada

Richard Whitley, MS, Interim  
Director  
Department of Health and  
Human Services



Richard Whitley, MS, Administrator

Tracey D. Green, MD, Chief Medical  
Officer  
Division of Public and Behavioral  
Health



## Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program Fast Facts

### Nevada New HIV Infections (New Diagnoses), 2014

	Total			Male			Female		
	N	%	Rate*	n	%	Rate*	n	%	Rate*
<b>County of Diagnosis</b>									
Clark	375	89%	18.3	325	89%	31.5	50	89%	4.9
Washoe	39	9%	8.9	33	9%	15.0	4	7%	1.8
All Other Counties**	8	2%	2.4	6	2%	3.5	2	4%	1.2
<b>Total</b>	<b>420</b>	<b>100%</b>	<b>14.8</b>	<b>364</b>	<b>100%</b>	<b>25.5</b>	<b>56</b>	<b>100%</b>	<b>4.0</b>
<b>Race/Ethnicity</b>									
White, non-Hispanic	155	37%	10.2	137	38%	17.7	18	32%	2.4
Black, non-Hispanic	101	24%	42.7	77	21%	64.7	24	43%	20.5
Hispanic	128	30%	16.3	120	33%	29.8	8	14%	2.1
Asian/Hawaiian/Pacific Islander	23	5%	9.3	17	5%	14.8	6	11%	4.5
American Indian/Alaska Native	3	1%	9.2	3	1%	18.4	0	0%	0.0
Multi-race/Other	10	2%	NA	10	3%	NA	0	0%	NA
<b>Total</b>	<b>420</b>	<b>100%</b>	<b>14.8</b>	<b>364</b>	<b>100%</b>	<b>25.5</b>	<b>56</b>	<b>100%</b>	<b>4.0</b>
<b>Age Group at Diagnosis</b>									
< 13	2	< 1%	0.4	0	0%	0.0	2	4%	0.8
13 to 24	97	23%	23.4	89	24%	41.5	8	14%	4.0
25 to 34	145	35%	38.4	126	35%	65.4	19	34%	10.3
35 to 44	78	19%	19.6	67	18%	32.9	11	20%	5.7
45 to 54	73	17%	19.0	59	16%	30.0	14	25%	7.5
55 to 64	22	5%	6.5	21	6%	12.7	1	2%	0.6
65 +	3	1%	0.8	2	1%	1.1	1	2%	0.5
<b>Total</b>	<b>420</b>	<b>100%</b>	<b>14.8</b>	<b>364</b>	<b>100%</b>	<b>25.5</b>	<b>56</b>	<b>100%</b>	<b>4.0</b>
<b>Transmission Category</b>									
Male-to-male sexual contact (MSM)	273	65%	NA	273	75%	NA	0	0%	NA
Injection drug use (IDU)	17	4%	NA	12	3%	NA	5	9%	NA
MSM+IDU	25	6%	NA	25	7%	NA	0	0%	NA
Heterosexual contact	31	7%	NA	11	3%	NA	20	36%	NA
Perinatal exposure	2	< 1%	NA	0	0%	NA	2	4%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	72	17%	NA	43	12%	NA	29	52%	NA
<b>Total</b>	<b>420</b>	<b>100%</b>	<b>14.8</b>	<b>364</b>	<b>100%</b>	<b>25.5</b>	<b>56</b>	<b>100%</b>	<b>4.0</b>

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2014)

New HIV Infections are counted in eHARS surveillance statistics and include HIV and AIDS cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states but who currently live in Nevada. HIV Diagnoses and AIDS Diagnoses may duplicate case counts if the person was diagnosed with both HIV and AIDS in the same year.

\* Rates per 100,000 population were calculated using 2014 population projections from the Nevada State Demographer vintage 2014 data.

\*\*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.



Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program Fast Facts

Nevada New AIDS Diagnoses, 2014

	Total			Male			Female		
	N	%	Rate*	n	%	Rate*	n	%	Rate*
<b>County of Diagnosis</b>									
Clark	180	87%	8.8	148	87%	14.4	32	89%	3.1
Washoe	19	9%	4.3	17	10%	7.7	2	6%	0.9
All Other Counties**	7	3%	2.1	5	3%	2.9	2	6%	1.2
<b>Total</b>	<b>206</b>	<b>100%</b>	<b>7.3</b>	<b>170</b>	<b>100%</b>	<b>11.9</b>	<b>36</b>	<b>100%</b>	<b>2.6</b>
<b>Race/Ethnicity</b>									
White, non-Hispanic	84	41%	5.5	76	45%	9.8	8	22%	1.1
Black, non-Hispanic	54	26%	22.8	38	22%	31.9	16	44%	13.6
Hispanic	51	25%	6.5	43	25%	10.7	8	22%	2.1
Asian/Hawaiian/Pacific Islander	15	7%	6.1	12	7%	10.4	3	8%	2.3
American Indian/Alaska Native	2	1%	6.2	1	1%	6.1	1	3%	6.2
Multi-race/Other	0	0%	NA	0	0%	NA	0	0%	NA
<b>Total</b>	<b>206</b>	<b>100%</b>	<b>7.3</b>	<b>170</b>	<b>100%</b>	<b>11.9</b>	<b>36</b>	<b>100%</b>	<b>2.6</b>
<b>Age Group at Diagnosis</b>									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 24	17	8%	4.1	12	7%	5.6	5	14%	2.5
25 to 34	50	24%	13.2	45	26%	23.4	5	14%	2.7
35 to 44	54	26%	13.6	45	26%	22.1	9	25%	4.6
45 to 54	58	28%	15.1	47	28%	23.9	11	31%	5.9
55 to 64	22	11%	6.5	17	10%	10.3	5	14%	2.9
65 +	5	2%	1.3	4	2%	2.2	1	3%	0.5
<b>Total</b>	<b>206</b>	<b>100%</b>	<b>7.3</b>	<b>170</b>	<b>100%</b>	<b>11.9</b>	<b>36</b>	<b>100%</b>	<b>2.6</b>
<b>Transmission Category</b>									
Male-to-male sexual contact (MSM)	126	61%	NA	126	74%	NA	0	0%	NA
Injection drug use (IDU)	12	6%	NA	8	5%	NA	4	11%	NA
MSM+IDU	13	6%	NA	13	8%	NA	0	0%	NA
Heterosexual contact	18	9%	NA	3	2%	NA	15	42%	NA
Perinatal exposure	0	0%	NA	0	0%	NA	0	0%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	37	18%	NA	20	12%	NA	17	47%	NA
<b>Total</b>	<b>206</b>	<b>100%</b>	<b>7.3</b>	<b>170</b>	<b>100%</b>	<b>11.9</b>	<b>36</b>	<b>100%</b>	<b>2.6</b>

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2014)

New AIDS diagnoses are counted in eHARS surveillance statistics and include AIDS and HIV cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states but who currently live in Nevada. AIDS Diagnoses and HIV Diagnoses may duplicate case counts if the person was diagnosed with both AIDS and HIV in the same year.

\* Rates per 100,000 population were calculated using 2014 population projections from the Nevada State Demographer vintage 2014 data.

\*\*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.



## Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program Fast Facts

### Persons Living with HIV/AIDS in Nevada, 2014

	Total			Male			Female		
	N	%	Rate*	n	%	Rate*	n	%	Rate*
<b>County of Residence</b>									
Clark	8,449	86%	411.8	7,122	86%	690.6	1,327	86%	130.0
Washoe	956	10%	218.5	815	10%	369.6	141	9%	65.0
All Other Counties**	426	4%	125.6	345	4%	199.0	81	5%	48.8
<b>Total</b>	<b>9,831</b>	<b>100%</b>	<b>347.5</b>	<b>8,282</b>	<b>100%</b>	<b>581.1</b>	<b>1,549</b>	<b>100%</b>	<b>110.4</b>
<b>Race/Ethnicity</b>									
White, non-Hispanic	4,652	47%	304.7	4,114	50%	532.3	538	35%	71.4
Black, non-Hispanic	2,432	25%	1,028.9	1,741	21%	1,462.3	691	45%	589.0
Hispanic	2,208	22%	280.9	1,963	24%	488.1	245	16%	63.8
Asian/Hawaiian/Pacific Islander	330	3%	133.6	285	3%	248.1	45	3%	34.1
American Indian/Alaska Native	80	1%	246.2	62	1%	381.1	18	1%	111.0
Multi-race/Other	129	1%	NA	117	1%	NA	12	1%	NA
<b>Total</b>	<b>9,831</b>	<b>100%</b>	<b>347.5</b>	<b>8,282</b>	<b>100%</b>	<b>581.1</b>	<b>1,549</b>	<b>100%</b>	<b>110.4</b>
<b>Age Group at End of Year</b>									
< 13	11	< 1%	2.1	4	< 1%	1.5	7	< 1%	2.7
13 to 24	363	4%	87.5	304	4%	141.9	59	4%	29.4
25 to 34	1,561	16%	413.2	1,339	16%	695.2	222	14%	119.9
35 to 44	2,170	22%	546.2	1,785	22%	877.4	385	25%	198.7
45 to 54	3,371	34%	877.1	2,868	35%	1,458.4	503	32%	268.0
55 to 64	1,754	18%	521.7	1,479	18%	893.0	275	18%	161.2
65 +	543	6%	140.6	453	5%	252.0	90	6%	43.6
Missing	58	1%	NA	50	1%	NA	8	1%	NA
<b>Total</b>	<b>9,831</b>	<b>100%</b>	<b>347.5</b>	<b>8,282</b>	<b>100%</b>	<b>581.1</b>	<b>1,549</b>	<b>100%</b>	<b>110.4</b>
<b>Transmission Category</b>									
Male-to-male sexual contact (MSM)	6,297	64%	NA	6,297	76%	NA	0	0%	NA
Injection drug use (IDU)	747	8%	NA	498	6%	NA	249	16%	NA
MSM+IDU	639	6%	NA	639	8%	NA	0	0%	NA
Heterosexual contact	1,230	13%	NA	294	4%	NA	936	60%	NA
Perinatal exposure	73	1%	NA	33	< 1%	NA	40	3%	NA
Transfusion/Hemophilia	10	< 1%	NA	7	< 1%	NA	3	0%	NA
No identified risk (NIR)	835	8%	NA	514	6%	NA	321	21%	NA
<b>Total</b>	<b>9,831</b>	<b>100%</b>	<b>347.5</b>	<b>8,282</b>	<b>100%</b>	<b>581.1</b>	<b>1,549</b>	<b>100%</b>	<b>110.4</b>

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2014)

Persons living with HIV/AIDS data include data on persons living in Nevada with HIV (not yet AIDS) and AIDS based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or AIDS in Nevada.

\* Rates per 100,000 population were calculated using 2014 population projections from the Nevada State Demographer vintage 2014 data.

\*\*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.



Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program Fast Facts

Clark County New HIV Infections (New Diagnoses), 2014

	Total			Male			Female		
	N	%	Rate*	n	%	Rate*	n	%	Rate*
<b>Race/Ethnicity</b>									
White, non-Hispanic	119	32%	12.2	107	33%	21.5	12	24%	2.5
Black, non-Hispanic	100	27%	45.2	76	23%	69.1	24	48%	21.6
Hispanic	120	32%	19.1	112	34%	35.1	8	16%	2.6
Asian/Hawaiian/Pacific Islander	23	6%	10.9	17	5%	17.2	6	12%	5.3
American Indian/Alaska Native	3	1%	22.2	3	1%	43.5	0	0%	0.0
Multi-race/Other	10	3%	NA	10	3%	NA	0	0%	NA
<b>Total</b>	<b>375</b>	<b>100%</b>	<b>18.3</b>	<b>325</b>	<b>100%</b>	<b>31.5</b>	<b>50</b>	<b>100%</b>	<b>4.9</b>
<b>Age Group at Diagnosis</b>									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 24	89	24%	30.2	81	25%	53.5	8	16%	5.6
25 to 34	130	35%	46.6	114	35%	80.5	16	32%	11.7
35 to 44	71	19%	23.2	61	19%	39.0	10	20%	6.7
45 to 54	62	17%	22.0	48	15%	33.3	14	28%	10.2
55 to 64	20	5%	8.6	19	6%	16.8	1	2%	0.8
65 +	3	1%	1.1	2	1%	1.6	1	2%	0.7
<b>Total</b>	<b>375</b>	<b>100%</b>	<b>18.3</b>	<b>325</b>	<b>100%</b>	<b>31.5</b>	<b>50</b>	<b>100%</b>	<b>4.9</b>
<b>Transmission Category</b>									
Male-to-male sexual contact (MSM)	255	68%	NA	255	78%	NA	0	0%	NA
Injection drug use (IDU)	9	2%	NA	6	2%	NA	3	6%	NA
MSM+IDU	18	5%	NA	18	6%	NA	0	0%	NA
Heterosexual contact	30	8%	NA	11	3%	NA	19	38%	NA
Perinatal exposure	1	< 1%	NA	0	0%	NA	1	2%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	62	17%	NA	35	11%	NA	27	54%	NA
<b>Total</b>	<b>375</b>	<b>100%</b>	<b>18.3</b>	<b>325</b>	<b>100%</b>	<b>31.5</b>	<b>50</b>	<b>100%</b>	<b>4.9</b>

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2014)

New HIV Infections are counted in eHARS surveillance statistics and include HIV and AIDS cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states but who currently live in Nevada. HIV Diagnoses and AIDS Diagnoses may duplicate case counts if the person was diagnosed with both HIV and AIDS in

\* Rates per 100,000 population were calculated using 2014 population projections from the Nevada State Demographer vintage 2014 data.



Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program Fast Facts

Clark County New AIDS Diagnoses, 2014

	Total			Male			Female		
	N	%	Rate*	n	%	Rate*	n	%	Rate*
<b>Race/Ethnicity</b>									
White, non-Hispanic	65	36%	6.6	59	40%	11.9	6	19%	1.2
Black, non-Hispanic	51	28%	23.1	36	24%	32.7	15	47%	13.5
Hispanic	47	26%	7.5	40	27%	12.5	7	22%	2.3
Asian/Hawaiian/Pacific Islander	15	8%	7.1	12	8%	12.2	3	9%	2.7
American Indian/Alaska Native	2	1%	14.8	1	1%	14.5	1	3%	15.1
Multi-race/Other	0	0%	NA	0	0%	NA	0	0%	NA
<b>Total</b>	<b>180</b>	<b>100%</b>	<b>8.8</b>	<b>148</b>	<b>100%</b>	<b>14.4</b>	<b>32</b>	<b>100%</b>	<b>3.1</b>
<b>Age Group at Diagnosis</b>									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 24	17	9%	5.8	12	8%	7.9	5	16%	3.5
25 to 34	46	26%	16.5	42	28%	29.6	4	13%	2.9
35 to 44	48	27%	15.7	41	28%	26.2	7	22%	4.7
45 to 54	45	25%	16.0	35	24%	24.3	10	31%	7.3
55 to 64	20	11%	8.6	15	10%	13.2	5	16%	4.2
65 +	4	2%	1.5	3	2%	2.5	1	3%	0.7
<b>Total</b>	<b>180</b>	<b>100%</b>	<b>8.8</b>	<b>148</b>	<b>100%</b>	<b>14.4</b>	<b>32</b>	<b>100%</b>	<b>3.1</b>
<b>Transmission Category</b>									
Male-to-male sexual contact (MSM)	121	67%	NA	121	82%	NA	0	0%	NA
Injection drug use (IDU)	5	3%	NA	1	1%	NA	4	13%	NA
MSM+IDU	10	6%	NA	10	7%	NA	0	0%	NA
Heterosexual contact	16	9%	NA	3	2%	NA	13	41%	NA
Perinatal exposure	0	0%	NA	0	0%	NA	0	0%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	28	16%	NA	13	9%	NA	15	47%	NA
<b>Total</b>	<b>180</b>	<b>100%</b>	<b>8.8</b>	<b>148</b>	<b>100%</b>	<b>14.4</b>	<b>32</b>	<b>100%</b>	<b>3.1</b>

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2014)

New AIDS diagnoses are counted in eHARS surveillance statistics and include AIDS and HIV cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states but who currently live in Nevada. AIDS Diagnoses and HIV Diagnoses may duplicate case counts if the person was diagnosed with both AIDS and HIV in the same year.

\* Rates per 100,000 population were calculated using 2014 population projections from the Nevada State Demographer vintage 2014 data.



## Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program Fast Facts

### Persons Living with HIV/AIDS in Clark County, 2014

	Total			Male			Female		
	N	%	Rate*	n	%	Rate*	n	%	Rate*
<b>Race/Ethnicity</b>									
White, non-Hispanic	3,747	44%	383.0	3,349	47%	674.0	398	30%	82.7
Black, non-Hispanic	2,271	27%	1,027.2	1,608	23%	1,462.0	663	50%	596.8
Hispanic	1,965	23%	313.2	1,758	25%	551.2	207	16%	67.1
Asian/Hawaiian/Pacific Islander	297	4%	140.3	261	4%	264.6	36	3%	31.9
American Indian/Alaska Native	57	1%	421.6	44	1%	638.0	13	1%	196.3
Multi-race/Other	112	1%	NA	102	1%	NA	10	1%	NA
<b>Total</b>	<b>8,449</b>	<b>100%</b>	<b>411.8</b>	<b>7,122</b>	<b>100%</b>	<b>690.6</b>	<b>1,327</b>	<b>100%</b>	<b>130.0</b>
<b>Age Group at End of Year</b>									
< 13	9	< 1%	2.3	4	< 1%	2.0	5	< 1%	2.6
13 to 24	326	4%	110.6	271	4%	178.8	55	4%	38.4
25 to 34	1,381	16%	495.5	1,191	17%	840.6	190	14%	138.6
35 to 44	1,899	22%	620.0	1,562	22%	999.0	337	25%	224.8
45 to 54	2,850	34%	1,012.4	2,432	34%	1,685.4	418	31%	304.6
55 to 64	1,482	18%	640.2	1,245	17%	1,098.1	237	18%	200.7
65 +	444	5%	169.3	367	5%	302.6	77	6%	54.6
Missing	58	1%	NA	50	1%	NA	8	1%	NA
<b>Total</b>	<b>8,449</b>	<b>100%</b>	<b>411.8</b>	<b>7,122</b>	<b>100%</b>	<b>690.6</b>	<b>1,327</b>	<b>100%</b>	<b>130.0</b>
<b>Transmission Category</b>									
Male-to-male sexual contact (MSM)	5,555	66%	NA	5,555	78%	NA	0	0%	NA
Injection drug use (IDU)	581	7%	NA	390	5%	NA	191	14%	NA
MSM+IDU	515	6%	NA	515	7%	NA	0	0%	NA
Heterosexual contact	1,085	13%	NA	249	3%	NA	836	63%	NA
Perinatal exposure	64	1%	NA	30	< 1%	NA	34	3%	NA
Transfusion/Hemophilia	8	< 1%	NA	7	< 1%	NA	1	< 1%	NA
No identified risk (NIR)	641	8%	NA	376	5%	NA	265	20%	NA
<b>Total</b>	<b>8,449</b>	<b>100%</b>	<b>411.8</b>	<b>7,122</b>	<b>100%</b>	<b>690.6</b>	<b>1,327</b>	<b>100%</b>	<b>130.0</b>

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2014)

Persons living with HIV/AIDS data include data on persons living in Nevada with HIV (not yet AIDS) and AIDS based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or AIDS in Nevada.

\* Rates per 100,000 population were calculated using 2014 population projections from the Nevada State Demographer vintage 2014 data.

Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program Fast Facts



Washoe County New HIV Infections and AIDS Diagnoses, 2014

	New HIV Infections			New AIDS Diagnoses		
	N	%	Rate*	N	%	Rate*
<b>Sex at Birth</b>						
Male	33	89%	15.0	17	89%	7.7
Female	4	11%	1.8	2	11%	0.9
<b>Total</b>	<b>37</b>	<b>100%</b>	<b>8.5</b>	<b>19</b>	<b>100%</b>	<b>4.3</b>
<b>Race/Ethnicity</b>						
White, non-Hispanic	28	76%	9.8	12	63%	4.2
Black, non-Hispanic	1	3%	9.3	3	16%	27.9
Hispanic	8	22%	7.7	4	21%	3.8
Asian/Hawaiian/Pacific Islander	0	0%	0.0	0	0%	0.0
American Indian/Alaska Native	0	0%	0.0	0	0%	0.0
Multi-race/Other	0	0%	NA	0	0%	NA
<b>Total</b>	<b>37</b>	<b>100%</b>	<b>8.5</b>	<b>19</b>	<b>100%</b>	<b>4.3</b>
<b>Age Group at Diagnosis</b>						
< 13	0	0%	0.0	0	0%	0.0
13 to 24	8	22%	12.5	0	0%	0.0
25 to 34	14	38%	22.3	3	16%	4.8
35 to 44	6	16%	11.1	5	26%	9.3
45 to 54	7	19%	12.1	8	42%	13.8
55 to 64	2	5%	3.5	2	11%	3.5
65 +	0	0%	0.0	1	5%	1.6
<b>Total</b>	<b>37</b>	<b>100%</b>	<b>8.5</b>	<b>19</b>	<b>100%</b>	<b>4.3</b>
<b>Transmission Category</b>						
<b>Males</b>						
Male-to-male sexual contact (MSM)	15	45%	NA	4	24%	NA
Injection drug use (IDU)	6	18%	NA	5	29%	NA
MSM+IDU	6	18%	NA	3	18%	NA
Heterosexual contact	0	0%	NA	0	0%	NA
Perinatal Exposure	0	0%	NA	0	0%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA
No identified risk (NIR)	6	18%	NA	5	29%	NA
<b>Subtotal</b>	<b>33</b>	<b>100%</b>	<b>15.0</b>	<b>17</b>	<b>100%</b>	<b>7.7</b>
<b>Females</b>						
IDU	2	50%	NA	0	0%	NA
Heterosexual contact	1	25%	NA	1	50%	NA
Perinatal Exposure	0	0%	NA	0	0%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA
No identified risk (NIR)	1	25%	NA	1	50%	NA
<b>Subtotal</b>	<b>4</b>	<b>100%</b>	<b>1.8</b>	<b>2</b>	<b>100%</b>	<b>0.9</b>
<b>Total</b>	<b>37</b>	<b>100%</b>	<b>8.5</b>	<b>19</b>	<b>100%</b>	<b>4.3</b>

Source: Division of Public Health and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2014).

New HIV Infections are counted in eHARS surveillance statistics and include HIV and AIDS cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states but who currently live in Nevada. HIV Diagnoses and AIDS Diagnoses may duplicate case counts if the person was diagnosed with both HIV and AIDS in 2014.

\* Rates per 100,000 population were calculated using 2014 population projections from the Nevada State Demographer vintage 2014 data.





## Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program Fast Facts

### Persons Living with HIV/AIDS in Washoe County, 2014

	Total			Male			Female		
	N	%	Rate*	n	%	Rate*	n	%	Rate*
<b>Race/Ethnicity</b>									
White, non-Hispanic	622	65%	217.2	537	66%	372.2	85	60%	59.8
Black, non-Hispanic	114	12%	1,058.5	94	12%	1,588.8	20	14%	412.1
Hispanic	168	18%	161.5	142	17%	266.6	26	18%	51.2
Asian/Hawaiian/Pacific Islander	29	3%	99.3	22	3%	162.5	7	5%	44.7
American Indian/Alaska Native	15	2%	208.9	12	1%	343.0	3	2%	81.5
Multi-race/Other	8	1%	NA	8	1%	NA	0	0%	NA
<b>Total</b>	<b>956</b>	<b>100%</b>	<b>218.5</b>	<b>815</b>	<b>100%</b>	<b>369.6</b>	<b>141</b>	<b>100%</b>	<b>65.0</b>
<b>Age Group at End of Year</b>									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 24	30	3%	46.8	27	3%	81.7	3	2%	9.7
25 to 34	139	15%	221.1	116	14%	361.0	23	16%	74.8
35 to 44	190	20%	352.3	158	19%	577.0	32	23%	120.5
45 to 54	348	36%	599.5	295	36%	1,000.5	53	38%	185.6
55 to 64	192	20%	340.6	169	21%	606.6	23	16%	80.7
65 +	57	6%	94.0	50	6%	175.6	7	5%	21.8
Missing	0	0%	NA	0	0%	NA	0	0%	NA
<b>Total</b>	<b>956</b>	<b>100%</b>	<b>218.5</b>	<b>815</b>	<b>100%</b>	<b>369.6</b>	<b>141</b>	<b>100%</b>	<b>65.0</b>
<b>Transmission Category</b>									
Male-to-male sexual contact (MSM)	551	58%	NA	551	68%	NA	0	0%	NA
Injection drug use (IDU)	91	10%	NA	58	7%	NA	33	23%	NA
MSM+IDU	86	9%	NA	86	11%	NA	0	0%	NA
Heterosexual contact	93	10%	NA	23	3%	NA	70	50%	NA
Perinatal Exposure	4	< 1%	NA	1	< 1%	NA	3	2%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	131	14%	NA	96	12%	NA	35	25%	NA
<b>Total</b>	<b>956</b>	<b>100%</b>	<b>433.6</b>	<b>815</b>	<b>100%</b>	<b>369.6</b>	<b>141</b>	<b>100%</b>	<b>65.0</b>

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2014)

Persons living with HIV/AIDS data include data on persons living in Nevada with HIV (not yet AIDS) and AIDS based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or AIDS in Nevada.

\* Rates per 100,000 population were calculated using 2014 population projections from the Nevada State Demographer vintage 2014 data.

Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program Fast Facts



Annual Percent Change: New HIV Infections and Persons Living with HIV/AIDS in Nevada, 2013-2014

County	New HIV Infections					All Persons Living with HIV/AIDS				
	2013		2014		Annual % Change:	2013		2014		Annual % Change:
	N	%	N	%	% Change <sup>†</sup>	N	%	N	%	% Change <sup>†</sup>
<b>County</b>										
Clark	391	89%	375	89%	-4%	7,808	85%	8,449	86%	8%
Washoe	38	9%	37	9%	-3%	935	10%	956	10%	2%
All Other Counties**	11	3%	8	2%	NA <sup>‡</sup>	412	5%	426	4%	3%
<b>Total</b>	<b>440</b>	<b>100%</b>	<b>420</b>	<b>100%</b>	<b>-5%</b>	<b>9,155</b>	<b>100%</b>	<b>9,831</b>	<b>100%</b>	<b>7%</b>
<b>Sex at Birth</b>										
Male	383	87%	364	87%	-5%	7,689	84%	8,282	84%	8%
Female	57	13%	56	13%	-2%	1,466	16%	1,549	16%	6%
<b>Total</b>	<b>440</b>	<b>100%</b>	<b>420</b>	<b>100%</b>	<b>-5%</b>	<b>9,155</b>	<b>100%</b>	<b>9,831</b>	<b>100%</b>	<b>7%</b>
<b>Race/Ethnicity</b>										
White, non-Hispanic	173	39%	155	37%	-10%	4,458	49%	4,652	47%	4%
Black, non-Hispanic	102	23%	101	24%	-1%	2,216	24%	2,432	25%	10%
Hispanic	135	31%	128	30%	-5%	2,006	22%	2,208	22%	10%
Asian/Hawaiian/Pacific Islander	17	4%	23	5%	35%	299	3%	330	3%	10%
American Indian/Alaska Native	1	< 1%	3	1%	NA <sup>‡</sup>	71	1%	80	1%	13%
Multi-race/Other	12	3%	10	2%	-17%	105	1%	129	1%	23%
<b>Total</b>	<b>440</b>	<b>100%</b>	<b>420</b>	<b>100%</b>	<b>-5%</b>	<b>9,155</b>	<b>100%</b>	<b>9,831</b>	<b>100%</b>	<b>7%</b>
<b>Age Group*</b>										
< 13	2	0%	2	0%	NA <sup>‡</sup>	11	0%	11	0%	0%
13 to 24	99	23%	97	23%	-2%	337	4%	363	4%	8%
25 to 34	159	36%	145	35%	-9%	1,388	15%	1,561	16%	12%
35 to 44	76	17%	78	19%	3%	2,148	23%	2,170	22%	1%
45 to 54	71	16%	73	17%	3%	3,220	35%	3,371	34%	5%
55 to 64	29	7%	22	5%	-24%	1,541	17%	1,754	18%	14%
65 +	4	1%	3	1%	NA <sup>‡</sup>	452	5%	543	6%	20%
Missing	0	0%	0	0%	NA	58	1%	58	1%	0%
<b>Total</b>	<b>440</b>	<b>100%</b>	<b>420</b>	<b>100%</b>	<b>-5%</b>	<b>9,155</b>	<b>100%</b>	<b>9,831</b>	<b>100%</b>	<b>7%</b>
<b>Transmission Category</b>										
<b>Males</b>										
Male-to-male sexual contact (MSM)	293	77%	273	75%	-7%	5,812	76%	6,297	76%	8%
Injection drug use (IDU)	13	3%	12	3%	-8%	498	6%	498	6%	0%
MSM+IDU	30	8%	25	7%	-17%	584	8%	639	8%	9%
Heterosexual contact	16	4%	11	3%	-31%	283	4%	294	4%	4%
Perinatal Exposure	0	0%	0	0%	NA	33	0%	33	0%	0%
Transfusion/Hemophilia	0	0%	0	0%	NA	7	0%	7	0%	NA <sup>‡</sup>
No identified risk (NIR)	31	8%	43	12%	39%	472	6%	514	6%	9%
<b>Subtotal</b>	<b>383</b>	<b>100%</b>	<b>364</b>	<b>100%</b>	<b>-5%</b>	<b>7,689</b>	<b>100%</b>	<b>8,282</b>	<b>100%</b>	<b>8%</b>
<b>Females</b>										
IDU	5	9%	5	9%	NA <sup>‡</sup>	245	17%	249	16%	2%
Heterosexual contact	32	56%	20	36%	-38%	890	61%	936	60%	5%
Perinatal Exposure	3	5%	2	4%	NA <sup>‡</sup>	36	2%	40	3%	11%
Transfusion/Hemophilia	0	0%	0	0%	NA	4	0%	3	0%	NA <sup>‡</sup>
No identified risk (NIR)	17	30%	29	52%	71%	291	20%	321	21%	10%
<b>Subtotal</b>	<b>57</b>	<b>100%</b>	<b>56</b>	<b>100%</b>	<b>-2%</b>	<b>1,466</b>	<b>100%</b>	<b>1,549</b>	<b>100%</b>	<b>6%</b>
<b>Total</b>	<b>440</b>	<b>100%</b>	<b>420</b>	<b>100%</b>	<b>-5%</b>	<b>9,155</b>	<b>100%</b>	<b>9,831</b>	<b>100%</b>	<b>7%</b>

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2014)

New HIV Infections are counted in eHARS surveillance statistics and include HIV and AIDS cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states, but who currently live in Nevada. HIV Diagnoses and AIDS Diagnoses may duplicate case counts if the person was diagnosed with both HIV and AIDS in the same year.

Persons living HIV AIDS data includes data on persons living in Nevada with HIV (not yet AIDS) and AIDS based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or AIDS in Nevada.

\* For New HIV infections, age refers to age at HIV infection diagnosis. For persons living with HIV/AIDS, age refers to age at the end of the report year.

\*\*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

†Annual % Change is the percentage increase or decrease relative to the number of cases in 2014. Take caution when interpreting percent changes calculated from small case counts because they can be susceptible to high variability and are likely to be misleading.

‡Percent change for small counts are not shown as they are susceptible to high variability and are misleading.



Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program

Facility of Diagnosis for New HIV Infections, Nevada HIV/AIDS Fast Facts, 2014

Facility of Diagnosis	Nevada		Clark County		Washoe County		All Other Counties*	
	N	%	n	%	n	%	n	%
HIV Counseling and Testing Site	124	30%	119	32%	5	14%	0	0%
Private Physician's Office	133	32%	127	34%	6	16%	0	0%
Inpatient Facility/Hospital	72	17%	61	16%	9	24%	2	25%
Outpatient Facility (unspecified)	0	0%	0	0%	0	0%	0	0%
Adult HIV Clinic	9	2%	1	< 1%	7	19%	1	13%
Correctional Facility	13	3%	13	3%	0	0%	0	0%
STD Clinic	15	4%	14	4%	0	0%	1	13%
Blood Bank or Plasma Center	17	4%	15	4%	2	5%	0	0%
Emergency Room	0	0%	0	0%	0	0%	0	0%
Tuberculosis Clinic	4	1%	4	1%	0	0%	0	0%
Obstetrics and Gynecology Clinic	2	< 1%	0	0%	2	5%	0	0%
Facility/Other/Unknown	31	7%	21	6%	6	16%	4	50%
<b>Total</b>	<b>420</b>	<b>100%</b>	<b>375</b>	<b>100%</b>	<b>37</b>	<b>100%</b>	<b>8</b>	<b>100%</b>



Division of Public and Behavioral Health~ HIV/AIDS Surveillance Program

Facility of Diagnosis for New AIDS Diagnoses, Nevada HIV/AIDS Fast Facts, 2014

Facility of Diagnosis	Nevada		Clark County		Washoe County		All Other Counties*	
	N	%	n	%	n	%	n	%
HIV Counseling and Testing Site	48	23%	48	27%	0	0%	0	0%
Private Physician's Office	41	20%	38	21%	2	11%	1	14%
Inpatient Facility/Hospital	84	41%	70	39%	10	53%	4	57%
Outpatient Facility (unspecified)	0	0%	0	0%	0	0%	0	0%
Adult HIV Clinic	26	13%	19	11%	6	32%	1	14%
Correctional Facility	7	3%	5	3%	1	5%	1	14%
STD Clinic	0	0%	0	0%	0	0%	0	0%
Blood Bank or Plasma Center	0	0%	0	0%	0	0%	0	0%
Emergency Room	0	0%	0	0%	0	0%	0	0%
Tuberculosis Clinic	0	0%	0	0%	0	0%	0	0%
Obstetrics and Gynecology Clinic	0	0%	0	0%	0	0%	0	0%
Facility/Other/Unknown	0	0%	0	0%	0	0%	0	0%
<b>Total</b>	<b>206</b>	<b>100%</b>	<b>180</b>	<b>100%</b>	<b>19</b>	<b>100%</b>	<b>7</b>	<b>100%</b>

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2014)

New HIV Infections are counted in eHARS surveillance statistics and include HIV and AIDS cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states, but who currently live in Nevada. HIV Diagnoses and AIDS Diagnoses may duplicate case counts if the person was diagnosed with both HIV and AIDS in 2014

\*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

**For more information, contact:**

**Sandi Larson, MPH**  
**HIV/AIDS/STD/Hepatitis Surveillance and Control Manager**  
**Office of Public Health Informatics and Epidemiology**  
**Division of Public and Behavioral Health**  
**3811 W Charleston Blvd Ste 205**  
**Las Vegas NV 89102**  
**Phone: (702)486-0068**  
**slarson@health.nv.gov**

**Angel Stachnik, MPH**  
**HIV/STD Epidemiologist**  
**Office of Public Health Informatics and Epidemiology**  
**Division of Public and Behavioral Health**  
**3811 W Charleston Blvd Ste 205**  
**Las Vegas NV 89102**  
**Phone: (702)486-0403**  
**astachnik@health.nv.gov**

**Theron Huntamer**  
**HIV/AIDS Epidemiology Capacity Coordinator**  
**Office of Public Health Informatics and Epidemiology**  
**Division of Public and Behavioral Health**  
**4126 Technology Way Ste 201**  
**Carson City NV 89706**  
**Phone: (775)684-4152**  
**thuntamer@health.nv.gov**

**Recommended Citation:**

**Office of Public Health Informatics and Epidemiology. Division of Public and Behavioral Health. 2014 HIV Fast Facts. Carson City, Nevada. e1.0. March 2015.**

*The authors would like to recognize the Centers for Disease Control and Prevention (CDC) for their support through Grant Number 5U62PS004024-02 for the HIV/AIDS Surveillance Program. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the CDC.*