



2015 HIV Fast Facts[‡]



Division of Public and Behavioral Health
Office of Public Health Informatics and Epidemiology
HIV/AIDS Surveillance Program



Brian Sandoval, Governor
State of Nevada

Cody L. Phinney, MPH, Administrator
Division of Public and Behavioral Health

Richard Whitley, MS, Director
Department of Health and Human Services

Leon Ravin, MD
Acting Chief Medical Officer



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Nevada New HIV Diagnoses, 2015

	Total			Male			Female		
	N	% [^]	Rate*	n	% [^]	Rate*	n	% [^]	Rate*
County of Diagnosis									
Clark	432	91%	20.6	374	90%	35.5	58	97%	5.6
Washoe	38	8%	8.6	36	9%	16.2	2	3%	~
All Other Counties**	7	1%	~	7	2%	~	0	0%	0.0
Total	477	100%	16.6	417	100%	28.8	60	100%	4.2
Race/Ethnicity									
White, non-Hispanic	164	34%	10.7	144	35%	18.6	20	33%	2.6
Black, non-Hispanic	118	25%	48.5	92	22%	75.2	26	43%	21.5
Hispanic	147	31%	18.1	139	33%	33.6	8	13%	~
Asian/Hawaiian/ Pacific Islander	38	8%	14.8	34	8%	28.5	4	7%	~
American Indian/ Alaska Native	4	1%	~	2	0%	~	2	3%	~
Multi-race/Other	6	1%	NA	6	1%	NA	0	0%	NA
Total	477	100%	16.6	417	100%	28.8	60	100%	4.2
Age Group at Diagnosis									
< 13	2	0%	~	0	0%	0.0	2	3%	~
13 to 24	82	17%	18.1	75	18%	32.1	7	12%	~
25 to 34	163	34%	42.2	144	35%	73.0	19	32%	10.0
35 to 44	114	24%	28.5	102	24%	49.9	12	20%	6.1
45 to 54	87	18%	22.3	75	18%	37.5	12	20%	6.3
55 to 64	22	5%	6.4	17	4%	10.0	5	8%	~
65 +	7	1%	~	4	1%	~	3	5%	~
Total	477	100%	16.6	417	100%	28.8	60	100%	4.2
Transmission Category									
Male-to-male sexual contact (MSM)	315	66%	NA	315	76%	NA	0	0%	NA
Injection drug use (IDU)	18	4%	NA	12	3%	NA	6	10%	NA
MSM+IDU	23	5%	NA	23	6%	NA	0	0%	NA
Heterosexual contact	32	7%	NA	12	3%	NA	20	33%	NA
Perinatal exposure	1	0%	NA	0	0%	NA	1	2%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	88	18%	NA	55	13%	NA	33	55%	NA
Total	477	100%	16.6	417	100%	28.8	60	100%	4.2

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2016)

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states, but who currently live in Nevada. HIV diagnoses and stage 3 (AIDS) Diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in 2015.

* Rates per 100,000 population were calculated using 2015 population projections from the Nevada State Demographer vintage 2015 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

~ Rates are suppressed due to unreliability based on the relative standard error for counts <12.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2015.

^Percent's may not equal 100% due to rounding and unknown counts.



**Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts
Nevada New Stage 3 (AIDS) Diagnoses, 2015**

	Total			Male			Female		
	N	%^	Rate*	n	%^	Rate*	n	%^	Rate*
County of Diagnosis									
Clark	185	92%	8.8	145	90%	13.8	40	98%	3.8
Washoe	11	5%	~	10	6%	~	1	2%	~
All Other Counties**	6	3%	~	6	4%	~	0	0%	0.0
Total	202	100%	7.0	161	100%	11.1	41	100%	2.9
Race/Ethnicity									
White, non-Hispanic	79	39%	5.2	67	42%	8.7	12	29%	1.6
Black, non-Hispanic	59	29%	24.3	40	25%	32.7	19	46%	15.7
Hispanic	50	25%	6.2	43	27%	10.4	7	17%	~
Asian/Hawaiian/ Pacific Islander	10	5%	3.9	7	4%	~	3	7%	~
American Indian/ Alaska Native	1	0%	~	1	1%	~	0	0%	0.0
Multi-race/Other	3	1%	NA	3	2%	NA	0	0%	NA
Total	202	100%	7.0	161	100%	11.1	41	100%	2.9
Age Group at Diagnosis									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 24	15	7%	3.3	10	6%	~	5	12%	~
25 to 34	53	26%	13.7	49	30%	24.8	4	10%	~
35 to 44	59	29%	14.7	48	30%	23.5	11	27%	~
45 to 54	53	26%	13.6	39	24%	19.5	14	34%	7.3
55 to 64	13	6%	3.8	9	6%	~	4	10%	~
65 +	9	4%	~	6	4%	~	3	7%	~
Total	202	100%	7.0	161	100%	11.1	41	100%	2.9
Transmission Category									
Male-to-male sexual contact (MSM)	118	58%	NA	118	73%	NA	0	0%	NA
Injection drug use (IDU)	13	6%	NA	7	4%	NA	6	15%	NA
MSM+IDU	8	4%	NA	8	5%	NA	0	0%	NA
Heterosexual contact	18	9%	NA	2	1%	NA	16	39%	NA
Perinatal exposure	0	0%	NA	0	0%	NA	0	0%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	45	22%	NA	26	16%	NA	19	46%	NA
Total	202	100%	7.0	161	100%	11.1	41	100%	2.9

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2016)

New stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include stage 3 (AIDS) and HIV cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but who currently live in Nevada. Stage 3 (AIDS) diagnoses and HIV diagnoses may duplicate case counts if the person was diagnosed with both stage 3 (AIDS) and HIV in the same year.

* Rates per 100,000 population were calculated using 2015 population projections from the Nevada State Demographer vintage 2015 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

~ Rates are suppressed due to unreliability based on the relative standard error for counts <12.

\$Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2015.

^Percent's may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts
Persons Living with HIV^s in Nevada, 2015

	Total			Male			Female		
	N	% [^]	Rate*	n	% [^]	Rate*	n	% [^]	Rate*
County of Residence									
Clark	8,753	86%	417.6	7,357	86%	699.0	1,396	87%	133.8
Washoe	970	10%	220.0	832	10%	374.7	138	9%	63.0
All Other Counties**	415	4%	123.0	338	4%	196.3	77	5%	46.6
Total	10,138	100%	352.7	8,527	100%	589.4	1,611	100%	112.9
Race/Ethnicity									
White, non-Hispanic	4,651	46%	303.9	4,103	48%	529.7	548	34%	72.5
Black, non-Hispanic	2,547	25%	1,048.0	1,820	21%	1,487.0	727	45%	601.9
Hispanic	2,349	23%	289.6	2,095	25%	505.7	254	16%	64.0
Asian/Hawaiian/ Pacific Islander	368	4%	143.4	318	4%	266.6	50	3%	36.4
American Indian/Alaska Native	82	1%	252.2	63	1%	387.5	19	1%	116.9
Multi-race/Other	141	1%	NA	128	2%	NA	13	1%	NA
Total	10,138	100%	352.7	8,527	100%	589.4	1,611	100%	112.9
Age Group at End of Year									
< 13	15	0%	3.0	4	0%	~	11	1%	~
13 to 24	365	4%	80.5	312	4%	133.3	53	3%	24.1
25 to 34	1,649	16%	426.7	1,413	17%	716.0	236	15%	124.8
35 to 44	2,128	21%	531.1	1,757	21%	859.2	371	23%	189.1
45 to 54	3,412	34%	872.9	2,910	34%	1,455.0	502	31%	262.9
55 to 64	1,895	19%	552.2	1,575	18%	929.6	320	20%	184.2
65 +	616	6%	154.4	507	6%	274.0	109	7%	50.9
Missing	58	1%	NA	49	1%	NA	9	1%	NA
Total	10,138	100%	352.7	8,527	100%	589.4	1,611	100%	112.9
Transmission Category									
Male-to-male sexual contact (MSM)	6,484	64%	NA	6,484	76%	NA	0	0%	NA
Injection drug use (IDU)	747	7%	NA	498	6%	NA	249	15%	NA
MSM+IDU	665	7%	NA	665	8%	NA	0	0%	NA
Heterosexual contact	1,271	13%	NA	304	4%	NA	967	60%	NA
Perinatal exposure	75	1%	NA	32	0%	NA	43	3%	NA
Transfusion/Hemophilia	11	0%	NA	7	0%	NA	4	0%	NA
No identified risk (NIR)	885	9%	NA	537	6%	NA	348	22%	NA
Total	10,138	100%	352.7	8,527	100%	589.4	1,611	100%	112.9

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2016)

Persons living with HIV data include data on persons living in Nevada with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in Nevada.

* Rates per 100,000 population were calculated using 2015 population projections from the Nevada State Demographer vintage 2015 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

~ Rates are suppressed due to unreliability based on the relative standard error for counts <12.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2015.

^Percent's may not equal 100% due to rounding and unknown counts.



**Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts
Clark County New HIV Diagnoses, 2015**

	Total			Male			Female		
	N	% [^]	Rate*	n	% [^]	Rate*	n	% [^]	Rate*
Race/Ethnicity									
White, non-Hispanic	137	32%	13.9	119	32%	23.8	18	31%	3.7
Black, non-Hispanic	115	27%	50.5	89	24%	78.6	26	45%	22.7
Hispanic	137	32%	21.1	129	34%	39.1	8	14%	~
Asian/Hawaiian/ Pacific Islander	33	8%	14.9	29	8%	28.2	4	7%	~
American Indian/ Alaska Native	4	1%	~	2	1%	~	2	3%	~
Multi-race/Other	6	1%	NA	6	2%	NA	0	0%	NA
Total	432	100%	20.6	374	100%	35.5	58	100%	5.6
Age Group at Diagnosis									
< 13	2	0%	~	0	0%	0.0	2	3%	~
13 to 24	75	17%	22.9	68	18%	40.4	7	12%	~
25 to 34	148	34%	52.2	130	35%	90.1	18	31%	12.9
35 to 44	106	25%	34.1	94	25%	59.4	12	21%	7.9
45 to 54	78	18%	27.0	66	18%	44.7	12	21%	8.5
55 to 64	16	4%	6.7	12	3%	10.2	4	7%	~
65 +	7	2%	~	4	1%	~	3	5%	~
Total	432	100%	20.6	374	100%	35.5	58	100%	5.6
Transmission Category									
Male-to-male sexual contact (MSM)	288	67%	NA	288	77%	NA	0	0%	NA
Injection drug use (IDU)	14	3%	NA	8	2%	NA	6	10%	NA
MSM+IDU	19	4%	NA	19	5%	NA	0	0%	NA
Heterosexual contact	31	7%	NA	12	3%	NA	19	33%	NA
Perinatal exposure	1	0%	NA	0	0%	NA	1	2%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	79	18%	NA	47	13%	NA	32	55%	NA
Total	432	100%	20.6	374	100%	35.5	58	100%	5.6

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2016)

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states, but who currently live in Nevada. HIV diagnoses and stage 3 (AIDS) Diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in 2015.

* Rates per 100,000 population were calculated using 2015 population projections from the Nevada State Demographer vintage 2015 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

~ Rates are suppressed due to unreliability based on the relative standard error for counts <12.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2015.

^Percent's may not equal 100% due to rounding and unknown counts.

**Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts
Clark County New Stage 3 (AIDS) Diagnoses, 2015**



	Total			Male			Female		
	N	% [^]	Rate*	n	% [^]	Rate*	n	% [^]	Rate*
Race/Ethnicity									
White, non-Hispanic	66	36%	6.7	55	38%	11.0	11	28%	2.3
Black, non-Hispanic	58	31%	25.5	39	27%	34.4	19	48%	16.6
Hispanic	49	26%	7.5	42	29%	12.7	7	18%	~
Asian/Hawaiian/ Pacific Islander	8	4%	~	5	3%	~	3	8%	~
American Indian/ Alaska Native	1	1%	~	1	1%	~	0	0%	0.0
Multi-race/Other	3	2%	NA	3	2%	NA	0	0%	NA
Total	185	100%	8.8	145	100%	13.8	40	100%	3.8
Age Group at Diagnosis									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 24	13	7%	4.0	8	6%	~	5	13%	~
25 to 34	51	28%	18.0	47	32%	32.6	4	10%	~
35 to 44	56	30%	18.0	45	31%	28.4	11	28%	~
45 to 54	48	26%	16.6	34	23%	23.0	14	35%	9.9
55 to 64	9	5%	~	6	4%	~	3	8%	~
65 +	8	4%	~	5	3%	~	3	8%	~
Total	185	100%	8.8	145	100%	13.8	40	100%	3.8
Transmission Category									
Male-to-male sexual contact (MSM)	108	58%	NA	108	74%	NA	0	0%	NA
Injection drug use (IDU)	11	6%	NA	6	4%	NA	5	13%	NA
MSM+IDU	6	3%	NA	6	4%	NA	0	0%	NA
Heterosexual contact	18	10%	NA	2	1%	NA	16	40%	NA
Perinatal exposure	0	0%	NA	0	0%	NA	0	0%	NA
Transfusion/ Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	42	23%	NA	23	16%	NA	19	48%	NA
Total	185	100%	8.8	145	100%	13.8	40	100%	3.8

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2016)

New stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include stage 3 (AIDS) and HIV cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but who currently live in Nevada. Stage 3 (AIDS) diagnoses and HIV diagnoses may duplicate case counts if the person was diagnosed with both stage 3 (AIDS) and HIV in the same year.

* Rates per 100,000 population were calculated using 2015 population projections from the Nevada State Demographer vintage 2015 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

~ Rates are suppressed due to unreliability based on the relative standard error for counts <12.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2015.

^Percent's may not equal 100% due to rounding and unknown counts.



**Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts
Persons Living with HIV^s in Clark County, 2015**

	Total			Male			Female		
	N	% [^]	Rate*	n	% [^]	Rate*	n	% [^]	Rate*
Race/Ethnicity									
White, non-Hispanic	3,744	43%	380.3	3,333	45%	666.7	411	29%	84.8
Black, non-Hispanic	2,392	27%	1,050.0	1,694	23%	1,496.0	698	50%	609.6
Hispanic	2,097	24%	322.9	1,880	26%	570.5	217	16%	67.9
Asian/Hawaiian/ Pacific Islander	336	4%	152.2	293	4%	285.0	43	3%	36.5
American Indian/ Alaska Native	61	1%	446.6	46	1%	660.1	15	1%	224.2
Multi-race/Other	123	1%	NA	111	2%	NA	12	1%	NA
Total	8,753	100%	417.6	7,357	100%	699.0	1,396	100%	133.8
Age Group at End of Year									
< 13	13	0%	3.5	4	0%	~	9	1%	~
13 to 24	324	4%	98.8	275	4%	163.5	49	4%	30.7
25 to 34	1,478	17%	521.0	1,273	17%	882.5	205	15%	147.0
35 to 44	1,881	21%	605.6	1,549	21%	978.6	332	24%	217.9
45 to 54	2,890	33%	999.2	2,470	34%	1,672.0	420	30%	296.8
55 to 64	1,599	18%	670.9	1,323	18%	1,128.0	276	20%	228.0
65 +	511	6%	188.2	414	6%	331.0	97	7%	66.3
Missing	57	1%	NA	49	1%	NA	8	1%	NA
Total	8,753	100%	417.6	7,357	100%	699.0	1,396	100%	133.8
Transmission Category									
Male-to-male sexual contact (MSM)	5,737	66%	NA	5,737	78%	NA	0	0%	NA
Injection drug use (IDU)	589	7%	NA	391	5%	NA	198	14%	NA
MSM+IDU	534	6%	NA	534	7%	NA	0	0%	NA
Heterosexual contact	1122	13%	NA	257	3%	NA	865	62%	NA
Perinatal exposure	67	1%	NA	30	0%	NA	37	3%	NA
Transfusion/Hemophilia	9	0%	NA	7	0%	NA	2	0%	NA
No identified risk (NIR)	695	8%	NA	401	5%	NA	294	21%	NA
Total	8,753	100%	417.6	7,357	100%	699.0	1,396	100%	133.8

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2016)

Persons living with HIV data include data on persons living in Nevada with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in Nevada.

* Rates per 100,000 population were calculated using 2015 population projections from the Nevada State Demographer vintage 2015 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

~ Rates are suppressed due to unreliability based on the relative standard error for counts <12.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2015.

^Percent's may not equal 100% due to rounding and unknown counts.



**Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts
Washoe County New HIV Diagnoses and Stage 3 (AIDS) Diagnoses, 2015**

	New HIV Diagnoses			New Stage 3 (AIDS) Diagnoses		
	N	% [^]	Rate*	N	% [^]	Rate*
Sex at Birth						
Male	36	95%	16.2	10	91%	~
Female	2	5%	~	1	9%	~
Total	38	100%	8.6	11	100%	~
Race/Ethnicity						
White, non-Hispanic	22	58%	7.7	8	73%	~
Black, non-Hispanic	3	8%	~	1	9%	~
Hispanic	8	21%	~	0	0%	0.0
Asian/Hawaiian/Pacific Islander	5	13%	~	2	18%	~
American Indian/Alaska Native	0	0%	0.0	0	0%	0.0
Multi-race/Other	0	0%	NA	0	0%	NA
Total	38	100%	8.6	11	100%	~
Age Group at Diagnosis						
< 13	0	0%	0.0	0	0%	0.0
13 to 24	6	16%	~	2	18%	~
25 to 34	13	34%	20.5	2	18%	~
35 to 44	6	16%	~	1	9%	~
45 to 54	7	18%	~	2	18%	~
55 to 64	6	16%	~	4	36%	~
65 +	0	0%	0.0	0	0%	0.0
Total	38	100%	8.6	11	100%	~
Transmission Category						
Males						
Male-to-male sexual contact (MSM)	23	64%	NA	7	70%	NA
Injection drug use (IDU)	4	11%	NA	1	10%	NA
MSM+IDU	3	8%	NA	1	10%	NA
Heterosexual contact	0	0%	NA	0	0%	NA
Perinatal Exposure	0	0%	NA	0	0%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA
No identified risk (NIR)	6	17%	NA	1	10%	NA
Subtotal	36	100%	16.2	10	100%	~
Females						
IDU	0	0%	NA	1	100%	NA
Heterosexual contact	1	50%	NA	0	0%	NA
Perinatal Exposure	0	0%	NA	0	0%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA
No identified risk (NIR)	1	50%	NA	0	0%	NA
Subtotal	2	100%	~	1	100%	~
Total	38	100%	8.6	11	100%	~

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2016)

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states, but who currently live in Nevada. HIV diagnoses and stage 3 (AIDS) Diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in 2015.

* Rates per 100,000 population were calculated using 2015 population projections from the Nevada State Demographer vintage 2015 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

~ Rates are suppressed due to unreliability based on the relative standard error for counts <12.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2015.

^Percent's may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts
Persons Living with HIV^s in Washoe County, 2015

	Total			Male			Female		
	N	% [^]	Rate*	n	% [^]	Rate*	n	% [^]	Rate*
Race/Ethnicity									
White, non-Hispanic	626	65%	218.2	544	65%	376.6	82	59%	57.6
Black, non-Hispanic	110	11%	1009.0	90	11%	1503.0	20	15%	407.0
Hispanic	179	19%	168.5	152	18%	279.6	27	20%	52.0
Asian/Hawaiian/Pacific Islander	28	3%	94.4	23	3%	167.3	5	4%	~
American Indian/Alaska Native	14	1%	193.9	11	1%	~	3	2%	~
Multi-race/Other/Unknown	13	1%	2.9	12	1%	~	1	1%	~
Total	970	100%	220.0	832	100%	374.7	138	100%	63.0
Age Group at End of Year									
< 13	0	0%	0.0	0	0.0%	0.0	0	0%	0.0
13 to 24	34	4%	48.3	31	3.7%	85.1	3	2%	~
25 to 34	133	14%	209.5	109	13.1%	336.9	24	17%	77.1
35 to 44	176	18%	322.8	151	18.1%	545.6	25	18%	93.1
45 to 54	358	37%	623.7	303	36.4%	1040.0	55	40%	194.7
55 to 64	204	21%	359.1	179	21.5%	636.3	25	18%	87.2
65 +	65	7%	103.4	59	7.1%	200.4	6	4%	~
Missing	0	0%	NA	0	0.0%	NA	0	0%	NA
Total	970	100.0%	220.0	832	100.0%	374.7	138	100%	63.0
Transmission Category									
Male-to-male sexual contact (MSM)	560	58%	NA	560	67%	NA	0	0%	NA
Injection drug use (IDU)	90	9%	NA	62	8%	NA	28	20%	NA
MSM+IDU	91	9%	NA	91	11%	NA	0	0%	NA
Heterosexual contact	96	10%	NA	25	3%	NA	71	51%	NA
Perinatal Exposure	4	0%	NA	1	0%	NA	3	2%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	129	13%	NA	93	11%	NA	36	26%	NA
Total	970	100%	220.0	832	100%	374.7	138	100%	63.0

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2016)

Persons living with HIV data include data on persons living in Nevada with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in Nevada.

* Rates per 100,000 population were calculated using 2015 population projections from the Nevada State Demographer vintage 2015 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

~ Rates are suppressed due to unreliability based on the relative standard error for counts <12.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2015.

^Percent's may not equal 100% due to rounding and unknown counts.

Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts
Annual Percent Change: New HIV Diagnoses and Persons Living with HIV[§] in Nevada, 2014-2015



County	New HIV Diagnoses					All Persons Living with HIV [§]					
	2014		2015		Annual % Change: % Change [†]	2014		2015		Annual % Change: % Change [†]	
	N	% [^]	N	% [^]		N	% [^]	N	% [^]		
County											
Clark	375	89%	432	91%	15%	8,449	86%	8,753	86%	4%	
Washoe	37	9%	38	8%	3%	956	10%	970	10%	1%	
All Other Counties**	8	2%	7	1%	"	426	4%	415	4%	-3%	
Total	420	100%	477	100%	14%	9,831	100%	10,138	100%	3%	
Sex at Birth											
Male	364	87%	417	87%	15%	8,282	84%	8,527	84%	3%	
Female	56	13%	60	13%	7%	1,549	16%	1,611	16%	4%	
Total	420	100%	477	100%	14%	9,831	100%	10,138	100%	3%	
Race/Ethnicity											
White, non-Hispanic	155	37%	164	34%	6%	4,652	47%	4,651	46%	0%	
Black, non-Hispanic	101	24%	118	25%	17%	2,432	25%	2,547	25%	5%	
Hispanic	128	30%	147	31%	15%	2,208	22%	2,349	23%	6%	
Asian/Hawaiian/Pacific Islander	23	5%	38	8%	65%	330	3%	368	4%	12%	
American Indian/Alaska Native	3	1%	4	1%	"	80	1%	82	1%	3%	
Multi-race/Other	10	2%	6	1%	"	129	1%	141	1%	9%	
Total	420	100%	477	100%	14%	9,831	100%	10,138	100%	3%	
Age Group*											
< 13	2	0%	2	0%	"	11	0%	15	0%	36%	
13 to 24	97	23%	82	17%	-15%	363	4%	365	4%	1%	
25 to 34	145	35%	163	34%	12%	1,561	16%	1,649	16%	6%	
35 to 44	78	19%	114	24%	46%	2,170	22%	2,128	21%	-2%	
45 to 54	73	17%	87	18%	19%	3,371	34%	3,412	34%	1%	
55 to 64	22	5%	22	5%	0%	1,754	18%	1,895	19%	8%	
65 +	3	1%	7	1%	"	543	6%	616	6%	13%	
Missing	0	0%	0	0%	NA	58	1%	58	1%	0%	
Total	420	100%	477	100%	14%	9,831	100%	10,138	100%	3%	
Transmission Category											
Males											
Male-to-male sexual contact (MSM)	273	75%	315	76%	15%	6,297	76%	6,484	76%	3%	
IDU	12	3%	12	3%	0%	498	6%	498	6%	0%	
MSM+IDU	25	7%	23	6%	-8%	639	8%	665	8%	4%	
Heterosexual contact	11	3%	12	3%	"	294	4%	304	4%	3%	
Perinatal Exposure	0	0%	0	0%	NA	33	0%	32	0%	-3%	
Transfusion/Hemophilia	0	0%	0	0%	NA	7	0%	7	0%	NA ^{††}	
No identified risk (NIR)	43	12%	55	13%	28%	514	6%	537	6%	4%	
Subtotal	364	100%	417	100%	15%	8,282	100%	8,527	100%	3%	
Females											
IDU	5	9%	6	10%	†	249	16%	249	15%	0%	
Heterosexual contact	20	36%	20	33%	0%	936	60%	967	60%	3%	
Perinatal Exposure	2	4%	1	2%	"	40	3%	43	3%	8%	
Transfusion/Hemophilia	0	0%	0	0%	NA	3	0%	4	0%	NA ^{††}	
No identified risk (NIR)	29	52%	33	55%	14%	321	21%	348	22%	8%	
Subtotal	56	100%	60	100%	7%	1,549	100%	1,611	100%	4%	
Total	420	100%	477	100%	14%	9,831	100%	10,138	100%	3%	

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2016)

Persons living HIV data includes data on persons living in Nevada with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in Nevada.

* For New HIV diagnoses, age refers to age at HIV infection diagnosis. For persons living with HIV, age refers to age at the end of the report year.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2015.

†Annual % Change is the percentage increase or decrease relative to the number of cases in 2014. Take caution when interpreting percent changes calculated from small case counts because they can be susceptible to high variability and are likely to be misleading.

††Percent change for small counts are not shown as they are susceptible to high variability and are misleading.

^ Percent's may not equal 100% due to rounding and unknown counts.



**Division of Public and Behavioral Health- HIV/AIDS Surveillance Program
Facility of Diagnosis for New HIV Diagnoses, Nevada HIV Fast Facts, 2015**

	Nevada		Clark County		Washoe County		All Other Counties*	
	N	%^	n	%^	n	%^	n	%^
Facility of Diagnosis								
HIV Counseling and Testing Site	124	26%	115	27%	9	24%	0	0%
Private Physician's Office	147	31%	141	33%	4	11%	2	29%
Inpatient Facility/Hospital	78	16%	70	16%	7	18%	1	14%
Outpatient Facility (unspecified)	24	5%	14	3%	9	24%	1	14%
Adult HIV Clinic	7	1%	3	1%	3	8%	1	14%
Correctional Facility	24	5%	23	5%	0	0%	1	14%
STD Clinic	42	9%	41	9%	0	0%	1	14%
Blood Bank or Plasma Center	18	4%	14	3%	4	11%	0	0%
Emergency Room	0	0%	0	0%	0	0%	0	0%
Tuberculosis Clinic	3	1%	3	1%	0	0%	0	0%
Obstetrics and Gynecology Clinic	0	0%	0	0%	0	0%	0	0%
Facility/Other/Unknown	10	2%	8	2%	2	5%	0	0%
Total	477	100%	432	100%	38	100%	7	100%



**Division of Public and Behavioral Health- HIV/AIDS Surveillance Program
Facility of Diagnosis for New Stage 3 (AIDS) Diagnoses, Nevada HIV Fast Facts, 2015**

	Nevada		Clark County		Washoe County		All Other Counties*	
	N	%^	n	%^	n	%^	n	%^
Facility of Diagnosis								
HIV Counseling and Testing Site	28	13%	28	15%	0	0%	0	0%
Private Physician's Office	49	24%	45	24%	2	18%	2	33%
Inpatient Facility/Hospital	88	44%	82	45%	3	27%	3	50%
Outpatient Facility (unspecified)	1	0%	0	0%	1	9%	0	0%
Adult HIV Clinic	15	7%	10	5%	5	45%	0	0%
Correctional Facility	6	3%	5	3%	0	0%	1	17%
STD Clinic	15	7%	15	8%	0	0%	0	0%
Blood Bank or Plasma Center	0	0%	0	0%	0	0%	0	0%
Emergency Room	0	0%	0	0%	0	0%	0	0%
Tuberculosis Clinic	0	0%	0	0%	0	0%	0	0%
Obstetrics and Gynecology Clinic	0	0%	0	0%	0	0%	0	0%
Facility/Other/Unknown	0	0%	0	0%	0	0%	0	0%
Total	202	100%	185	100%	11	100%	6	100%

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2016)

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states, but who currently live in Nevada. HIV diagnoses and stage 3 (AIDS) Diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in 2015.

*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

^Percent's may not equal 100% due to rounding and unknown counts.

For more information, contact:

Danika Williams, MPH
HIV Surveillance Coordinator
Office of Public Health Informatics and Epidemiology
Division of Public and Behavioral Health
4126 Technology Way Ste 201
Carson City, NV 89706
Phone: (775)684-2219
dmwilliams@health.nv.gov

James Kuzhippala, MPH
HIV/STD Epidemiologist
Office of Public Health Informatics and Epidemiology
Division of Public and Behavioral Health
4126 Technology Way Ste 201
Carson City, NV 89706
Phone: (775)684-5979
jkuzhippala@health.nv.gov

Theron Huntamer
HIV/AIDS Epidemiology Capacity Coordinator
Office of Public Health Informatics and Epidemiology
Division of Public and Behavioral Health
4126 Technology Way Ste 201
Carson City, NV 89706
Phone: (775)684-4152
thuntamer@health.nv.gov

Recommended Citation:

Office of Public Health Informatics and Epidemiology. Division of Public and Behavioral Health. *2015 HIV Fast Facts*. Carson City, Nevada. e1.0. June 2016.

Report Changes:

‡“HIV” was previously referred to as “HIV/AIDS;” “Stage 3 (AIDS)” was previously referred to as “AIDS.” The change in reference is due to a change in case definition, in which a staging system is used where AIDS is now end stage HIV (Stage 3) and HIV refers to all stages, including AIDS. More information can be found here:

<http://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-surveillance-report-us.pdf>

<http://www.cdc.gov/mmwr/preview/mmwrhtml/rr6303a1.htm>

The authors would like to recognize the Centers for Disease Control and Prevention (CDC) for their support through Grant Number 5U62PS004024 for the HIV/AIDS Surveillance Program. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the CDC.