

# References

## Cover Images

Awesome America, 2003-2007, <http://awesomeamerica.com/nevada/>

## Promising Practices

Department of Health and Human Services, Identifying and Promoting Promising Practices (Intermediary, Development Series), Compassion Capital Fund National Resource Center, Pg

1. [http://www.acf.hhs.gov/programs/ocs/ccf/about\\_ccf/gbk\\_pdf/pp\\_gbk.pdf](http://www.acf.hhs.gov/programs/ocs/ccf/about_ccf/gbk_pdf/pp_gbk.pdf)

## Access to Quality Health Care

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC) Health Insurance Coverage,

1. Uninsured <http://www.cdc.gov/features/uninsured/>  
Insured <http://www.cdc.gov/nchs/fastats/hinsure.htm>

Center for American Progress,  
Health Insurance Coverage,

2. [http://www.americanprogress.org/issues/2009/05/insurance\\_loss.html](http://www.americanprogress.org/issues/2009/05/insurance_loss.html)

## Adolescent Health

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC) Adolescent Health,

1. <http://www.cdc.gov/healthyyouth/az/>

National Center for Education Statistics (NCES),  
Nevada State Education Profile,

2. <http://nces.ed.gov/programs/stateprofiles/sresult.asp?mode=short&s1=32>

## Arthritis and Osteoporosis

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC) Arthritis,

1. [http://www.cdc.gov/arthritis/resources/spotlights/arthritis\\_diagnoses.htm](http://www.cdc.gov/arthritis/resources/spotlights/arthritis_diagnoses.htm)

Medline,

Osteoporosis International Mar 2010, Trimpou P, Landin-Wilhelmsen K, Oden A, Rosengren A, Wilhelmsen L. Male risk factors for hip fracture-a 30-year follow-up study in 7,495 men,

2. <http://emedicine.medscape.com/article/825363-overview>

Eur Heart Journal Jan 2010, Carbone L, Buzkova P, Fink HA, Lee JS, Chen Z, Ahmed A, Hip fractures and heart failure: findings from the Cardiovascular Health Study

4. <http://emedicine.medscape.com/article/825363-overview>

## Blood Disorders and Blood Safety

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC) Blood Disorders,

1. <http://www.cdc.gov/ncbddd/blooddisorders/aboutus.html>

State of Nevada Department of Health and Human Services, Health Division,  
Newborn Screening Program,

2. [http://health.nv.gov/PDFs/OHSS/NBSAnnualReport\\_2009\\_012010.pdf](http://health.nv.gov/PDFs/OHSS/NBSAnnualReport_2009_012010.pdf)

# References

## Cancer

American Cancer Society,  
Cancer,

1. <http://www.cancer.org/acs/groups/content/@nho/documents/document/acspc-024113.pdf>

Nevada Cancer Institute,  
Cancer,

2. <http://www.nevadacancerinstitute.org/science.aspx?id=46>

Susan G. Komen for the Cure,  
Breast Cancer Risk,

3. <http://ww5.komen.org/BreastCancer/LowerYourRisk.html>

Breast Cancer Race/Ethnicity Rates,

4. <http://ww5.komen.org/BreastCancer/RaceandEthnicity.html>

Surveillance Epidemiology and End Results,  
Corpus and Uterus, NOS,

5. <http://seer.cancer.gov/statfacts/html/corp.html>

Colon and Rectum,

6. <http://seer.cancer.gov/statfacts/html/corp.html>

Bureau of Family Health Services & Reports on Cancer in Nevada,  
Oral Health Publications,

7. [http://health.nv.gov/FP\\_Publications.htm](http://health.nv.gov/FP_Publications.htm)

National Cancer Institute,  
Oral Cancer,

8. <http://www.cancer.gov/cancertopics/types/oral>

Prostate Cancer,

9. <http://www.cancer.org/Cancer/ProstateCancer/DetailedGuide/prostate-cancer-what-is-prostate-cancer>

Melanoma,

10. <http://www.cancer.org/Cancer/SkinCancer-Melanoma/OverviewGuide/melanoma-skin-cancer-overview-key-statistics>

Pap Test,

11. <http://www.cancer.gov/cancertopics/factsheet/Detection/Pap-test>

Breast,

13. <http://www.cancer.org/cancer/breastcancer/detailedguide/breast-cancer-key-statistics>

Wikipedia,

Colonoscopy—Sigmoidoscopy,

12. <http://en.wikipedia.org/wiki/>

# References

## Diabetes

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC)  
National Diabetes Fact Sheet, 2007,

1. [http://www.cdc.gov/diabetes/pubs/pdf/ndfs\\_2007.pdf](http://www.cdc.gov/diabetes/pubs/pdf/ndfs_2007.pdf)

Nevada Diabetes Association,  
Diabetes,

2. [http://www.diabetesnv.org/index.php?page=static\\_content&id=22](http://www.diabetesnv.org/index.php?page=static_content&id=22)

State of Nevada Department of Health and Human Services, Health Division,  
Diabetes Prevention & Control Program,

3. [http://health.nv.gov/CD\\_Diabetes.htm](http://health.nv.gov/CD_Diabetes.htm)

## Early and Middle Childhood

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC)  
Child Development,

1. <http://www.cdc.gov/ncbddd/child/>

School Health Policies and Protection Study, State Health Profiles 2008.

2. [http://www.cdc.gov/healthyyouth/profiles/2008/profiles\\_report.pdf](http://www.cdc.gov/healthyyouth/profiles/2008/profiles_report.pdf)

## Education and Community Based Programs

KOLOTV,

Nevada's High School Dropout Rate Worst in Nation,

1. <http://www.kolotv.com/home/headlines/8712517.html>

Nevada Kids Count-UNLV,

High School Dropouts and Graduation,

2. [http://kidscount.unlv.edu/kc\\_dbcontents\\_2009.html](http://kidscount.unlv.edu/kc_dbcontents_2009.html)

## Family Planning

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC)  
Preventing Teen Pregnancy: An Update in 2009,

1. <http://www.cdc.gov/reproductivehealth/adolescentreprohealth/>

Youth Risk Behavior Surveillance,

2. <http://www.cdc.gov/HealthyYouth/yrbs/data/index.htm>

## Food Safety

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC)  
Food Related Illness and Death in the United States,

1. <http://www.cdc.gov/ncidod/eid/vol5no5/mead.htm>

Foodborne Illness,

3. [http://www.cdc.gov/ncidod/dbmd/diseaseinfo/foodborneinfections\\_g.htm](http://www.cdc.gov/ncidod/dbmd/diseaseinfo/foodborneinfections_g.htm)

Southern Nevada Health District (SNHD),

Listeriosis,

2. <http://www.southernnevadahealthdistrict.org/health-topics/listeriosis.php>

# References

## Healthcare Associated Infections

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC)  
Healthcare Associated Infections,

1. <http://www.cdc.gov/ncidod/dhqp/hai.html>

Direct Medical Costs,

2. [http://www.cdc.gov/ncidod/dhqp/pdf/Scott\\_CostPaper.pdf](http://www.cdc.gov/ncidod/dhqp/pdf/Scott_CostPaper.pdf)

Southern Nevada Health District (SNHD),  
Methicillin Resistant Staphylococcus aureus (MRSA),

3. <http://www.southernnevadahealthdistrict.org/health-topics/mrsa.php>

## Heart Disease and Stroke

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC)  
Division for Heart Disease and Stroke Prevention, Heart Disease & Stroke Fact Sheets,

1. <http://www.cdc.gov/dhdsp/>

State of Nevada Department of Health and Human Services, Health Division,  
Chronic Disease,

2. [http://health.nv.gov/PDFs/CV\\_Profile.pdf](http://health.nv.gov/PDFs/CV_Profile.pdf)

## HIV

State of Nevada Department of Health and Human Services, Health Division,  
Reports on HIV in Nevada, HIV and AIDS in Nevada 2000-2006,

1. [http://health.nv.gov/FP\\_Publications.htm](http://health.nv.gov/FP_Publications.htm)

National Institute of Allergy and Infectious Diseases (NIAID),  
HIV/AIDS Quick Facts,

2. <http://www3.niaid.nih.gov/topics/HIVAIDS/Understanding/>

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC)  
HIV Testing,

3. <http://www.cdc.gov/hiv/topics/testing/index.htm>

## Immunization and Infectious Disease

World Health Organization, Immunization,

1. <http://www.who.int/topics/immunization/en/>

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC)  
Vaccines,

2. <http://www.cdc.gov/vaccines/vpd-vac>

Southern Nevada Health District (SNHD),  
Hepatitis A,

3. <http://www.southernnevadahealthdistrict.org/health-topics/hep-a.php>

Meningococcal Disease,

4. <http://www.southernnevadahealthdistrict.org/health-topics/meningococcal.php>

Tuberculosis Disease,

5. <http://www.southernnevadahealthdistrict.org/tb/faq.php>

# References

Baptist Health Systems,  
Risk factors for peptic ulcer disease,  
6. <http://www.mbm.org/healthgate/GetHGContent.aspx?token=9c315661-83b7-472d-a7ab-bc8582171f86&chunkid=19987>

## **Injury and Violence Prevention**

Healthy People 2010 Midcourse Review,  
Injury and Violence Prevention,  
1. <http://www.healthypeople.gov/>

BrainandSpinalCord.org,  
Spinal cord injuries,  
2. <http://www.brainandspinalcord.org/spinal-cord-injuries/at-risk-activities.html>

Pennsylvania State University, Firearm & Injury Center,  
Firearm injury in the U.S.,  
3. <http://www.uphs.upenn.edu/ficap/resourcebook/Final%20Resource%20Book%20Updated%202009%20Section%201.pdf>

State of Nevada Department of Health and Human Services, Office of Suicide Prevention,  
Suicide in Nevada Fact Sheet,  
4. <http://dhhs.nv.gov/Suicide/DOCS/Suicide%20in%20Nevada%20Fact%20Sheet%20Public.pdf>

Report on Injury in Nevada,  
5. <http://health.nv.gov/>

The Nevada Seat Belt Coalition,  
Law Enforcement Agencies Buckling Down on Teens Not Buckling Up,  
6. [http://buckleupnevada.org/index.php?option=com\\_content&view=article&id=74:law-enforcement-agencies-buckling-down-on-teens-not-buckling-up-this-may&catid=45:op-child-education&Itemid=58](http://buckleupnevada.org/index.php?option=com_content&view=article&id=74:law-enforcement-agencies-buckling-down-on-teens-not-buckling-up-this-may&catid=45:op-child-education&Itemid=58)

State of Nevada Department of Health and Human Services, Health Division  
Report on Trauma and Other Injuries in Nevada,  
7. [http://health.nv.gov/PDFs/Traumareport00\\_02.pdf](http://health.nv.gov/PDFs/Traumareport00_02.pdf)

Hyperbaric-oxygen-info.com,  
Drowning Statistics,  
8. <http://www.hyperbaric-oxygen-info.com/drowning-statistics.html>

U.S. Department of Transportation, National Highway Traffic Safety Administration,  
Estimated Medical Cost Savings in Nevada by Implementation of a Primary Seat Belt Law,  
9. <http://www.nhtsa.gov/DOT/NHTSA/Traffic%20Injury%20Control/Articles/Associated%20Files/811068.pdf>

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC)  
Youth Risk Behavioral Surveillance Study,  
10. <http://apps.nccd.cdc.gov/yrbss/>

# References

## Maternal, Infant and Child Health

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC) and the Health Resources and Service Administration (HRSA),  
Healthy People 2010—16 Maternal, Infant, and Child Health,

1. <http://www.healthypeople.gov>

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC)  
National Vital Statistics Reports, Volume 57, Number 7, Number 8,

2. [http://www.cdc.gov/nchs/data/nvsr/nvsr57/nvsr57\\_07.pdf](http://www.cdc.gov/nchs/data/nvsr/nvsr57/nvsr57_07.pdf)

14. [http://www.cdc.gov/nchs/data/nvsr/nvsr57/nvsr57\\_08.pdf](http://www.cdc.gov/nchs/data/nvsr/nvsr57/nvsr57_08.pdf)

Fetal Deaths,

3. [http://www.cdc.gov/nchs/fetal\\_death.htm](http://www.cdc.gov/nchs/fetal_death.htm)

Recent Trends in Infant Mortality in the United States,

4. <http://www.cdc.gov/nchs/data/databriefs/db09.htm>

QuickStats: Leading Causes of Neonatal and Postneonatal Deaths – United States

5. <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5438a8.htm>

National Vital Statistics Reports, Volume 53, Number 10,

6. [http://www.cdc.gov/nchs/data/nvsr/nvsr53/nvsr53\\_10.pdf](http://www.cdc.gov/nchs/data/nvsr/nvsr53/nvsr53_10.pdf)

NCHS Health E-Stat, Supplemental Analyses of Recent Trends in Infant Mortality,

8. <http://www.cdc.gov/nchs/data/hestat/infantmort/infantmort.htm>

National Vital Statistics Reports, Volume 58, Number 17, Number 24,

9. [http://www.cdc.gov/nchs/data/nvsr/nvsr58/nvsr58\\_17.pdf](http://www.cdc.gov/nchs/data/nvsr/nvsr58/nvsr58_17.pdf)

16. [http://www.cdc.gov/nchs/data/nvsr/nvsr58/nvsr58\\_24.pdf](http://www.cdc.gov/nchs/data/nvsr/nvsr58/nvsr58_24.pdf)

National Vital Statistics Reports, Volume 56, Number 6,

15. [http://www.cdc.gov/nchs/data/nvsr/nvsr56/nvsr56\\_06.pdf](http://www.cdc.gov/nchs/data/nvsr/nvsr56/nvsr56_06.pdf)

Alcohol Consumption Among Pregnant and Childbearing Age Women – United States,

17. <http://wonder.cdc.gov/wonder/prevguid/m0047306/m0047306.asp>

U.S. National Library of Medicine, National Institutes for Health,  
Overview of the National Infant Mortality Surveillance (NIMS) Project,

7. <http://www.ncbi.nlm.nih.gov/pubmed/2559310>

United States National Library of Medicine, National Institutes of Health, Medline Plus,  
Death Among Children and Adolescents 2008,

10. <http://www.nlm.nih.gov/medlineplus/ency/article/001915.htm>

National Conference of State Legislatures,  
Injury and Violence Prevention,

11. <http://www.ncsl.org/default.aspx?tabid=13951>

Life's Little Mysteries,

What Are The Leading Causes of Death?,

12. <http://www.lifeslittlemysteries.com/what-are-the-leading-causes-of-death-0933/>

Evolutionary Psychology Journal,  
Sexual Selection and the Male:Female Mortality Ratio,

13. <http://www.epjournal.net/filestore/ep026685.pdf>

# References

## **Mental Health Indicator**

State of Nevada Health Division, Department of Health and Human Services,  
Office of Health Statistics and Surveillance,

1. <http://health.nv.gov/PDFs/MentalHealthIndicator.pdf>

## **Nutrition and Overweight**

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC)  
Overweight and Obesity,

1. <http://www.cdc.gov/obesity/index.html>

Nevada Public Health Foundation,  
Obesity in Nevada,

2. <http://www.nevadapublichealthfoundation.org/main.asp?pID=376>

## **Occupational Health**

Healthy People, Volume II (Second Edition),  
Occupational Safety and Health,

1. <http://www.healthypeople.gov/>

State of Nevada Department of Health and Human Services, Health Division,  
Report on Injury in Nevada,

2. <http://health.nv.gov/>

Evolutionary Psychology,  
Sexual Selection and the Male:Female Mortality Ratio,

3. <http://www.epjournal.net/filestore/ep026685.pdf>

International Labour Organization (ILO),  
World Day for Health and Safety at Work,

4. [http://www.ilo.org/global/About\\_the\\_ILO/Media\\_and\\_public\\_information/Feature\\_stories/lang--en/WCMS\\_075605/index.htm](http://www.ilo.org/global/About_the_ILO/Media_and_public_information/Feature_stories/lang--en/WCMS_075605/index.htm)

## **Oral Health**

State of Nevada Department of Health and Human Services, Health Division,  
Healthy People, Volume II (Second Edition),  
Oral Health,

1. <http://www.healthypeople.gov/>

Oral Health in Nevada,

2. [http://www.nvoralhealth.org/State%20and%20County%20Fact%20Sheets/Nevada%20Profile\\_08\\_Final.pdf](http://www.nvoralhealth.org/State%20and%20County%20Fact%20Sheets/Nevada%20Profile_08_Final.pdf)

## **Physical Activity**

United States Department of Health and Human Services, Centers for Disease Control and  
Prevention,  
Physical Activity & Health,

1. <http://www.cdc.gov/nccdphp/sgr/pdf/execsumm.pdf>

Physical Activity for Everyone: The Importance of Physical Activity,

2. <http://www.cdc.gov/physicalactivity/everyone/health/index.html#ControlWeight>

State of Nevada Department of Health and Human Services, Health Division,  
Strategic Plan for the Prevention of Obesity in Nevada,

3. <http://health.nv.gov/PDFs/obeseplan.pdf>

# References

## Respiratory Diseases

World Health Organization,  
Respiratory Tract Diseases,

1. <http://www.who.int/respiratory/en/>

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC)  
Chronic Obstructive Pulmonary Disease (COPD) – United States 2000-2005,

2. <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5745a4.htm>

Sutter Health,

Asthma Hospitalization Counts by Gender 2006,

3. [http://babies.sutterhealth.org/health/healthinfo/reutershome\\_top.cfm?fx=article&id=27283](http://babies.sutterhealth.org/health/healthinfo/reutershome_top.cfm?fx=article&id=27283)

Southern Nevada Health District (SNHD),  
Asthma,

4. [http://www.getthehealthyclarkcounty.org/chronic\\_disease/women\\_asthma.html](http://www.getthehealthyclarkcounty.org/chronic_disease/women_asthma.html)

University of Nevada Reno (UNR),

Other Variables - Asthma,

5. <http://www.wuss.org/proceedings09/09WUSSProceedings/papers/hor/HOR-Anabila.pdf>

## Sexually Transmitted Diseases

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC)  
STD Trends,

1. <http://www.cdc.gov/std/stats08/trends.htm>

Gonorrhea,

2. <http://www.cdc.gov/std/gonorrhea/stdfact-gonorrhea.htm>

Syphilis,

3. <http://www.cdc.gov/std/syphilis/STDFact-Syphilis.htm>

State of Nevada Department of Health and Human Services, Health Division,  
STD Prevention and Control Program,

4. [http://health.nv.gov/CD\\_HIV\\_STDProgram.htm](http://health.nv.gov/CD_HIV_STDProgram.htm)

## Substance Abuse

Healthy People 2010, Volume II (Second Edition),  
Substance Abuse,

1. <http://www.healthypeople.gov/>

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC)  
Youth Risk Factor Surveillance System,

2. <http://apps.nccd.cdc.gov/yrbss/>

The Century Council – Distillers Fighting Drunk Driving & Underage Drinking,  
Nevada Alcohol-Impaired Driving Fatality Data 2008,

3. <http://www.centurycouncil.org/learn-the-facts/statefacts/states/NV>



# References

## **Tobacco**

Department of Health and Human Services, Centers for Disease Control and Prevention (CDC)  
Tobacco,

1. <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5638a2.htm>

Youth Risk Factor Surveillance,

2. <http://apps.nccd.cdc.gov/yrbss/>

Tobacco Use,

3. <http://apps.nccd.cdc.gov/BRFSS/display.asp?state=US&cat=TU&yr=2008&qkey=4396&grp=0&SUBMIT4=Go>

Smoking and Tobacco Use- Fast Facts,

4. [http://www.cdc.gov/tobacco/data\\_statistics/fact\\_sheets/fast\\_facts/index.htm](http://www.cdc.gov/tobacco/data_statistics/fact_sheets/fast_facts/index.htm)

State of Nevada Department of Health and Human Services, Health Division,  
Nevada Tobacco Profile Surveillance Survey 2006,

5. <http://health.nv.gov/PDFs/Tobacco/2006profile.pdf>

# Appendix

**AHS HP2020-1: Proportion of Persons Reporting Health Insurance Coverage. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	87.1	629	81.1	715	79.4	848	80.9	787	80.5	787
Washoe County	85.7	543	87.6	744	82.5	855	83.2	831	80.4	807
All Other Counties**	85.5	490	84.8	578	76.8	826	78.5	798	77.5	757
<b>Nevada Total</b>	<b>86.4</b>	<b>1791</b>	<b>82.5</b>	<b>2188</b>	<b>77.6</b>	<b>2569</b>	<b>79.5</b>	<b>2452</b>	<b>78.4</b>	<b>2380</b>
Carson	88.7	119	82.1	140	72.9	156	67.0	135	76.4	140
Churchill	86.4	57	86.1	56	73.2	70	85.0	78	82.7	73
Douglas	86.9	95	92.3	124	87.1	132	85.5	132	82.7	128
Elko	84.2	82	75.6	100	78.9	133	73.5	107	73.9	85
Esmeralda	~	~	~	~	~	~	~	~	~	~
Eureka	~	~	~	~	~	~	~	~	~	~
Humboldt	~	~	~	~	~	~	~	~	~	~
Lander	~	~	~	~	~	~	~	~	~	~
Lincoln	~	~	~	~	~	~	~	~	~	~
Lyon	80.6	62	90.1	85	76.6	111	76.6	114	76.1	109
Mineral	~	~	~	~	~	~	~	~	~	~
Nye	84.3	75	85.4	73	77.2	81	78.2	87	76.3	83
Pershing	~	~	~	~	~	~	~	~	~	~
Storey	~	~	~	~	~	~	~	~	~	~
White Pine	~	~	~	~	~	~	~	~	~	~

**AHS HP2020-1: Proportion of Persons Reporting Health Insurance Coverage. (Trend Data: 2000 - 2004)**

Race/Ethnicity	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	85.8	897	79.6	1095	78.3	1263	76.4	1164	77.4	1149
Female	87.0	894	85.4	1093	76.8	1306	82.6	1288	79.3	1231
White	88.0	1307	87.0	1597	86.6	1874	87.4	1760	88.3	1705
Black	80.5	69	82.4	60	85.1	63	92.6	63	75.3	52
Other	84.6	119	77.2	225	82.1	271	77.0	216	85.5	266
Hispanic	82.4	159	61.5	137	49.6	182	58.6	209	49.9	168

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**AHS HP2020-1: Proportion of Persons Reporting Health Insurance Coverage. (Trend Data: 2000 - 2004)**

Age	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	67.7	149	66.1	156	54.0	157	61.7	145	62.3	131
25-34	80.4	341	78.3	344	71.9	341	71.9	360	64.5	287
35-44	87.3	405	81.9	480	77.0	564	75.1	457	79.2	420
45-54	89.5	362	78.9	443	79.6	524	83.7	498	79.7	463
55-64	89.0	211	91.1	325	84.2	398	85.0	407	85.5	459
65+	98.9	318	96.5	436	97.2	580	97.9	581	98.9	615

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**AHS HP2020-1: Proportion of Persons Reporting Health Insurance Coverage. (Trend Data: 2005 - 2009)**

County of Residence	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	80.9	730	81.0	993	80.6	1107	80.6	1281	80.1	1050
Washoe County	82.7	951	83.1	1027	85.4	1171	85.4	1083	85.4	1083
All Other Counties**	78.9	910	78.8	931	81.4	1132	80.2	1318	79.3	1146
<b>Nevada Total</b>	<b>78.3</b>	<b>2632</b>	<b>77.8</b>	<b>3006</b>	<b>79.2</b>	<b>3502</b>	<b>78.8</b>	<b>4049</b>	<b>80.5</b>	<b>3334</b>
Carson	70.0	158	74.1	153	77.0	177	77.7	168	77.7	168
Churchill	91.2	84	83.8	88	81.4	92	81.6	112	88.4	103
Douglas	76.2	154	86.8	158	89.9	197	86.6	219	82.7	193
Elko	77.0	99	81.0	108	78.4	140	79.7	168	77.8	131
Esmeralda	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Eureka	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	N/A	<50*	85.4	46.0	75.1	53.0	82.4	71.0	91.3	60.0
Lander	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	82.0	151	75.3	151	82.1	191	72.3	184	68.9	172
Mineral	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	83.2	111	79.4	106	81.2	141	83.0	171	84.8	178
Pershing	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	N/A	<50*	N/A	<50*	N/A	<50*	88.7	45.0	N/A	<50*

**AHS HP2020-1: Proportion of Persons Reporting Health Insurance Coverage. (Trend Data: 2005 - 2009)**

Race/Ethnicity	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	76.6	1249	76.2	1351	77.5	1466	77.4	1599	79.3	1315
Female	80.0	1383	79.3	1655	80.8	2036	80.1	2450	81.6	2019
White	88.5	2025	88.1	2247	90.0	2660	88.3	3146	87.2	2741
Black	71.6	57	80.0	69	71.7	83	81.4	94	69.8	90
Other	82.1	296	86.9	367	82.2	389	83.8	384	73.7	210
Hispanic	53.3	192	54.0	237	54.8	259	55.2	326	56.2	196

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**AHS HP2020-1: Proportion of Persons Reporting Health Insurance Coverage. (Trend Data: 2005 - 2009)**

Age	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	59.9	135	41.1	104	60.7	147	60.8	115	61.2	57
25-34	66.4	284	64.3	307	63.6	344	68.4	405	63.9	249
35-44	73.9	437	83.7	514	81.3	557	73.3	569	82.6	452
45-54	83.7	554	82.3	609	83.4	696	84.1	783	86.4	605
55-64	88.3	537	89.4	647	87.0	738	87.5	837	87.1	741
65+	97.5	682	97.4	823	97.1	995	97.1	1294	98.1	1185

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**AOCBC HP2020-11: Hospitalization Rate for Hip Fractures Among Females Age 65 Years and Older (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	806.1	640	648.7	549	703.2	625	688.4	643	670.9	664
Washoe County	1070.2	208	1009.8	202	1033.0	210	901.0	189	881.9	190
All Other Counties**	842.6	164	713.4	144	833.6	173	678.4	146	731.7	164
<b>Nevada Total</b>	<b>853.9</b>	<b>1011</b>	<b>716.3</b>	<b>894</b>	<b>774.9</b>	<b>1007</b>	<b>719.6</b>	<b>978</b>	<b>712.3</b>	<b>1018</b>
Carson	728.2	32	672.3	30	821.8	37	1061.6	48	908.8	41
Churchill	1573.8	24	770.2	12	635.1	10	497.0	8	791.6	13
Douglas	460.8	15	525.1	18	619.8	22	405.0	15	610.3	24
Elko	956.5	13	1333.8	19	1088.4	16	853.7	13	996.9	16
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Humboldt	912.4	6	N/A	<5*	859.6	6	N/A	<5*	N/A	<5*
Lander	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Lincoln	N/A	<5*	N/A	<5*	0.0	0	1428.0	5	N/A	<5*
Lyon	756.9	20	978.2	27	1699.4	49	818.3	25	612.6	20
Mineral	N/A	<5*	1592.8	8	N/A	<5*	975.1	5	2134.0	11
Nye	883.6	27	396.8	13	491.8	17	350.2	13	481.1	19
Pershing	1639.6	5	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Storey	0.0	0	0.0	0	N/A	<5*	0.0	0	N/A	<5*
White Pine	1559.8	12	1159.1	9	1037.9	8	N/A	<5*	888.4	7

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from Nevada Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific female population.

**AOCBC HP2020-11: Hospitalization Rate for Hip Fractures Among Females Age 65 Years and Older (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	640.2	668	672.2	732	640.5	727	611.6	699
Washoe County	884.2	197	775.0	178	826.5	194	857.3	204
All Other Counties**	721.3	170	649.6	165	610.5	158	711.5	185
<b>Nevada Total</b>	<b>689.2</b>	<b>1035</b>	<b>683.6</b>	<b>1075</b>	<b>662.5</b>	<b>1079</b>	<b>663.1</b>	<b>1088</b>
Carson	1048.4	49	628.0	31	931.5	46	913.2	45
Churchill	715.5	12	1158.2	20	583.0	10	1116.2	19
Douglas	575.4	24	765.8	33	504.5	22	714.4	31
Elko	765.0	13	521.4	9	499.7	9	720.0	13
Esmeralda	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Eureka	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Humboldt	742.4	6	602.7	5	592.7	5	N/A	<5*
Lander	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Lincoln	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Lyon	797.7	27	495.6	20	479.0	20	647.6	27
Mineral	N/A	<5*	1026.3	5	N/A	<5*	N/A	<5*
Nye	645.6	28	616.5	29	575.8	28	743.8	37
Pershing	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Storey	0.0	0	N/A	<5*	0.0	0	0.0	0
White Pine	N/A	<5*	738.9	7	840.2	8	519.5	5

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from Nevada Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific female population.

**AOCBC HP2020-11: Hospitalization Rate for Hip Fractures Among Males Age 65 Years and Older (Trend Data: 2000 - 4)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	349.7	245	350.8	262	330.9	258	349.4	285	360.3	310
Washoe County	406.8	65	447.9	74	415.6	70	418.3	73	427.9	77
All Other Counties**	355.2	63	335.7	62	380.6	72	406.3	80	374.9	77
<b>Nevada Total</b>	<b>357.5</b>	<b>372</b>	<b>362.0</b>	<b>397</b>	<b>350.9</b>	<b>399</b>	<b>369.0</b>	<b>438</b>	<b>372.5</b>	<b>464</b>
Carson	386.2	13	323.3	11	205.9	7	619.5	21	686.0	23
Churchill	768.5	10	N/A	<5*	520.6	7	359.8	5	497.3	7
Douglas	190.0	6	209.8	7	261.4	9	359.8	13	313.1	12
Elko	N/A	<5*	691.4	9	569.2	8	N/A	<5*	429.8	7
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	0.0	0	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	430.5	11	558.2	15	825.6	23	370.9	11	N/A	<5*
Mineral	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Nye	411.8	13	267.2	9	286.8	10	322.4	12	355.1	14
Pershing	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Storey	0.0	0	N/A	<5*	0.0	0	N/A	<5*	0.0	0
White Pine	0.0	0	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from Nevada Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific male population.



**AOCBC HP2020-11: Hospitalization Rate for Hip Fractures Among Males Age 65 Years and Older (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	341.7	308	334.8	315	299.8	294	301.8	298
Washoe County	402.4	75	338.3	65	315.7	62	366.7	73
All Other Counties**	314.6	68	274.9	64	328.4	78	297.5	71
<b>Nevada Total</b>	<b>345.9</b>	<b>451</b>	<b>325.1</b>	<b>444</b>	<b>306.8</b>	<b>434</b>	<b>310.2</b>	<b>442</b>
Carson	283.3	10	321.9	12	509.4	19	403.0	15
Churchill	N/A	<5*	543.6	8	342.0	5	758.3	11
Douglas	293.8	12	165.9	7	210.8	9	258.9	11
Elko	345.8	6	N/A	<5*	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	N/A	<5*	0.0	0
Eureka	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Humboldt	N/A	<5*	593.8	5	N/A	<5*	N/A	<5*
Lander	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Lincoln	0.0	0	0.0	0	N/A	<5*	0.0	0
Lyon	0.0	0	359.0	14	371.7	15	347.5	14
Mineral	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Nye	301.6	13	278.1	13	331.1	16	202.3	10
Pershing	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Storey	N/A	<5*	0.0	0	0.0	0	N/A	<5*
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from Nevada Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific male population.

**BDBS HP2020-2: Hospitalization Rate for Sickle Cell Disease Among Children Aged 9 Years and Younger. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	27.7	57	17.4	38	19.0	43	29.2	69	24.1	60
Washoe County	0.0	0	0.0	0	N/A	<5*	0.0	0	N/A	<5*
<b>Nevada Total</b>	<b>19.6</b>	<b>57</b>	<b>12.5</b>	<b>38</b>	<b>14.1</b>	<b>44</b>	<b>21.3</b>	<b>69</b>	<b>18.0</b>	<b>61</b>

**BDBS HP2020-2: Hospitalization Rate for Sickle Cell Disease Among Children Aged 9 Years and Younger. (Trend Data: 2000 - 2004)**

Gender	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Male	18.8	28	9.0	14	12.5	20	17.5	29	17.9	31
Female	20.4	29	16.1	24	15.7	24	25.2	40	18.2	30

**BDBS HP2020-2: Hospitalization Rate for Sickle Cell Disease Among Children Aged 9 Years and Younger. (Trend Data: 2005 - 2009)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	19.2	50	23.9	65	17.3	49	17.9	51
Washoe County	0.0	0	0.0	0	N/A	<5*	N/A	<5*
<b>Nevada Total</b>	<b>14.2</b>	<b>50</b>	<b>17.6</b>	<b>65</b>	<b>13.6</b>	<b>52</b>	<b>13.5</b>	<b>52</b>

**BDBS HP2020-2: Hospitalization Rate for Sickle Cell Disease Among Children Aged 9 Years and Younger. (Trend Data: 2005 - 2009)**

Gender	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Male	16.6	30	17.0	32	15.3	30	14.2	28
Female	11.1	19	17.8	32	11.8	22	12.8	24

\* More than 0 but less than 5.

Note: Data are from the Nevada Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific population.

Note: This objective was removed from the final Healthy People 2020 release.

**C HP2020-1: Overall Cancer Death Rate. (Trend Data: 2000 -2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	208.0	2471	202.3	2559	196.2	2644	194.3	2762	182.9	2754
Washoe County	211.2	616	204.8	626	194.2	594	203.6	660	185.2	609
All Other Counties**	193.6	571	196.9	593	193.1	601	194.8	643	200.8	676
<b>Nevada Total</b>	<b>205.8</b>	<b>3658</b>	<b>201.6</b>	<b>3778</b>	<b>195.7</b>	<b>3839</b>	<b>195.8</b>	<b>4065</b>	<b>186.3</b>	<b>4039</b>
Carson	239.4	142	235.1	144	218.3	134	238.8	149	208.5	129
Churchill	143.2	33	230.4	52	175.6	42	242.9	61	198.4	48
Douglas	155.1	73	158.3	79	150.6	81	126.5	72	172.0	106
Elko	225.7	52	160.8	42	214.3	53	227.6	53	198.8	45
Esmeralda	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Eureka	0.0	0	N/A	<5*	N/A	<5*	391.5	6	264.2	5
Humboldt	200.6	23	226.1	28	142.3	18	168.2	25	181.7	26
Lander	253.7	10	365.9	15	341.9	11	214.3	8	155.1	7
Lincoln	175.7	8	269.7	12	169.7	8	142.9	6	145.9	7
Lyon	246.2	97	172.9	72	255.6	106	223.5	106	220.1	109
Mineral	250.5	17	264.8	19	218.2	16	290.8	18	318.1	23
Nye	185.4	87	189.3	92	214.4	103	191.3	102	246.0	137
Pershing	141.8	7	229.6	11	119.1	5	302.7	15	121.3	7
Storey	224.1	5	N/A	<5*	190.6	8	96.3	6	111.2	5
White Pine	156.4	16	163.0	18	125.1	13	124.0	14	191.6	21

**C HP2020-1: Overall Cancer Death Rate. (Trend Data: 2000 -2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	244.9	1975	242.2	2052	229.5	2050	236.2	2249	208.5	2070
Female	177.7	1683	171.9	1726	170.4	1789	164.1	1816	169.3	1969
White	219.4	3245	213.2	3307	206.9	3346	236.9	3521	194.2	3428
Black	221.0	189	240.4	224	217.8	207	263.3	225	213.7	250
Native American	96.6	19	100.8	17	106.8	22	146.5	23	73.2	17
Asian	117.1	77	110.9	92	126.9	104	161.0	114	130.7	143
Hispanic	96.8	122	99.2	134	110.6	156	162.0	180	127.3	188

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**C HP2020-1: Overall Cancer Death Rate. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	178.2	2803	171.4	2809	164.1	2831	157.4	2697
Washoe County	193.0	667	192.6	680	190.0	684	193.7	716
All Other Counties**	195.8	689	185.6	703	185.8	725	170.7	663
<b>Nevada Total</b>	<b>183.2</b>	<b>4159</b>	<b>176.9</b>	<b>4192</b>	<b>171.4</b>	<b>4240</b>	<b>164.9</b>	<b>4076</b>
Carson	225.0	145	205.1	143	217.9	150	169.1	114
Churchill	216.9	54	278.5	72	245.1	62	217.3	54
Douglas	162.2	102	156.8	101	174.5	113	148.8	95
Elko	170.6	49	166.9	48	173.6	52	202.2	58
Esmeralda	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Eureka	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Humboldt	194.3	26	154.3	21	153.8	22	153.3	23
Lander	216.3	8	N/A	<5*	169.1	10	225.0	9
Lincoln	234.5	9	200.2	11	180.5	10	150.2	8
Lyon	210.7	109	191.2	117	170.9	112	184.2	118
Mineral	226.0	17	272.8	19	178.6	12	224.8	15
Nye	227.6	139	195.9	127	198.2	142	176.3	127
Pershing	109.6	6	115.3	8	150.6	11	108.0	9
Storey	129.1	6	113.9	5	193.1	12	108.8	8
White Pine	144.2	15	180.7	24	96.9	13	139.1	18

**C HP2020-1: Overall Cancer Death Rate. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	216.0	2229	212.7	2290	199.9	2260	201.6	2227
Female	158.5	1930	149.5	1902	149.4	1980	138.7	1849
White	192.3	3539	185.7	3572	178.5	3531		
Black	220.8	262	195.8	244	199.3	263		
Native American	79.0	18	87.8	20	N/A	<5*		
Asian	141.3	154	128.2	150	116.7	150		
Hispanic	110.8	178	111.0	196	129.4	236		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**C HP2020-2: Lung Cancer Death Rate. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	63.0	769	62.9	814	55.8	772	61.0	887	53.9	826
Washoe County	59.2	176	64.1	201	52.8	165	63.0	209	58.2	192
All Other Counties**	67.8	207	58.4	182	59.9	198	60.6	207	57.3	202
<b>Nevada Total</b>	<b>63.0</b>	<b>1152</b>	<b>62.3</b>	<b>1197</b>	<b>55.9</b>	<b>1135</b>	<b>61.2</b>	<b>1303</b>	<b>55.1</b>	<b>1220</b>
Carson	90.1	54	76.8	49	54.5	34	74.4	48	55.6	35
Churchill	51.3	12	72.2	16	59.1	14	64.2	16	74.3	18
Douglas	50.9	25	33.9	20	57.2	33	43.8	26	38.0	25
Elko	68.2	20	40.7	10	66.8	18	49.0	11	39.3	10
Esmeralda	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Eureka	0.0	0	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Humboldt	62.8	8	102.2	13	N/A	<5*	59.6	9	52.8	8
Lander	142.5	5	160.2	5	N/A	<5*	0.0	0	N/A	<5*
Lincoln	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lyon	75.6	32	50.4	22	82.4	37	72.4	37	52.7	29
Mineral	70.4	5	94.1	7	76.2	6	N/A	<5*	81.5	6
Nye	72.6	38	56.4	28	62.3	37	72.9	41	86.2	52
Pershing	N/A	<5*	98.6	5	N/A	<5*	N/A	<5*	N/A	<5*
Storey	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	46.7	5	74.6	8

**C HP2020-2: Lung Cancer Death Rate. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	76.2	635	75.3	669	64.3	607	71.9	717	58.8	618
Female	53.5	517	51.9	528	49.0	528	52.2	586	51.3	602
White	69.0	1053	67.7	1085	61.0	1023	75.7	1164	59.6	1085
Black	65.5	55	68.9	65	51.5	51	66.0	62	45.0	54
Native American	N/A	<5*	N/A	<5*	24.9	5	38.7	7	20.9	5
Asian	28.6	20	28.1	23	21.6	23	33.3	24	33.3	37
Hispanic	18.4	18	12.3	20	21.2	30	42.9	45	30.9	38

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**C HP2020-2: Lung Cancer Death Rate. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	54.0	855	52.6	882	47.7	825	45.9	803
Washoe County	62.3	214	55.7	199	51.2	187	59.8	221
All Other Counties**	55.9	202	55.5	221	62.1	248	56.0	227
<b>Nevada Total</b>	<b>55.5</b>	<b>1271</b>	<b>53.5</b>	<b>1302</b>	<b>50.5</b>	<b>1260</b>	<b>49.5</b>	<b>1251</b>
Carson	62.1	41	68.1	48	82.0	57	52.2	37
Churchill	82.3	20	72.2	20	63.8	16	76.0	19
Douglas	50.5	32	38.7	24	52.5	34	39.0	26
Elko	40.6	11	35.5	11	56.4	17	53.5	17
Esmeralda	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Eureka	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Humboldt	50.8	6	76.2	11	N/A	<5*	52.7	9
Lander	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Lincoln	N/A	<5*	109.2	6	87.2	5	N/A	<5*
Lyon	45.4	25	62.5	40	66.9	47	61.1	41
Mineral	N/A	<5*	102.4	7	N/A	<5*	76.6	5
Nye	73.5	48	55.6	41	63.5	48	77.3	56
Pershing	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Storey	N/A	<5*	N/A	<5*	79.6	5	N/A	<5*
White Pine	69.5	7	57.6	7	N/A	<5*	N/A	<5*

**C HP2020-2: Lung Cancer Death Rate. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	65.1	679	62.9	710	57.2	662	57.1	658
Female	48.2	592	45.9	592	45.0	597	43.9	593
White	59.9	1124	57.9	1155	54.5	1104		
Black	56.9	68	58.0	73	46.4	64		
Native American	20.2	5	34.9	7	N/A	<5*		
Asian	33.1	43	31.2	36	26.5	31		
Hispanic	24.1	30	19.4	30	28.6	46		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**C HP2020-3: Female Breast Cancer Death Rate. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	25.6	162	23.3	159	26.3	191	25.9	202	26.9	218
Washoe County	33.2	54	27.9	47	23.7	40	30.4	55	21.7	40
All Other Counties**	21.1	33	27.8	45	17.9	29	20.9	36	17.5	31
<b>Nevada Total</b>	<b>26.1</b>	<b>249</b>	<b>24.7</b>	<b>251</b>	<b>24.7</b>	<b>260</b>	<b>25.9</b>	<b>293</b>	<b>24.7</b>	<b>289</b>
Carson	25.3	8	15.6	10	27.4	9	22.3	7	34.5	11
Churchill	N/A	<5*	46.9	6	N/A	<5*	43.9	6	0.0	0
Douglas	N/A	<5*	17.1	5	N/A	<5*	N/A	<5*	17.4	6
Elko	40.5	5	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Lander	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Lincoln	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
Lyon	33.7	7	34.8	7	N/A	<5*	20.1	5	24.8	6
Mineral	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Nye	N/A	<5*	34.1	8	33.1	6	20.3	5	26.7	6
Pershing	N/A	<5*	0.0	0	0.0	0	0.0	0	N/A	<5*
Storey	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0

**C HP2020-3: Female Breast Cancer Death Rate. (Trend Data: 2000 - 2004)**

Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
White	15.0	219	13.8	215	25.8	218	26.4	238	27.0	250
Black	15.4	15	17.9	18	33.1	18	36.5	22	25.8	16
Native American	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Asian	N/A	<5*	N/A	<5*	12.7	8	19.0	13	12.2	9
Hispanic	7.1	11	7.8	13	18.0	14	17.8	16	9.7	11

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 female population.

**C HP2020-3: Female Breast Cancer Death Rate. (Trend Data: 2005 - 2009)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	23.8	203	18.3	161	22.5	210	21.2	197
Washoe County	22.4	43	23.7	48	25.1	50	22.9	48
All Other Counties**	21.0	39	24.0	45	16.2	33	17.8	36
<b>Nevada Total</b>	<b>23.1</b>	<b>285</b>	<b>19.9</b>	<b>254</b>	<b>21.9</b>	<b>293</b>	<b>21.0</b>	<b>281</b>
Carson	23.0	9	N/A	<5*	18.9	7	15.3	6
Churchill	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Douglas	17.1	6	21.5	7	11.7	5	N/A	<5*
Elko	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Esmeralda	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	71.2	5	N/A	<5*	0.0	0	N/A	<5*
Lander	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Lincoln	0.0	0	0.0	0	0.0	0	N/A	<5*
Lyon	N/A	<5*	41.6	13	19.7	6	18.9	6
Mineral	0.0	0	0.0	0	N/A	<5*	0.0	0
Nye	23.1	6	45.3	11	11.8	5	22.9	7
Pershing	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Storey	0.0	0	0.0	0	N/A	<5*	0.0	0
White Pine	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*

**C HP2020-3: Female Breast Cancer Death Rate. (Trend Data: 2005 - 2009)**

Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
White	24.6	239	20.6	210	22.1	231		
Black	27.1	18	24.8	17	36.7	27		
Native American	N/A	<5*	N/A	<5*	0.0	0		
Asian	17.3	12	19.2	15	15.6	14		
Hispanic	15.8	14	9.3	11	13.0	14		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 female population.



**C HP2020-4: Cervical Cancer Death Rate. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	3.9	25	3.2	24	3.0	21	2.8	21	2.3	19
Washoe County	N/A	<5*	N/A	<5*	2.6	5	N/A	<5*	5.3	10
All Other Counties**	3.2	5	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
<b>Nevada Total</b>	<b>3.5</b>	<b>33</b>	<b>2.9</b>	<b>31</b>	<b>2.6</b>	<b>28</b>	<b>2.1</b>	<b>24</b>	<b>2.8</b>	<b>33</b>
Carson	N/A	<5*	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Churchill	N/A	<5*	N/A	<5*	0.0	0	0.0	0	0.0	0
Douglas	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
Elko	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Mineral	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
Pershing	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0

**C HP2020-4: Cervical Cancer Death Rate. (Trend Data: 2000 - 2004)**

Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
White	1.7	24	1.4	22	2.2	18	2.0	18	2.9	25
Black	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Native American	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
Asian	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Hispanic	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	3.8	5

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 female population.

**C HP2020-4: Cervical Cancer Death Rate. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	2.7	24	3.4	31	1.7	17	2.8	27
Washoe County	3.5	7	4.1	8	N/A	<5*	2.3	5
All Other Counties**	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
<b>Nevada Total</b>	<b>2.6</b>	<b>34</b>	<b>3.2</b>	<b>41</b>	<b>1.7</b>	<b>24</b>	<b>2.4</b>	<b>33</b>
Carson	N/A	<5*	0.0	0	0.0	0	0.0	0
Churchill	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Douglas	0.0	0	0.0	0	0.0	0	0.0	0
Elko	0.0	0	0.0	0	0.0	0	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Mineral	0.0	0	0.0	0	N/A	<5*	0.0	0
Nye	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Pershing	0.0	0	0.0	0	N/A	<5*	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0

**C HP2020-4: Cervical Cancer Death Rate. (Trend Data: 2005 - 2008)**

Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
White	2.8	26	3.7	35	1.8	19		
Black	N/A	<5*	0.0	0	0.0	0		
Native American	0.0	0	0.0	0	0.0	0		
Asian	N/A	<5*	N/A	<5*	0.0	0		
Hispanic	N/A	<5*	5.3	5	N/A	<5*		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 female population.

**C HP2020-5: Colorectal Cancer Death Rate. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	25.6	296	21.6	261	21.4	275	20.3	275	21.1	305
Washoe County	23.1	66	22.8	67	21.6	66	20.7	66	20.3	65
All Other Counties**	17.7	50	21.8	61	17.3	54	16.7	54	19.6	64
<b>Nevada Total</b>	<b>23.8</b>	<b>412</b>	<b>21.8</b>	<b>389</b>	<b>20.8</b>	<b>395</b>	<b>19.8</b>	<b>395</b>	<b>20.8</b>	<b>434</b>
Carson	21.7	13	21.9	13	19.7	12	19.7	12	25.2	15
Churchill	23.1	5	N/A	<5*	N/A	<5*	N/A	<5*	20.9	5
Douglas	N/A	<5*	22.8	10	14.5	7	13.0	7	11.9	8
Elko	46.2	9	N/A	<5*	22.5	5	20.4	5	22.5	5
Esmeralda	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
Lincoln	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lyon	17.0	7	21.7	8	21.6	9	19.4	9	29.1	14
Mineral	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Nye	N/A	<5*	20.2	11	18.3	9	16.0	9	21.1	12
Pershing	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Storey	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
White Pine	N/A	<5*	N/A	<5*	0.0	0	0.0	0	0.0	0

**C HP2020-5: Colorectal Cancer Death Rate. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	27.6	219	25.9	218	25.2	218	25.3	234	24.3	225
Female	20.9	193	18.0	171	17.1	175	15.1	161	18.4	209
White	25.1	363	22.5	338	21.9	346	23.9	346	20.6	352
Black	33.1	27	27.7	24	20.5	18	32.8	22	32.6	37
Native American	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Asian	8.4	7	16.1	10	15.0	14	27.6	14	14.0	14
Hispanic	10.8	13	15.8	14	11.2	13	12.5	12	21.8	25

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**C HP2020-5: Colorectal Cancer Death Rate. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	17.8	272	18.1	286	18.1	307	16.1	270
Washoe County	17.1	59	17.2	60	15.1	55	15.8	57
All Other Counties**	19.2	68	16.6	59	20.6	78	16.3	60
<b>Nevada Total</b>	<b>17.9</b>	<b>399</b>	<b>17.7</b>	<b>405</b>	<b>18.1</b>	<b>440</b>	<b>16.1</b>	<b>387</b>
Carson	23.1	15	20.6	14	29.1	19	14.7	10
Churchill	N/A	<5*	29.4	7	27.4	7	N/A	<5*
Douglas	14.3	9	6.8	5	16.0	11	19.8	12
Elko	23.9	6	N/A	<5*	14.1	5	21.7	7
Esmeralda	0.0	0	N/A	<5*	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Lander	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Lincoln	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Lyon	22.4	12	17.4	9	20.5	12	12.2	7
Mineral	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Nye	17.6	12	21.6	13	17.4	12	10.8	9
Pershing	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Storey	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*

**C HP2020-5: Colorectal Cancer Death Rate. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	21.4	225	19.3	206	19.6	221	24.5	221
Female	14.8	174	16.1	199	16.7	219	13.7	166
White	18.9	342	18.4	341	18.1	352		
Black	21.2	29	17.6	23	28.9	38		
Native American	0.0	0	N/A	<5*	0.0	0		
Asian	15.3	15	10.3	15	19.4	18		
Hispanic	8.8	13	13.2	23	14.2	28		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**C HP2020-6: Oropharyngeal Cancer Death Rate. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	2.6	33	2.4	32	3.3	48	3.2	46	3.3	50
Washoe County	2.4	8	3.1	9	1.9	6	1.9	6	1.9	7
All Other Counties**	2.7	9	2.3	7	4.5	13	3.4	12	2.9	10
<b>Nevada Total</b>	<b>2.6</b>	<b>50</b>	<b>2.5</b>	<b>48</b>	<b>3.3</b>	<b>67</b>	<b>3.0</b>	<b>64</b>	<b>3.0</b>	<b>67</b>
Carson	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Churchill	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Douglas	0.0	0	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Elko	0.0	0	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Lander	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Lyon	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Mineral	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
Nye	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Pershing	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
Storey	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	0.0	0
White Pine	0.0	0	N/A	<5*	0.0	0	N/A	<5*	0.0	0

**C HP2020-6: Oropharyngeal Cancer Death Rate. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	3.6	35	3.4	30	5.4	51	4.6	45	4.5	48
Female	1.6	15	1.8	18	1.6	16	1.7	19	1.7	19
White	2.9	46	2.7	43	3.8	63	3.6	55	2.9	52
Black	N/A	<5*	N/A	<5*	N/A	<5*	6.0	5	5.7	6
Native American	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
Asian	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Hispanic	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**C HP2020-6: Oropharyngeal Cancer Death Rate. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	2.3	37	1.9	34	1.7	32	1.9	33
Washoe County	3.8	14	1.3	5	1.1	5	4.1	15
All Other Counties**	2.7	11	1.5	6	3.3	13	3.3	13
<b>Nevada Total</b>	<b>2.6</b>	<b>62</b>	<b>1.8</b>	<b>45</b>	<b>1.9</b>	<b>50</b>	<b>2.4</b>	<b>61</b>
Carson	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Churchill	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Douglas	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Elko	0.0	0	0.0	0	N/A	<5*	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Lyon	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Mineral	0.0	0	0.0	0	N/A	<5*	0.0	0
Nye	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Pershing	0.0	0	0.0	0	N/A	<5*	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	N/A	<5*

**C HP2020-6: Oropharyngeal Cancer Death Rate. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	3.1	36	2.6	32	2.8	35	3.7	44
Female	2.0	26	1.0	13	1.1	15	1.3	17
White	2.9	57	1.9	38	1.9	41		
Black	N/A	<5*	N/A	<5*	N/A	<5*		
Native American	0.0	0	0.0	0	0.0	0		
Asian	N/A	<5*	N/A	<5*	N/A	<5*		
Hispanic	N/A	<5*	N/A	<5*	N/A	<5*		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**C HP2020-7: Prostate Cancer Death Rate. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	25.5	118	30.0	140	28.8	135	24.3	127	21.8	117
Washoe County	26.0	27	31.8	33	37.1	40	32.0	39	28.0	34
All Other Counties**	24.6	26	26.0	29	28.9	35	27.4	37	40.5	58
<b>Nevada Total</b>	<b>25.7</b>	<b>171</b>	<b>29.7</b>	<b>202</b>	<b>30.1</b>	<b>210</b>	<b>26.0</b>	<b>203</b>	<b>25.9</b>	<b>209</b>
Carson	22.0	6	22.7	6	45.1	12	23.9	6	37.9	10
Churchill	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	46.6	5
Douglas	41.4	5	24.8	4	14.8	3	20.3	5	36.0	9
Elko	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
Eureka	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	0.0	0	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Lincoln	N/A	<5*	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Lyon	N/A	<5*	N/A	<5*	51.8	9	39.4	8	47.6	11
Mineral	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Nye	N/A	<5*	N/A	<5*	N/A	<5*	23.9	5	51.7	12
Pershing	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Storey	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*

**C HP2020-7: Prostate Cancer Death Rate. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	25.7	171	29.7	202	30.1	210	26.0	203	25.9	209
Female	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
White	27.0	153	28.3	168	29.4	182	26.1	173	26.2	180
Black	34.5	12	84.0	25	71.6	17	39.8	17	38.4	15
Native American	0.0	0	N/A	<5*	N/A	<5*	0.0	0	0.0	0
Asian	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Hispanic	N/A	<5*	27.8	6	24.4	5	26.1	9	21.2	10

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 male population.

**C HP2020-7: Prostate Cancer Death Rate. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	22.2	139	23.7	137	24.0	150	22.4	137
Washoe County	22.3	28	30.2	41	28.7	38	29.7	40
All Other Counties**	31.2	44	24.7	37	29.8	46	27.6	41
<b>Nevada Total</b>	<b>23.8</b>	<b>211</b>	<b>24.7</b>	<b>215</b>	<b>25.7</b>	<b>234</b>	<b>24.3</b>	<b>218</b>
Carson	35.8	9	28.8	8	25.2	8	19.6	5
Churchill	41.9	5	N/A	<5*	58.4	6	N/A	<5*
Douglas	40.0	10	31.2	8	25.7	7	36.5	9
Elko	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	N/A	<5*	82.6	5	0.0	0
Lander	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Lincoln	0.0	0	N/A	<5*	0.0	0	0.0	0
Lyon	29.2	7	19.0	5	20.2	5	35.0	9
Mineral	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Nye	34.8	9	N/A	<5*	22.9	6	21.9	7
Pershing	0.0	0	0.0	0	0.0	0	N/A	<5*
Storey	0.0	0	N/A	<5*	0.0	0	0.0	0
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*

**C HP2020-7: Prostate Cancer Death Rate. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	23.8	211	24.7	215	25.7	234	24.34	218
Female	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
White	22.4	167	25.1	186	25.6	196		
Black	40.9	22	37.2	16	44.7	19		
Native American	N/A	<5*	0.0	0	0.0	0		
Asian	19.2	6	N/A	<5*	N/A	<5*		
Hispanic	37.9	15	22.1	10	23.4	12		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 male population.



**C HP2020-8: Melanoma Cancer Death Rate. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	2.4	32	2.7	36	2.2	31	3.4	51	2.9	47
Washoe County	1.4	5	4.7	15	3.8	13	2.4	8	2.5	10
All Other Counties**	3.1	10	3.8	11	3.9	13	2.3	8	2.3	8
<b>Nevada Total</b>	<b>2.4</b>	<b>47</b>	<b>3.2</b>	<b>62</b>	<b>2.7</b>	<b>57</b>	<b>3.1</b>	<b>67</b>	<b>2.8</b>	<b>65</b>
Carson	8.5	5	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Churchill	0.0	0	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Douglas	0.0	0	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Elko	N/A	<5*	N/A	<5*	0.0	0	0.0	0	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Lander	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
Lyon	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Mineral	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
Nye	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Pershing	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0

**C HP2020-8: Melanoma Cancer Death Rate. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	3.0	29	4.9	42	4.1	40	4.3	47	3.9	43
Female	1.8	18	1.9	20	1.6	17	1.8	20	1.8	22
White	3.0	47	4.0	61	3.5	56	4.4	66	3.5	65
Black	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Native American	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Asian	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
Hispanic	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**C HP2020-8: Melanoma Cancer Death Rate. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	2.7	44	1.8	31	1.9	36	2.4	45
Washoe County	2.7	10	3.1	11	5.7	21	2.9	11
All Other Counties**	3.7	13	3.7	14	4.6	18	3.2	13
<b>Nevada Total</b>	<b>2.8</b>	<b>67</b>	<b>2.3</b>	<b>56</b>	<b>2.9</b>	<b>75</b>	<b>2.6</b>	<b>69</b>
Carson	N/A	<5*	N/A	<5*	7.6	5	N/A	<5*
Churchill	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Douglas	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Elko	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	N/A	<5*	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Mineral	0.0	0	N/A	<5*	0.0	0	0.0	0
Nye	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Pershing	0.0	0	0.0	0	0.0	0	N/A	<5*
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	N/A	<5*	N/A	<5*

**C HP2020-8: Melanoma Cancer Death Rate. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	4.8	52	3.7	41	4.6	57	4.0	50
Female	1.2	15	1.1	15	1.3	18	1.4	19
White	3.5	66	2.9	53	3.5	71		
Black	0.0	0	0.0	0	N/A	<5*		
Native American	0.0	0	0.0	0	0.0	0		
Asian	N/A	<5*	0.0	0	0.0	0		
Hispanic	0.0	0	N/A	<5*	N/A	<5*		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**C HP2020-15: Proportion of Women Aged 18+ Who Have Had a Pap Smear in the Preceding 3 Years. (Trend Data: 2000, 2002, 2004, 2006, 2008)**

County of Residence	2000		2002		2004		2006		2008	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	85.0	230	84.7	323	86.1	276	83.3	368	77.5	484
Washoe County	81.1	204	87.1	333	84.9	308	84.4	378	83.8	529
All Other Counties**	80.1	159	83.2	319	80.3	263	76.5	304	78.1	447
<b>Nevada Total</b>	<b>83.8</b>	<b>633</b>	<b>83.7</b>	<b>1001</b>	<b>84.8</b>	<b>865</b>	<b>82.1</b>	<b>1086</b>	<b>78.2</b>	<b>1502</b>
Carson	N/A	<50*	83.3	67	81.0	59	75.6	56	80.6	88
Churchill	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Douglas	N/A	<50*	85.5	55	N/A	<50*	79.4	49	91.3	70
Elko	N/A	<50*	76.6	52	N/A	<50*	N/A	<50*	88.6	70
Esmeralda	~	~	N/A	<50*	~	~	N/A	<50*	N/A	<50*
Eureka	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lander	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	N/A	<50*	N/A	<50*	84.3	43	79.8	47	71.7	66
Mineral	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	60.4	45
Pershing	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

**C HP2020-15: Proportion of Women Aged 18+ Who Have Had a Pap Smear in the Preceding 3 Years. (Trend Data: 2000, 2002, 2004, 2006, 2008)**

Race/Ethnicity	2000		2002		2004		2006		2008	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
White	85.8	503	85.9	714	82.8	599	82.3	769	77.7	1088
Black	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Other	67.5	43	87.1	111	87.9	109	76.7	117	74.7	147
Hispanic	77.5	57	76.1	138	89.3	128	85.1	175	77.9	215

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**C HP2020-15: Proportion of Women Aged 18+ Who Have Had a Pap Smear in the Preceding 3 Years. (Trend Data: 2000, 2002, 2004, 2006, 2008)**

Age	2000		2002		2004		2006		2008	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	81.8	83	69.7	107	76.0	82	83.1	84	67.2	63
25-34	87.2	172	90.4	217	95.2	191	84.1	197	91.9	295
35-44	81.6	170	85.8	268	86.9	206	87.0	262	83.8	335
45-54	88.0	107	90.5	186	87.2	189	86.6	229	77.8	331
55-64	86.8	49	90.3	111	77.0	100	76.9	164	70.2	264
65+	74.7	52	66.8	112	67.6	97	64.7	150	59.5	214

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**C HP2020-16a.: Proportion of Adults Aged 50+ Who Have Had a Fecal Occult Blood Test in the Preceding 2 Years. (Trend Data: 2002, 2004, 2006, 2008)**

County of Residence	2002		2004		2006		2008	
	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	28.1	121	24.1	112	25.8	168	19.7	177
Washoe County	23.2	110	19.8	90	19.1	126	15.0	138
All Other Counties**	25.6	133	22.7	108	23.2	145	17.0	165
<b>Nevada Total</b>	<b>26.7</b>	<b>368</b>	<b>22.9</b>	<b>311</b>	<b>23.9</b>	<b>442</b>	<b>18.6</b>	<b>486</b>
Carson	29.9	33	25.2	23	26.6	26	18.5	30
Churchill	N/A	<50*	N/A	<50*	27.2	15	19.3	13
Douglas	40.4	29	32.4	23	27.0	29	22.4	34
Elko	14.0	10	N/A	<50*	11.6	6	12.1	13
Esmeralda	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Eureka	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lander	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	27.8	24	15.0	9	22.5	25	21.2	28
Mineral	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	15.3	10	18.8	11	26.5	22	12.6	22
Pershing	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**C HP2020-16a.: Proportion of Adults Aged 50+ Who Have Had a Fecal Occult Blood Test in the Preceding 2 Years. (Trend Data: 2002, 2004, 2006, 2008)**

Gender and Race/Ethnicity	2002		2004		2006		2008	
	Percent	N	Percent	N	Percent	N	Percent	N
Male	26.1	181	21.7	149	25.8	219	20.2	218
Female	27.2	187	24.0	162	22.2	223	17.1	268
White	28.7	319	23.9	256	24.5	353	19.0	410
Black	N/A	<50*	N/A	<50*	31.6	13	18.7	14
Other	18.9	21	28.0	33	26.3	44	19.0	43
Hispanic	8.7	14	14.0	14	13.8	24	14.7	15

**C HP2020-16a.: Proportion of Adults Aged 50+ Who Have Had a Fecal Occult Blood Test in the Preceding 2 Years. (Trend Data: 2002, 2004, 2006, 2008)**

Age	2002		2004		2006		2008	
	Percent	N	Percent	N	Percent	N	Percent	N
50-54	16.0	58	12.7	37	10.8	46	10.2	43
55-64	27.4	121	23.8	115	24.3	161	18.3	165
65+	32.2	186	27.8	157	31.5	227	23.8	274

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**C HP2020-16b.: Proportion of Adults Aged 50+ Who Have Ever Had a Sigmoidscopy or Colonoscopy. (Trend Data: 2000, 2002, 2004, 2006, 2008)**

County of Residence	2002		2004		2006		2008	
	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	46.1	202	46.0	206	56.5	351	54.9	468
Washoe County	46.1	215	50.5	250	59.8	402	61.3	552
All Other Counties**	43.8	218	45.6	221	52.2	323	56.0	538
<b>Nevada Total</b>	<b>45.4</b>	<b>641</b>	<b>46.7</b>	<b>684</b>	<b>55.2</b>	<b>1082</b>	<b>55.7</b>	<b>1580</b>
Carson	55.1	55	53.4	51	59.3	55	61.8	100
Churchill	N/A	<50*	N/A	<50*	56.5	30	55.2	46
Douglas	44.8	36	56.4	42	67.9	74	72.6	104
Elko	28.0	20	20.3	10	39.6	26	42.2	45
Esmeralda	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Eureka	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lander	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	50.6	35	49.2	34	52.2	53	49.9	70
Mineral	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	44.4	28	41.7	26	41.0	34	49.1	77
Pershing	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**C HP2020-16b.: Proportion of Adults Aged 50+ Who Have Ever Had a Sigmoidscopy or Colonoscopy. (Trend Data: 2000, 2002, 2004, 2006, 2008)**

Gender and Race/Ethnicity	2002		2004		2006		2008	
	Percent	N	Percent	N	Percent	N	Percent	N
Male	45.3	296	49.3	329	53.6	476	59.3	658
Female	45.8	341	44.0	347	56.7	592	52.3	910
White	48.2	542	48.6	568	56.4	882	59.8	1343
Black	N/A	<50*	N/A	<50*	N/A	<50*	58.0	33
Other	39.2	48	46.5	60	62.0	117	43.9	123
Hispanic	33.8	36	24.8	30	31.2	42	38.0	69

**C HP2020-16b.: Proportion of Adults Aged 50+ Who Have Ever Had a Sigmoidscopy or Colonoscopy. (Trend Data: 2000, 2002, 2004, 2006, 2008)**

Age	2002		2004		2006		2008	
	Percent	N	Percent	N	Percent	N	Percent	N
50-54	29.3	99	28.0	80	34.3	130	38.4	175
55-64	41.4	197	46.1	246	60.8	418	53.9	542
65+	58.6	341	56.5	350	62.5	520	68.0	851

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.



**C HP2020-17: Proportion of Women Aged 40+ Who Have Had a Mammogram in the Preceding 2 Years. (Trend Data: 2000, 2002, 2004, 2006, 2008)**

County of Residence	2000		2002		2004		2006		2008	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	76.9	131	74.3	255	70.1	227	72.3	339	69.0	458
Washoe County	69.2	135	71.2	241	70.5	255	72.0	348	70.2	506
All Other Counties**	68.7	138	71.0	261	65.3	220	62.8	292	63.5	453
<b>Nevada Total</b>	<b>74.4</b>	<b>434</b>	<b>73.3</b>	<b>769</b>	<b>69.3</b>	<b>711</b>	<b>70.7</b>	<b>996</b>	<b>68.0</b>	<b>1444</b>
Carson	69.4	36	72.8	58	80.3	50	65.4	54	62.2	94
Churchill	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	54.3	31
Douglas	N/A	<50*	70.1	43	60.8	32	69.2	55	74.3	76
Elko	N/A	<50*	73.2	38	N/A	<50*	N/A	<50*	62.8	51
Esmeralda	~	~	N/A	<50*	~	~	N/A	<50*	N/A	<50*
Eureka	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lander	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	N/A	<50*	N/A	<50*	66.1	37	65.7	45	68.1	68
Mineral	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	N/A	<50*	N/A	<50*	N/A	<50*	52.3	33	64.0	64
Pershing	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**C HP2020-17: Proportion of Women Aged 40+ Who Have Had a Mammogram in the Preceding 2 Years. (Trend Data: 2000, 2002, 2004, 2006, 2008)**

Race/Ethnicity	2000		2002		2004		2006		2008	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
White	76.4	376	72.9	607	69.3	569	70.8	782	66.9	1176
Black	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Other	N/A	<50*	74.4	68	66.4	79	70.3	102	66.7	125
Hispanic	N/A	<50*	77.1	67	75.1	44	66.9	72	73.5	99

**C HP2020-17: Proportion of Women Aged 40+ Who Have Had a Mammogram in the Preceding 2 Years. (Trend Data: 2000, 2002, 2004, 2006, 2008)**

Age	2000		2002		2004		2006		2008	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
40-44	54.1	71	56.4	102	58.8	84	61.2	103	55.3	109
45-54	76.9	137	76.2	230	66.4	201	73.1	266	66.8	366
55-64	83.9	94	78.9	171	76.5	198	75.6	277	70.5	406
65+	78.2	132	77.7	262	73.4	224	70.1	341	73.2	555

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**D HP2020-14: Proportion of Persons With Diagnosed Diabetes Who Receive Formal Diabetes Education. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	N/A	<50*	69.2	35	66.4	45	60.1	41	54.5	41
Washoe County	N/A	<50*	N/A	<50*	54.7	31	60.3	42	59.0	35
All Other Counties**	N/A	<50*	N/A	<50*	56.9	43	45.2	27	53.3	36
<b>Nevada Total</b>	<b>52.9</b>	<b>58</b>	<b>65.2</b>	<b>80</b>	<b>62.8</b>	<b>121</b>	<b>59.4</b>	<b>114</b>	<b>52.8</b>	<b>113</b>
Carson	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Churchill	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Douglas	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Elko	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Esmeralda	~	~	~	~	~	~	~	~	~	~
Eureka	~	~	~	~	~	~	~	~	~	~
Humboldt	~	~	~	~	N/A	<50*	~	~	~	~
Lander	~	~	~	~	~	~	~	~	~	~
Lincoln	~	~	~	~	~	~	~	~	~	~
Lyon	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Mineral	~	~	~	~	~	~	~	~	~	~
Nye	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Pershing	~	~	~	~	~	~	~	~	~	~
Storey	~	~	~	~	~	~	~	~	~	~
White Pine	~	~	~	~	~	~	~	~	~	~

**D HP2020-14: Proportion of Persons With Diagnosed Diabetes Who Receive Formal Diabetes Education. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	55.7	36	63.8	42	61.3	59	62.8	63	54.6	61
Female	N/A	<50*	66.3	38	64.8	62	54.2	51	50.4	52
White	65.4	43	65.0	63	69.0	85	56.0	83	56.5	81
Black	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Other	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Hispanic	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

~Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**D HP2020-14: Proportion of Persons With Diagnosed Diabetes Who Receive Formal Diabetes Education. (Trend Data: 2000 - 2004)**

Age	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
25-34	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
35-44	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
45-54	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
55-64	N/A	<50*	N/A	<50*	62.6	33	N/A	<50*	68.7	41
65+	63.0	29	79.1	31	65.2	39	58.6	46	49.8	39

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**D HP2020-14: Proportion of Persons With Diagnosed Diabetes Who Receive Formal Diabetes Education. (Trend Data: 2005 - 2009)**

County of Residence	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	63.8	55	52.3	74	60.3	86	59.6	108	56.1	79
Washoe County	60.5	46	57.3	52	66.6	68	56.6	70	67.1	72
All Other Counties**	54.9	49	55.8	52	53.4	70	52.6	86	51.1	79
<b>Nevada Total</b>	<b>61.1</b>	<b>151</b>	<b>52.4</b>	<b>183</b>	<b>59.3</b>	<b>232</b>	<b>58.0</b>	<b>270</b>	<b>57.2</b>	<b>235</b>
Carson	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Churchill	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Douglas	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Elko	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Esmeralda	~	~	~	~	N/A	<50*	~	~	~	~
Eureka	N/A	<50*	~	~	~	~	~	~	N/A	<50*
Humboldt	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lander	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Mineral	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Pershing	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	N/A	<50*	~	~	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

**D HP2020-14: Proportion of Persons With Diagnosed Diabetes Who Receive Formal Diabetes Education. (Trend Data: 2005 - 2009)**

Gender and Race/Ethnicity	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	62.9	81	48.6	99	55.9	104	59.8	120	53.8	103
Female	59.4	70	57.4	84	63.0	128	55.9	150	61.1	132
White	58.8	111	55.1	124	60.6	172	54.8	189	52.6	173
Black	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Other	N/A	<50*	N/A	<50*	55.6	34	71.9	40	N/A	<50*
Hispanic	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

~Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**D HP2020-14: Proportion of Persons With Diagnosed Diabetes Who Receive Formal Diabetes Education. (Trend Data: 2005 - 2009)**

Age	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	N/A	<50*	N/A	<50*	N/A	<50*	N/A	N/A	N/A	<50*
25-34	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
35-44	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
45-54	N/A	<50*	37.5	28	N/A	<50*	60.3	39	N/A	<50*
55-64	68.3	55	65.4	54	69.3	83	64.4	84	53.7	61
65+	49.8	56	58.2	81	57.3	93	58.8	126	49.6	115

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**D HP2020-I: Proportion of Adults With Diabetes Whose Condition Has Been Diagnosed. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	8.0	43	6.8	63	6.5	73	7.1	71	8.4	87
Washoe County	4.7	26	5.2	39	5.9	59	6.1	72	7.3	80
All Other Counties**	7.2	45	5.6	44	7.5	88	5.4	62	7.5	80
<b>Nevada Total</b>	<b>6.8</b>	<b>115</b>	<b>5.7</b>	<b>150</b>	<b>6.2</b>	<b>207</b>	<b>6.3</b>	<b>195</b>	<b>6.4</b>	<b>215</b>
Carson	4.2	7	4.6	9	5.5	11	4.2	12	10.3	18
Churchill	7.6	6	3.3	4	6.1	6	3.3	4	7.4	8
Douglas	5.0	7	4.8	9	8.3	13	5.1	9	5.3	10
Elko	5.4	6	5.7	8	8.5	15	3.2	5	3.8	6
Esmeralda	~	~	~	~	~	~	~	~	~	~
Eureka	~	~	~	~	~	~	~	~	~	~
Humboldt	~	~	~	~	7.3	4	~	~	~	~
Lander	~	~	~	~	~	~	~	~	~	~
Lincoln	~	~	~	~	~	~	~	~	~	~
Lyon	10.1	10	8.5	9	6.0	10	5.0	9	8.9	15
Mineral	~	~	~	~	~	~	~	~	~	~
Nye	12.6	9	6.2	5	12.2	15	9.3	9	12.8	14
Pershing	~	~	~	~	~	~	~	~	~	~
Storey	~	~	~	~	~	~	~	~	~	~
White Pine	~	~	~	~	~	~	~	~	~	~

**D HP2020-I: Proportion of Adults With Diabetes Whose Condition Has Been Diagnosed. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	8.7	67	5.2	79	7.1	111	7.4	106	7.1	115
Female	5.6	59	7.8	83	6.3	116	6.4	110	9.5	140
White	6.3	85	7.0	126	6.3	148	6.9	157	8.5	174
Black	7.7	6	6.0	6	10.1	10	10.5	8	9.9	9
Other	12.2	17	3.9	18	7.0	34	6.1	19	6.3	31
Hispanic	8.8	18	5.7	11	6.7	33	6.3	27	8.3	34

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**D HP2020-I: Proportion of Adults With Diabetes Whose Condition Has Been Diagnosed. (Trend Data: 2000 - 2004)**

Age	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	1.8	2	0.9	2	0.9	5	0.9	2	2.3	2
25-34	1.8	8	3.0	11	2.5	14	2.3	16	3.9	15
35-44	3.1	18	3.0	14	5.8	40	4.9	27	6.2	25
45-54	6.1	21	6.3	33	7.1	46	8.0	45	10.5	50
55-64	12.9	25	13.9	47	10.0	51	10.1	41	11.2	65
65+	19.3	52	13.1	54	14.4	69	15.4	79	15.9	91

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.



**D HP2020-I: Proportion of Adults With Diabetes Whose Condition Has Been Diagnosed. (Trend Data: 2005 - 2009)**

County of Residence	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	8.5	93	8.5	132	9.7	155	9.6	180	8.8	147
Washoe County	7.2	89	8.0	107	7.0	120	7.0	136	7.1	122
All Other Counties**	9.5	106	8.1	101	9.0	152	8.8	165	8.8	148
<b>Nevada Total</b>	<b>7.1</b>	<b>260</b>	<b>7.5</b>	<b>319</b>	<b>8.0</b>	<b>403</b>	<b>8.6</b>	<b>466</b>	<b>7.9</b>	<b>404</b>
Carson	10.3	22	6.2	14	8.7	24	6.8	27	8.0	23
Churchill	9.9	10	8.0	9	7.9	12	10.0	15	5.2	9
Douglas	9.1	16	7.0	12	7.4	20	5.0	21	5.4	17
Elko	7.4	9	7.8	10	7.1	18	8.0	18	9.0	14
Esmeralda	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Eureka	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	N/A	<50*	13.5	8	5.6	5	3.9	7	4.2	5
Lander	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	9.9	17	10.2	21	9.9	25	6.4	17	10.7	28
Mineral	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	11.4	14	11.8	17	13.6	27	14.9	26	16.2	33
Pershing	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	N/A	<50*	N/A	<50*	N/A	<50*	17.7	9	N/A	<50*

**D HP2020-I: Proportion of Adults With Diabetes Whose Condition Has Been Diagnosed. (Trend Data: 2005 - 2009)**

Gender and Race/Ethnicity	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	7.1	137	8.5	179	8.2	181	9.2	207	8.3	179
Female	9.3	157	7.9	172	10.2	265	9.0	291	8.5	248
White	8.4	210	8.6	238	9.5	322	9.2	353	7.8	326
Black	10.8	9	12.8	14	10.7	15	13.3	18	12.5	18
Other	7.6	35	9.5	54	11.9	61	12.4	65	9.3	34
Hispanic	7.6	39	5.8	41	6.4	44	6.7	59	9.4	40

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**D HP2020-1: Proportion of Adults With Diabetes Whose Condition Has Been Diagnosed. (Trend Data: 2005 - 2009)**

Age	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	1.6	4	0.6	3	0.2	1	.	0	1.2	2
25-34	3.6	21	2.2	10	4.4	25	3.3	18	1.8	9
35-44	5.2	33	7.4	44	6.7	42	4.9	34	6.6	30
45-54	5.4	32	7.2	58	9.1	58	10.8	80	7.1	50
55-64	17.2	89	13.2	96	14.7	127	16.0	131	14.6	115
65+	18.7	114	19.3	136	20.3	184	20.9	227	19.3	208

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**D HP2020-3: Diabetes-Related Death Rate. (Trend Data: 2000- 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	42.9	523	42.5	544	42.9	582	43.9	615	38.4	573
Washoe County	59.7	176	73.6	221	69.2	212	75.2	234	76.0	247
All Other Counties**	53.8	151	60.8	171	61.3	189	56.3	174	65.5	215
<b>Nevada Total</b>	<b>47.6</b>	<b>850</b>	<b>50.7</b>	<b>936</b>	<b>50.2</b>	<b>983</b>	<b>51.0</b>	<b>1023</b>	<b>48.5</b>	<b>1035</b>
Carson	68.8	39	92.7	56	72.1	46	85.2	54	89.7	55
Churchill	60.9	12	25.9	6	53.4	13	37.1	8	43.3	11
Douglas	34.4	15	30.0	14	41.0	21	50.8	24	42.5	22
Elko	67.6	12	58.0	11	95.5	18	55.6	15	69.3	16
Esmeralda	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
Eureka	N/A	<5*	0.0	0	0.0	0	0.0	0	N/A	<5*
Humboldt	51.2	7	118.3	14	N/A	<5*	57.2	6	48.0	7
Lander	N/A	<5*	0.0	0	N/A	<5*	154.0	5	N/A	<5*
Lincoln	0.0	0	N/A	<5*	166.6	8	150.0	5	128.6	6
Lyon	47.8	18	75.1	31	80.0	33	50.7	23	86.6	44
Mineral	134.9	10	124.5	8	88.4	5	N/A	<5*	N/A	<5*
Nye	49.0	25	39.2	17	56.0	24	39.7	24	61.6	34
Pershing	N/A	<5*	N/A	<5*	140.5	7	0.0	0	108.7	6
Storey	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	0.0	0
White Pine	59.3	6	69.8	8	62.2	7	49.1	6	82.7	9

**D HP2020-3: Diabetes-Related Death Rate. (Trend Data: 2000- 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	61.7	522	61.5	548	59.5	555	66.7	631	55.5	568
Female	35.1	327	40.2	388	41.5	428	37.0	392	41.4	467
White	46.9	693	49.6	756	48.7	779	49.0	804	47.1	818
Black	77.0	74	82.0	81	70.7	74	88.2	92	79.7	89
Native American	92.6	19	89.9	17	106.6	24	83.0	19	69.2	16
Asian	47.9	27	30.9	25	51.9	36	33.9	29	31.3	33
Hispanic	34.5	35	51.2	57	51.7	65	61.9	77	51.2	77

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rate is age-adjusted to the 2000 U.S. standard population.

Note: Rate is per 100,000 population.

**D HP2020-3: Diabetes-Related Death Rate. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	49.6	778	41.8	686	33.9	585	35.1	597
Washoe County	69.8	241	73.1	256	58.5	212	40.8	149
All Other Counties**	66.7	224	49.6	179	50.0	189	50.7	187
<b>Nevada Total</b>	<b>55.4</b>	<b>1243</b>	<b>47.9</b>	<b>1121</b>	<b>40.2</b>	<b>986</b>	<b>38.5</b>	<b>933</b>
Carson	99.9	64	82.4	57	84.0	59	58.8	40
Churchill	80.8	20	58.4	14	58.7	15	55.4	14
Douglas	35.4	21	47.5	28	30.6	18	47.5	28
Elko	29.7	8	59.8	14	73.2	17	63.6	18
Esmeralda	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Eureka	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Humboldt	110.6	14	76.3	10	46.0	7	57.5	7
Lander	N/A	<5*	N/A	<5*	98.7	5	N/A	<5*
Lincoln	N/A	<5*	0.0	0	N/A	<5*	117.7	7
Lyon	74.6	39	43.1	25	43.2	27	43.8	27
Mineral	125.1	9	52.1	2	96.5	7	68.8	5
Nye	50.0	29	21.2	13	27.9	17	37.0	25
Pershing	93.9	5	N/A	<5*	N/A	<5*	N/A	<5*
Storey	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
White Pine	89.9	9	45.2	6	66.4	9	75.2	9

**D HP2020-3: Diabetes-Related Death Rate. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	72.6	758	63.5	688	50.2	585	51.9	575
Female	40.8	485	34.7	433	31.1	401	27.6	358
White	54.4	981	46.5	875	38.9	767		
Black	93.2	116	72.9	100	77.1	99		
Native American	76.0	16	68.9	18	23.1	6		
Asian	43.6	46	41.7	44	35.4	42		
Hispanic	47.0	82	54.4	83	40.9	68		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rate is age-adjusted to the 2000 U.S. standard population.

Note: Rate is per 100,000 population.

**D HP2020-11: Proportion of Adults With Diabetes Who Have a Glycosylated Hemoglobin Measurement At Least Twice a Year(Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	N/A	<50*	70.8	34	63.1	42	69.8	35	67.4	37
Washoe County	N/A	<50*	N/A	<50*	N/A	<50*	73.2	40	63.1	37
All Other Counties**	N/A	<50*	N/A	<50*	73.2	53	59.2	30	60.8	38
<b>Nevada Total</b>	<b>68.6</b>	<b>72</b>	<b>72.2</b>	<b>89</b>	<b>64.9</b>	<b>130</b>	<b>68.3</b>	<b>107</b>	<b>63.3</b>	<b>115</b>
Carson	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Churchill	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Douglas	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Elko	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Esmeralda	~	~	~	~	~	~	N/A	<50*	~	~
Eureka	~	~	~	~	~	~	~	~	~	~
Humboldt	~	~	~	~	N/A	<50*	N/A	<50*	~	~
Lander	~	~	~	~	N/A	<50*	~	~	N/A	<50*
Lincoln	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Mineral	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Nye	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Pershing	~	~	~	~	N/A	<50*	N/A	<50*	~	~
Storey	~	~	~	~	N/A	<50*	~	~	N/A	<50*
White Pine	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*

**D HP2020-11: Proportion of Adults With Diabetes Who Have a Glycosylated Hemoglobin Measurement At Least Twice a Year(Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	66.8	44	74.6	46	59.6	69	64.2	59	60.9	59
Female	N/A	<50*	70.3	43	71.9	61	73.8	48	66.4	56
White	74.9	53	66.8	64	73.0	92	62.4	80	60.3	84
Black	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Other	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Hispanic	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**D HP2020-11: Proportion of Adults With Diabetes Who Have a Glycosylated Hemoglobin Measurement At Least Twice a Year(Trend Data: 2000 - 2004)**

Age	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
25-34	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
35-44	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
45-54	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
55-64	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	64.6	38
65+	N/A	<50*	N/A	<50*	70.7	46	81.2	52	61.7	46

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**D HP2020-11: Proportion of Adults With Diabetes Who Have a Glycosylated Hemoglobin Measurement At Least Twice a Year(Trend Data: 2005 - 2009)**

County of Residence	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	71.4	48	62.3	66	70.2	83	65.9	102	64.8	78
Washoe County	70.3	43	56.4	47	71.9	61	63.3	71	67.2	67
All Other Counties**	68.2	51	56.1	45	59.3	68	64.6	86	58.6	75
<b>Nevada Total</b>	<b>70.7</b>	<b>142</b>	<b>59.7</b>	<b>163</b>	<b>67.4</b>	<b>216</b>	<b>66.2</b>	<b>267</b>	<b>64.6</b>	<b>224</b>
Carson	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Churchill	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Douglas	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Elko	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Esmeralda	~	~	~	~	N/A	<50*	~	~	N/A	<50*
Eureka	N/A	<50*	~	~	~	~	~	~	~	~
Humboldt	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lander	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Mineral	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Pershing	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

**D HP2020-11: Proportion of Adults With Diabetes Who Have a Glycosylated Hemoglobin Measurement At Least Twice a Year(Trend Data: 2005 - 2009)**

Gender and Race/Ethnicity	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	72.0	83	57.4	93	67.9	100	66.6	119	66.6	103
Female	69.2	59	62.7	70	66.9	116	65.7	148	62.1	121
White	66.2	107	59.8	119	59.8	161	62.7	197	63.0	177
Black	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Other	N/A	<50*	N/A	<50*	N/A	<50*	71.1	33	N/A	<50*
Hispanic	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**D HP2020-11: Proportion of Adults With Diabetes Who Have a Glycosylated Hemoglobin Measurement At Least Twice a Year(Trend Data: 2005 - 2009)**

Age	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
25-34	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
35-44	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
45-54	N/A	<50*	N/A	<50*	N/A	<50*	65.0	42	N/A	<50*
55-64	78.9	48	72.6	49	60.3	70	72.0	84	66.3	67
65+	73.5	62	62.1	74	72.1	91	67.8	117	69.3	110

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.



**D HP2020-9: Proportion of Adults With Diabetes Who Have At Least An Annual Foot Examination (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	N/A	<5*	68.2	34	67.9	46	67.6	40	62.0	47
Washoe County	N/A	<5*	N/A	<5*	65.2	36	67.5	45	59.1	40
All Other Counties**	N/A	<5*	N/A	<5*	62.9	49	65.2	38	54.5	40
<b>Nevada Total</b>	<b>83.1</b>	<b>85</b>	<b>70.9</b>	<b>94</b>	<b>68.2</b>	<b>135</b>	<b>66.2</b>	<b>125</b>	<b>61.7</b>	<b>130</b>
Carson	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Churchill	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Douglas	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Elko	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Esmeralda	~	~	~	~	~	~	N/A	<5*	~	~
Eureka	~	~	~	~	~	~	~	~	~	~
Humboldt	~	~	~	~	N/A	<5*	N/A	<5*	~	~
Lander	~	~	~	~	N/A	<5*	~	~	N/A	<5*
Lincoln	~	~	~	~	N/A	<5*	N/A	<5*	N/A	<5*
Lyon	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Mineral	~	~	~	~	N/A	<5*	N/A	<5*	N/A	<5*
Nye	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Pershing	~	~	~	~	N/A	<5*	N/A	<5*	~	~
Storey	~	~	~	~	N/A	<5*	~	~	N/A	<5*
White Pine	~	~	~	~	N/A	<5*	N/A	<5*	N/A	<5*

**D HP2020-9: Proportion of Adults With Diabetes Who Have At Least An Annual Foot Examination (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	80.5	49	73.8	52	75.9	79	65.3	67	57.5	69
Female	N/A	<5*	68.6	42	57.7	56	67.4	58	67.1	61
White	87.0	54	68.4	73	67.3	91	67.9	97	60.9	91
Black	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Other	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Hispanic	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**D HP2020-9: Proportion of Adults With Diabetes Who Have At Least An Annual Foot Examination (Trend Data: 2000 - 2004)**

Age	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
25-34	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
35-44	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
45-54	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
55-64	N/A	<5*	N/A	<5*	63.3	32	N/A	<5*	58.1	38
65+	88.0	38	N/A	<5*	68.8	45	71.2	52	58.5	48

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**D HP2020-9: Proportion of Adults With Diabetes Who Have At Least An Annual Foot Examination (Trend Data: 2005 - 2009)**

County of Residence	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	69.8	57	57.5	77	64.4	86	62.7	111	62.9	91
Washoe County	79.8	53	64.5	67	73.7	77	60.0	79	72.2	78
All Other Counties**	67.4	61	68.6	56	58.4	77	57.7	88	54.4	71
<b>Nevada Total</b>	<b>69.8</b>	<b>173</b>	<b>59.0</b>	<b>206</b>	<b>62.9</b>	<b>245</b>	<b>61.2</b>	<b>286</b>	<b>63.2</b>	<b>245</b>
Carson	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Churchill	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Douglas	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Elko	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Esmeralda	~	~	~	~	N/A	<5*	~	~	~	~
Eureka	N/A	<5*	~	~	~	~	~	~	N/A	<5*
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lincoln	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lyon	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Mineral	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Nye	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Pershing	N/A	<5*	N/A	<5*	~	~	N/A	<5*	N/A	<5*
Storey	N/A	<5*	~	~	N/A	<5*	N/A	<5*	N/A	<5*
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*

**D HP2020-9: Proportion of Adults With Diabetes Who Have At Least An Annual Foot Examination (Trend Data: 2005 - 2009)**

Gender and Race/Ethnicity	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	72.6	99	56.9	113	63.4	117	68.1	137	62.3	115
Female	66.9	74	61.8	93	62.4	128	53.0	149	64.2	130
White	68.6	122	64.1	143	60.6	175	63.2	209	64.6	180
Black	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Other	N/A	<5*	N/A	<5*	64.3	38	51.2	34	N/A	<5*
Hispanic	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**D HP2020-9: Proportion of Adults With Diabetes Who Have At Least An Annual Foot Examination (Trend Data: 2005 - 2009)**

Age	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	N/A	<5*	N/A	<5*	N/A	<5*	~	~	N/A	<5*
25-34	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
35-44	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
45-54	N/A	<5*	58.7	30	63.7	36	65.5	36	N/A	<5*
55-64	73.6	61	66.0	61	62.6	77	68.0	86	60.0	68
65+	67.6	70	69.0	96	64.6	107	64.6	141	67.8	120

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**ECBP HP2020-6: High School Completion Rate. (Trend Data: 2003 - 2009)**

County of Residence	2003		2004		2005		2006		2007		2008		2009	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	71.7	11,244	62.7	11,371	60.0	12,031	63.5	12,433	63.0	13,031	65.1	14,249	68.0	15,396
Washoe County	80.3	2,759	77.7	2,940	75.7	3,084	75.1	3,110	77.9	3,191	77.3	3,302	77.4	3,415
<b>Nevada Total</b>	<b>74.8</b>	<b>17,052</b>	<b>67.0</b>	<b>17,311</b>	<b>64.9</b>	<b>18,242</b>	<b>67.5</b>	<b>18,632</b>	<b>67.4</b>	<b>19,630</b>	<b>68.7</b>	<b>21,236</b>	<b>71.4</b>	<b>22,672</b>
Carson	84.4	548	81.8	466	82.2	511	83.5	463	83.6	422	85.0	481	90.5	483
Churchill	89.3	297	77.9	252	83.2	267	84.9	288	82.6	327	82.2	342	88.1	286
Douglas	90.9	458	93.2	454	84.5	439	82.8	451	85.8	454	87.1	496	83.9	467
Elko	78.7	442	70.1	551	79.3	582	76.7	550	79.0	557	84.1	608	86.9	650
Eureka	93.8	16	100.0	16	90.0	20	88.9	17	88.2	16	100.0	12	94.1	17
Humboldt	81.2	209	71.4	229	76.1	193	74.4	204	76.1	191	74.7	197	80.7	201
Lander	74.2	87	77.6	83	71.4	53	80.7	79	77.0	86	78.1	92	94.5	105
Lincoln	81.3	84	79.7	64	84.5	57	95.1	81	89.2	65	93.5	77	78.9	55
Lyon	83.1	409	76.4	458	80.9	489	79.2	429	78.7	470	82.6	508	84.9	529
Mineral	76.0	43	78.6	35	72.5	47	78.1	28	65.3	36	66.7	30	77.1	29
Nye	72.8	275	54.1	240	53.0	246	66.7	284	60.4	296	66.8	289	78.6	364
Pershing	95.6	45	87.7	55	90.2	50	86.9	60	84.9	52	90.6	64	87.5	55
Storey	70.8	24	50.0	23	63.6	28	70.7	30	97.2	35	82.5	34	87.9	31
White Pine	81.4	100	74.7	74	75.0	112	86.5	96	83.2	99	84.6	108	79.8	91

Note: Data are from the Nevada Annual Reports of Accountability.  
 Note: No data available for Esmeralda County.

**FP HP2020-8: Pregnancy Rate for Adolescents Aged 15 to 17 Years (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	49.0	1322	44.9	1307	41.4	1257	41.8	1326	39.0	1318
Washoe County	44.2	309	43.3	313	41.1	300	33.7	258	35.9	287
All Other Counties**	34.6	206	32.7	198	33.7	207	30.3	191	27.8	181
<b>Nevada Total</b>	<b>46.0</b>	<b>1837</b>	<b>42.9</b>	<b>1818</b>	<b>40.3</b>	<b>1764</b>	<b>38.8</b>	<b>1775</b>	<b>37.0</b>	<b>1786</b>
Carson	53.8	55	52.0	54	57.9	61	42.6	45	43.3	46
Churchill	36.1	21	41.2	25	35.7	21	32.9	19	30.5	18
Douglas	36.9	28	22.2	18	21.9	19	13.2	12	12.9	12
Elko	23.7	27	21.2	24	22.3	25	31.4	35	20.1	23
Esmeralda	N/A	<5*	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Eureka	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
Humboldt	46.4	16	43.7	15	56.9	20	43.4	16	28.0	10
Lander	N/A	<5*	50.5	8	N/A	<5*	N/A	<5*	N/A	<5*
Lincoln	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lyon	44.8	32	24.2	18	22.1	17	33.3	27	33.8	29
Mineral	N/A	<5*	63.5	5	96.1	8	N/A	<5*	N/A	<5*
Nye	16.7	10	29.2	18	25.7	17	33.7	24	32.9	25
Pershing	28.7	5	41.6	7	42.8	7	32.9	5	42.8	6
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	N/A	<5*	36.1	5	44.5	6	N/A	<5*	N/A	<5*

**FP HP2020-8: Pregnancy Rate for Adolescents Aged 15 to 17 Years (Trend Data: 2000 - 2004)**

Race/Ethnicity	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
White	25.9	600	22.0	530	23.3	571	24.1	601	22.8	588
Black	60.2	211	59.9	222	52.7	206	48.6	204	43.5	195
Native American	37.1	26	32.8	24	28.1	21	18.4	14	17.3	14
Asian	26.4	56	23.0	53	27.4	65	22.7	58	37.3	104
Hispanic	62.5	652	52.7	609	54.9	673	57.9	769	53.0	764

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Nevada data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 1,000 age-specific female population.

Note: Rates were not adjusted for cases where race/ethnicity was listed as other/unknown.

**FP HP2020-8:Pregnancy Rate for Adolescents Aged 15 to 17 Years (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008***	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	41.2	1476	41.1	1536	39.1	1523	39.3	1539
Washoe County	33.6	288	35.6	315	31.5	285	31.0	284
All Other Counties**	25.5	176	29.7	220	27.9	211	26.2	199
<b>Nevada Total</b>	<b>37.8</b>	<b>1940</b>	<b>38.6</b>	<b>2071</b>	<b>36.4</b>	<b>2019</b>	<b>36.1</b>	<b>2022</b>
Carson	45.5	51	45.6	54	37.2	44	26.2	31
Churchill	24.1	15	25.0	16	23.6	15	23.8	15
Douglas	12.1	12	11.7	12	14.5	15	15.5	16
Elko	21.5	26	30.9	38	30.4	39	33.4	43
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	N/A	<5*	N/A	<5*	0.0	0	0.0	0
Humboldt	25.1	9	48.9	18	32.1	12	50.9	19
Lander	N/A	<5*	29.2	5	N/A	<5*	N/A	<5*
Lincoln	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Lyon	26.7	24	37.3	40	27.9	31	28.9	32
Mineral	N/A	<5*	N/A	<5*	N/A	<5*	63.2	7
Nye	27.2	22	20.6	18	22.1	20	27.0	25
Pershing	N/A	<5*	25.8	5	0.0	0	N/A	<5*
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	22.2	5	22.2	6	25.8	7	N/A	<5*

**FP HP2020-8:Pregnancy Rate for Adolescents Aged 15 to 17 Years (Trend Data: 2005 - 2008)**

Race/Ethnicity	2005		2006		2007		2008***	
	Rate	N	Rate	N	Rate	N	Rate	N
White	22.1	598	23.2	655	20.1	588	20.4	601
Black	53.9	257	52.6	262	53.3	276	51.6	269
Native American	30.2	26	33.3	30	22.6	21	16.1	15
Asian	30.8	92	16.4	51	12.4	40	19.3	63
Hispanic	52.9	828	50.5	825	54.3	920	51.7	883

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Nevada data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 1,000 age-specific female population.

Note: Rates were not adjusted for cases where race/ethnicity was listed as other/unknown.

**FP HP2020-8: Pregnancy Rate for Adolescents Aged 18 to 19 Years (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	130.6	2428	125.8	2494	117.2	2439	110.3	2401	107.7	2518
Washoe County	115.2	554	126.5	628	110.3	554	103.1	546	103.9	567
All Other Counties**	100.0	377	103.1	402	91.4	365	100.0	397	95.6	394
<b>Nevada Total</b>	<b>123.6</b>	<b>3359</b>	<b>122.9</b>	<b>3524</b>	<b>112.6</b>	<b>3358</b>	<b>107.8</b>	<b>3344</b>	<b>105.5</b>	<b>3479</b>
Carson	130.3	81	154.5	101	118.8	82	142.8	100	125.9	89
Churchill	107.8	39	137.1	50	116.7	44	90.1	38	108.8	46
Douglas	61.2	29	78.9	39	70.2	35	81.0	41	59.4	34
Elko	73.9	58	77.6	63	63.8	50	84.1	61	97.7	70
Esmeralda	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
Eureka	0.0	0	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Humboldt	93.9	21	109.2	25	152.0	36	142.3	32	93.3	21
Lander	N/A	<5*	107.1	9	89.3	9	113.2	11	N/A	<5*
Lincoln	92.2	7	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lyon	148.9	64	113.0	53	91.4	46	104.7	54	121.1	67
Mineral	163.6	11	94.0	5	N/A	<5*	142.4	7	120.5	7
Nye	118.3	46	85.7	35	89.1	35	93.9	38	74.3	33
Pershing	57.0	6	57.3	7	74.0	9	56.7	6	78.8	9
Storey	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
White Pine	102.9	10	126.0	10	113.7	12	N/A	<5*	93.9	9

**FP HP2020-8: Pregnancy Rate for Adolescents Aged 18 to 19 Years (Trend Data: 2000 - 2004)**

Race/Ethnicity	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
White	87.2	1379	72.6	1184	77.2	1291	79.8	1380	77.4	1403
Black	154.2	343	148.9	353	163.8	410	142.7	364	137.4	372
Native American	113.0	50	104.2	47	101.3	49	97.9	51	85.8	47
Asian	74.6	120	73.0	127	77.8	140	74.3	140	83.1	167
Hispanic	151.8	1074	149.1	1165	140.2	1163	139.1	1220	132.6	1269

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Nevada data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 1,000 age-specific female population.

Note: Rates were not adjusted for cases where race/ethnicity was listed as other/unknown.



**FP HP2020-8: Pregnancy Rate for Adolescents Aged 18 to 19 Years (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008***	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	107.1	2618	112.2	2861	106.9	2843	100.4	2687
Washoe County	102.7	579	98.6	573	98.5	585	99.1	597
All Other Counties**	91.7	390	97.4	444	99.9	465	88.7	414
<b>Nevada Total</b>	<b>104.5</b>	<b>3587</b>	<b>108.1</b>	<b>3878</b>	<b>104.7</b>	<b>3893</b>	<b>98.7</b>	<b>3698</b>
Carson	120.7	87	131.4	100	127.4	97	97.4	74
Churchill	112.1	43	119.0	47	104.5	41	113.0	44
Douglas	61.3	37	54.5	34	63.3	40	50.9	32
Elko	97.7	74	93.6	72	112.1	90	95.7	77
Esmeralda	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Eureka	N/A	<5*	N/A	<5*	243.5	5	N/A	<5*
Humboldt	81.2	20	106.8	27	97.2	25	140.3	36
Lander	93.2	7	116.7	9	76.6	6	199.2	16
Lincoln	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lyon	96.2	55	95.3	65	79.4	56	63.9	45
Mineral	N/A	<5*	N/A	<5*	93.0	5	222.0	12
Nye	80.2	37	112.0	56	85.1	44	85.1	45
Pershing	72.1	8	40.1	6	46.0	7	51.7	8
Storey	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
White Pine	108.0	13	76.3	11	82.8	12	54.6	8

**FP HP2020-8: Pregnancy Rate for Adolescents Aged 18 to 19 Years (Trend Data: 2005 - 2008)**

Race/Ethnicity	2005		2006		2007		2008***	
	Rate	N	Rate	N	Rate	N	Rate	N
White	71.2	1312	71.1	1371	69.0	1376	64.9	1305
Black	141.5	413	154.7	471	139.1	441	162.0	517
Native	85.9	46	114.5	64	88.7	51	82.9	48
Asian	121.1	257	52.5	116	59.7	137	50.6	117
Hispanic	126.6	1308	136.9	1477	138.0	1545	124.0	1399

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Nevada data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 1,000 age-specific female population.

Note: Rates were not adjusted for cases where race/ethnicity was listed as other/unknown.

**FS HP2020-1.2: Rate of Reported Cases of Escherichia Coli 0157:H7 (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	0.7	10	0.5	8	1.0	15	1.0	17	1.2	20
Washoe County	N/A	<5*	N/A	<5*	1.9	7	1.3	5	N/A	<5*
<b>Nevada Total</b>	<b>0.7</b>	<b>15</b>	<b>0.8</b>	<b>18</b>	<b>1.3</b>	<b>28</b>	<b>1.1</b>	<b>25</b>	<b>1.2</b>	<b>28</b>
Carson	N/A	<5*	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Churchill	0.0	0	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Douglas	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Elko	0.0	0	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	0.0	0	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Mineral	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
Nye	0.0	0	N/A	<5*	N/A	<5*	0.0	0	0.0	0
Pershing	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0

\* More that 0 but less than 5

Note: Data are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to date for Clark County and from the years 2000 to 2004 for all other counties included. Data are from the National Electronic Diseases Surveillance System (NEDSS) for 2005 to date for all counties except Clark County.

Note: Rates for each county are listed below Nevada Total.

Note: 'N/A' indicates sufficient data are not available.

Note: The Nevada data are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to date for Clark County and for 2000 to 2004 for all other counties. The Nevada data are from the National Electronic Diseases Surveillance System (NEDSS) for 2005 to date for all other counties except Clark County.

**FS HP2020-1.2: Rate of Reported Cases of Escherichia Coli 0157:H7 (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	0.7	13	1.1	20	0.8	16	0.5	10
Washoe County	1.8	7	2.4	10	1.2	5	1.4	6
<b>Nevada Total</b>	<b>1.1</b>	<b>28</b>	<b>1.4</b>	<b>36</b>	<b>1.1</b>	<b>31</b>	<b>0.8</b>	<b>23</b>
Carson	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Churchill	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Douglas	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Elko	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	N/A	<5*	N/A	<5*	10.7	6	N/A	<5*
Mineral	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Pershing	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	N/A	<5*	0.0	0

\* More that 0 but less than 5

Note: Data are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to date for Clark County and from the years 2000 to 2004 for all other counties included. Data are from the National Electronic Diseases Surveillance System (NEDSS) for 2005 to date for all counties except Clark County.

Note: Rates for each county are listed below Nevada Total.

Note: 'N/A' indicates sufficient data are not available.

Note: The Nevada data are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to date for Clark County and for 2000 to 2004 for all other counties. The Nevada data are from the National Electronic Diseases Surveillance System (NEDSS) for 2005 to date for all other counties except Clark County.

*FS HP2020-1.3: Rate of Reported Cases of Listeriosis (Trend Data: 2000 - 2004)*

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	N/A	<5*	0.3	5	N/A	<5*	N/A	<5*	0.3	5
Washoe County	0.0	0	N/A	<5*	0.0	0	0.0	0	N/A	<5*
<b>Nevada Total</b>	<b>N/A</b>	<b>&lt;5*</b>	<b>0.3</b>	<b>7</b>	<b>N/A</b>	<b>&lt;5*</b>	<b>N/A</b>	<b>&lt;5*</b>	<b>0.3</b>	<b>8</b>
Carson	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Churchill	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
Douglas	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Elko	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Nye	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Pershing	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0

\* More that 0 but less than 5

Note: Data are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to date for Clark County and from the years 2000 to 2004 for all other counties included. Data are from the National Electronic Diseases Surveillance System (NEDSS) for 2005 to date for all counties except Clark County.

Note: Rates for each county are listed below Nevada Total.

Note: 'N/A' indicates sufficient data are not available.

Note: The Nevada data are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to date for Clark County and for 2000 to 2004 for all other counties. The Nevada data are from the National Electronic Diseases Surveillance System (NEDSS) for 2005 to date for all other counties except Clark County.

**FS HP2020-1.3: Listeriosis (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	0.0	0	0.3	5	0.4	7	N/A	<5*
Washoe County	N/A	<5*	N/A	<5*	0.0	0	0.0	0
<b>Nevada Total</b>	<b>N/A</b>	<b>&lt;5*</b>	<b>0.3</b>	<b>9</b>	<b>0.3</b>	<b>8</b>	<b>N/A</b>	<b>&lt;5*</b>
Carson	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Churchill	0.0	0	0.0	0	0.0	0	0.0	0
Douglas	0.0	0	0.0	0	0.0	0	0.0	0
Elko	0.0	0	0.0	0	0.0	0	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	0.0	0	0.0	0	0.0	0	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	0.0	0
Nye	0.0	0	N/A	<5*	0.0	0	0.0	0
Pershing	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0

\* More that 0 but less than 5

Note: Data are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to date for Clark County and from the years 2000 to 2004 for all other counties included. Data are from the National Electronic Diseases Surveillance System (NEDSS) for 2005 to date for all counties except Clark County.

Note: Rates for each county are listed below Nevada Total.

Note: 'N/A' indicates sufficient data are not available.

Note: The Nevada data are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to date for Clark County and for 2000 to 2004 for all other counties. The Nevada data are from the National Electronic Diseases Surveillance System (NEDSS) for 2005 to date for all other counties except Clark County.

**FS HP2020-1.4: Rate of Reported Cases of Salmonella (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	10.6	148	10.0	149	11.4	176	7.5	121	7.5	129
Washoe County	11.1	38	6.8	24	4.7	17	9.6	36	8.1	31
<b>Nevada Total</b>	<b>13.1</b>	<b>265</b>	<b>9.5</b>	<b>202</b>	<b>9.9</b>	<b>217</b>	<b>8.0</b>	<b>183</b>	<b>7.9</b>	<b>191</b>
Carson	45.6	23	17.5	9	11.5	6	11.4	6	11.4	6
Churchill	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Douglas	26.4	11	N/A	<5*	11.3	5	N/A	<5*	N/A	<5*
Elko	26.3	12	15.0	7	12.9	6	N/A	<5*	N/A	<5*
Esmeralda	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Humboldt	30.9	5	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	N/A	<5*	0.0	0	0.0	0	0.0	0	N/A	<5*
Lincoln	N/A	<5*	0.0	0	0.0	0	N/A	<5*	0.0	0
Lyon	50.4	18	N/A	<5*	0.0	0	N/A	<5*	15.7	7
Mineral	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Nye	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Pershing	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	N/A	<5*	0.0	0	0.0	0	N/A	<5*	N/A	<5*

\* More that 0 but less than 5

Note: Data are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to date for Clark County and from the years 2000 to 2004 for all other counties included. Data are from the National Electronic Diseases Surveillance System (NEDSS) for 2005 to date for all counties except Clark County.

Note: Rates for each county are listed below Nevada Total.

Note: 'N/A' indicates sufficient data are not available.

Note: The Nevada data are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to date for Clark County and for 2000 to 2004 for all other counties. The Nevada data are from the National Electronic Diseases Surveillance System (NEDSS) for 2005 to date for all other counties except Clark County.

**FS HP2020-1.4: Rate of Reported Cases of Salmonella (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	8.0	144	9.9	185	8.5	167	9.3	183
Washoe County	8.1	32	8.8	36	10.0	42	9.0	38
<b>Nevada Total</b>	<b>8.0</b>	<b>200</b>	<b>9.3</b>	<b>245</b>	<b>9.7</b>	<b>263</b>	<b>8.8</b>	<b>241</b>
Carson	N/A	<5*	8.7	5	19.1	11	N/A	<5*
Churchill	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Douglas	N/A	<5*	N/A	<5*	22.9	12	9.6	5
Elko	N/A	<5*	N/A	<5*	13.9	7	N/A	<5*
Esmeralda	0.0	0	0.0	0	N/A	<5*	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Lincoln	0.0	0	N/A	<5*	0.0	0	0.0	0
Lyon	11.0	5	N/A	<5*	10.7	6	N/A	<5*
Mineral	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Nye	N/A	<5*	N/A	<5*	15.1	7	N/A	<5*
Pershing	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Storey	0.0	0	0.0	0	0.0	0	N/A	<5*
White Pine	0.0	0	0.0	0	0.0	0	0.0	0

\* More that 0 but less than 5

Note: Data are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to date for Clark County and from the years 2000 to 2004 for all other counties included. Data are from the National Electronic Diseases Surveillance System (NEDSS) for 2005 to date for all counties except Clark County.

Note: Rates for each county are listed below Nevada Total.

Note: 'N/A' indicates sufficient data are not available.

Note: The Nevada data are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to date for Clark County and for 2000 to 2004 for all other counties. The Nevada data are from the National Electronic Diseases Surveillance System (NEDSS) for 2005 to date for all other counties except Clark County.

**HAI 2020-2: Incidence Rates of Methicillin-Resistant Staphylococcus Aureus. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	74.2	888	90.0	1136	89.0	1175	86.2	1235	104.2	1622
Washoe County	17.6	54	32.0	96	30.0	98	45.4	150	67.5	243
All Other Counties**	28.2	79	38.5	112	49.1	148	51.7	162	61.8	198
<b>Nevada Total</b>	<b>56.8</b>	<b>1021</b>	<b>71.5</b>	<b>1344</b>	<b>72.0</b>	<b>1421</b>	<b>73.8</b>	<b>1547</b>	<b>91.6</b>	<b>2063</b>
Carson	13.6	7	33.2	19	35.0	20	42.3	25	74.0	42
Churchill	38.6	8	35.5	8	77.9	17	28.1	7	69.2	17
Douglas	17.1	8	16.0	6	32.8	14	28.4	17	29.7	17
Elko	0.0	0	N/A	<5*	N/A	<5*	70.3	13	33.7	7
Esmeralda	N/A	<5*	0.0	0	N/A	<5*	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Humboldt	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Lander	0.0	0	N/A	<5*	N/A	<5*	133.2	5	N/A	<5*
Lincoln	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Lyon	32.2	14	41.8	17	59.4	23	35.3	16	49.7	24
Mineral	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	109.7	6
Nye	38.1	18	95.7	43	61.1	29	105.5	45	103.1	49
Pershing	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	111.9	6
Storey	0.0	0	N/A	<5*	0.0	0	0.0	0	N/A	<5*
White Pine	95.6	9	N/A	<5*	102.3	10	158.8	13	55.4	5

**HAI 2020-2: Incidence Rates of Methicillin-Resistant Staphylococcus Aureus. (Trend Data: 2000 - 2004)**

Gender	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Male	65.0	532	79.4	662	83.6	764	88.6	857	107.4	1145
Female	51.2	489	67.8	682	63.1	657	62.4	690	78.4	915

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Nevada Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rate is age-adjusted to the 2000 U.S. standard population.

Note: Rate is per 100,000 population.



**HAI 2020-2: Incidence Rates of Methicillin-Resistant Staphylococcus Aureus. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	109.1	1795	115.4	1943	102.6	1766	108.9	1985
Washoe County	73.2	273	94.4	353	94.5	351	78.0	312
All Other Counties**	68.3	230	79.9	281	128.4	429	73.1	270
<b>Nevada Total</b>	<b>96.7</b>	<b>2298</b>	<b>104.0</b>	<b>2577</b>	<b>97.7</b>	<b>2546</b>	<b>99.1</b>	<b>2567</b>
Carson	82.0	49	72.4	44	90.2	53	100.4	62
Churchill	70.7	19	43.9	12	140.4	34	176.2	45
Douglas	36.8	22	41.3	24	70.3	39	62.5	36
Elko	23.3	9	49.7	13	45.2	13	57.3	17
Esmeralda	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Eureka	0.0	0	0.0	0	439.7	6	0.0	0
Humboldt	34.7	5	38.3	6	69.2	11	81.1	12
Lander	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lincoln	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Lyon	61.2	29	58.1	34	59.1	33	62.9	39
Mineral	N/A	<5*	144.1	6	106.0	5	N/A	<5*
Nye	118.8	63	104.1	52	91.6	52	62.4	34
Pershing	N/A	<5*	178.1	11	N/A	<5*	121.7	8
Storey	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
White Pine	N/A	<5*	49.2	6	84.2	8	68.1	7

**HAI 2020-2: Incidence Rates of Methicillin-Resistant Staphylococcus Aureus. (Trend Data: 2005 - 2008)**

Gender	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Male	114.1	1288	126.6	1491	112.3	1415	93.5	1081
Female	82.2	1003	84.7	1079	84.4	1123	109.5	1486

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Nevada Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rate is age-adjusted to the 2000 U.S. standard population.

Note: Rate is per 100,000 population.

**HDS HP2020-2: Coronary Heart Disease Death Rate. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	173.0	1897	164.8	1926	142.9	1761	139.2	1833	132.3	1826
Washoe County	198.7	532	212.1	603	197.0	566	204.0	607	175.9	556
All Other Counties**	140.3	372	148.2	427	153.7	445	151.1	454	154.7	496
<b>Nevada Total</b>	<b>172.4</b>	<b>2801</b>	<b>169.9</b>	<b>2956</b>	<b>153.9</b>	<b>2772</b>	<b>151.9</b>	<b>2894</b>	<b>142.6</b>	<b>2878</b>
Carson	150.4	87	178.0	105	195.3	119	196.7	119	212.5	130
Churchill	174.7	36	111.8	25	191.9	43	148.5	34	169.2	40
Douglas	128.2	48	133.2	61	106.6	49	121.1	60	110.7	57
Elko	88.7	18	129.4	29	154.7	36	125.9	25	95.9	22
Esmeralda	N/A	<5*	N/A	<5*	N/A	<5*	538.5	7	N/A	<5*
Eureka	448.5	6	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Humboldt	144.1	16	185.9	23	209.6	24	170.1	22	183.8	25
Lander	131.4	5	190.5	8	N/A	<5*	334.7	12	192.3	8
Lincoln	206.7	9	262.4	12	194.6	9	158.2	6	223.4	10
Lyon	140.6	53	134.3	55	174.1	64	155.8	68	167.1	79
Mineral	330.6	23	277.3	19	156.7	10	173.5	12	152.5	11
Nye	136.1	50	155.2	70	130.3	56	133.5	69	149.5	82
Pershing	121.6	5	118.7	6	195.2	11	155.5	8	181.3	9
Storey	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
White Pine	129.0	13	50.8	5	117.0	13	80.2	9	139.8	15

**HDS HP2020-2: Coronary Heart Disease Death Rate. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	223.8	1711	218.1	1791	194.0	1637	195.2	1728	193.3	1794
Female	126.7	1090	126.3	1165	117.8	1135	113.9	1166	100.0	1084
White	182.3	2490	177.1	2591	159.4	2406	159.8	2524	150.3	2509
Black	156.9	135	222.8	179	178.5	155	153.8	155	153.2	162
Native American	90.9	17	112.8	19	132.9	30	143.0	28	102.4	25
Asian	84.7	49	98.6	63	89.5	59	109.7	72	79.3	54
Hispanic	104.3	101	93.6	98	114.4	113	95.0	99	94.5	120

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**HDS HP2020-2: Coronary Heart Disease Death Rate. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	132.0	1972	130.7	2023	106.9	1730	98.6	1581
Washoe County	175.7	573	175.8	587	144.4	495	129.8	444
All Other Counties**	156.3	528	126.3	460	127.4	472	126.0	461
<b>Nevada Total</b>	<b>142.9</b>	<b>3073</b>	<b>137.1</b>	<b>3070</b>	<b>115.9</b>	<b>2697</b>	<b>107.8</b>	<b>2486</b>
Carson	188.4	122	165.6	113	127.7	87	149.9	101
Churchill	198.5	46	128.0	31	133.4	33	195.1	47
Douglas	85.6	50	107.5	64	104.2	63	105.9	64
Elko	83.7	24	94.3	24	75.6	17	51.4	15
Esmeralda	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Eureka	391.3	6	N/A	<5*	N/A	<5*	616.0	9
Humboldt	206.1	28	124.1	16	185.1	26	112.4	16
Lander	297.3	11	224.4	9	N/A	<5*	159.9	7
Lincoln	N/A	<5*	N/A	<5*	178.8	8	98.4	6
Lyon	187.3	93	105.6	63	107.9	66	102.4	60
Mineral	213.1	16	188.5	12	176.9	13	109.0	8
Nye	172.2	100	149.8	98	195.5	122	146.9	98
Pershing	171.2	9	N/A	<5*	65.3	5	116.5	9
Storey	98.4	5	N/A	<5*	116.4	6	N/A	<5*
White Pine	100.5	11	123.8	16	111.4	15	78.6	12

**HDS HP2020-2: Coronary Heart Disease Death Rate. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	187.4	1871	181.3	1895	156.5	1679	143.2	1519
Female	104.3	1202	98.2	1175	81.6	1018	77.7	967
White	149.8	2641	141.5	2594	120.4	2264		
Black	159.8	191	170.0	205	146.3	182		
Native American	138.9	33	126.4	32	N/A	<5*		
Asian	97.4	81	102.3	93	85.0	76		
Hispanic	80.5	122	91.4	137	86.8	123		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**HDS HP2020-24.1-24.2: Hospitalization Rate of Older Adults Age 65 and Older With Congestive Heart Failure (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	16.2	2422	14.9	2375	13.9	2311	12.7	2226	14.6	2695
Washoe County	11.4	406	11.8	430	10.2	380	9.9	382	11.8	466
All Other Counties**	13.0	485	11.7	455	12.1	480	12.1	498	12.3	527
<b>Nevada Total</b>	<b>14.9</b>	<b>3313</b>	<b>13.9</b>	<b>3260</b>	<b>13.0</b>	<b>3171</b>	<b>12.2</b>	<b>3106</b>	<b>13.8</b>	<b>3688</b>
Carson	9.3	72	9.5	75	7.7	61	13.1	104	14.9	117
Churchill	17.3	49	8.3	24	12.6	37.0	16.3	49	18.4	56
Douglas	7.3	47	6.3	43	5.4	38	4.8	35	6.3	49
Elko	13.6	35	9.9	27	12.2	35	11.5	35	11.4	37
Esmeralda	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Eureka	0.0	0	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Humboldt	N/A	<5*	14.5	20	10.5	15	9.4	14	11.6	18
Lander	22.2	9	N/A	<5*	N/A	<5*	19.1	8	N/A	<5*
Lincoln	20.5	14	15.9	10	20.4	13	29.5	18	19.4	12
Lyon	19.7	103	17.0	93	17.4	99	11.6	70	13.5	87
Mineral	17.1	17	10.0	10	19.2	19	24.1	24	22.2	22
Nye	15.2	95	14.0	93	14.7	102	11.8	88	11.2	88
Pershing	17.4	10	15.0	9	9.7	6	7.9	5	9.0	6
Storey	0.0	0	0.0	0	0.0	0.0	N/A	<5*	N/A	<5*
White Pine	18.8	26	22.7	32	28.7	40	32.9	46	19.2	27

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Nevada Inpatient Hospital Discharge Database (NHDS).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific population.

**HDS HP2020-24.1-24.2 Hospitalization Rate of Older Adults Age 65 and Older With Congestive Heart Failure (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	14.3	2790	13.6	2754	7.1	1510	9.6	2038
Washoe County	11.2	458	11.4	481	4.5	193	4.6	201
All Other Counties**	12.4	562	10.4	508	7.3	360	9.3	464
<b>Nevada Total</b>	<b>13.6</b>	<b>3810</b>	<b>12.7</b>	<b>3743</b>	<b>6.8</b>	<b>2063</b>	<b>8.8</b>	<b>2703</b>
Carson	14.6	120	11.5	100	11.9	103	8.2	71
Churchill	13.5	42	12.5	40	12.9	41	18.1	57
Douglas	6.3	52	7.9	67	5.2	45	6.5	56
Elko	14.0	48	16.6	58	8.5	31	4.7	17
Esmeralda	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Eureka	N/A	<5*	35.0	7	N/A	<5*	0.0	0
Humboldt	11.1	18	4.2	7	4.7	8	8.8	15
Lander	25.8	13	9.7	5	0.0	0	N/A	<5*
Lincoln	20.9	13	8.6	6	8.2	6	13.1	10
Lyon	15.6	104	9.1	72	5.7	47	6.5	53
Mineral	11.2	11	21.3	20	15.0	14	41.6	39
Nye	11.2	97	10.0	94	4.3	42	9.4	93
Pershing	13.2	9	7.6	7	7.5	7	11.5	11
Storey	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
White Pine	21.4	30	14.3	24	8.3	14	21.1	36

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Nevada Inpatient Hospital Discharge Database (NHDS).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific population.

HDS HP2020-3: Stroke Death Rate. (Trend Data: 2000 - 2004)

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	56.7	575	56.3	626	54.9	637	55.6	679	51.8	689
Washoe County	55.8	147	52.4	141	57.0	152	66.5	190	57.4	169
All Other Counties**	47.7	124	52.3	141	60.9	167	48.9	141	49.7	150
<b>Nevada Total</b>	<b>54.8</b>	<b>846</b>	<b>55.1</b>	<b>908</b>	<b>56.4</b>	<b>956</b>	<b>56.4</b>	<b>1010</b>	<b>52.6</b>	<b>1008</b>
Carson	50.6	30	84.2	50	92.3	56	70.6	42	63.4	39
Churchill	57.6	12	64.3	14	73.8	16	55.1	12	69.7	16
Douglas	56.7	21	39.2	17	46.4	21	32.4	15	35.7	17
Elko	39.6	7	34.3	7	31.1	5	78.6	16	100.6	18
Esmeralda	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Eureka	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	43.4	6
Lander	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lincoln	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Lyon	40.1	15	45.8	16	63.5	22	44.4	19	39.1	17
Mineral	N/A	<5*	66.1	<5*	77.6	5	68.2	5	N/A	<5*
Nye	45.8	20	50.5	19	68.3	23	38.9	19	48.7	25
Pershing	118.6	5	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Storey	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	0.0	0
White Pine	N/A	<5*	N/A	<5*	44.6	5	N/A	<5*	N/A	<5*

HDS HP2020-3: Stroke Death Rate. (Trend Data: 2000 - 2004)

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	52.5	370	54.7	401	52.9	393	53.8	441	53.6	457
Female	55.5	476	55.1	507	58.9	563	56.8	569	51.3	551
White	54.6	721	54.3	757	56.5	804	53.4	800	50.7	806
Black	83.7	59	89.4	70	65.6	58	95.1	79	80.6	90
Native American	N/A	<5*	43.9	6	26.9	5	53.8	10	N/A	<5*
Asian	50.3	25	30.0	28	97.0	52	89.4	58	47.0	40
Hispanic	46.5	39	44.1	47	33.9	37	53.8	59	60.6	68

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rate are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**HDS HP2020-3: Stroke Death Rate. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	46.4	650	37.8	555	34.9	536	37.6	587
Washoe County	47.7	147	42.3	134	48.3	156	40.2	128
All Other Counties**	43.3	136	42.4	148	38.2	132	38.3	132
<b>Nevada Total</b>	<b>46.1</b>	<b>933</b>	<b>39.3</b>	<b>837</b>	<b>37.5</b>	<b>824</b>	<b>38.4</b>	<b>847</b>
Carson	54.5	34	49.2	33	54.9	37	47.3	32
Churchill	28.5	7	63.3	15	52.3	12	46.1	10
Douglas	33.3	18	25.7	15	25.4	14	39.7	23
Elko	68.3	14	56.6	11	35.7	9	24.6	6
Esmeralda	0.0	0	N/A	<5*	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	N/A	<5*	N/A	<5*	37.5	5
Lander	N/A	<5*	131.7	6	N/A	<5*	0.0	0
Lincoln	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Lyon	63.2	28	42.1	23	29.4	17	43.0	23
Mineral	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Nye	40.9	25	38.4	24	40.2	25	51.0	29
Pershing	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Storey	0.0	0	N/A	<5*	N/A	<5*	0.0	0
White Pine	N/A	<5*	42.7	6	N/A	<5*	N/A	<5*

**HDS HP2020-3: Stroke Death Rate. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	46.6	431	38.6	371	40.2	395	36.4	365
Female	44.6	502	39.3	466	35.1	429	39.2	482
White	43.6	727	37.6	655	35.4	621		
Black	72.5	80	52.8	62	59.5	70		
Native American	N/A	<5*	25.3	6	N/A	<5*		
Asian	72.1	62	38.2	42	56.4	52		
Hispanic	44.6	60	52.9	71	39.4	61		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rate are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**HDS HP2020-5.1: Proportion of Adults With Hypertension (Trend Data: 2001, 2003, 2005, 2007, 2009)**

County of Residence	2001		2003		2005		2007		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	25.3	230	24.3	251	24.1	244	27.7	430	27.4	445
Washoe County	23.5	188	23.9	260	22.5	301	24.6	398	26.3	452
All Other Counties**	27.3	199	26.4	292	28.5	359	29.4	480	29.2	521
<b>Nevada Total</b>	<b>25.6</b>	<b>685</b>	<b>23.6</b>	<b>813</b>	<b>24.1</b>	<b>928</b>	<b>27.0</b>	<b>1345</b>	<b>27.5</b>	<b>1449</b>
Carson	27.2	49	15.7	42	22.1	56	30.5	73	32.2	80
Churchill	29.0	22	27.9	28	30.9	32	30.3	41	29.2	45
Douglas	27.8	39	29.1	44	29.6	64	31.0	83	26.8	80
Elko	22.0	31	24.8	39	22.5	30	28.0	58	20.9	44
Esmeralda	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Eureka	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	~	~	~	~	N/A	<50*	17.9	13	29.3	25
Lander	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	35.7	36	30.1	44	35.3	68	25.3	69	29.6	86
Mineral	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Nye	24.0	22	34.0	38	38.8	53	37.6	74	39.9	101
Pershing	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Storey	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*

**HDS HP2020-5.1: Proportion of Adults With Hypertension (Trend Data: 2001, 2003, 2005, 2007, 2009)**

Gender and Race/Ethnicity	2001		2003		2005		2007		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	25.4	358	22.9	409	23.3	460	28.6	617	29.7	606
Female	25.8	327	24.3	404	24.9	468	25.4	728	25.2	843
White	73.5	1448	73.8	1553	73.8	1726	79.8	2380	78.2	2595
Black	69.5	51	80.5	54	67.5	50	63.9	76	83.2	90
Other	68.6	208	67.7	205	65.5	257	63.1	338	81.9	207
Hispanic	71.0	126	48.4	202	46.9	201	51.4	287	60.0	211

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.



**HDS HP2020-5.1: Proportion of Adults With Hypertension (Trend Data: 2001, 2003, 2005, 2007, 2009)**

Age	2001		2003		2005		2007		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	43.4	93	28.4	64	31.6	60	30.1	69	28.8	31
25-34	54.3	208	54.2	232	43.3	172	53.8	243	66.3	208
35-44	68.3	404	65.6	359	60.8	346	70.7	456	70.7	387
45-54	81.4	423	73.4	454	79.4	509	80.4	653	83.6	584
55-64	91.6	321	88.4	401	87.7	543	87.9	753	91.0	783
65+	91.0	394	90.6	521	94.5	617	92.1	906	93.8	1106

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**HDS HP2020-7: Proportion of Adults With High Total Blood Cholesterol Levels (Trend Data: 2001, 2003, 2005, 2007, 2009)**

County of Residence	2001		2003		2005		2007		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	38.7	243	38.8	281	40.7	296	37.4	442	39.0	469
Washoe County	30.1	190	33.0	249	35.5	340	37.2	423	36.9	448
All Other Counties**	35.0	189	33.3	257	40.0	342	39.4	448	38.1	498
<b>Nevada Total</b>	<b>36.5</b>	<b>673</b>	<b>36.8</b>	<b>797</b>	<b>39.2</b>	<b>992</b>	<b>37.1</b>	<b>1341</b>	<b>38.6</b>	<b>1440</b>
Carson	41.2	54	37.6	54	47.4	72	46.1	81	39.7	79
Churchill	N/A	<50*	30.5	21	41.6	29	26.7	24	34.7	44
Douglas	33.9	38	26.6	36	41.5	68	37.3	76	39.1	86
Elko	22.4	22	35.6	35	30.0	26	38.1	53	36.8	46
Esmeralda	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Eureka	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	~	~	~	~	N/A	<50*	N/A	<50*	37.6	28
Lander	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	52.3	34	35.2	40	38.0	56	39.3	76	33.5	71
Mineral	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Nye	~	~	33.1	30	48.0	43	43.7	61	41.7	81
Pershing	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Storey	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*

**HDS HP2020-7: Proportion of Adults With High Total Blood Cholesterol Levels (Trend Data: 2001, 2003, 2005, 2007, 2009)**

Gender and Race/Ethnicity	2001		2003		2005		2007		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	35.7	345	36.0	413	43.7	518	39.5	601	41.4	602
Female	37.2	328	37.6	384	35.0	474	34.8	740	35.6	838
White	35.9	525	39.7	637	42.5	780	39.9	1050	39.9	1204
Black	49.8	25	30.2	17	35.6	18	38.3	34	41.9	43
Other	39.5	83	35.0	71	36.9	111	31.0	142	30.0	81
Hispanic	30.9	33	29.2	67	27.2	76	28.7	103	32.7	85

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**HDS HP2020-7: Proportion of Adults With High Total Blood Cholesterol Levels (Trend Data: 2001, 2003, 2005, 2007, 2009)**

Age	2001		2003		2005		2007		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	4.3	8	16.5	10	8.9	4	4.7	3	N/A	<50*
25-34	22.7	44	18.1	43	23.6	37	14.4	49	23.3	43
35-44	28.3	111	32.2	105	26.8	100	30.5	138	27.1	102
45-54	45.2	175	35.2	178	39.9	208	38.7	259	40.6	241
55-64	42.7	139	53.7	211	52.9	300	48.6	380	52.4	410
65+	49.6	187	48.9	243	55.6	335	56.4	495	53.9	597

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**HDS HP2020-6: Proportion of Adults Who Have Had Their Blood Cholesterol Checked Within The Preceding 5 Years (Trend Data: 2001, 2003, 2005, 2007, 2009)**

County of Residence	2001		2003		2005		2007		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	72.2	612	70.1	667	68.6	623	72.5	997	77.5	991
Washoe County	74.9	613	70.1	680	69.6	812	72.0	1010	76.5	1025
All Other Counties**	72.6	495	68.0	662	68.0	773	70.3	1019	73.6	1077
<b>Nevada Total</b>	<b>72.4</b>	<b>1847</b>	<b>67.8</b>	<b>2035</b>	<b>66.7</b>	<b>2249</b>	<b>70.6</b>	<b>3102</b>	<b>76.0</b>	<b>3144</b>
Carson	71.8	122	66.6	120	64.3	140	71.9	167	83.3	166
Churchill	65.7	45	68.0	62	71.7	66	65.2	79	80.8	92
Douglas	77.4	106	76.2	117	77.8	157	82.3	187	73.7	184
Elko	69.0	85	59.5	84	55.3	71	72.9	128	60.6	112
Esmeralda	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Eureka	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	~	~	N/A	<50*	N/A	<50*	55.8	42	85.6	57
Lander	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	68.2	69	69.2	94	72.0	129	68.3	168	65.8	167
Mineral	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	81.8	68	74.4	76	75.2	98	75.3	131	79.0	170
Pershing	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

**HDS HP2020-6: Proportion of Adults Who Have Had Their Blood Cholesterol Checked Within The Preceding 5 Years (Trend Data: 2001, 2003, 2005, 2007, 2009)**

Gender and Race/Ethnicity	2001		2003		2005		2007		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	68.9	919	63.3	967	63.2	1073	67.3	1271	75.4	1232
Female	76.1	928	72.5	1068	70.3	1176	74.0	1831	76.6	1912
White	73.5	1448	73.8	1553	73.8	1726	79.8	2380	78.2	2595
Black	69.5	51	80.5	54	67.5	50	63.9	76	83.2	90
Other	68.6	208	67.7	205	65.5	257	63.1	338	81.9	207
Hispanic	71.0	126	48.4	202	46.9	201	51.4	287	60.0	211

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**HDS HP2020-6: Proportion of Adults Who Have Had Their Blood Cholesterol Checked Within The Preceding 5 Years (Trend Data: 2001, 2003, 2005, 2007, 2009)**

Age	2001		2003		2005		2007		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	43.4	93	28.4	64	31.6	60	30.1	69	28.8	31
25-34	54.3	208	54.2	232	43.3	172	53.8	243	66.3	208
35-44	68.3	404	65.6	359	60.8	346	70.7	456	70.7	387
45-54	81.4	423	73.4	454	79.4	509	80.4	653	83.6	584
55-64	91.6	321	88.4	401	87.7	543	87.9	753	91.0	783
65+	91.0	394	90.6	521	94.5	617	92.1	906	93.8	1106

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population. Not all counties were included in the survey results.

**HIV HP2020-1: Crude Rate of Reported Cases of AIDS. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	16.1	224	13.0	193	15.6	242	13.9	225	14.4	247
Washoe County	9.4	32	6.2	22	7.5	27	5.1	19	8.3	32
All Other Counties**	3.9	11	3.1	9	1.7	5	2.4	7	2.3	7
<b>Nevada Total</b>	<b>13.2</b>	<b>267</b>	<b>10.5</b>	<b>224</b>	<b>12.5</b>	<b>274</b>	<b>11.0</b>	<b>251</b>	<b>11.9</b>	<b>286</b>

**HIV HP2020-1: Crude Rate of Reported Cases of AIDS. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Male	21.8	224	16.7	181	20.5	229	19.1	222	18.3	224
Female	4.3	43	4.1	43	4.2	45	2.6	29	5.2	62
White	11.3	152	6.9	96	10.9	155	8.4	112	9.1	135
Black	44.8	62	43.8	64	43.5	66	58.8	81	46.5	76
Native American	N/A	<5*	20.6	6	N/A	<5*	N/A	<5*	15.6	5
Asian	N/A	<5*	4.9	6	5.4	7	N/A	<5*	6.8	10
Hispanic	12.3	49	11.8	52	9.6	45	13.0	52	10.4	56

**HIV HP2020-1: Crude Rate of Reported Cases of AIDS. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	13.3	238	11.9	223	12.5	244	13.1	257
Washoe County	9.6	38	5.9	24	6.2	26	5.7	24
All Other Counties**	4.1	13	2.7	9	3.8	13	1.4	5
<b>Nevada Total</b>	<b>11.5</b>	<b>289</b>	<b>9.8</b>	<b>256</b>	<b>10.4</b>	<b>283</b>	<b>10.4</b>	<b>286</b>

**HIV HP2020-1: Crude Rate of Reported Cases of AIDS. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Male	19.1	244	16.1	215	17.0	235	17.4	242
Female	3.6	45	3.2	41	3.6	48	3.3	44
White	8.7	134	7.5	119	7.8	131	7.2	122
Black	47.8	82	33.3	59	36.3	68	39.8	75
Native American	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Asian	6.3	10	4.3	7	7.6	13	5.8	10
Hispanic	10.1	59	11.0	67	10.6	67	11.7	74

\*Counts less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Enhanced HIV/AIDS Reporting System (eHARS).

Note: 'N/A' indicates sufficient data are not available.

Note: Counts for rural counties are too small to be reported.

Note: Rates are per 100,000 population.

**HIV HP2020-4: New Cases of HIV/AIDS Diagnosed Among Adults and Adolescents. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	24.7	344	20.2	300	19.4	301	18.6	301	21.3	365
Washoe County	13.2	45	14.7	52	11.4	41	10.5	39	12.8	49
All Other Counties**	7.5	21	6.6	19	4.8	14	3.4	10	2.0	6
<b>Nevada Total</b>	<b>20.3</b>	<b>410</b>	<b>17.4</b>	<b>371</b>	<b>16.2</b>	<b>356</b>	<b>15.3</b>	<b>350</b>	<b>17.5</b>	<b>420</b>

**HIV HP2020-4: New Cases of HIV/AIDS Diagnosed Among Adults and Adolescents. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Male	33.1	339	28.5	308	26.9	301	25.4	296	27.4	335
Female	7.2	71	6.0	63	5.1	55	4.8	54	7.2	85
White	16.6	222	12.1	167	13.7	194	12.3	162	14.5	218
Black	72.2	100	79.1	115	54.1	82	61.6	84	61.6	102
Native American	N/A	<5*	20.7	6	N/A	<5*	N/A	<5*	N/A	<5*
Asian	5.4	6	10.8	13	6.2	8	6.4	7	6.7	10
Hispanic	20.0	80	15.5	68	14.9	70	22.8	90	15.8	86

**HIV HP2020-4: New Cases of HIV/AIDS Diagnosed Among Adults and Adolescents. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	23.3	419	19.8	372	20.1	391	19.3	380
Washoe County	10.1	40	9.0	37	8.9	37	8.0	34
All Other Counties**	4.4	14	5.0	17	4.1	14	2.0	7
<b>Nevada Total</b>	<b>18.9</b>	<b>473</b>	<b>16.2</b>	<b>426</b>	<b>16.3</b>	<b>442</b>	<b>15.4</b>	<b>421</b>

**HIV HP2020-4: New Cases of HIV/AIDS Diagnosed Among Adults and Adolescents. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Male	31.2	397	27.9	371	26.3	363	25.6	356
Female	6.2	76	4.3	55	5.9	79	4.8	65
White	14.2	219	12.5	202	12.0	203	11.1	187
Black	61.9	106	49.9	89	54.8	103	58.9	110
Native American	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Asian	11.4	18	10.4	17	11.6	20	6.9	12
Hispanic	21.2	125	18.4	111	18.0	114	16.4	104

\*Counts less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Enhanced HIV/AIDS Reporting System (eHARS).

Note: 'N/A' indicates sufficient data are not available.

Note: Counts for rural counties are too small to be reported.

Note: Rates are per 100,000 population.

**HIV HP2020-12: Age Adjusted HIV Infection Death Rate. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	5.5	76	4.5	66	3.9	60	4.1	65	3.8	64
Washoe County	2.8	10	1.7	6	2.7	10	1.8	7	2.3	9
All Other Counties**	N/A	<5*	N/A	<5*	N/A	<5*	1.5	4	1.8	5
<b>Nevada Total</b>	<b>4.3</b>	<b>87</b>	<b>3.6</b>	<b>76</b>	<b>3.4</b>	<b>74</b>	<b>3.3</b>	<b>76</b>	<b>3.3</b>	<b>78</b>

**HIV HP2020-12: Age Adjusted HIV Infection Death Rate. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	7.0	73.0	5.8	63.0	5.6	63.0	5.7	66.0	5.1	63.0
Female	1.4	14	1.3	13	1.0	11	0.9	10	1.3	15
White	3.5	49	2.8	42	2.9	42	2.8	43	2.0	39
Black	21.1	27	15.6	21	17.2	25	10.8	15	14.4	25
Native American	N/A	0	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Asian	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Hispanic	3.1	10	3.9	8	1.6	6	7.9	16	2.0	10

\*Counts less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Counts for rural counties are too small to be reported.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

Note: 2007 and 2008 data are not final and are subject to change.



**HIV HP2020-12: HIV Infection Death Rate. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	4.0	70	3.4	63	3.8	72	3.2	63
Washoe County	2.1	8	1.4	6	1.5	6	1.5	7
All Other Counties**	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
<b>Nevada Total</b>	<b>3.3</b>	<b>82</b>	<b>2.8</b>	<b>73</b>	<b>3.0</b>	<b>80</b>	<b>2.6</b>	<b>72</b>

**HIV HP2020-12: HIV Infection Death Rate. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007		2008	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	5.3	67	4.2	56	4.1	57	4.5	63
Female	1.3	15	1.3	17	1.8	23	0.6	9
White	2.2	40	2.5	43	1.8	32		
Black	14.3	28	12.3	20	16.3	28		
Native American	N/A	<5*	N/A	<5*	N/A	<5*		
Asian	N/A	<5*	N/A	<5*	N/A	<5*		
Hispanic	1.8	10	1.2	6	2.6	15		

\*Counts less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Counts for rural counties are too small to be reported.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

Note: 2007 and 2008 data are not final and are subject to change.

**IID HP2020-1.1: Cases of Congenital Rubella Syndrome In Children Aged 1 or Under. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
County of Residence	N	N	N	N	N	N	N	N	N	N
Clark County	0	0	0	0	0	0	0	0	0	0
Washoe County	0	0	0	0	0	0	0	0	0	0
All Other Counties**	0	0	0	0	0	0	0	0	0	0
<b>Nevada Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**IID HP2020-1.1: Cases of Congenital Rubella Syndrome In Children Aged 1 or Under. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Gender	N	N	N	N	N	N	N	N	N	N
Male	0	0	0	0	0	0	0	0	0	0
Female	0	0	0	0	0	0	0	0	0	0

**IID HP2020-1.2: Cases of Stereotype b cases of Haemophilus Influenza (Hib) Invasive Disease in Children Aged 5 Years or Under. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
County of Residence	N	N	N	N	N	N	N	N	N	N
Clark County	0	0	<5*	0	<5*	0	0	0	0	<5*
Washoe County	0	<5*	0	0	0	0	0	0	0	0
All Other Counties**	0	<5*	0	0	0	<5*	0	0	0	0
<b>Nevada Total</b>	<b>0</b>	<b>&lt;5*</b>	<b>&lt;5*</b>	<b>0</b>	<b>&lt;5*</b>	<b>&lt;5*</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>&lt;5*</b>

**IID HP2020-1.2: Cases of Stereotype b cases of Haemophilus Influenza (Hib) Invasive Disease in Children Aged 5 Years or Under. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Gender	N	N	N	N	N	N	N	N	N	N
Male	0	<5*	<5*	0	<5*	<5*	0	0	0	0
Female	0	0	<5*	0	0	0	0	0	0	<5*

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine counties.

Note: The Nevada data from 2000 to 2004 are from the National Electronic Telecommunications System for Surveillance (NETSS) and the Nevada data from 2005 to present are from the National Electronic Disease Surveillance System (NEDSS), except for the Clark County data which are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to present.

Note: 'N/A' indicates sufficient data are not available.

**IID HP2020-14.4: Cases of Measles. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
County of Residence	N	N	N	N	N	N	N	N	N	N
Clark County	5	<5*	<5*	0	0	0	0	<5*	<5*	<5*
Washoe County	0	0	0	0	0	0	0	0	0	0
All Other Counties**	5	0	0	0	0	0	0	0	0	0
<b>Nevada Total</b>	<b>10</b>	<b>&lt;5*</b>	<b>&lt;5*</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>&lt;5*</b>	<b>&lt;5*</b>	<b>&lt;5*</b>

**IID HP2020-14.4: Cases of Measles. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Gender	N	N	N	N	N	N	N	N	N	N
Male	6	<5*	<5*	0	0	0	0	0	<5*	<5*
Female	<5*	0	0	0	0	0	0	<5*	<5*	0

**IID HP2020-14.4: Cases of Measles. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Age	N	N	N	N	N	N	N	N	N	N
<18	6	<5*	0	0	0	0	0	<5*	<5*	<5*
18-24	0	0	<5*	0	0	0	0	0	0	0
25-34	<5*	0	0	0	0	0	0	0	<5*	0
35-44	0	0	0	0	0	0	0	0	<5*	0
45-54	<5*	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0	0
65+	0	0	0	0	0	0	0	0	0	0

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine counties.

Note: The Nevada data from 2000 to 2004 are from the National Electronic Telecommunications System for Surveillance (NETSS) and the Nevada data from 2005 to present are from the National Electronic Disease Surveillance System (NEDSS), except for the Clark County data which are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to present.

Note: 'N/A' indicates sufficient data are not available.

**IID HP2020-14.5: Cases of Mumps. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
County of Residence	N	N	N	N	N	N	N	N	N	N
Clark County	<5*	<5*	5	<5*	0	0	<5*	9	<5*	<5*
Washoe County	0	0	0	<5*	<5*	<5*	<5*	<5*	<5*	0
All Other Counties**	<5*	<5*	<5*	<5*	0	<5*	<5*	<5*	<5*	0
<b>Nevada Total</b>	<b>6</b>	<b>&lt;5*</b>	<b>6</b>	<b>5</b>	<b>&lt;5*</b>	<b>&lt;5*</b>	<b>5</b>	<b>12</b>	<b>6</b>	<b>&lt;5*</b>

**IID HP2020-14.5: Cases of Mumps. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Gender	N	N	N	N	N	N	N	N	N	N
Male	6	<5*	<5*	<5*	<5*	<5*	<5*	9	<5*	0
Female	0	<5*	5	<5*	0	<5*	<5*	<5*	<5*	<5*

**IID HP2020-14.5: Cases of Mumps. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Age	N	N	N	N	N	N	N	N	N	N
<18	<5*	<5*	<5*	<5*	<5*	0	<5*	9	<5*	0
18-24	0	0	<5*	0	0	0	0	0	0	<5*
25-34	0	0	<5*	<5*	0	0	0	<5*	<5*	<5*
35-44	<5*	0	0	0	0	<5*	<5*	0	0	0
45-54	0	<5*	0	<5*	0	0	<5*	<5*	0	0
55-64	<5*	0	0	<5*	0	<5*	0	0	<5*	0
65+	0	0	0	0	0	0	<5*	0	<5*	0

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine counties.

Note: The Nevada data from 2000 to 2004 are from the National Electronic Telecommunications System for Surveillance (NETSS) and the Nevada data from 2005 to present are from the National Electronic Disease Surveillance System (NEDSS), except for the Clark County data which are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to present.

Note: 'N/A' indicates sufficient data are not available.

**IID HP2020-14.6: Cases of Pertussis In Children Aged 1 or Under. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
County of Residence	N	N	N	N	N	N	N	N	N	N
Clark County	<5*	<5*	11	15	10	17	10	<5*	10	6
Washoe County	<5*	<5*	<5*	<5*	<5*	6	<5*	<5*	<5*	0
All Other Counties**	<5*	<5*	7	<5*	<5*	<5*	<5*	6	<5*	<5*
<b>Nevada Total</b>	<b>8</b>	<b>7</b>	<b>20</b>	<b>21</b>	<b>16</b>	<b>24</b>	<b>16</b>	<b>10</b>	<b>13</b>	<b>7</b>

**IID HP2020-14.6: Cases of Pertussis In Children Aged 1 or Under. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Gender	N	N	N	N	N	N	N	N	N	N
Male	<5*	<5*	7	11	7	14	8	5	7	<5*
Female	5	5	13	10	9	10	8	5	6	<5*

**IID HP2020-14.7: Cases of Pertussis In Adolescents Aged 11 to 18 Years. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
County of Residence	N	N	N	N	N	N	N	N	N	N
Clark County	<5*	<5*	<5*	<5*	<5*	<5*	5	<5*	<5*	0
Washoe County	<5*	0	0	<5*	<5*	<5*	5	0	0	<5*
All Other Counties**	0	0	5	0	8	<5*	5	<5*	0	<5*
<b>Nevada Total</b>	<b>&lt;5*</b>	<b>&lt;5*</b>	<b>8</b>	<b>&lt;5*</b>	<b>10</b>	<b>7</b>	<b>15</b>	<b>5</b>	<b>&lt;5*</b>	<b>&lt;5*</b>

**IID HP2020-14.7: Cases of Pertussis In Adolescents Aged 11 to 18 Years. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Gender	N	N	N	N	N	N	N	N	N	N
Male	<5*	<5*	<5*	0	<5*	<5*	9	<5*	<5*	<5*
Female	<5*	0	6	<5*	6	5	6	<5*	0	0

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine counties.

Note: The Nevada data from 2000 to 2004 are from the National Electronic Telecommunications System for Surveillance (NETSS) and the Nevada data from 2005 to present are from the National Electronic Disease Surveillance System (NEDSS), except for the Clark County data which are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to present.

Note: 'N/A' indicates sufficient data are not available.

***IID HP2020-14.8: Cases of Acute Paralytic Poliomyelitis (Wild Type). (Trend Data: 2000 - 2009)***

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
County of Residence	N	N	N	N	N	N	N	N	N	N
Clark County	0	0	0	0	0	0	0	0	0	0
Washoe County	0	0	0	0	0	0	0	0	0	0
All Other Counties**	0	0	0	0	0	0	0	0	0	0
<b>Nevada Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

***IID HP2020-14.8: Cases of Acute Paralytic Poliomyelitis (Wild Type). (Trend Data: 2000 - 2009)***

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Gender	N	N	N	N	N	N	N	N	N	N
Male	0	0	0	0	0	0	0	0	0	0
Female	0	0	0	0	0	0	0	0	0	0

***IID HP2020-14.8: Cases of Acute Paralytic Poliomyelitis (Wild Type). (Trend Data: 2000 - 2009)***

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Age	N	N	N	N	N	N	N	N	N	N
<18	0	0	0	0	0	0	0	0	0	0
18-24	0	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0	0
65+	0	0	0	0	0	0	0	0	0	0

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine counties.

Note: The Nevada data from 2000 to 2004 are from the National Electronic Telecommunications System for Surveillance (NETSS) and the Nevada data from 2005 to present are from the National Electronic Disease Surveillance System (NEDSS), except for the Clark County data which are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to present.

Note: 'N/A' indicates sufficient data are not available.

**IID HP2020-14.9: Cases of Rubella. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
County of Residence	N	N	N	N	N	N	N	N	N	N
Clark County	0	0	0	0	0	0	0	0	0	0
Washoe County	0	0	0	0	0	0	0	0	0	0
All Other Counties**	0	0	0	0	0	0	0	0	0	0
<b>Nevada Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**IID HP2020-14.9: Cases of Rubella. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Gender	N	N	N	N	N	N	N	N	N	N
Male	0	0	0	0	0	0	0	0	0	0
Female	0	0	0	0	0	0	0	0	0	0

**IID HP2020-14.9: Cases of Rubella. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Age	N	N	N	N	N	N	N	N	N	N
<18	0	0	0	0	0	0	0	0	0	0
18-24	0	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0	0
55-64	0	0	0	0	0	0	0	0	0	0
65+	0	0	0	0	0	0	0	0	0	0

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine counties.

Note: The Nevada data from 2000 to 2004 are from the National Electronic Telecommunications System for Surveillance (NETSS) and the Nevada data from 2005 to present are from the National Electronic Disease Surveillance System (NEDSS), except for the Clark County data which are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to present.

Note: 'N/A' indicates sufficient data are not available.

**IID HP2020-14.10: Cases of Varicella. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
County of Residence	N	N	N	N	N	N	N	N	N	N
Clark County	0	0	0	0	0	<5*	<5*	0	0	0
Washoe County	0	0	0	0	0	0	0	0	0	0
All Other Counties**	0	0	0	0	0	<5*	6	<5*	5	0
Unknown County	0	<5*	0	0	0	0	0	0	0	17
<b>Nevada Total</b>	<b>0</b>	<b>&lt;5*</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>6</b>	<b>10</b>	<b>&lt;5*</b>	<b>5</b>	<b>17</b>

**IID HP2020-14.10: Cases of Varicella. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Gender	N	N	N	N	N	N	N	N	N	N
Male	0	0	0	0	0	<5*	<5*	0	<5*	11
Female	0	0	0	0	0	0	<5*	<5*	<5*	5
Unknown Gender	0	<5*	0	0	0	<5*	<5*	0	0	<5*

**IID HP2020-14.10: Cases of Varicella. (Trend Data: 2000 - 2009)**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Age	N	N	N	N	N	N	N	N	N	N
<18	0	0	0	0	0	<5*	6	<5*	<5*	13
18-24	0	0	0	0	0	0	0	0	0	<5*
25-34	0	0	0	0	0	0	0	0	0	<5*
35-44	0	0	0	0	0	0	0	0	<5*	0
45-54	0	0	0	0	0	0	0	0	<5*	0
55-64	0	0	0	0	0	0	0	0	0	0
65+	0	0	0	0	0	0	0	0	0	<5*
Unknown Age	0	<5*	0	0	0	<5*	<5*	0	0	0

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine counties.

Note: The Nevada data from 2000 to 2004 are from the National Electronic Telecommunications System for Surveillance (NETSS) and the Nevada data from 2005 to present are from the National Electronic Disease Surveillance System (NEDSS), except for the Clark County data which are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to present.

Note: 'N/A' indicates sufficient data are not available.



**IID HP2020-23: Reported New Cases of Hepatitis A (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	4.9	69	3.3	49	1.7	26	1.0	17	0.4	7
Washoe County	5.0	17	3.4	12	5.0	18	7.8	29	1.6	6
All Other Counties**	N/A	<5	2.4	7	2.4	7	N/A	<5	N/A	<5
<b>Nevada Total</b>	<b>4.5</b>	<b>90</b>	<b>3.2</b>	<b>68</b>	<b>2.3</b>	<b>51</b>	<b>2.2</b>	<b>50</b>	<b>0.7</b>	<b>17</b>
Carson	0.0	0	N/A	<5	N/A	<5	N/A	<5	N/A	<5
Churchill	N/A	<5	0.0	0	N/A	<5	0.0	0	0.0	0
Douglas	0.0	0	N/A	<5	N/A	<5	0.0	0	N/A	<5
Elko	N/A	<5	0.0	0	N/A	<5	0.0	0	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	N/A	<5	0.0	0	N/A	<5	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	N/A	<5	0.0	0	0.0	0	0.0	0	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5	0.0	0	0.0	0	N/A	<5	N/A	<5
Pershing	0.0	0	N/A	<5	N/A	<5	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0

**IID HP2020-23: Reported New Cases of Hepatitis A (Trend Data: 2000 - 2004)**

Gender	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Male	5.0	51	4.2	45	2.4	27	2.6	30	0.6	7
Female	3.9	39	2.2	23	2.2	24	1.8	20	0.8	10

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Note: The Nevada data from 2000 to 2004 are from the National Electronic Telecommunications System for Surveillance (NETSS) and the Nevada data from 2005 to present are from the National Electronic Disease Surveillance System (NEDSS), except for the Clark County data which are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to present.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 population.

**IID HP2020-23: Reported New Cases of Hepatitis A (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	0.7	13	0.4	7	0.3	5	0.5	10
Washoe County	1.3	5	N/A	<5	N/A	<5	N/A	<5
All Other Counties**	N/A	<5	0.0	0	N/A	<5	N/A	<5
<b>Nevada Total</b>	<b>0.8</b>	<b>21</b>	<b>0.4</b>	<b>11</b>	<b>0.4</b>	<b>12</b>	<b>0.5</b>	<b>13</b>
Carson	0.0	0	0.0	0	0.0	0	0.0	0
Churchill	0.0	0	0.0	0	0.0	0	N/A	<5
Douglas	0.0	0	0.0	0	0.0	0	0.0	0
Elko	N/A	<5	0.0	0	N/A	<5	N/A	<5
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	0.0	0	0.0	0	0.0	0	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5	0.0	0	0.0	0	0.0	0
Pershing	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0

**IID HP2020-23: Reported New Cases of Hepatitis A (Trend Data: 2005 - 2008)**

Gender	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Male	0.9	11	0.6	8	N/A	<5	0.8	11
Female	0.8	10	N/A	<5	0.6	8	N/A	<5

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Note: The Nevada data from 2000 to 2004 are from the National Electronic Telecommunications System for Surveillance (NETSS) and the Nevada data from 2005 to present are from the National Electronic Disease Surveillance System (NEDSS), except for the Clark County data which are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to present.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 population.

**IID HP2020-3: New Cases of Meningococcal Disease (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	N/A	<5*	0.5	8	0.9	14	0.4	7	N/A	<5*
Washoe County	0.0	0	N/A	<5*	1.4	5	N/A	<5*	N/A	<5*
All Other Counties**	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	0.0	0
<b>Nevada Total</b>	<b>0.2</b>	<b>5</b>	<b>0.4</b>	<b>9</b>	<b>0.9</b>	<b>20</b>	<b>0.4</b>	<b>9</b>	<b>0.3</b>	<b>7</b>
Carson	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
Churchill	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
Douglas	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Elko	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Nye	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Pershing	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0

**IID HP2020-3: New Cases of Meningococcal Disease (Trend Data: 2000 - 2004)**

Gender	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Male	N/A	<5*	0.5	5	0.9	10	0.4	5	N/A	<5*
Female	N/A	<5*	N/A	<5*	0.9	10	N/A	<5*	N/A	<5*

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Note: The Nevada data from 2000 to 2004 are from the National Electronic Telecommunications System for Surveillance (NETSS) and the Nevada data from 2005 to present are from the National Electronic Disease Surveillance System (NEDSS), except for the Clark County data which are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to present.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 population.

**IID HP2020-3: New Cases of Meningococcal Disease (Trend Data: 2005 - 2008)**

	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	0.4	8	N/A	<5*	N/A	<5*	N/A	<5*
Washoe County	1.3	5	N/A	<5*	N/A	<5*	N/A	<5*
All Other Counties**	N/A	<5*	0.0	0	0.0	0	0.0	0
<b>Nevada Total</b>	<b>0.6</b>	<b>14</b>	<b>0.3</b>	<b>7</b>	<b>0.2</b>	<b>6</b>	<b>0.3</b>	<b>7</b>
Carson	N/A	<5*	0.0	0	0.0	0	0.0	0
Churchill	0.0	0	0.0	0	0.0	0	0.0	0
Douglas	0.0	0	0.0	0	0.0	0	0.0	0
Elko	0.0	0	0.0	0	0.0	0	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	0.0	0	0.0	0	0.0	0	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	0.0	0
Nye	0.0	0	0.0	0	0.0	0	0.0	0
Pershing	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0

  

	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Male	0.7	9	N/A	<5*	N/A	<5*	N/A	<5*
Female	0.4	5	N/A	<5*	N/A	<5*	N/A	<5*

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Note: The Nevada data from 2000 to 2004 are from the National Electronic Telecommunications System for Surveillance (NETSS) and the Nevada data from 2005 to present are from the National Electronic Disease Surveillance System (NEDSS), except for the Clark County data which are from the National Electronic Telecommunications System for Surveillance (NETSS) from 2000 to present.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 population.

**HP2020-5: Reported New Cases of Tuberculosis. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	5.7	80	4.6	69	3.9	61	4.6	74	4.1	70
Washoe County	3.8	13	6.8	24	3.3	12	7.8	29	5.0	19
All Other Counties**	N/A	<5*	N/A	<5*	4.1	12	N/A	<5*	2.0	6
<b>Nevada Total</b>	<b>4.8</b>	<b>96</b>	<b>4.5</b>	<b>96</b>	<b>3.9</b>	<b>85</b>	<b>4.6</b>	<b>106</b>	<b>4.0</b>	<b>95</b>
Carson	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Churchill	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
Douglas	N/A	<5*	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Elko	0.0	0	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Lander	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Nye	0.0	0	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Pershing	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Male	6.7	66	5.9	62	3.9	42	5.4	61	5.2	61
Female	2.9	30	3.1	34	3.8	43	3.9	45	2.8	34
White	2.1	28	2.1	29	1.7	24	1.4	20	1.9	29
Black	10.1	14	9.6	14	5.9	9	8.2	13	7.2	12
Native American	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Asian	22.6	25	28.0	34	21.7	28	35.4	49	11.4	17
Hispanic	6.5	26	3.6	16	4.5	21	4.6	23	6.0	33

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Tuberculosis Information Management System (TIMS).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**HP2020-5: Reported New Cases of Tuberculosis. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	5.0	90	4.7	89	4.7	92	4.6	91
Washoe County	4.0	16	2.7	11	1.4	6	2.6	11
All Other Counties**	1.9	6	N/A	<5*	N/A	<5*	0.0	0
<b>Nevada Total</b>	<b>4.5</b>	<b>112</b>	<b>3.9</b>	<b>101</b>	<b>3.8</b>	<b>102</b>	<b>3.7</b>	<b>102</b>
Carson	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Churchill	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Douglas	0.0	0	0.0	0	0.0	0	0.0	0
Elko	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	N/A	<5*	0.0	0	0.0	0	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5*	0.0	0	0.0	0	0.0	0
Pershing	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0

Gender and Race/Ethnicity	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Male	5.5	68	5.0	66	4.4	61	5.0	68
Female	3.5	44	2.7	35	3.1	41	2.4	34
White	1.8	28	1.1	18	1.1	18	0.9	16
Black	6.4	11	9.4	17	7.5	14	5.3	10
Native American	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Asian	22.0	35	16.8	28	18.0	31	18.4	32
Hispanic	6.1	36	6.2	38	5.8	37	6.7	43

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Tuberculosis Information Management System (TIMS).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**IID HP2020-10: Peptic Ulcer Disease Hospitalizations. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	N	Age Adj. Rate	N	Age Adj. Rate	N	Age Adj. Rate	N	Age Adj. Rate	N
Clark County	65.4	798	62.8	811	61.0	847	57.8	843	61.1	946
Washoe County	65.5	191	60.2	187	55.7	174	63.7	211	58.0	198
All Other Counties**	52.5	146	57.8	172	65.5	193	47.8	149	47.9	160
<b>Nevada Total</b>	<b>63.3</b>	<b>1135</b>	<b>61.5</b>	<b>1170</b>	<b>60.7</b>	<b>1214</b>	<b>57.2</b>	<b>1203</b>	<b>58.6</b>	<b>1304</b>
Carson	36.4	20	60.5	35	63.5	37	79.5	47	63.6	39
Churchill	82.1	18	62.0	14	77.0	18	74.1	18	40.1	10
Douglas	29.1	13	37.6	20	64.4	25	26.5	13	37.8	23
Elko	67.6	18	60.8	16	35.0	7	29.7	12	40.2	13
Esmeralda	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Eureka	N/A	<5*	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Humboldt	37.2	6	38.1	5	43.9	6	N/A	<5*	57.8	9
Lander	0.0	0	119.5	5	181.4	7	N/A	<5*	N/A	<5*
Lincoln	0.0	0	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Lyon	98.3	35	74.3	30	96.4	39	55.1	26	50.4	26
Mineral	101.0	6	108.5	8	76.4	5	N/A	<5*	79.8	4
Nye	49.9	22	64.9	29	74.6	32	38.9	16	56.4	27
Pershing	N/A	<5*	N/A	<5*	119.1	5	0.0	0	N/A	<5*
Storey	0.0	0	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
White Pine	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*

**IID HP2020-10: Peptic Ulcer Disease Hospitalizations. (Trend Data: 2000 - 2004)**

Gender ad Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	N	Age Adj. Rate	N	Age Adj. Rate	N	Age Adj. Rate	N	Age Adj. Rate	N
Male	70.3	622.0	70.2	646.0	70.0	668.0	64.8	641.0	65.2	697.0
Female	55.4	513	53.0	524	52.4	546	51.0	562	52.2	606

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Nevada Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**IID HP2020-10: Peptic Ulcer Disease Hospitalizations. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Age Adj. Rate	N	Age Adj. Rate	N	Age Adj. Rate	N	Age Adj. Rate	N
Clark County	59.9	975	48.2	824	45.4	809	46.0	831
Washoe County	53.2	191	59.9	217	65.5	246	47.6	185
All Other Counties**	49.9	173	41.6	157	36.3	139	37.7	143
<b>Nevada Total</b>	<b>57.5</b>	<b>1339</b>	<b>49.1</b>	<b>1198</b>	<b>47.1</b>	<b>1194</b>	<b>45.0</b>	<b>1159</b>
Carson	51.1	33	52.4	36	53.8	36	41.1	26
Churchill	49.1	13	46.1	11	64.9	17	55.6	14
Douglas	38.0	23	38.6	25	34.8	21	44.6	25
Elko	38.4	14	31.6	10	41.3	15	43.3	14
Esmeralda	N/A	<5*	0.0	0	0.0	0	0.0	0
Eureka	N/A	<5*	0.0	0	0.0	0	0.0	0
Humboldt	45.1	6	N/A	<5*	54.8	7	31.2	5
Lander	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lincoln	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Lyon	81.1	41	38.9	25	29.7	19	34.4	23
Mineral	104.4	5	139.1	7	N/A	<5*	N/A	<5*
Nye	49.6	30	56.6	31	23.1	15	35.1	23
Pershing	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Storey	0.0	0	N/A	<5*	0.0	0	0.0	0
White Pine	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*

**IID HP2020-10: Peptic Ulcer Disease Hospitalizations. (Trend Data: 2005 - 2008)**

Gender	2005		2006		2007		2008	
	Age Adj. Rate	N	Age Adj. Rate	N	Age Adj. Rate	N	Age Adj. Rate	N
Male	63.0	709.0	56.9	664.0	50.8	620.0	47.9	607.0
Female	51.9	628	41.9	532	43.7	574	41.6	552

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Nevada Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.



**IID HP2020-12.7: Proportion of Adults Aged 65 and Older Who Are Vaccinated Against Influenza. (Trend Data: 2001 - 2005)**

County of Residence	2001		2002		2003		2004		2005	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	64.0	99	58.0	115	57.5	100	55.7	100	48.5	90
Washoe County	65.1	75	68.1	123	73.6	148	66.0	136	68.0	159
All Other Counties**	62.1	82	64.8	142	59.8	124	68.6	147	55.3	149
<b>Nevada Total</b>	<b>63.3</b>	<b>280</b>	<b>60.3</b>	<b>383</b>	<b>60.0</b>	<b>377</b>	<b>59.0</b>	<b>387</b>	<b>53.0</b>	<b>406</b>
Carson	N/A	<50*	N/A	<50*	N/A	<50*	69.0	35	72.3	47
Churchill	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Douglas	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Elko	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Esmeralda	~	~	N/A	<50*	N/A	<50*	~	~	N/A	<50*
Eureka	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lander	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Mineral	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Pershing	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

**IID HP2020-12.7: Proportion of Adults Aged 65 and Older Who Are Vaccinated Against Influenza. (Trend Data: 2001 - 2005)**

Gender and Race/Ethnicity	2001		2002		2003		2004		2005	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	66.3	143	55.8	169	63.8	175	61.2	177	56.3	195
Female	60.9	137	64.3	214	56.7	202	57.1	210	50.0	211
White	64.5	226	62.4	335	63.0	323	60.9	331	55.7	349
Black	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Other	N/A	<50*	N/A	<50*	N/A	<50*	50.8	33	46.2	31
Hispanic	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**IID HP2020-12.7: Proportion of Adults Aged 65 and Older Who Are Vaccinated Against Influenza. (Trend Data: 2006 - 2009)**

County of Residence	2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	54.3	154	60.9	196	54.5	215	62.2	224
Washoe County	63.0	167	66.3	204	65.9	277	67.9	229
All Other Counties**	65.5	179	62.0	229	62.0	300	64.2	299
<b>Nevada Total</b>	<b>57.7</b>	<b>507</b>	<b>61.9</b>	<b>648</b>	<b>57.1</b>	<b>801</b>	<b>63.5</b>	<b>765</b>
Carson	73.5	38	76.0	44	62.8	58	70.5	57
Churchill	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Douglas	N/A	<50*	65.6	46	69.5	60	65.0	54
Elko	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Esmeralda	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Eureka	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lander	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	N/A	<50*	55.8	29	67.1	40	65.8	49
Mineral	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	N/A	<50*	50.4	32	50.6	45	52.8	47
Pershing	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

**IID HP2020-12.7: Proportion of Adults Aged 65 and Older Who Are Vaccinated Against Influenza. (Trend Data: 2006 - 2009)**

Gender and Race/Ethnicity	2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N
Male	58.2	213	60.3	263	60.1	315	61.3	294
Female	57.2	294	63.4	385	54.6	486	65.5	471
White	58.9	433	62.7	552	61.0	706	65.6	687
Black	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Other	59.3	44	50.6	49	43.2	51	45.4	29
Hispanic	N/A	<50*	N/A	<50*	36.5	21	N/A	<50*

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**IID HP2020-13.1: Proportion of Adults Aged 65 and Older Who Have Ever Received A Pneumococcal Vaccine. (Trend Data: 2001 - 2005)**

County of Residence	2001		2002		2003		2004		2005	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	66.1	99	61.5	119	59.6	95	67.0	121	68.9	126
Washoe County	67.8	76	75.5	138	80.6	152	68.3	132	77.3	175
All Other Counties**	71.9	92	71.5	155	64.8	130	65.1	136	64.5	168
<b>Nevada Total</b>	<b>66.3</b>	<b>292</b>	<b>65.0</b>	<b>414</b>	<b>63.2</b>	<b>381</b>	<b>66.7</b>	<b>393</b>	<b>69.8</b>	<b>475</b>
Carson	N/A	<50*	N/A	<50*	N/A	<50*	70.3	35	82.8	50
Churchill	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Douglas	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Elko	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Esmeralda	~	~	N/A	<50*	N/A	<50*	~	~	N/A	<50*
Eureka	~	~	N/A	<50*	N/A	<50*	~	~	N/A	<50*
Humboldt	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lander	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Mineral	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Pershing	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

**IID HP2020-13.1: Proportion of Adults Aged 65 and Older Who Have Ever Received A Pneumococcal Vaccine. (Trend Data: 2001 - 2005)**

Gender and Race/Ethnicity	2001		2002		2003		2004		2005	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	69.1	134	61.6	180	62.9	171	67.4	169	68.3	208
Female	64.3	158	67.7	234	63.4	210	66.2	224	71.1	267
White	68.6	238	67.9	365	66.4	330	68.3	333	71.7	399
Black	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Other	N/A	<50*	N/A	<50*	N/A	<50*	57.4	36	69.9	47
Hispanic	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**IID HP2020-13.1: Proportion of Adults Aged 65 and Older Who Have Ever Received A Pneumococcal Vaccine. (Trend Data: 2006 - 2009)**

County of Residence	2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	70.2	195	65.1	202	60.3	237	66.4	235
Washoe County	70.8	187	74.3	221	74.1	300	72.7	240
All Other Counties**	61.9	169	67.2	245	65.4	317	67.3	297
<b>Nevada Total</b>	<b>69.1</b>	<b>559</b>	<b>66.7</b>	<b>685</b>	<b>62.6</b>	<b>861</b>	<b>67.7</b>	<b>783</b>
Carson	72.2	38	77.1	45	64.0	59	68.0	51
Churchill	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Douglas	N/A	<50*	70.4	47	70.4	59	63.5	48
Elko	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Esmeralda	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Eureka	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lander	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	N/A	<50*	68.4	36	64.5	42	75.7	54
Mineral	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	N/A	<50*	55.4	35	60.8	55	58.6	53
Pershing	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

**IID HP2020-13.1: Proportion of Adults Aged 65 and Older Who Have Ever Received A Pneumococcal Vaccine. (Trend Data: 2006 - 2009)**

Gender and Race/Ethnicity	2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N
Male	68.9	223	61.4	263	62.3	325	64.2	295
Female	69.2	336	71.2	422	62.8	536	70.7	488
White	69.2	470	69.3	587	64.6	743	69.9	709
Black	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Other	70.4	51	64.8	61	49.2	62	38.8	27
Hispanic	N/A	<50*	N/A	<50*	54.2	27	N/A	<50*

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**IVP HP2020-1.2: Hospitalization Rate for Nonfatal Head Injuries. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	65.4	865	61.2	874	68.2	1007	60.5	927	64.3	1049
Washoe County	62.0	205	63.5	216	63.5	220	51.9	186	61.4	226
All Other Counties**	45.4	125	60.2	174	57.2	161	51.8	153	57.4	171
<b>Nevada Total</b>	<b>61.8</b>	<b>1195</b>	<b>61.2</b>	<b>1264</b>	<b>65.4</b>	<b>1388</b>	<b>57.5</b>	<b>1266</b>	<b>62.6</b>	<b>1446</b>
Carson	22.9	12	39.0	20	47.4	25	57.6	30	51.3	27
Churchill	41.9	10	74.7	18	63.6	16	51.7	13	40.3	11
Douglas	40.5	16	47.2	20	67.6	26	42.4	17	52.7	26
Elko	18.0	8	55.0	23	19.3	10	38.9	12	26.5	9
Esmeralda	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Eureka	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Humboldt	64.4	10	N/A	<5*	53.8	9	40.5	7	54.0	9
Lander	N/A	<5*	109.8	6	0.0	0	147.0	7	N/A	<5*
Lincoln	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lyon	70.1	24	88.2	33	62.3	22	55.0	23	84.3	36
Mineral	N/A	<5*	N/A	<5*	191.5	9	102.7	5	N/A	<5*
Nye	68.5	22	90.5	30	73.3	24	68.8	27	96.3	33
Pershing	N/A	<5*	88.6	5	99.2	6	N/A	<5*	N/A	<5*
Storey	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
White Pine	N/A	<5*	96.6	8	N/A	<5*	83.3	6	60.1	5

**IVP HP2020-1.2: Hospitalization Rate for Nonfatal Head Injuries. (Trend Data: 2000 - 2004)**

Gender	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Male	85.2	834	82.9	869	88.0	962	80.3	895	81.6	949
Female	37.8	361	38.8	395	40.5	426	34.0	371	43.0	493

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the National Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 population.

**IVP HP2020-1.2: Hospitalization Rate for Nonfatal Head Injuries. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	67.9	1157	62.6	1112	54.8	1015	63.8	1177
Washoe County	72.3	276	65.9	255	68.7	272	65.3	264
All Other Counties**	53.5	170	46.5	163	43.9	154	49.2	173
<b>Nevada Total</b>	<b>66.4</b>	<b>1603</b>	<b>60.8</b>	<b>1530</b>	<b>55.4</b>	<b>1441</b>	<b>61.9</b>	<b>1614</b>
Carson	48.8	27	53.7	33	41.6	25	48.8	30
Churchill	36.7	10	76.6	21	43.5	11	34.0	8
Douglas	55.1	29	45.3	22	33.2	20	36.8	19
Elko	22.4	9	18.6	8	17.2	7	24.1	8
Esmeralda	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Eureka	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Humboldt	81.9	14	54.6	8	N/A	<5*	89.4	15
Lander	N/A	<5*	N/A	<5*	73.0	5	N/A	<5*
Lincoln	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Lyon	58.5	26	48.2	28	66.0	37	60.5	34
Mineral	N/A	<5*	95.9	5	N/A	<5*	N/A	<5*
Nye	85.6	36	69.1	29	69.5	32	74.3	38
Pershing	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Storey	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
White Pine	N/A	<5*	N/A	<5*	52.0	6	N/A	<5*

**IVP HP2020-1.2: Hospitalization Rate for Nonfatal Head Injuries. (Trend Data: 2005 - 2008)**

Gender	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Male	91.2	1100	83.1	1040	77.0	985	81.2	1064
Female	41.1	493	38.3	480	33.9	440	41.8	550

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the National Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 population.

**IVP HP2020-3.2: Hospitalization Rate for Nonfatal Spinal Cord Injuries. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	3.1	45	3.4	50	3.9	60	2.7	42	3.3	57
Washoe County	4.4	15	2.8	9	6.2	22	2.1	8	2.8	11
All Other Counties**	4.4	12	2.7	7	5.9	17	4.1	12	3.8	12
<b>Nevada Total</b>	<b>3.5</b>	<b>72</b>	<b>3.1</b>	<b>66</b>	<b>4.5</b>	<b>99</b>	<b>2.8</b>	<b>62</b>	<b>3.3</b>	<b>80</b>
Carson	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Churchill	N/A	<5*	N/A	<5*	20.7	5	N/A	<5*	0.0	0
Douglas	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Elko	0.0	0	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Esmeralda	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Lander	N/A	<5*	N/A	<5*	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Lyon	14.7	5	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Mineral	N/A	<5*	N/A	<5*	218.2	16	0.0	0	N/A	<5*
Nye	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Pershing	0.0	0	0.0	0	0.0	0	0.0	0	121.3	7
Storey	0.0	0	0.0	0	0.0	0	0.0	0	111.2	5
White Pine	N/A	<5*	0.0	0	0.0	0	0.0	0	191.6	21

**IVP HP2020-3.2: Hospitalization Rate for Nonfatal Spinal Cord Injuries. (Trend Data: 2000 - 2004)**

Gender	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Male	4.7	49	4.6	48	6.1	70	4.0	47	5.0	61
Female	2.3	23	1.7	18	2.8	29	1.4	15	1.6	19

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the National Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 population.

**IVP HP2020-3.2: Hospitalization Rate for Nonfatal Spinal Cord Injuries. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	3.1	56	3.8	68	3.1	57	2.8	50
Washoe County	3.8	14	6.1	24	3.3	14	2.4	10
All Other Counties**	4.1	15	2.5	9	3.5	12	2.6	9
<b>Nevada Total</b>	<b>3.4</b>	<b>85</b>	<b>3.9</b>	<b>101</b>	<b>3.2</b>	<b>83</b>	<b>2.7</b>	<b>69</b>
Carson	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Churchill	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Douglas	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Elko	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	N/A	<5*
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	N/A	<5*	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	N/A	<5*	N/A	<5*	8.9	5	N/A	<5*
Mineral	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Nye	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Pershing	N/A	<5*	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0

**IVP HP2020-3.2: Hospitalization Rate for Nonfatal Spinal Cord Injuries. (Trend Data: 2005 - 2008)**

Gender	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Male	4.7	60	5.3	66	3.6	49	3.2	43
Female	2.0	25	2.6	34	2.6	34	2.0	26

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the National Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 population.



**IVP HP2020-30: Firearm Related Death Rate. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	17.2	236	17.3	253	17.0	265	15.9	253	15.4	263
Washoe County	14.1	48	12.0	42	12.0	42	16.5	60	15.2	57
All Other Counties**	17.0	47	15.4	44	17.8	56	16.8	52	19.1	62
<b>Nevada Total</b>	<b>16.6</b>	<b>331</b>	<b>16.1</b>	<b>339</b>	<b>16.5</b>	<b>363</b>	<b>16.2</b>	<b>365</b>	<b>16.1</b>	<b>382</b>
Carson	N/A	<5*	12.0	6	17.2	10	17.2	10	21.9	13
Churchill	20.9	5	N/A	<5*	N/A	<5*	N/A	<5*	29.1	7
Douglas	N/A	<5*	9.0	5	12.8	7	12.2	6	N/A	<5*
Elko	17.1	6	15.2	8	N/A	<5*	15.9	6	19.7	9
Esmeralda	0.0	0	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	30.9	5	31.1	5	N/A	<5*	34.3	5	0.0	0
Lander	N/A	<5*	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Lincoln	0.0	0	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Lyon	25.9	10	15.7	6	17.4	7	16.6	7	26.0	12
Mineral	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Nye	30.0	8	23.1	9	18.4	7	26.5	10	19.7	10
Pershing	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Storey	0.0	0	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*

**IVP HP2020-30: Firearm Related Death Rate. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	29.2	288	27.0	284	28.5	310	28.0	307	28.2	331
Female	4.3	43	5.3	55	4.8	53	5.1	58	4.3	51
White	16.7	234	15.2	225	15.8	243	15.5	242	15.4	252
Black	25.3	36	27.1	41	34.6	55	35.4	59	23.2	40
Native American	N/A	<5*	32.7	10	N/A	<5*	N/A	<5*	N/A	<5*
Asian	5.7	7	11.7	13	5.3	7	4.2	6	4.0	6
Hispanic	11.1	50	10.4	49	11.0	55	9.5	54	15.1	78

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**IVP HP2020-30: Firearm Related Death Rate. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	15.4	276	15.0	277	15.0	292	12.1	238
Washoe County	12.0	48	14.9	58	13.3	57	10.5	44
All Other Counties**	18.8	62	17.6	63	15.4	56	16.7	63
<b>Nevada Total</b>	<b>15.4</b>	<b>386</b>	<b>15.3</b>	<b>398</b>	<b>14.8</b>	<b>405</b>	<b>12.6</b>	<b>345</b>
Carson	18.4	11	11.4	7	N/A	<5*	13.7	8
Churchill	N/A	<5*	24.4	6	N/A	<5*	N/A	<5*
Douglas	12.5	6	N/A	<5*	13.0	8	14.7	9
Elko	20.6	8	16.1	9	14.1	7	10.7	6
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Humboldt	36.8	5	0.0	0	N/A	<5*	25.4	5
Lander	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Lincoln	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Lyon	16.1	8	26.0	16	21.5	13	18.4	11
Mineral	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Nye	18.3	9	27.4	12	17.8	9	19.8	12
Pershing	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Storey	N/A	<5*	0.0	0	0.0	0	N/A	<5*
White Pine	67.9	5	N/A	<5*	N/A	<5*	57.9	6

**IVP HP2020-30: Firearm Related Death Rate. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	26.7	333	26.6	343	24.6	336	21.4	290
Female	4.3	53	4.2	55	5.1	69	4.0	55
White	16.5	278	15.4	269	15.7	283		
Black	21.8	40	34.5	62	27.8	55		
Native American	N/A	<5*	12.4	5	N/A	<5*		
Asian	2.9	5	2.8	5	4.5	7		
Hispanic	10.8	58	9.7	57	8.2	53		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**IVP HP2020-9.1: Death Rate Caused by Poisoning. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	15.8	216	15.3	224	16.3	252	16.8	269	17.2	296
Washoe County	16.2	57	13.6	48	13.5	49	16.3	61	14.0	55
All Other Counties**	12.0	33	9.8	27	11.0	31	9.9	29	16.5	51
<b>Nevada Total</b>	<b>15.3</b>	<b>306</b>	<b>14.1</b>	<b>299</b>	<b>15.1</b>	<b>332</b>	<b>15.8</b>	<b>359</b>	<b>16.6</b>	<b>402</b>
Carson	9.9	5	9.8	5	N/A	<5*	11.8	6	26.9	14
Churchill	N/A	<5*	N/A	<5*	N/A	<5*	20.5	5	N/A	<5*
Douglas	N/A	<5*	14.9	6	N/A	<5*	8.5	5	16.4	9
Elko	10.8	5	N/A	<5*	10.5	5	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
Humboldt	0.0	0	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Lander	N/A	<5*	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Lincoln	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Lyon	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	13.5	6
Mineral	0.0	0	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Nye	29.3	8	N/A	<5*	20.0	7	17.5	5	37.8	12
Pershing	0.0	0	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	0.0	0

**IVP HP2020-9.1: Death Rate Caused by Poisoning. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	21.0	213	17.5	185	19.4	217	19.4	226	19.1	237
Female	9.5	93	11.0	114	10.6	115	11.8	133	14.0	165
White	19.3	270	17.2	251	19.7	289	19.9	302	1.7	338
Black	15.6	19	18.3	26	11.0	16	17.2	26	7.0	25
Native American	N/A	<5*	26.3	8	N/A	<5*	N/A	<5*	14.7	11
Asian	0.0	0	0.0	0	N/A	<5*	4.8	7	14.4	5
Hispanic	5.3	16	3.6	14	5.4	19	4.0	19	30.9	23

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**IVP HP2020-9.1: Death Rate Caused by Poisoning. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	19.5	348	18.7	352	20.3	399	17.1	339
Washoe County	17.8	71	16.3	67	21.0	90	17.6	76
All Other Counties**	14.4	46	17.4	58	11.9	42	18.3	64
<b>Nevada Total</b>	<b>18.5</b>	<b>465</b>	<b>18.1</b>	<b>477</b>	<b>19.3</b>	<b>531</b>	<b>17.3</b>	<b>479</b>
Carson	18.5	10	21.8	11	8.0	5	17.9	10
Churchill	N/A	<5*	30.3	8	27.5	7	19.1	5
Douglas	9.0	5	10.6	7	10.9	6	21.1	13
Elko	N/A	<5*	9.9	5	N/A	<5*	13.7	7
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	N/A	<5*	0.0	0	64.7	<5*	0.0	0
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Lincoln	0.0	0	N/A	<5*	0.0	0	0.0	0
Lyon	14.2	7	8.9	5	8.2	5	15.6	9
Mineral	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Nye	39.0	15	23.7	10	19.4	8	33.7	12
Pershing	0.0	0	N/A	<5*	0.0	0	0.0	0
Storey	0.0	0	N/A	<5*	0.0	0	N/A	<5*
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*

**IVP HP2020-9.1: Death Rate Caused by Poisoning. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	22.2	283	22.1	296	22.8	321	20.2	286
Female	14.8	182	14.0	181	15.6	210	14.3	193
White	24.5	396	23.6	34	25.9	35		
Black	18.9	31	19.7	8	N/A	<5*		
Native American	N/A	<5*	22.1	7	0.0	0		
Asian	N/A	<5*	4.2	23	N/A	<5*		
Hispanic	5.5	30	N/A	<5*	5.9	33		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

<i>IVP HP2020-11: Death Rate Caused by Unintentional Injuries. (Trend Data: 2000 - 2004)</i>										
	2000		2001		2002		2003		2004	
County of Residence	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	34.0	442	34.5	484	38.5	556	38.4	596	40.9	672
Washoe County	40.5	132	32.7	106	34.2	116	35.9	130	33.3	123
All Other Counties**	41.5	111	45.6	128	48.3	143	49.1	147	57.5	175
<b>Nevada Total</b>	<b>36.0</b>	<b>685</b>	<b>35.7</b>	<b>718</b>	<b>39.1</b>	<b>815</b>	<b>39.5</b>	<b>873</b>	<b>41.9</b>	<b>970</b>
Carson	26.4	13	39.9	22	37.1	22	43.4	24	60.5	30
Churchill	68.2	16	60.7	14	51.2	12	51.0	13	26.3	7
Douglas	22.5	8	32.2	13	31.5	15	34.1	17	32.0	16
Elko	49.4	14	53.5	20	42.4	20	56.0	23	33.0	16
Esmeralda	0.0	0	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Eureka	N/A	<5*	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Humboldt	31.0	5	40.0	6	57.6	8	74.1	10	33.6	6
Lander	N/A	<5*	109.9	5	N/A	<5*	N/A	<5*	135.3	6
Lincoln	N/A	<5*	N/A	<5*	195.2	6	N/A	<5*	N/A	<5*
Lyon	45.8	17	30.6	12	54.6	20	49.8	21	64.8	30
Mineral	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	161.0	10
Nye	70.9	24	70.1	24	86.0	29	50.9	19	106.8	40
Pershing	N/A	<5*	N/A	<5*	N/A	<5*	98.0	5	N/A	<5*
Storey	0.0	0	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	55.3	5	61.2	5

<i>IVP HP2020-11: Death Rate Caused by Unintentional Injuries. (Trend Data: 2000 - 2004)</i>										
	2000		2001		2002		2003		2004	
Gender and Race/Ethnicity	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	48.7	469	48.5	486	50.3	527	52.6	581	54.0	630
Female	23.0	216	23.1	232	27.7	288	26.5	292	29.5	340
White	39.2	528	39.6	552	42.1	608	44.7	663	46.9	728
Black	42.1	51	52.2	61	40.2	47	44.1	63	43.5	66
Native American	55.0	15	58.5	17	67.8	18	52.1	15	55.8	19
Asian	20.3	15	11.5	13	23.8	30	22.1	24	23.6	26
Hispanic	23.4	76	22.6	70	31.9	109	23.5	106	30.8	130

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

<i>IVP HP2020-11: Death Rate Caused by Unintentional Injuries. (Trend Data: 2005 - 2008)</i>								
	2005		2006		2007***		2008***	
County of Residence	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	43.1	742	40.7	745	43.2	814	32.8	622
Washoe County	33.9	127	34.4	135	49.5	196	41.0	158
All Other Counties**	53.4	168	55.8	188	50.0	171	50.4	173
<b>Nevada Total</b>	<b>42.9</b>	<b>1037</b>	<b>41.7</b>	<b>1068</b>	<b>45.1</b>	<b>1181</b>	<b>36.4</b>	<b>953</b>
Carson	39.3	22	50.9	29	32.5	21	37.0	22
Churchill	37.4	9	63.2	17	75.9	19	86.5	22
Douglas	37.1	17	42.0	23	36.2	20	33.4	20
Elko	31.3	12	45.9	17	40.1	18	51.0	25
Esmeralda	N/A	<5*	N/A	<5*	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Humboldt	60.8	11	41.5	7	90.8	15	46.2	8
Lander	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lincoln	N/A	<5*	295.9	12	N/A	<5*	N/A	<5*
Lyon	60.2	27	43.4	24	42.4	24	40.7	23
Mineral	N/A	<5*	N/A	3	202.2	8	N/A	<5*
Nye	114.8	49	92.9	39	67.8	29	81.3	34
Pershing	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Storey	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
White Pine	94.0	8	54.3	5	47.1	5	N/A	<5*

<i>IVP HP2020-11: Death Rate Caused by Unintentional Injuries. (Trend Data: 2005 - 2008)</i>								
	2005		2006		2007***		2008***	
Gender and Race/Ethnicity	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	59.6	711	55.5	714	58.9	773	46.7	608
Female	27.0	326	27.7	354	31.2	408	26.2	345
White	48.8	785	46.7	794	52.1	886		
Black	42.0	67	48.9	83	48.9	83		
Native American	46.9	15	51.8	18	N/A	<5*		
Asian	22.7	33	22.0	32	23.7	32		
Hispanic	25.4	128	28.8	137	32.6	141		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

<i>IVP HP2020-13.1: Death Rate Caused by Motor Vehicle Crashes. (Trend Data: 2000 - 2004)</i>										
	2000		2001		2002		2003		2004	
County of Residence	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	11.4	155	12.9	188	13.3	204	12.9	208	14.3	243
Washoe County	13.6	46	14.1	49	13.7	49	12.9	49	14.2	55
All Other Counties**	19.3	53	22.2	64	28.9	85	23.3	71	25.1	78
<b>Nevada Total</b>	<b>12.7</b>	<b>254</b>	<b>14.3</b>	<b>301</b>	<b>15.5</b>	<b>338</b>	<b>14.3</b>	<b>328</b>	<b>15.7</b>	<b>376</b>
Carson	N/A	<5*	19.3	10	16.9	10	13.7	7	17.2	8
Churchill	53.8	13	21.3	5	42.8	10	27.5	7	N/A	<5*
Douglas	N/A	<5*	N/A	<5*	8.9	5	13.3	7	N/A	<5*
Elko	21.2	8	25.0	11	21.7	11	33.0	14	18.0	9
Esmeralda	0.0	0	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Eureka	N/A	<5*	0.0	0	0.0	0	0.0	0	N/A	<5*
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lincoln	0.0	0	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Lyon	15.0	6	15.8	6	43.7	16	28.3	12	30.0	14
Mineral	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	111.7	7
Nye	43.3	15	45.2	16	57.9	19	21.2	9	47.4	20
Pershing	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Storey	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*

<i>IVP HP2020-13.1: Death Rate Caused by Motor Vehicle Crashes. (Trend Data: 2000 - 2004)</i>										
	2000		2001		2002		2003		2004	
Gender and Race/Ethnicity	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	16.5	167	19.3	201	20.4	224	20.0	231	21.5	260
Female	8.8	87	9.6	100	10.6	114	8.7	97	9.7	116
White	12.6	170	15.4	218	16.6	245	15.3	223	16.2	257
Black	16.3	23	16.3	19	7.9	11	15.3	23	15.6	24
Native American	35.6	10	26.7	8	38.1	10	26.4	7	20.2	7
Asian	6.8	7	7.1	9	13.8	17	8.8	12	9.3	13
Hispanic	10.3	44	12.2	45	11.1	55	12.4	62	15.0	75

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**IVP HP2020-13.1: Death Rate Caused by Motor Vehicle Crashes. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	14.0	248	14.2	267	12.2	238	8.2	161
Washoe County	10.7	42	9.9	41	12.7	52	7.1	29
All Other Counties**	28.6	89	27.5	92	19.9	68	17.8	62
<b>Nevada Total</b>	<b>15.3</b>	<b>379</b>	<b>15.3</b>	<b>400</b>	<b>13.2</b>	<b>358</b>	<b>9.2</b>	<b>252</b>
Carson	14.5	8	12.2	7	8.2	5	8.1	5
Churchill	19.7	5	33.5	9	N/A	<5*	28.5	8
Douglas	20.9	9	14.3	7	13.9	8	N/A	<5*
Elko	N/A	<5*	20.0	8	17.8	10	27.5	13
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Humboldt	47.2	8	28.1	5	45.7	8	N/A	<5*
Lander	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lincoln	N/A	<5*	172.4	7	N/A	<5*	N/A	<5*
Lyon	37.8	17	22.7	12	18.1	10	12.3	7
Mineral	N/A	<5*	0.0	0	130.7	5	N/A	<5*
Nye	66.4	28	63.1	26	30.4	12	28.0	12
Pershing	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Storey	N/A	<5*	0.0	0	0.0	0	0.0	0
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*

**IVP HP2020-13.1: Death Rate Caused by Motor Vehicle Crashes. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	21.4	270	20.5	273	17.7	243	12.6	178
Female	9.0	109	9.8	127	8.5	115	5.4	74
White	16.0	256	15.8	263	14.3	239		
Black	12.3	20	16.6	28	13.4	23		
Native American	25.9	9	24.6	8	0.0	0		
Asian	15.6	22	12.9	22	7.6	13		
Hispanic	12.7	69	12.7	78	14.8	70		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.



**IVP HP2020-18: Pedestrian Death Rate on Public Roads. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	2.0	28	1.8	25	2.2	33	2.4	39	3.1	51
Washoe County	2.2	7	2.6	8	3.1	10	3.6	13	3.0	12
All Other Counties**	N/A	<5*	N/A	<5*	N/A	<5*	1.8	6	N/A	<5*
<b>Nevada Total</b>	<b>1.8</b>	<b>36</b>	<b>1.9</b>	<b>37</b>	<b>2.2</b>	<b>47</b>	<b>2.5</b>	<b>58</b>	<b>2.8</b>	<b>67</b>
Carson	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Churchill	0.0	0	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Douglas	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Elko	0.0	0	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	0.0	0	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Mineral	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Pershing	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	N/A	<5*	N/A	<5*	0.0	0

**IVP HP2020-18: Pedestrian Death Rate on Public Roads. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	2.1	22	2.8	26	3.1	32	3.2	37	4.4	52
Female	1.5	14	1.1	11	1.4	15	1.9	21	1.2	15
White	1.7	23	1.7	24	2.0	31	3.1	46	2.6	42
Black	N/A	<5*	5.3	5	N/A	<5*	0.0	0	4.8	7
Native American	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Asian	N/A	<5*	0.0	0	4.6	5	N/A	<5*	3.9	5
Hispanic	1.8	7	3.0	7	1.6	6	1.7	6	3.0	12

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**IVP HP2020-18: Pedestrian Death Rate on Public Roads. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	2.4	41	2.3	42	2.2	43	1.7	34
Washoe County	1.7	7	1.9	8	2.9	11	N/A	<5*
All Other Counties**	2.0	6	1.4	5	N/A	<5*	1.4	5
<b>Nevada Total</b>	<b>2.2</b>	<b>54</b>	<b>2.1</b>	<b>55</b>	<b>2.1</b>	<b>56</b>	<b>1.5</b>	<b>43</b>
Carson	N/A	<5*	N/A	<5*	0.0	0	0.0	0
Churchill	0.0	0	0.0	0	0.0	0	N/A	<5*
Douglas	0.0	0	N/A	<5*	0.0	0	0.0	0
Elko	0.0	0	0.0	0	0.0	0	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	N/A	<5*	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	N/A	<5*	0.0	0	0.0	0
Lyon	N/A	<5*	0.0	0	0.0	0	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5*	0.0	0	N/A	<5*	2.5	1
Pershing	0.0	0	N/A	<5*	0.0	0	0.0	0
Storey	0.0	0	N/A	<5*	0.0	0	0.0	0
White Pine	N/A	<5*	N/A	<5*	0.0	0	0.0	0

**IVP HP2020-18: Pedestrian Death Rate on Public Roads. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	3.1	39	3.1	41	2.8	36	1.9	27
Female	1.3	15	1.1	14	1.4	20	1.1	16
White	1.9	31	2.1	36	2.1	37		
Black	N/A	<5*	N/A	<5*	N/A	<5*		
Native American	N/A	<5*	N/A	<5*	0.0	0		
Asian	N/A	<5*	N/A	<5*	0.0	0		
Hispanic	3.0	13	2.8	13	4.0	15		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**IVP HP2020-15: Proportion of People Using Safety Belts. (Trend Data: 2002, 2006, 2008)**

County of Residence	2002				2006				2008			
	Always		Nearly Always		Always		Nearly Always		Always		Nearly Always	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	80.0	805	13.0	126	81.5	954	12.2	118	86.9	1278	7.6	101
Washoe County	79.5	820	11.4	103	83.8	1000	10.4	109	87.2	1378	8.8	127
All Other Counties**	70.8	716	16.7	170	74.4	836	14.8	158	78.0	1255	12.9	186
<b>Nevada Total</b>	<b>78.8</b>	<b>2424</b>	<b>13.1</b>	<b>406</b>	<b>80.9</b>	<b>2879</b>	<b>12.2</b>	<b>396</b>	<b>85.8</b>	<b>4000</b>	<b>8.4</b>	<b>423</b>
Carson	81.3	151	10.6	21	88.4	160	4.1	10	78.9	225	13.9	31
Churchill	71.8	61	16.4	14	61.9	70	27.1	19	63.6	102	17.8	20
Douglas	82.2	120	11.8	22	80.0	147	12.3	19	86.2	209	5.9	14
Elko	69.4	110	17.2	30	64.4	85	16.4	23	75.7	151	14.6	27
Esmeralda	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Eureka	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	43.7	23	35.6	16	67.4	34	20.0	9	80.5	64	16.3	12
Lander	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	70.6	98	14.3	19	76.1	150	12.2	20	78.2	188	9.6	20
Mineral	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	72.3	73	14.2	16	76.3	96	13.4	19	83.2	169	10.3	19
Pershing	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	~	~	~	~	N/A	<50*	N/A	<50*	66.7	33	20.0	12

**IVP HP2020-15: Proportion of People Using Safety Belts. (Trend Data: 2002, 2006, 2008)**

Gender and Race/Ethnicity	2002				2006				2008			
	Always		Nearly Always		Always		Nearly Always		Always		Nearly Always	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	74.5	1115	15.8	227	76.0	1217	15.0	223	82.7	1523	10.0	205
Female	83.1	1309	10.3	179	85.8	1662	9.3	173	88.9	2477	6.8	218
White	77.4	1738	14.2	315	81.1	2059	12.3	281	86.0	2990	8.6	324
Black	85.8	68	4.4	4	83.9	65	3.8	4	80.8	97	8.1	5
Other	80.0	285	13.0	43	77.6	337	16.1	62	84.7	383	9.5	49
Hispanic	80.9	304	11.1	39	82.7	385	10.4	46	86.4	498	7.5	43

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**IVP HP2020-15: Proportion of People Using Safety Belts. (Trend Data: 2002, 2006, 2008)**

Age	2002				2006				2008			
	Always		Nearly Always		Always		Nearly Always		Always		Nearly Always	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	77.7	191	13.5	35	66.8	139	19.2	34	76.4	144	12.2	24
14-34	71.2	335	18.6	79	76.9	322	15.6	66	85.2	430	9.4	65
35-44	79.5	516	12.3	88	80.3	493	13.4	87	87.7	603	7.2	75
45-54	83.7	508	9.6	81	88.4	594	7.0	69	87.1	781	8.1	83
55-64	79.2	362	13.6	53	84.2	591	11.1	75	86.6	823	8.3	85
65+	82.3	480	10.1	64	87.3	704	7.2	62	88.2	1141	6.9	89

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**IVP HP2020-22.1: Death Rate From Falls. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	4.0	44	3.8	47	5.8	65	4.8	59	5.9	79
Washoe County	5.5	15	5.6	15	5.7	16	4.6	14	5.2	16
All Other Counties**	5.0	12	2.9	8	2.5	8	6.2	19	6.0	18
<b>Nevada Total</b>	<b>4.5</b>	<b>71</b>	<b>4.0</b>	<b>70</b>	<b>5.2</b>	<b>89</b>	<b>4.9</b>	<b>92</b>	<b>5.8</b>	<b>113</b>
Carson	N/A	<5*	N/A	<5*	N/A	<5*	7.6	5	11.3	6
Churchill	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Douglas	0.0	0	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Elko	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Lander	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Mineral	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Pershing	N/A	<5*	0.0	0	0.0	0	N/A	<5*	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
White Pine	N/A	<5*	0.0	0	0.0	0	N/A	<5*	N/A	<5*

**IVP HP2020-22.1: Death Rate From Falls. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	5.8	44	5.9	46	6.0	48	7.1	60	6.9	66
Female	3.2	27	2.5	24	4.4	41	3.2	32	4.5	47
White	4.7	60	4.3	59	4.9	67	5.2	80	6.2	94
Black	N/A	<5*	4.5	5	9.1	8	N/A	<5*	N/A	<5*
Native American	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Asian	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Hispanic	N/A	<5*	3.2	5	7.3	11	3.4	6	4.4	14

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**IVP HP2020-22.1: Death Rate From Falls. (Trend Data: 2005 – 2008)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	6.5	92	4.9	75	6.8	110	5.3	77
Washoe County	7.2	24	8.3	30	8.8	29	11.6	35
All Other Counties**	8.6	28	7.0	24	7.6	26	7.0	22
<b>Nevada Total</b>	<b>6.9</b>	<b>144</b>	<b>5.7</b>	<b>129</b>	<b>7.3</b>	<b>165</b>	<b>6.5</b>	<b>134</b>
Carson	10.1	6	13.3	8	7.4	5	N/A	<5*
Churchill	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Douglas	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Elko	N/A	<5*	N/A	<5*	0.0	0	0.0	0
Esmeralda	N/A	<5*	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	N/A	<5*	0.0	0	0.0	0
Lyon	11.3	5	N/A	<5*	10.6	6	N/A	<5*
Mineral	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Nye	11.2	7	N/A	<5*	10.9	6	N/A	<5*
Pershing	0.0	0	0.0	0	0.0	0	N/A	<5*
Storey	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
White Pine	N/A	<5*	0.0	0	N/A	<5*	0.0	0

**IVP HP2020-22.1: Death Rate From Falls. (Trend Data: 2005 – 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	10.3	95	7.7	80	9.3	102	7.6	70
Female	4.3	49	4.0	49	5.2	63	5.4	64
White	7.1	119	6.0	106	7.7	133		
Black	4.3	6	4.5	6	4.8	6		
Native American	N/A	<5*	N/A	<5*	0.0	0		
Asian	N/A	<5*	N/A	<5*	16.6	7		
Hispanic	5.2	13	5.3	14	12.6	10		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**IVP HP2020-25: Death Rate From Drowning. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	1.4	19	1.2	17	1.4	22	0.9	15	0.9	16
Washoe County	N/A	<5*	N/A	<5*	N/A	<5*	2.8	10	N/A	<5*
All Other Counties**	N/A	<5*	2.3	6	N/A	<5*	N/A	<5*	N/A	<5*
<b>Nevada Total</b>	<b>1.4</b>	<b>27</b>	<b>1.2</b>	<b>24</b>	<b>1.1</b>	<b>24</b>	<b>1.3</b>	<b>29</b>	<b>0.8</b>	<b>19</b>
Carson	0.0	0	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Churchill	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
Douglas	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
Elko	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	0.0	0	0.0	0	N/A	<5*	0.0	0
Lander	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
Lincoln	N/A	<5*	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Lyon	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Nye	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Pershing	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0

**IVP HP2020-25: Death Rate From Drowning. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	2.3	22	1.5	15	1.8	20	1.8	21	1.0	13
Female	0.5	5	0.9	9	N/A	<5*	0.7	8	0.5	6
White	1.5	18	1.4	18	0.9	13	1.4	20	0.7	10
Black	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Native American	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Asian	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Hispanic	0.9	6	N/A	<5*	1.1	6	1.0	7	N/A	<5*

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**IVP HP2020-25: Death Rate From Drowning. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	1.1	20	1.1	21	1.3	25	1.1	23
Washoe County	N/A	<5*	N/A	<5*	2.3	10	1.1	5
All Other Counties**	1.8	5	N/A	<5*	N/A	<5*	N/A	<5*
<b>Nevada Total</b>	<b>1.1</b>	<b>27</b>	<b>1.1</b>	<b>28</b>	<b>1.4</b>	<b>38</b>	<b>1.1</b>	<b>31</b>
Carson	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Churchill	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Douglas	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Elko	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	N/A	<5*	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	N/A	<5*	0.0	0	0.0	0	0.0	0
Lyon	0.0	0	0.0	0	0.0	0	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5*	0.0	0	0.0	0	0.0	0
Pershing	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0

**IVP HP2020-25: Death Rate From Drowning. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	1.6	20	1.3	18	2.2	29	1.7	24
Female	0.6	7	0.8	10	0.7	9	0.5	7
White	1.3	18	0.9	14	1.6	25		
Black	N/A	<5*	N/A	<5*	N/A	<5*		
Native American	0.0	0	0.0	0	N/A	<5*		
Asian	N/A	<5*	0.0	0	3.0	5		
Hispanic	0.7	5	1.8	10	0.8	5		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.



**IVP HP2020-29: Death Rate From Homicides. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	7.4	107	9.9	149	9.5	149	9.4	156	8.7	154
Washoe County	3.4	12	3.8	13	3.0	11	4.6	17	4.2	16
All Other Counties**	3.2	9	3.9	11	3.7	12	1.9	5	3.8	12
<b>Nevada Total</b>	<b>6.2</b>	<b>128</b>	<b>8.1</b>	<b>173</b>	<b>7.7</b>	<b>172</b>	<b>7.7</b>	<b>178</b>	<b>7.4</b>	<b>182</b>
Carson	N/A	<5*	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Churchill	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
Douglas	0.0	0	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Elko	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Lander	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Mineral	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Nye	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Pershing	0.0	0	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Storey	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*

**IVP HP2020-29: Death Rate From Homicides. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	10.0	106	12.0	132	11.5	131	10.5	126	11.6	146
Female	2.2	22	4.0	41	3.8	41	4.7	52	3.1	36
White	3.0	42	5.1	71	4.2	61	5.0	73	4.4	65
Black	26.3	38	28.6	45	31.8	51	29.0	49	25.1	43
Native American	18.4	5	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Asian	N/A	<5*	8.6	9	6.8	9	4.8	7	3.3	5
Hispanic	7.9	38	9.1	45	8.8	48	10.5	45	9.7	61

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**IVP HP2020-29: Death Rate From Homicides. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	8.4	155	9.0	172	7.0	141	5.7	115
Washoe County	3.6	15	7.8	32	5.7	25	2.0	9
All Other Counties**	5.0	14	3.3	11	4.5	14	2.9	10
<b>Nevada Total</b>	<b>7.2</b>	<b>184</b>	<b>8.1</b>	<b>215</b>	<b>6.5</b>	<b>180</b>	<b>4.8</b>	<b>134</b>
Carson	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Churchill	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Douglas	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Elko	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	0.0	0	0.0	0	N/A	<5*	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	N/A	<5*
Nye	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Pershing	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*

**IVP HP2020-29: Death Rate From Homicides. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	10.5	140	11.8	162	9.7	140	6.5	96
Female	3.6	44	4.1	53	3.0	40	2.8	38
White	4.9	74	5.9	96	5.1	84		
Black	24.9	46	31.2	59	24.6	50		
Native American	N/A	<5*	N/A	<5*	N/A	<5*		
Asian	2.9	5	N/A	<5*	0.0	0		
Hispanic	8.1	58	7.1	53	5.8	42		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**MICH HP2020-1.1: Fetal Death Rate at 20+ Weeks Gestation (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	7.3	162	6.2	142	7.4	178	7.6	189	7.0	183
Washoe County	8.8	44	9.3	48	9.5	51	8.1	44	7.9	44
All Other Counties**	6.8	22	5.9	20	5.0	17	7.2	25	6.2	22
<b>Nevada Total</b>	<b>7.5</b>	<b>228</b>	<b>6.7</b>	<b>210</b>	<b>7.5</b>	<b>246</b>	<b>7.6</b>	<b>258</b>	<b>7.0</b>	<b>249</b>
Carson	8.5	6	N/A	<5*	6.9	5	15.0	11	N/A	<5*
Churchill	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Douglas	0.0	0	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Elko	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	0.0	0	0.0	0	N/A	<5*	0.0	0
Lander	0.0	0	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
Lyon	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Mineral	0.0	0	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Nye	18.8	5	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Pershing	N/A	<5*	N/A	<5*	0.0	0	0.0	0	0.0	0
Storey	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	N/A	<5*	0.0	0	0.0	0	N/A	<5*

**MICH HP2020-1.1: Fetal Death Rate at 20+ Weeks Gestation (Trend Data: 2000 - 2004)**

Age of Mother	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
0-14	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	0.0	0
15-17	7.8	10	4.9	6	8.4	10	11.0	14	9.4	12
18-19	8.3	21	8.1	20	6.5	16	5.7	14	6.3	16
20-24	6.8	56	3.9	33	7.1	63	7.0	63	6.2	59
25-29	6.4	54	5.8	50	6.0	53	5.5	51	6.7	65
30-34	6.0	38	7.8	53	7.4	53	7.8	58	6.0	46
35-39	10.7	31	9.4	29	10.8	36	10.9	38	7.3	27
40-44	16.4	10	15.8	11	6.9	5	19.0	14	21.8	17
45+	0.0	0	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Total	7.5	228	6.7	210	7.5	246	7.6	258	7.0	249

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 1,000 live births plus fetal deaths.

Note: 2008 data are not available at this time.

**MICH HP2020-1.1: Fetal Death Rate at 20+ Weeks Gestation (Trend Data: 2005 - 2007)**

County of Residence	2005		2006		2007	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	7.2	200	6.0	181	6.1	188
Washoe County	6.3	36	6.8	42	5.0	31
All Other Counties**	6.2	24	8.8	36	4.5	19
<b>Nevada Total</b>	<b>6.9</b>	<b>260</b>	<b>6.4</b>	<b>259</b>	<b>5.7</b>	<b>238</b>
Carson	9.9	8	10.3	8	5.8	5
Churchill	N/A	<5*	13.7	5	N/A	<5*
Douglas	N/A	<5*	N/A	<5*	N/A	<5*
Elko	N/A	<5*	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	N/A	<5*
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*
Lander	N/A	<5*	N/A	<5*	0.0	0
Lincoln	N/A	<5*	0.0	0	0.0	0
Lyon	N/A	<5*	8.2	6	N/A	<5*
Mineral	0.0	0	0.0	0	N/A	<5*
Nye	N/A	<5*	N/A	<5*	0.0	0
Pershing	0.0	0	N/A	<5*	0.0	0
Storey	0.0	0	0.0	0	0.0	0
White Pine	N/A	<5*	N/A	<5*	N/A	<5*

**MICH HP2020-1.1: Fetal Death Rate at 20+ Weeks Gestation (Trend Data: 2005 - 2007)**

Age of Mother	2005		2006		2007	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
0-14	0.0	0	N/A	<5*	0.0	0
15-17	5.9	8	7.6	11	10.1	15
18-19	8.5	22	7.0	20	6.9	20
20-24	6.4	65	5.7	60	4.6	49
25-29	5.6	59	5.5	64	5.2	62
30-34	6.5	52	6.5	54	5.0	44
35-39	8.8	35	8.5	37	6.5	29
40-44	9.9	9	8.6	8	16.5	16
45+	N/A	<5*	N/A	<5*	N/A	<5*
Total	6.9	260	6.4	259	5.7	238

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 1,000 live births plus fetal deaths.

Note: 2008 data are not available at this time.

**MICH HP2020-1.3: Infant Death Rate Within 1 Year of Life. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	6.3	139	6.0	137	6.1	145	5.9	147	6.9	180
Washoe County	7.1	35	5.5	28	3.8	20	5.7	31	3.8	21
All Other Counties**	6.2	20	3.6	12	7.4	25	3.2	11	5.1	18
<b>Nevada Total</b>	<b>6.4</b>	<b>194</b>	<b>5.7</b>	<b>177</b>	<b>5.9</b>	<b>190</b>	<b>5.6</b>	<b>189</b>	<b>6.2</b>	<b>219</b>
Carson	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Churchill	N/A	<5*	0.0	0	17.6	6	0.0	0	N/A	<5*
Douglas	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	0.0	0
Elko	9.3	5	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Humboldt	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
Lincoln	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Lyon	N/A	<5*	0.0	0	10.8	5	N/A	<5*	11.2	6
Mineral	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5*	15.1	5	N/A	<5*	0.0	0	N/A	<5*
Pershing	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Storey	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0

**MICH HP2020-1.3: Infant Death Rate Within 1 Year of Life. (Trend Data: 2000 - 2004)**

Race/Ethnicity	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
White	5.5	84	5.0	77	6.1	93	5.9	92	5.8	92
Black	13.3	30	16.7	40	17.9	45	12.1	33	19.0	53
Native American	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Asian	5.3	10	N/A	<5*	2.1	5	3.4	8	5.1	13
Hispanic	6.8	68	5.2	56	3.8	43	4.4	54	4.4	58

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 1,000 live births.

**MICH HP2020-1.3: Infant Death Rate Within 1 Year of Life. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	5.9	164	6.5	195	6.5	201	5.4	158
Washoe County	5.1	29	7.1	44	5.5	34	6.5	37
All Other Counties**	4.7	18	4.7	19	5.9	25	3.2	12
<b>Nevada Total</b>	<b>5.7</b>	<b>211</b>	<b>6.4</b>	<b>258</b>	<b>6.3</b>	<b>260</b>	<b>5.3</b>	<b>207</b>
Carson	N/A	<5*	N/A	<5*	5.8	5	N/A	<5*
Churchill	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Douglas	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Elko	9.2	6	6.9	5	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Lander	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Lincoln	0.0	0	0.0	0	N/A	<5*	0.0	0
Lyon	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Mineral	0.0	0	N/A	<5*	0.0	0	0.0	0
Nye	N/A	<5*	N/A	<5*	13.2	6	N/A	<5*
Pershing	0.0	0	0.0	0	N/A	<5*	0.0	0
Storey	0.0	0	N/A	<5*	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	N/A	<5*	N/A	<5*

**MICH HP2020-1.3: Infant Death Rate Within 1 Year of Life. (Trend Data: 2005 - 2007)**

Race/Ethnicity	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
White	5.2	85	6.2	105	6.4	109		
Black	13.5	40	15.7	52	12.5	45		
Native American	N/A	<5*	N/A	<5*	0.0	0		
Asian	3.3	9	3.6	11	3.3	11		
Hispanic	5.3	74	5.2	81	5.3	86		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 1,000 live births.

**MICH HP2020-1.4: Neonatal Death Rate Within the First 28 Days of Life. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	3.9	85	3.2	73	3.8	91	3.6	88	4.6	121
Washoe County	4.2	21	2.9	15	2.3	12	3.9	21	2.5	14
All Other Counties**	4.7	15	1.2	4	5.1	17	1.7	6	3.4	12
<b>Nevada Total</b>	<b>4.0</b>	<b>121</b>	<b>2.9</b>	<b>92</b>	<b>3.7</b>	<b>120</b>	<b>3.4</b>	<b>115</b>	<b>4.2</b>	<b>147</b>
Carson	N/A	<5*	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Churchill	N/A	<5*	0.0	0	17.6	6	0.0	0	N/A	<5*
Douglas	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	0.0	0
Elko	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
Humboldt	N/A	<5*	0.0	0	N/A	<5*	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
Lincoln	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Lyon	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Mineral	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Pershing	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0

**MICH HP2020-1.4: Neonatal Death Rate Within the First 28 Days of Life. (Trend Data: 2000 - 2004)**

Race/Ethnicity	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
White	3.7	57	2.6	39	3.8	59	3.7	58	4.1	66
Black	5.8	13	9.2	22	10.7	27	7.0	19	11.8	33
Native American	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Asian	2.6	5	0.0	0	N/A	<5*	2.1	5	3.5	9
Hispanic	4.4	44	2.9	31	2.5	28	2.5	31	2.9	38

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 1,000 live births.

**MICH HP2020-1.4: Neonatal Death Rate Within the First 28 Days of Life. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	3.5	96	4.5	134	4.2	130	3.1	91
Washoe County	3.3	19	4.2	26	3.6	22	5.1	29
All Other Counties**	2.3	9	2.0	8	3.1	13	1.9	7
<b>Nevada Total</b>	<b>3.3</b>	<b>124</b>	<b>4.2</b>	<b>168</b>	<b>4.0</b>	<b>165</b>	<b>3.3</b>	<b>127</b>
Carson	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Churchill	0.0	0	0.0	0	0.0	0	N/A	<5*
Douglas	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Elko	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0
Lander	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Lincoln	0.0	0	0.0	0	N/A	<5*	0.0	0
Lyon	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Mineral	0.0	0	N/A	<5*	0.0	0	0.0	0
Nye	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Pershing	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	N/A	<5*	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	N/A	<5*

**MICH HP2020-1.4: Neonatal Death Rate Within the First 28 Days of Life. (Trend Data: 2005 - 2008)**

Race/Ethnicity	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
White	3.1	51	4.3	73	3.7	64	3.1	49
Black	7.4	22	8.8	29	8.1	29	7.0	25
Native American	N/A	<5*	N/A	<5*	0.0	0	0.0	0
Asian	1.8	5	3.0	9	2.1	7	N/A	<5*
Hispanic	3.1	44	3.2	50	3.7	60	3.2	48

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 1,000 live births.



**MICH HP2020-1.5: Post-Neonatal Death Rate Between 28 Days and 1 Year of Life. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	2.5	54	2.8	64	2.3	54	2.4	59	2.3	59
Washoe County	2.8	14	2.6	13	1.5	8	1.9	10	1.3	7
All Other Counties**	1.6	5	2.4	8	2.4	8	1.5	5	1.7	6
<b>Nevada Total</b>	<b>2.4</b>	<b>73</b>	<b>2.7</b>	<b>85</b>	<b>2.2</b>	<b>70</b>	<b>2.2</b>	<b>74</b>	<b>2.0</b>	<b>72</b>
Carson	0.0	0	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Churchill	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
Douglas	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
Elko	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
Humboldt	N/A	<5*	0.0	0	0.0	0	N/A	<5*	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	0.0	0	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Mineral	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5*	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Pershing	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0

**MICH HP2020-1.5: Post-Neonatal Death Rate Between 28 Days and 1 Year of Life. (Trend Data: 2000 - 2004)**

Race/Ethnicity	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
White	1.8	27	2.5	38	2.2	34	2.2	34	1.6	26
Black	7.5	17	7.5	18	7.2	18	5.1	14	7.2	20
Native American	0.0	0	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Asian	2.6	5	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Hispanic	2.4	24	2.3	25	1.3	15	1.9	23	1.5	20

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 1,000 live births.

**MICH HP2020-1.5: Post-Neonatal Death Rate Between 28 Days and 1 Year of Life. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	2.5	68	2.0	61	2.3	71	2.3	67
Washoe County	1.8	10	2.9	18	1.9	12	1.4	8
All Other Counties**	2.3	9	2.7	11	2.8	12	1.4	5
<b>Nevada Total</b>	<b>2.3</b>	<b>87</b>	<b>2.2</b>	<b>90</b>	<b>2.3</b>	<b>95</b>	<b>2.1</b>	<b>80</b>
Carson	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Churchill	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Douglas	N/A	<5*	N/A	<5*	0.0	0	0.0	0
Elko	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Pershing	0.0	0	0.0	0	N/A	<5*	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	N/A	<5*	0.0	0

**MICH HP2020-1.5: Post-Neonatal Death Rate Between 28 Days and 1 Year of Life. (Trend Data: 2005 - 2008)**

Race/Ethnicity	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
White	2.1	34	1.9	32	2.6	45	1.8	29
Black	6.1	18	7.0	23	4.4	16	5.9	21
Native American	N/A	<5*	N/A	<5*	0.0	0	0.0	0
Asian	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Hispanic	2.1	30	2.0	31	1.6	26	1.7	26

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 1,000 live births.

**MICH HP2020-1.6: Infant Death Rate Related to Birth Defects. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	1.5	34	1.4	32	1.5	35	1.3	32	1.5	38
Washoe County	1.2	6	1.4	7	N/A	<5*	1.5	8	N/A	<5*
All Other Counties**	1.2	4	N/A	<5*	2.1	7	N/A	<5*	N/A	<5*
<b>Nevada Total</b>	<b>1.5</b>	<b>44</b>	<b>1.3</b>	<b>40</b>	<b>1.4</b>	<b>44</b>	<b>1.3</b>	<b>43</b>	<b>1.3</b>	<b>44</b>
Carson	N/A	<5*	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Churchill	0.0	0	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Douglas	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
Elko	N/A	<5*	0.0	0	0.0	0	0.0	0	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Lyon	0.0	0	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Nye	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
Pershing	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0

**MICH HP2020-1.6: Infant Death Rate Related to Birth Defects. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Male	1.5	23	1.7	27	1.0	17	0.9	15	1.1	19
Female	1.4	21	0.8	13	1.7	27	1.7	28	1.5	25
White	1.0	16	1.1	17	1.6	24	1.2	19	1.3	21
Black	N/A	<5*	3.3	8	N/A	<5*	N/A	<5*	N/A	<5*
Native American	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Asian	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	2.3	6
Hispanic	2.2	22	1.4	15	1.2	14	1.6	20	1.1	14

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 1,000 live births.

**MICH HP2020-1.6: Infant Death Rate Related to Birth Defects. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	1.6	45	1.1	34	1.4	43	1.1	33
Washoe County	1.1	6	2.1	13	N/A	<5*	1.6	9
All Other Counties**	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
<b>Nevada Total</b>	<b>1.4</b>	<b>53</b>	<b>1.3</b>	<b>51</b>	<b>1.2</b>	<b>50</b>	<b>1.1</b>	<b>44</b>
Carson	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Churchill	0.0	0	0.0	0	0.0	0	0.0	0
Douglas	0.0	0	N/A	<5*	0.0	0	0.0	0
Elko	N/A	<5*	0.0	0	0.0	0	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Mineral	0.0	0	0.0	0	0.0	0	0.0	0
Nye	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Pershing	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0

**MICH HP2020-1.6: Infant Death Rate Related to Birth Defects. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Male	1.2	22	0.9	18	1.1	24	1.0	20
Female	1.7	31	1.7	33	1.3	26	1.3	24
White	1.0	17	1.1	19	1.1	19		
Black	2.7	8	N/A	<5*	N/A	<5*		
Native American	N/A	<5*	0.0	0	0.0	0		
Asian	N/A	<5*	N/A	<5*	N/A	<5*		
Hispanic	1.7	24	1.7	26	1.6	25		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 1,000 live births.

**MICH HP2020-1.7: Infant Death Rate Related to Congenital Heart Defects. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	0.5	10	0.5	12	0.4	10	0.3	7	0.4	10
Washoe County	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
All Other Counties**	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
<b>Nevada Total</b>	<b>0.4</b>	<b>13</b>	<b>0.5</b>	<b>15</b>	<b>0.4</b>	<b>12</b>	<b>0.2</b>	<b>7</b>	<b>0.3</b>	<b>11</b>
Carson	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Churchill	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Douglas	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Elko	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Nye	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Pershing	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0

**MICH HP2020-1.7: Infant Death Rate Related to Congenital Heart Defects. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Male	0.5	7	0.6	10	0.3	5	0.3	5	0.3	6
Female	0.4	6	0.3	5	0.4	7	N/A	<5*	0.3	5
White	0.3	5	0.4	6	0.5	8	0.3	5	0.3	5
Black	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	0.0	0
Native American	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Asian	N/A	<5*	0.0	0	0.0	0	0.0	0	N/A	<5*
Hispanic	0.5	5	0.5	5	N/A	<5*	N/A	<5*	N/A	<5*

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 1,000 live births.

**MICH HP2020-1.7: Infant Death Rate Related to Congenital Heart Defects. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	0.6	17	0.3	9	0.5	14	0.5	14
Washoe County	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
All Other Counties**	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
<b>Nevada Total</b>	<b>0.5</b>	<b>18</b>	<b>0.3</b>	<b>12</b>	<b>0.4</b>	<b>16</b>	<b>0.4</b>	<b>17</b>
Carson	0.0	0	0.0	0	0.0	0	0.0	0
Churchill	0.0	0	0.0	0	0.0	0	0.0	0
Douglas	0.0	0	N/A	<5*	0.0	0	0.0	0
Elko	0.0	0	0.0	0	0.0	0	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	0.0	0	0.0	0	0.0	0	N/A	<5*
Mineral	0.0	0	0.0	0	0.0	0	0.0	0
Nye	0.0	0	0.0	0	N/A	<5*	0.0	0
Pershing	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0

**MICH HP2020-1.7: Infant Death Rate Related to Congenital Heart Defects. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Male	0.4	7	0.2	5	0.4	9	0.3	5
Female	0.6	11	0.4	7	0.4	7	0.6	12
White	N/A	<5*	N/A	<5*	0.4	6	N/A	0
Black	N/A	<5*	N/A	<5*	N/A	<5*	N/A	0
Native American	0.0	0	0.0	0	0.0	0	N/A	0
Asian	N/A	<5*	0.0	0	0.0	0	N/A	0
Hispanic	0.8	11	0.4	6	0.5	8	N/A	0

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 1,000 live births.

**MICH HP2020-3.1: Death Rate of Children Aged 1 to 4 Years (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	28.7	24	36.3	32	35.9	33	26.1	25	23.8	24
Washoe County	N/A	<5*	35.8	7	N/A	<5*	33.9	7	32.8	7
All Other Counties**	56.2	8	N/A	<5*	35.6	5	N/A	<5*	56.4	8
<b>Nevada Total</b>	<b>30.8</b>	<b>36</b>	<b>33.6</b>	<b>41</b>	<b>31.7</b>	<b>40</b>	<b>26.9</b>	<b>35</b>	<b>28.6</b>	<b>39</b>
Carson	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Churchill	N/A	<5*	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Douglas	0.0	0	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Elko	0.0	0	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
Humboldt	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	N/A	<5*	N/A	<5*	0.0	0	0.0	0	0.0	0
Lyon	N/A	<5*	N/A	<5*	0.0	0	0.0	0	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5*	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Pershing	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
Storey	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0

**MICH HP2020-3.1: Death Rate of Children Aged 1 to 4 Years (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Male	28.4	17	40.0	25	38.8	25	27.0	18	35.8	25
Female	33.2	19	26.8	16	24.4	15	26.8	17	21.1	14
White	35.7	22	20.9	13	30.3	19	33.2	21	35.7	23
Black	56.1	5	83.4	8	80.6	8	N/A	<5*	N/A	<5*
Native American	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Asian	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Hispanic	21.0	8	45.9	19	22.8	10	17.1	8	20.0	10

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific population.

**MICH HP2020-3.1: Death Rate of Children Aged 1 to 4 Years (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	36.0	38	40.0	44	34.0	39	27.7	32
Washoe County	27.3	6	44.1	10	38.8	9	N/A	<5*
All Other Counties**	75.8	11	32.2	5	37.9	6	N/A	<5*
<b>Nevada Total</b>	<b>38.7</b>	<b>55</b>	<b>39.8</b>	<b>59</b>	<b>35.1</b>	<b>54</b>	<b>24.5</b>	<b>38</b>
Carson	N/A	<5*	0.0	0	0.0	0	0.0	0
Churchill	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Douglas	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Elko	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	N/A	<5*
Eureka	0.0	0	0.0	0	0.0	0	N/A	<5*
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	N/A	<5*	0.0	0	0.0	0	0.0	0
Lyon	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Pershing	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0

**MICH HP2020-3.1: Death Rate of Children Aged 1 to 4 Years (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Male	48.1	35	40.8	31	39.3	31	30.2	24
Female	28.9	20	38.7	28	30.7	23	18.5	14
White	36.5	24	52.4	36	32.3	23		
Black	61.4	7	42.0	5	72.7	9		
Native American	N/A	<5*	0.0	0	0.0	0		
Asian	N/A	<5*	47.1	5	N/A	<5*		
Hispanic	35.9	19	23.5	13	36.6	21		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific population.



**MICH HP2020-3.2: Death Rate of Children Aged 5 to 9 Years (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	13.8	14	17.8	19	10.0	11	11.2	13	9.0	11
Washoe County	37.6	9	24.6	6	N/A	<5*	N/A	<5*	0.0	0
All Other Counties**	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
<b>Nevada Total</b>	<b>16.6</b>	<b>24</b>	<b>17.9</b>	<b>27</b>	<b>10.4</b>	<b>16</b>	<b>12.5</b>	<b>20</b>	<b>6.6</b>	<b>11</b>
Carson	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
Churchill	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
Douglas	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Elko	0.0	0	N/A	<5*	N/A	<5*	0.0	0	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lander	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Lyon	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Nye	N/A	<5*	N/A	<5*	0.0	0	0.0	0	0.0	0
Pershing	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0

**MICH HP2020-3.2: Death Rate of Children Aged 5 to 9 Years (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Male	18.9	14	16.9	13	10.1	8	15.9	13	5.8	5
Female	14.1	10	19.0	14	10.6	8	8.9	7	7.3	6
White	15.7	13	21.7	18	9.7	8	18.0	15	6.0	5
Black	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Native American	N/A	<5*	0.0	0	N/A	<5*	0.0	0	0.0	0
Asian	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Hispanic	17.6	7	N/A	<5*	12.5	6	N/A	<5*	N/A	<5*

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific population.

**MICH HP2020-3.2: Death Rate of Children Aged 5 to 9 Years (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	11.0	14	12.8	17	11.6	16	7.2	10
Washoe County	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
All Other Counties**	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
<b>Nevada Total</b>	<b>11.0</b>	<b>19</b>	<b>12.2</b>	<b>22</b>	<b>11.2</b>	<b>21</b>	<b>8.5</b>	<b>16</b>
Carson	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Churchill	N/A	<5*	0.0	0	0.0	0	0.0	0
Douglas	0.0	0	0.0	0	N/A	<5*	0.0	0
Elko	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	N/A	<5*	0.0	0
Humboldt	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	0.0	0	0.0	0	0.0	0	0.0	0
Mineral	0.0	0	0.0	0	0.0	0	0.0	0
Nye	0.0	0	0.0	0	0.0	0	0.0	0
Pershing	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	N/A	<5*	0.0	0	0.0	0	0.0	0

**MICH HP2020-3.2: Death Rate of Children Aged 5 to 9 Years (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Male	11.3	10	12.9	12	12.5	12	11.4	11
Female	10.7	9	11.4	10	9.9	9	5.4	5
White	10.7	9	9.1	8	11.0	10		
Black	35.9	5	N/A	<5*	N/A	<5*		
Native American	0.0	0	N/A	<5*	0.0	0		
Asian	N/A	<5*	N/A	<5*	N/A	<5*		
Hispanic	N/A	<5*	14.0	9	12.0	8		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific population.

**MICH HP2020-4.1: Death Rate of Adolescents Aged 10 to 14 Years (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	17.7	17	14.6	15	15.8	17	21.3	24	26.0	31
Washoe County	21.3	5	28.2	7	N/A	<5*	N/A	<5*	22.1	6
All Other Counties**	N/A	<5*	27.4	6	41.2	9	32.3	7	27.8	6
<b>Nevada Total</b>	<b>18.4</b>	<b>26</b>	<b>18.7</b>	<b>28</b>	<b>17.4</b>	<b>27</b>	<b>20.5</b>	<b>33</b>	<b>25.6</b>	<b>43</b>
Carson	0.0	0	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Churchill	N/A	<5*	0.0	0	0.0	0	0.0	0	N/A	<5*
Douglas	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
Elko	0.0	0	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Lander	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Mineral	0.0	0	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Nye	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Pershing	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
White Pine	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0

**MICH HP2020-4.1: Death Rate of Adolescents Aged 10 to 14 Years (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Male	28.7	21	27.1	21	25.0	20	21.7	18	27.7	24
Female	7.3	5	9.7	7	9.3	7	19.2	15	23.3	19
White	18.6	15	22.7	19	19.9	17	25.0	22	33.3	30
Black	N/A	<5*	34.8	5	N/A	<5*	N/A	<5*	32.3	5
Native American	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
Asian	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Hispanic	15.8	6	N/A	<5*	13.6	6	12.8	6	13.8	7

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific population.

**MICH HP2020-4.1: Death Rate of Adolescents Aged 10 to 14 Years (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	26.6	33	16.2	21	21.5	29	15.5	21
Washoe County	N/A	<5*	N/A	<5*	17.0	5	N/A	<5*
All Other Counties**	N/A	<5*	47.7	11	25.5	6	25.4	6
<b>Nevada Total</b>	<b>21.9</b>	<b>38</b>	<b>19.9</b>	<b>36</b>	<b>21.3</b>	<b>40</b>	<b>15.3</b>	<b>29</b>
Carson	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Churchill	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Douglas	0.0	0	0.0	0	0.0	0	0.0	0
Elko	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Mineral	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Pershing	0.0	0	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	N/A	<5*	0.0	0	0.0	0

**MICH HP2020-4.1: Death Rate of Adolescents Aged 10 to 14 Years (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Male	20.2	18	23.6	22	24.9	24	17.5	17
Female	23.7	20	15.9	14	17.5	16	13.0	12
White	25.2	23	22.0	21	18.2	18		
Black	39.1	6	N/A	<5*	N/A	<5*		
Native American	0.0	0	0.0	0	N/A	<5*		
Asian	N/A	<5*	N/A	<5*	N/A	<5*		
Hispanic	12.9	7	15.9	9	18.7	11		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific population.

**MICH HP2020-4.2: Death Rate of Adolescents Age 15 to 19 Years (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	63.7	60	45.4	46	73.6	78	81.3	90	67.5	80
Washoe County	69.4	17	55.0	14	42.7	11	58.9	16	63.8	18
All Other Counties**	59.1	12	106.0	22	80.1	17	78.9	17	94.4	21
<b>Nevada Total</b>	<b>64.0</b>	<b>89</b>	<b>55.6</b>	<b>82</b>	<b>69.3</b>	<b>106</b>	<b>77.2</b>	<b>123</b>	<b>70.5</b>	<b>119</b>
Carson	0.0	0	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Churchill	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Douglas	N/A	<5*	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Elko	N/A	<5*	144.9	6	147.0	6	127.4	5	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Lander	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	N/A	<5*	0.0	0	0.0	0	N/A	<5*	0.0	0
Lyon	N/A	<5*	N/A	<5*	226.3	6	N/A	<5*	N/A	<5*
Mineral	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
Nye	N/A	<5*	233.7	5	N/A	<5*	N/A	<5*	N/A	<5*
Pershing	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0

**MICH HP2020-4.2: Death Rate of Adolescents Age 15 to 19 Years (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Male	82.0	59	77.1	59	95.8	76	99.2	82	86.7	76
Female	44.7	30	32.4	23	40.7	30	53.4	41	52.9	43
White	62.5	50	54.2	45	64.7	55	80.5	70	69.6	63
Black	119.3	14	120.7	15	99.0	13	100.7	14	114.6	17
Native American	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Asian	N/A	<5*	N/A	<5*	59.2	5	55.8	5	N/A	<5*
Hispanic	58.6	22	43.3	18	72.9	32	70.2	33	62.6	32

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific population.

**MICH HP2020-4.2: Death Rate of Adolescents Age 15 to 19 Years (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	70.5	88	72.9	95	58.9	80	54.1	74
Washoe County	46.9	14	71.5	22	47.7	15	31.4	10
All Other Counties**	60.4	14	104.7	26	59.2	15	74.7	19
<b>Nevada Total</b>	<b>65.2</b>	<b>116</b>	<b>76.9</b>	<b>143</b>	<b>57.1</b>	<b>110</b>	<b>53.1</b>	<b>103</b>
Carson	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Churchill	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Douglas	N/A	<5*	N/A	<5*	N/A	<5*	144.9	5
Elko	N/A	<5*	119.8	5	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	N/A	<5*	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Lincoln	0.0	0	0.0	0	N/A	<5*	0.0	0
Lyon	N/A	<5*	N/A	<5*	132.5	5	N/A	<5*
Mineral	N/A	<5*	0.0	0	0.0	0	0.0	0
Nye	N/A	<5*	173.6	5	N/A	<5*	N/A	<5*
Pershing	0.0	0	N/A	<5*	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	N/A	<5*	N/A	<5*	0.0	0	0.0	0

**MICH HP2020-4.2: Death Rate of Adolescents Age 15 to 19 Years (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Male	86.7	80	114.1	110	76.1	76	76.5	77
Female	42.1	36	36.9	33	36.7	34	27.8	26
White	60.8	57	84.6	83	63.1	64		
Black	94.8	15	96.9	16	116.4	20		
Native American	N/A	<5*	N/A	<5*	0.0	0		
Asian	N/A	<5*	N/A	<5*	0.0	0		
Hispanic	67.1	37	64.3	37	41.8	25		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific population.

**MICH HP2020-4.3: Death Rate of Young Adults Aged 20 to 24 Years (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	80.9	81	96.8	105	102.8	116	101.4	120	98.4	124
Washoe County	66.6	16	100.6	26	71.4	19	105.4	30	54.2	16
All Other Counties**	109.8	19	132.4	24	64.4	12	135.1	26	94.7	19
<b>Nevada Total</b>	<b>82.0</b>	<b>116</b>	<b>101.7</b>	<b>155</b>	<b>93.0</b>	<b>147</b>	<b>106.0</b>	<b>176</b>	<b>90.6</b>	<b>159</b>
Carson	N/A	<5*	163.4	5	N/A	<5*	185.8	6	N/A	<5*
Churchill	418.3	7	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Douglas	0.0	0	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Elko	N/A	<5*	205.1	8	N/A	<5*	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Lander	N/A	<5*	0.0	0	0.0	0	0.0	0	N/A	<5*
Lincoln	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Lyon	0.0	0	N/A	<5*	N/A	<5*	200.9	5	N/A	<5*
Mineral	N/A	<5*	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Nye	N/A	<5*	N/A	<5*	N/A	<5*	259.3	5	N/A	<5*
Pershing	0.0	0	0.0	0	0.0	0	N/A	<5*	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	0.0	0	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*

**MICH HP2020-4.3: Death Rate of Young Adults Aged 20 to 24 Years (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Male	125.2	92	145.3	115	141.4	116	161.0	139	136.8	125
Female	35.3	24	54.6	40	40.8	31	46.4	37	40.4	34
White	88.9	71	104.9	89	82.4	72	107.8	98	73.8	70
Black	124.9	13	205.7	23	179.8	21	260.3	32	146.2	19
Native American	N/A	<5*	256.2	6	250.3	6	N/A	<5*	N/A	<5*
Asian	N/A	<5*	73.0	7	100.9	10	66.8	7	71.6	8
Hispanic	64.8	26	67.4	30	81.4	38	72.2	36	107.7	58

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific population.

**MICH HP2020-4.3: Death Rate of Young Adults Aged 20 to 24 Years (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	110.8	146	112.7	155	105.4	151	85.9	124
Washoe County	90.9	28	44.1	14	92.4	30	76.0	25
All Other Counties**	120.4	25	144.0	32	101.4	23	123.0	28
<b>Nevada Total</b>	<b>108.6</b>	<b>199</b>	<b>105.0</b>	<b>201</b>	<b>102.8</b>	<b>204</b>	<b>88.5</b>	<b>177</b>
Carson	N/A	<5*	166.9	6	N/A	<5*	N/A	<5*
Churchill	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Douglas	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Elko	N/A	<5*	218.4	9	116.3	5	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	N/A	<5*	0.0	0
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	N/A	<5*	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Lyon	253.8	7	N/A	<5*	146.9	5	N/A	<5*
Mineral	0.0	0	0.0	0	0.0	0	N/A	<5*
Nye	239.5	5	N/A	<5*	N/A	<5*	292.3	7
Pershing	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Storey	N/A	<5*	0.0	0	0.0	0	0.0	0
White Pine	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*

**MICH HP2020-4.3: Death Rate of Young Adults Aged 20 to 24 Years (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Male	153.1	146	150.6	150	147.2	152	131.7	137
Female	60.3	53	55.5	51	54.6	52	41.7	40
White	107.4	105	112.5	115	108.6	115		
Black	169.8	23	191.0	27	176.7	26		
Native American	181.5	5	N/A	<5*	0.0	0		
Asian	59.5	7	89.7	11	N/A	<5*		
Hispanic	97.5	56	73.4	44	86.8	54		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific population.



**MICH HP2020-10: Proportion of Pregnant Women Receiving Early and Adequate Prenatal Care. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	68.2	14984	67.7	15468	70.9	16847	70.9	17563	64.1	16749
Washoe County	83.1	4112	83.8	4264	82.3	4366	83.9	4527	76.8	4223
All Other Counties**	66.6	2139	63.5	2125	61.5	2068	65.1	2240	63.5	2239
<b>Nevada Total</b>	<b>70.5</b>	<b>21235</b>	<b>69.8</b>	<b>21857</b>	<b>71.8</b>	<b>23281</b>	<b>72.4</b>	<b>24330</b>	<b>66.0</b>	<b>23211</b>
Carson	70.8	496	67.3	501	67.0	483	64.2	463	67.8	491
Churchill	64.7	229	65.9	226	75.0	255	62.7	205	49.3	169
Douglas	79.9	230	77.5	275	56.5	230	61.4	258	49.7	185
Elko	51.2	275	49.8	318	45.5	266	55.4	355	62.7	406
Esmeralda	85.7	6	85.7	6	N/A	<5*	0.0	0	N/A	<5*
Eureka	69.2	9	55.0	11	50.0	7	56.3	9	50.0	7
Humboldt	53.4	140	44.9	92	44.4	100	89.0	186	81.8	184
Lander	50.5	48	43.9	36	64.7	44	75.5	40	68.8	44
Lincoln	63.8	30	62.5	25	22.5	9	37.2	16	20.4	10
Lyon	75.4	331	76.0	297	72.4	335	73.1	365	72.9	392
Mineral	70.5	43	53.8	21	69.2	27	72.5	29	47.8	22
Nye	75.9	198	64.5	214	70.4	216	68.8	218	65.3	226
Pershing	60.9	42	73.6	53	71.4	45	76.6	36	65.6	40
Storey	N/A	<5*	87.5	7	90.9	10	84.2	16	73.7	14
White Pine	78.9	60	62.3	43	49.4	38	50.6	44	67.6	46

**MICH HP2020-10: Proportion of Pregnant Women Receiving Early and Adequate Prenatal Care. (Trend Data: 2000 - 2004)**

Race/Ethnicity	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
White	77.8	11907	77.8	11868	79.8	12242	79.9	12419	74.8	11965
Black	64.0	1444	62.9	1502	67.7	1700	68.4	1869	60.8	1694
Native American	66.1	246	68.2	272	65.2	273	65.6	265	64.7	281
Asian	72.4	1372	73.2	1487	77.6	1815	78.4	1868	71.1	1817
Hispanic	61.3	6137	60.7	6575	62.9	7136	63.6	7759	56.1	7316

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-10: Proportion of Pregnant Women Receiving Early and Adequate Prenatal Care. (Trend Data: 2000 - 2004)**

Age of Mother	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
0-14	56.3	36	60.3	38	51.1	24	47.8	32	55.9	38
15-17	60.3	766	58.2	707	60.5	710	60.1	756	53.3	675
18-19	62.3	1557	60.9	1491	65.7	1620	63.3	1558	58.1	1465
20-24	67.1	5453	66.9	5651	68.3	5992	68.9	6140	62.9	5919
25-29	73.3	6104	71.6	6158	73.5	6490	74.8	6956	68.1	6611
30-34	75.0	4736	74.6	5004	75.9	5377	76.7	5644	70.2	5386
35-39	73.1	2103	74.7	2283	75.8	2490	77.5	2680	69.8	2572
40-44	76.2	458	70.9	486	75.4	542	70.7	511	67.2	512
45+	74.1	20	54.9	39	67.6	25	81.1	43	73.8	31

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-10: Proportion of Pregnant Women Receiving Early and Adequate Prenatal Care. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	66.9	18534	65.4	19459	64.3	19796	65.5	19228
Washoe County	78.3	4458	78.3	4824	76.1	4710	74.8	4264
All Other Counties**	71.3	2748	76.9	3132	74.0	3120	75.5	2796
<b>Nevada Total</b>	<b>69.1</b>	<b>25740</b>	<b>68.5</b>	<b>27415</b>	<b>67.1</b>	<b>27626</b>	<b>67.8</b>	<b>26288</b>
Carson	76.1	610	79.6	613	74.1	639	76.8	514
Churchill	71.8	262	74.0	267	74.5	266	75.4	270
Douglas	69.2	286	79.3	318	77.8	311	83.1	271
Elko	68.6	446	83.1	602	79.2	637	82.7	518
Esmeralda	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Eureka	75.0	9	59.3	16	70.8	17	87.0	20
Humboldt	76.2	192	79.6	199	64.6	170	61.2	167
Lander	66.7	44	69.0	49	65.2	60	76.1	70
Lincoln	62.8	27	68.2	30	78.2	43	58.8	10
Lyon	75.2	460	75.1	542	76.5	515	75.5	511
Mineral	50.0	19	64.6	31	66.7	28	65.8	50
Nye	68.3	276	72.9	337	70.0	319	69.2	276
Pershing	58.0	29	58.8	30	57.9	33	74.0	37
Storey	65.7	23	75.9	22	69.2	9	77.8	14
White Pine	57.8	63	66.4	73	60.5	69	70.3	64

**MICH HP2020-10: Proportion of Pregnant Women Receiving Early and Adequate Prenatal Care. (Trend Data: 2005 - 2008)**

Race/Ethnicity	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
White	78.8	12985	77.9	13230	76.2	13050	77.4	12292
Black	63.6	1880	64.8	2141	62.3	2242	63.5	2271
Native American	67.6	279	66.1	358	65.3	308	69.5	317
Asian	76.9	2089	75.7	2303	73.9	2449	73.0	2273
Hispanic	58.3	8213	58.7	9148	58.0	9349	58.3	8857

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-10: Proportion of Pregnant Women Receiving Early and Adequate Prenatal Care. (Trend Data: 2005 - 2008)**

Age of Mother	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
0-14	43.1	25	44.1	30	56.6	43	47.8	32
15-17	54.0	730	54.7	782	54.1	793	56.0	807
18-19	59.5	1528	59.8	1707	58.0	1677	59.7	1642
20-24	65.7	6610	64.8	6840	63.6	6773	64.7	6300
25-29	71.1	7399	70.6	8106	69.5	8291	69.3	7847
30-34	74.1	5866	73.0	6063	70.7	6175	72.4	5902
35-39	73.5	2886	74.0	3207	71.5	3155	71.1	3053
40-44	71.7	648	69.3	638	71.8	686	69.9	656
45+	76.3	45	72.4	42	67.3	33	73.8	48

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-8.1: Proportion of Low Birth Weight Infants. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	7.3	1600	7.4	1703	7.6	1796	7.9	1963	8.2	2150
Washoe County	7.2	356	8.0	407	7.6	404	9.1	493	7.5	415
All Other Counties**	6.7	214	7.8	261	7.0	236	7.2	248	6.6	234
<b>Nevada Total</b>	<b>7.2</b>	<b>2170</b>	<b>7.6</b>	<b>2371</b>	<b>7.5</b>	<b>2436</b>	<b>8.0</b>	<b>2704</b>	<b>8.0</b>	<b>2799</b>
Carson	7.8	55	9.0	67	8.3	60	8.0	58	5.4	39
Churchill	7.6	27	8.5	29	5.0	17	4.3	14	6.4	22
Douglas	5.6	16	8.5	30	7.4	30	8.1	34	7.3	27
Elko	6.5	35	6.6	42	7.5	44	5.6	36	7.7	50
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	N/A	<5*
Eureka	0.0	0	N/A	<5*	N/A	<5*	0.0	0	0.0	0
Humboldt	3.8	10	5.4	11	4.9	11	8.6	18	6.2	14
Lander	11.6	11	N/A	<5*	N/A	<5*	9.4	5	N/A	<5*
Lincoln	14.9	7	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lyon	5.9	26	9.2	36	4.5	21	8.8	44	6.5	35
Mineral	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Nye	6.5	17	6.9	23	9.8	30	6.9	22	7.8	27
Pershing	7.2	5	0.0	0	11.1	7	10.6	5	9.8	6
Storey	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
White Pine	N/A	<5*	13.0	9	6.5	5	5.7	5	7.4	5

**MICH HP2020-8.1: Proportion of Low Birth Weight Infants. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	6.9	1069	6.9	1104	6.9	1141	7.5	1295	7.6	1377
Female	7.6	1101	8.3	1267	8.2	1295	8.6	1409	8.3	1422
White	7.0	1078	7.5	1146	6.9	1061	7.6	1181	7.7	1236
Black	12.8	289	12.8	306	14.6	367	13.6	371	13.7	381
Native American	8.9	33	6.5	26	6.0	25	6.9	28	7.8	34
Asian	6.7	127	8.3	169	8.0	187	9.4	224	10.7	274
Hispanic	6.2	616	6.4	688	6.5	737	7.0	849	6.3	826

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-8.1: Proportion of Low Birth Weight Infants. (Trend Data: 2000 - 2004)**

Age of Mother	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
0-14	10.9	7	12.7	8	12.8	6	7.5	5	8.8	6
15-17	8.3	105	9.1	110	9.5	111	9.6	121	8.8	112
18-19	7.8	194	8.0	196	7.8	193	8.2	202	8.2	207
20-24	6.2	507	7.0	595	6.8	595	7.8	699	7.5	705
25-29	6.9	572	6.4	549	6.3	557	7.2	667	7.3	705
30-34	7.1	450	7.5	500	7.4	523	7.5	555	7.7	592
35-39	9.1	261	10.5	322	10.3	337	9.8	340	10.0	369
40-44	11.3	68	10.7	73	13.9	100	13.0	94	11.9	91
45+	18.5	5	25.4	18	32.4	12	34.0	18	19.0	8

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-8.1: Proportion of Low Birth Weight Infants. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	8.3	2291	8.4	2493	8.3	2545	8.2	2412
Washoe County	9.0	511	8.7	534	8.5	524	7.9	450
All Other Counties**	7.3	281	7.6	308	7.6	322	6.8	250
<b>Nevada Total</b>	<b>8.3</b>	<b>3083</b>	<b>8.3</b>	<b>3335</b>	<b>8.2</b>	<b>3391</b>	<b>8.0</b>	<b>3112</b>
Carson	8.1	65	7.0	54	8.5	73	8.4	56
Churchill	8.5	31	8.9	32	5.3	19	4.7	17
Douglas	7.7	32	7.2	29	9.5	38	11.3	37
Elko	6.9	45	6.1	44	5.3	43	4.6	29
Esmeralda	0.0	0	0.0	0	0.0	0	N/A	<5*
Eureka	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Humboldt	5.2	13	8.0	20	6.8	18	4.8	13
Lander	10.6	7	7.0	5	N/A	<5*	7.6	7
Lincoln	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Lyon	6.9	42	7.3	53	9.4	63	6.9	47
Mineral	N/A	<5*	12.5	6	N/A	<5*	9.2	7
Nye	7.2	29	10.0	46	10.3	47	7.3	29
Pershing	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Storey	N/A	<5*	17.2	5	N/A	<5*	N/A	<5*
White Pine	4.6	5	6.4	7	4.4	5	N/A	<5*

**MICH HP2020-8.1: Proportion of Low Birth Weight Infants. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
Male	7.7	1471	7.7	1567	8.0	1684	7.6	1507
Female	8.9	1612	9.0	1768	8.5	1707	8.5	1605
White	7.8	1279	8.3	1409	7.9	1354	7.8	1246
Black	14.7	434	14.0	462	14.5	521	12.9	462
Native American	8.7	36	7.7	42	7.8	37	6.8	31
Asian	10.9	295	10.7	324	10.9	362	8.7	270
Hispanic	6.9	970	6.6	1036	6.6	1071	6.9	1041

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-8.1: Proportion of Low Birth Weight Infants. (Trend Data: 2005 - 2008)**

Age of Mother	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
0-14	15.5	9	8.8	6	10.5	8	N/A	<5*
15-17	10.1	137	9.0	128	9.6	140	9.8	141
18-19	9.1	233	8.4	239	8.5	247	8.2	227
20-24	7.5	759	7.4	781	7.6	806	7.0	682
25-29	7.5	778	7.6	871	7.5	892	7.5	851
30-34	8.0	630	8.4	700	8.2	715	7.9	646
35-39	10.0	392	10.7	463	10.0	439	10.0	429
40-44	13.2	119	14.1	130	13.2	126	12.4	116
45+	40.7	24	27.6	16	30.6	15	27.7	18

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.



**MICH HP2020-8.2: Proportion of Very Low Birth Weight Infants. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	1.3	277	1.0	230	1.2	291	1.3	316	1.4	353
Washoe County	1.5	72	1.2	59	1.5	81	1.5	82	1.1	58
All Other Counties**	1.0	31	1.2	39	1.2	39	1.0	34	0.9	30
<b>Nevada Total</b>	<b>1.3</b>	<b>380</b>	<b>1.0</b>	<b>328</b>	<b>1.3</b>	<b>411</b>	<b>1.3</b>	<b>432</b>	<b>1.3</b>	<b>441</b>
Carson	1.1	8	1.5	11	1.4	10	1.4	10	1.2	9
Churchill	1.7	6	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Douglas	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Elko	0.9	5	0.9	6	N/A	<5*	1.1	7	0.8	5
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Lincoln	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	N/A	<5*	1.3	5	N/A	<5*	1.2	6	1.3	7
Mineral	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5*	2.1	7	N/A	<5*	N/A	<5*	N/A	<5*
Pershing	0.0	0	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Storey	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
White Pine	0.0	0	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*

**MICH HP2020-8.2: Proportion of Very Low Birth Weight Infants. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	1.2	190	1.1	172	1.3	210	1.2	212	1.3	237
Female	1.3	190	1.0	156	1.3	201	1.3	220	1.2	204
White	1.2	181	1.0	151	1.1	167	1.2	193	1.1	171
Black	2.7	61	2.1	49	3.0	75	2.6	72	2.9	80
Native American	1.3	5	N/A	<5*	N/A	<5*	1.2	5	N/A	<5*
Asian	0.8	15	0.8	16	1.0	24	1.4	33	1.4	35
Hispanic	1.1	110	0.9	95	1.1	127	1.0	118	1.1	140

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-8.2: Proportion of Very Low Birth Weight Infants. (Trend Data: 2000 - 2004)**

Age of Mother	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
0-14	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
15-17	1.2	15	0.8	10	2.0	23	1.7	21	1.9	24
18-19	1.3	33	0.9	22	1.1	27	1.5	38	1.4	35
20-24	1.0	83	1.0	82	1.1	100	1.1	100	1.1	102
25-29	1.4	117	0.8	68	1.0	84	1.1	99	1.2	121
30-34	1.2	77	1.1	73	1.2	84	1.1	78	1.2	90
35-39	1.5	43	1.8	54	2.0	66	1.9	67	1.3	49
40-44	1.5	9	1.6	11	3.1	22	2.6	19	2.0	15
45+	N/A	<5*	7.0	5	N/A	<5*	15.1	8	N/A	<5*

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-8.2: Proportion of Very Low Birth Weight Infants. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	1.3	369	1.4	421	1.3	401	1.2	362
Washoe County	1.2	66	1.2	76	1.2	77	1.7	96
All Other Counties**	1.1	43	1.2	47	1.3	55	0.9	32
<b>Nevada Total</b>	<b>1.3</b>	<b>478</b>	<b>1.4</b>	<b>544</b>	<b>1.3</b>	<b>533</b>	<b>1.3</b>	<b>490</b>
Carson	1.4	11	0.9	7	1.6	14	1.3	9
Churchill	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Douglas	1.2	5	N/A	<5*	2.5	10	1.8	6
Elko	1.2	8	1.2	9	1.1	9	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lincoln	0.0	0	0.0	0	N/A	<5*	0.0	0
Lyon	1.1	7	1.1	8	0.9	6	N/A	<5*
Mineral	0.0	0	N/A	<5*	0.0	0	0.0	0
Nye	N/A	<5*	2.6	12	1.3	6	N/A	<5*
Pershing	N/A	<5*	0.0	0	0.0	0	0.0	0
Storey	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
White Pine	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*

**MICH HP2020-8.2: Proportion of Very Low Birth Weight Infants. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
Male	1.2	235	1.3	261	1.4	287	1.3	260
Female	1.3	243	1.4	283	1.2	246	1.2	230
White	1.1	176	1.2	208	1.2	207	1.2	184
Black	3.7	109	2.8	92	2.3	84	2.5	89
Native American	N/A	<5*	1.3	7	N/A	<5*	1.3	6
Asian	1.2	33	1.2	37	1.1	37	1.3	39
Hispanic	1.1	148	1.2	186	1.2	188	1.1	160

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-8.2: Proportion of Very Low Birth Weight Infants. (Trend Data: 2005 - 2008)**

Age of Mother	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
0-14	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
15-17	2.4	32	1.6	23	1.7	25	2.2	31
18-19	1.3	34	1.3	36	1.5	44	1.0	27
20-24	1.0	103	1.3	136	1.1	116	1.0	102
25-29	1.2	128	1.2	140	1.2	139	1.1	123
30-34	1.2	98	1.3	105	1.3	111	1.2	101
35-39	1.5	59	1.6	68	1.5	68	1.9	83
40-44	1.8	16	3.5	32	2.7	26	1.7	16
45+	N/A	<5*	N/A	<5*	N/A	<5*	9.2	6

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-9.1: Proportion of Total Pre-Term Births. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	10.0	2201	10.0	2291	10.9	2590	11.5	2848	11.6	3034
Washoe County	9.0	444	10.2	521	8.8	465	10.4	560	9.3	509
All Other Counties**	9.1	293	9.1	304	9.2	309	9.4	322	8.6	302
<b>Nevada Total</b>	<b>9.8</b>	<b>2938</b>	<b>10.0</b>	<b>3116</b>	<b>10.4</b>	<b>3364</b>	<b>11.1</b>	<b>3730</b>	<b>10.9</b>	<b>3845</b>
Carson	8.1	57	10.9	81	9.6	69	10.7	77	9.5	69
Churchill	12.4	44	9.6	33	10.3	35	6.4	21	7.6	26
Douglas	7.6	22	7.0	25	8.4	34	10.5	44	7.8	29
Elko	9.7	52	8.0	51	7.7	45	6.7	43	6.5	42
Esmeralda	0.0	0	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Eureka	0.0	0	N/A	<5*	N/A	<5*	0.0	0	0.0	0
Humboldt	6.5	17	7.3	15	6.7	15	9.6	20	8.0	18
Lander	11.6	11	6.1	5	11.8	8	9.4	5	9.4	6
Lincoln	14.9	7	20.0	8	12.5	5	14.0	6	14.3	7
Lyon	8.0	35	11.0	43	8.4	39	11.2	56	9.7	52
Mineral	21.3	13	N/A	<5*	N/A	<5*	12.5	5	N/A	<5*
Nye	9.2	24	8.4	28	13.0	40	11.4	36	13.3	46
Pershing	10.1	7	11.1	8	12.7	8	N/A	<5*	N/A	<5*
Storey	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
White Pine	N/A	<5*	N/A	<5*	6.5	5	5.7	5	N/A	<5*

**MICH HP2020-9.1: Proportion of Total Pre-Term Births. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	10.3	1609	10.3	1653	10.6	1769	11.4	1954	11.4	2057
Female	9.1	1329	9.6	1463	10.1	1595	10.8	1776	10.5	1788
White	9.5	1456	10.0	1533	9.6	1479	10.9	1689	11.2	1787
Black	13.8	311	13.1	313	16.0	402	15.3	417	15.4	429
Native American	13.4	50	10.5	42	8.6	36	8.9	36	9.7	42
Asian	9.6	182	10.3	210	11.6	272	12.2	291	12.6	321
Hispanic	9.0	898	9.0	973	9.7	1099	10.2	1240	9.2	1204

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-9.1: Proportion of Total Pre-Term Births. (Trend Data: 2000 - 2004)**

Age of Mother	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
0-14	20.3	13	14.3	9	12.8	6	13.4	9	16.2	11
15-17	11.6	147	11.3	137	11.3	133	12.0	151	10.4	132
18-19	9.7	242	9.6	236	9.9	243	10.3	254	10.7	270
20-24	8.6	696	9.1	770	9.0	789	10.8	959	10.0	937
25-29	9.7	806	8.9	763	9.7	854	10.5	976	10.4	1014
30-34	9.8	618	10.4	698	10.7	758	11.2	825	10.9	840
35-39	11.9	342	12.8	391	13.4	439	12.7	438	13.9	513
40-44	11.3	68	13.7	94	17.0	122	14.0	101	15.4	117
45+	N/A	<5*	25.4	18	43.2	16	30.2	16	16.7	7

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-9.1: Proportion of Total Pre-Term Births. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	11.9	3286	11.7	3470	11.8	3618	11.4	3348
Washoe County	10.9	618	10.4	642	10.8	669	10.1	575
All Other Counties**	9.9	382	9.1	371	9.5	402	8.9	331
<b>Nevada Total</b>	<b>11.5</b>	<b>4286</b>	<b>11.2</b>	<b>4483</b>	<b>11.4</b>	<b>4689</b>	<b>11.0</b>	<b>4254</b>
Carson	9.7	78	10.6	82	11.4	98	11.2	75
Churchill	10.1	37	9.7	35	6.4	23	7.0	25
Douglas	8.2	34	7.2	29	11.5	46	15.0	49
Elko	9.2	60	6.9	50	8.3	67	4.5	28
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Humboldt	8.7	22	10.0	25	5.7	15	7.7	21
Lander	7.6	5	7.0	5	N/A	<5*	N/A	<5*
Lincoln	N/A	<5*	N/A	<5*	9.1	5	N/A	<5*
Lyon	10.0	61	8.4	61	10.8	73	10.3	70
Mineral	N/A	<5*	N/A	<5*	0.0	0	9.2	7
Nye	13.4	54	13.9	64	12.9	59	10.0	40
Pershing	12.0	6	N/A	<5*	N/A	<5*	N/A	<5*
Storey	22.9	8	20.7	6	N/A	<5*	N/A	<5*
White Pine	9.2	10	N/A	<5*	5.3	6	N/A	<5*

**MICH HP2020-9.1: Proportion of Total Pre-Term Births. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
Male	12.0	2288	11.5	2352	11.8	2490	11.4	2273
Female	11.0	1998	10.9	2131	10.9	2199	10.5	1981
White	11.6	1915	11.5	1957	11.4	1947	10.9	1729
Black	17.3	511	15.9	525	16.4	588	15.1	540
Native American	11.6	48	8.3	45	10.6	50	10.3	47
Asian	13.7	372	13.4	409	13.3	442	12.6	391
Hispanic	9.7	1360	9.5	1474	9.9	1602	9.7	1475

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-9.1: Proportion of Total Pre-Term Births. (Trend Data: 2005 - 2008)**

Age of Mother	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
0-14	17.2	10	17.6	12	17.1	13	9.0	6
15-17	13.2	178	10.4	148	10.5	154	12.0	173
18-19	10.8	278	10.2	290	10.5	303	9.5	261
20-24	10.1	1018	9.7	1023	10.2	1090	9.4	918
25-29	10.5	1098	10.4	1196	10.6	1262	10.5	1193
30-34	11.8	937	11.8	979	11.8	1027	11.0	900
35-39	14.7	578	14.9	647	14.4	635	14.1	605
40-44	18.0	163	18.2	167	19.1	183	18.1	170
45+	44.1	26	34.5	20	38.8	19	43.1	28

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.



**MICH HP2020-9.2: Proportion of Live Births at 32 to 36 Weeks Gestation. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	8.5	1863	8.8	2017	9.5	2245	10.0	2473	10.0	2608
Washoe County	7.5	371	8.9	454	7.5	395	8.6	466	8.1	444
All Other Counties**	8.1	261	8.0	266	8.0	269	8.3	284	7.6	267
<b>Nevada Total</b>	<b>8.3</b>	<b>2495</b>	<b>8.7</b>	<b>2737</b>	<b>9.0</b>	<b>2909</b>	<b>9.6</b>	<b>3223</b>	<b>9.4</b>	<b>3319</b>
Carson	7.0	49	9.4	70	8.2	59	9.0	65	8.4	61
Churchill	10.5	37	9.3	32	9.4	32	6.1	20	6.1	21
Douglas	6.9	20	7.0	25	7.6	31	9.5	40	7.5	28
Elko	9.5	51	6.9	44	6.7	39	5.5	35	5.6	36
Esmeralda	0.0	0	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Eureka	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
Humboldt	6.5	17	6.3	13	5.8	13	9.1	19	6.7	15
Lander	9.5	9	N/A	<5*	10.3	7	9.4	5	7.8	5
Lincoln	N/A	<5*	20.0	8	12.5	5	14.0	6	14.3	7
Lyon	7.1	31	9.7	38	8.2	38	10.2	51	8.2	44
Mineral	18.0	11	N/A	<5*	N/A	<5*	12.5	5	N/A	<5*
Nye	8.8	23	5.4	18	11.7	36	10.1	32	12.7	44
Pershing	8.7	6	11.1	8	N/A	<5*	N/A	<5*	N/A	<5*
Storey	0.0	0	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0

**MICH HP2020-9.2: Proportion of Live Births at 32 to 36 Weeks Gestation. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	8.8	1373	9.0	1445	9.1	1520	9.9	1707	9.8	1773
Female	7.7	1122	8.4	1292	8.8	1389	9.2	1516	9.0	1546
White	8.2	1256	9.0	1367	8.4	1290	9.4	1459	9.9	1579
Black	10.6	238	10.4	249	12.7	320	12.6	344	12.2	340
Native American	11.0	41	9.8	39	7.9	33	6.9	28	8.8	38
Asian	8.4	159	9.4	190	10.4	244	10.9	260	10.8	276
Hispanic	7.7	767	8.0	862	8.5	962	8.9	1088	7.9	1035

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-9.2: Proportion of Live Births at 32 to 36 Weeks Gestation. (Trend Data: 2000 - 2004)**

Age of Mother	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
0-14	17.2	11	9.5	6	N/A	<5*	11.9	8	13.2	9
15-17	10.2	129	10.1	123	9.0	106	9.9	125	8.2	104
18-19	8.2	206	8.4	206	8.4	208	8.9	218	9.1	230
20-24	7.4	599	8.0	675	7.7	679	9.2	819	8.7	816
25-29	8.0	665	7.9	681	8.6	760	9.3	861	8.9	868
30-34	8.2	520	9.1	609	9.4	663	9.9	731	9.5	728
35-39	10.5	301	11.0	335	11.3	370	10.9	376	12.3	454
40-44	10.0	60	12.6	86	14.3	103	10.5	76	13.1	100
45+	N/A	<5*	22.5	16	32.4	12	17.0	9	14.3	6

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-9.2: Proportion of Live Births at 32 to 36 Weeks Gestation. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	10.3	2845	9.9	2950	10.2	3146	10.0	2925
Washoe County	9.5	542	8.9	547	9.4	581	8.3	471
All Other Counties**	8.5	329	8.0	325	8.2	344	7.9	293
<b>Nevada Total</b>	<b>10.0</b>	<b>3716</b>	<b>9.6</b>	<b>3822</b>	<b>9.9</b>	<b>4071</b>	<b>9.5</b>	<b>3689</b>
Carson	8.1	65	10.1	78	9.6	83	9.9	66
Churchill	9.3	34	8.9	32	5.9	21	5.9	21
Douglas	6.8	28	6.5	26	8.5	34	12.3	40
Elko	7.1	46	5.4	39	7.0	56	4.2	26
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Humboldt	7.5	19	8.4	21	4.6	12	6.2	17
Lander	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lincoln	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lyon	8.3	51	7.2	52	10.3	69	9.7	66
Mineral	N/A	<5*	N/A	<5*	0.0	0	9.2	7
Nye	13.1	53	12.6	58	11.6	53	9.3	37
Pershing	12.0	6	N/A	<5*	N/A	<5*	N/A	<5*
Storey	22.9	8	N/A	<5*	0.0	0	N/A	<5*
White Pine	8.3	9	N/A	<5*	N/A	<5*	N/A	<5*

**MICH HP2020-9.2: Proportion of Live Births at 32 to 36 Weeks Gestation. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
Male	10.4	1981	9.9	2020	10.2	2144	9.8	1953
Female	9.6	1735	9.2	1802	9.6	1927	9.2	1736
White	10.2	1688	10.0	1702	10.1	1723	9.6	1519
Black	13.7	406	12.6	416	13.6	489	12.6	452
Native American	11.1	46	6.3	34	9.1	43	9.0	41
Asian	12.1	330	12.0	364	12.0	398	10.9	340
Hispanic	8.3	1174	8.0	1249	8.5	1371	8.4	1278

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-9.2: Proportion of Live Births at 32 to 36 Weeks Gestation. (Trend Data: 2005 - 2008)**

Age of Mother	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
0-14	8.6	5	14.7	10	15.8	12	N/A	<5*
15-17	10.4	141	8.0	115	8.5	125	9.7	139
18-19	9.3	238	8.6	247	8.6	248	8.3	229
20-24	8.8	882	8.1	859	9.0	961	8.2	796
25-29	9.2	957	9.0	1030	9.1	1090	9.3	1048
30-34	10.4	825	10.2	851	10.3	901	9.7	787
35-39	12.9	505	13.1	566	12.8	563	12.0	514
40-44	15.5	140	14.1	130	15.9	152	16.0	150
45+	39.0	23	22.4	13	32.7	16	33.8	22

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-9.4: Proportion of Live Births at Less Than 32 Completed Weeks Gestation. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	1.5	338	1.2	274	1.5	345	1.5	375	1.6	426
Washoe County	1.5	73	1.3	67	1.3	70	1.7	94	1.2	65
All Other Counties**	1.0	32	1.1	38	1.2	40	1.1	38	1.0	35
<b>Nevada Total</b>	<b>1.5</b>	<b>443</b>	<b>1.2</b>	<b>379</b>	<b>1.4</b>	<b>455</b>	<b>1.5</b>	<b>507</b>	<b>1.5</b>	<b>526</b>
Carson	1.1	8	1.5	11	1.4	10	1.7	12	1.1	8
Churchill	2.0	7	N/A	<5*	N/A	<5*	N/A	<5*	1.5	5
Douglas	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Elko	N/A	<5*	1.1	7	1.0	6	1.2	8	0.9	6
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
Humboldt	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Lincoln	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
Lyon	N/A	<5*	1.3	5	N/A	<5*	1.0	5	1.5	8
Mineral	N/A	<5*	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5*	3.0	10	N/A	<5*	N/A	<5*	N/A	<5*
Pershing	N/A	<5*	0.0	0	7.9	5	N/A	<5*	0.0	0
Storey	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
White Pine	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*

**MICH HP2020-9.4: Proportion of Live Births at Less Than 32 Completed Weeks Gestation. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	1.5	236	1.3	208	1.5	249	1.4	247	1.6	284
Female	1.4	207	1.1	171	1.3	206	1.6	260	1.4	242
White	1.3	200	1.1	166	1.2	189	1.5	230	1.3	208
Black	3.2	73	2.7	64	3.3	82	2.7	73	3.2	89
Native American	2.4	9	N/A	<5*	N/A	<5*	2.0	8	N/A	<5*
Asian	1.2	23	1.0	20	1.2	28	1.3	31	1.8	45
Hispanic	1.3	131	1.0	111	1.2	137	1.2	152	1.3	169

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-9.4: Proportion of Live Births at Less Than 32 Completed Weeks Gestation. (Trend Data: 2000 - 2004)**

Age of Mother	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
0-14	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
15-17	1.4	18	1.2	14	2.3	27	2.1	26	2.2	28
18-19	1.4	36	1.2	30	1.4	35	1.5	36	1.6	40
20-24	1.2	97	1.1	95	1.3	110	1.6	140	1.3	121
25-29	1.7	141	1.0	82	1.1	94	1.2	115	1.5	146
30-34	1.6	98	1.3	89	1.3	95	1.3	94	1.5	112
35-39	1.4	41	1.8	56	2.1	69	1.8	62	1.6	59
40-44	1.3	8	1.2	8	2.6	19	3.5	25	2.2	17
45+	N/A	<5*	N/A	<5*	N/A	<5*	13.2	7	N/A	<5*

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-9.4: Proportion of Live Births at Less Than 32 Completed Weeks Gestation. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	1.6	441	1.7	520	1.5	472	1.4	423
Washoe County	1.3	76	1.5	95	1.4	88	1.8	104
All Other Counties**	1.4	53	1.1	46	1.4	58	1.0	38
<b>Nevada Total</b>	<b>1.5</b>	<b>570</b>	<b>1.7</b>	<b>661</b>	<b>1.5</b>	<b>618</b>	<b>1.5</b>	<b>565</b>
Carson	1.6	13	N/A	<5*	1.7	15	1.3	9
Churchill	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Douglas	1.5	6	N/A	<5*	3.0	12	2.8	9
Elko	2.2	14	1.5	11	1.4	11	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Lincoln	0.0	0	0.0	0	N/A	<5*	0.0	0
Lyon	1.6	10	1.2	9	N/A	<5*	N/A	<5*
Mineral	0.0	0	0.0	0	0.0	0	0.0	0
Nye	N/A	<5*	1.3	6	1.3	6	N/A	<5*
Pershing	0.0	0	0.0	0	N/A	<5*	0.0	0
Storey	0.0	0	N/A	<5*	N/A	<5*	0.0	0
White Pine	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*

**MICH HP2020-9.4: Proportion of Live Births at Less Than 32 Completed Weeks Gestation. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
Male	1.6	307	1.6	332	1.6	346	1.6	320
Female	1.4	263	1.7	329	1.4	272	1.3	245
White	1.4	227	1.5	255	1.3	224	1.3	210
Black	3.5	105	3.3	109	2.8	99	2.5	88
Native American	N/A	<5*	2.0	11	1.5	7	1.3	6
Asian	1.5	42	1.5	45	1.3	44	1.6	51
Hispanic	1.3	186	1.4	225	1.4	231	1.3	197

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-9.4: Proportion of Live Births at Less Than 32 Completed Weeks Gestation. (Trend Data: 2005 - 2008)**

Age of Mother	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
0-14	8.6	5	N/A	<5*	N/A	<5*	N/A	<5*
15-17	2.7	37	2.3	33	2.0	29	2.4	34
18-19	1.6	40	1.5	43	1.9	55	1.2	32
20-24	1.4	136	1.6	164	1.2	129	1.3	122
25-29	1.4	141	1.4	166	1.4	172	1.3	145
30-34	1.4	112	1.5	128	1.4	126	1.4	113
35-39	1.9	73	1.9	81	1.6	72	2.1	91
40-44	2.5	23	4.0	37	3.2	31	2.1	20
45+	N/A	<5*	12.1	7	N/A	<5*	9.2	6

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.



**MICH HP2020-11.1: Proportion of Pregnant Women, Aged 15 to 44 Years, Abstaining from Alcohol. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	98.2	21477	97.8	22256	98.0	23211	97.8	24117	98.1	25531
Washoe County	96.5	4762	96.0	4869	94.2	4980	94.0	5050	92.5	5076
All Other Counties**	94.6	3030	94.6	3153	94.2	3160	93.9	3222	91.9	3232
<b>Nevada Total</b>	<b>97.5</b>	<b>29269</b>	<b>97.2</b>	<b>30278</b>	<b>97.0</b>	<b>31351</b>	<b>96.8</b>	<b>32389</b>	<b>96.6</b>	<b>33839</b>
Carson	96.3	672	96.0	713	96.0	691	94.0	676	95.3	687
Churchill	98.3	346	98.3	337	98.2	333	96.6	316	94.7	324
Douglas	78.5	226	74.5	260	74.4	302	79.6	332	67.7	251
Elko	96.3	516	97.8	623	98.1	572	97.3	623	93.2	604
Esmeralda	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	71.4	5
Eureka	100.0	13	95.0	19	100.0	14	93.8	15	92.9	13
Humboldt	98.9	259	98.5	201	97.8	220	97.1	203	96.9	218
Lander	98.9	93	93.9	77	100.0	68	92.5	49	91.9	57
Lincoln	97.8	45	100.0	40	100.0	39	95.3	41	95.9	47
Lyon	94.1	412	96.4	374	96.7	446	96.2	479	94.6	509
Mineral	96.7	59	97.4	38	92.3	36	95.0	38	95.7	44
Nye	91.6	239	96.4	319	93.8	287	95.3	301	95.3	328
Pershing	100.0	69	100.0	72	98.4	62	95.7	45	98.4	60
Storey	N/A	<5*	100.0	8	90.9	10	94.7	18	94.7	18
White Pine	100.0	75	100.0	69	100.0	77	97.7	85	98.5	67

**MICH HP2020-11.1: Proportion of Pregnant Women, Aged 15 to 44 Years, Abstaining from Alcohol. (Trend Data: 2000 - 2004)**

Race/Ethnicity	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
White	97.1	14821	96.4	14659	96.3	14740	96.2	14895	95.6	15258
Black	97.3	2175	97.4	2314	96.8	2422	97.5	2649	97.2	2695
Native American	96.8	358	95.5	380	95.9	402	95.5	384	94.2	407
Asian	98.4	1859	98.5	1996	98.0	2285	96.5	2289	97.2	2478
Hispanic	98.7	9826	98.7	10632	98.5	11117	98.1	11903	98.2	12738

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-11.1: Proportion of Pregnant Women, Aged 15 to 44 Years, Abstaining from Alcohol. (Trend Data: 2000 - 2004)**

Age of Mother	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
15-17	97.6	1239	97.9	1188	97.1	1140	97.6	1227	98.5	1247
18-19	98.2	2456	98.2	2404	98.3	2422	97.6	2404	97.9	2468
20-24	98.2	7979	97.9	8273	97.7	8567	97.6	8696	97.3	9152
25-29	97.9	8151	97.5	8385	97.5	8603	97.2	9042	96.9	9403
30-34	97.2	6141	96.7	6482	96.4	6830	95.9	7057	96.0	7368
35-39	95.3	2740	94.8	2897	95.0	3121	95.1	3287	94.9	3495
40-44	93.7	563	94.7	649	92.9	668	93.5	676	92.7	706

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-11.1: Proportion of Pregnant Women, Aged 15 to 44 Years, Abstaining from Alcohol. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	97.8	27030	97.8	29021	97.6	29937	98.1	28712
Washoe County	93.8	5315	94.0	5779	92.6	5703	94.1	5337
All Other Counties**	92.7	3560	92.5	3753	92.5	3890	97.0	3582
<b>Nevada Total</b>	<b>96.7</b>	<b>35905</b>	<b>96.7</b>	<b>38553</b>	<b>96.3</b>	<b>39530</b>	<b>97.4</b>	<b>37631</b>
Carson	95.7	763	94.4	721	95.9	825	97.3	651
Churchill	97.8	356	96.4	347	98.0	349	99.2	353
Douglas	75.7	311	74.1	295	71.9	287	96.3	312
Elko	90.3	586	90.6	656	92.2	740	97.1	607
Esmeralda	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Eureka	100.0	12	88.9	24	91.7	22	100.0	23
Humboldt	97.6	246	97.2	240	94.6	247	97.1	265
Lander	95.5	63	95.7	67	95.7	88	96.7	89
Lincoln	97.7	42	100.0	44	100.0	55	100.0	17
Lyon	95.4	584	95.1	686	94.2	634	95.7	646
Mineral	89.5	34	93.8	45	90.5	38	92.1	70
Nye	95.0	381	95.9	442	94.2	426	97.7	389
Pershing	94.0	47	98.0	50	96.5	55	98.0	49
Storey	88.6	31	96.6	28	92.3	12	94.4	17
White Pine	94.5	103	97.3	107	96.5	110	97.8	89

**MICH HP2020-11.1: Proportion of Pregnant Women, Aged 15 to 44 Years, Abstaining from Alcohol. (Trend Data: 2005 - 2008)**

Race/Ethnicity	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
White	95.9	15766	95.6	16197	95.6	16326	96.8	15332
Black	96.8	2845	97.3	3200	97.0	3464	97.9	3488
Native American	92.5	380	92.4	501	90.6	426	96.9	441
Asian	97.1	2633	97.6	2963	96.6	3193	97.9	3042
Hispanic	98.3	13793	98.3	15278	98.0	15757	98.6	14902

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-11.1: Proportion of Pregnant Women, Aged 15 to 44 Years, Abstaining from Alcohol. (Trend Data: 2005 - 2008)**

Age of Mother	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
15-17	97.2	1315	97.3	1391	97.5	1428	97.6	1406
18-19	98.1	2518	97.8	2792	97.6	2821	97.7	2689
20-24	97.3	9780	97.1	10252	96.8	10313	97.6	9509
25-29	96.9	10085	96.9	11126	96.7	11532	97.5	11041
30-34	96.4	7631	96.4	8006	95.7	8359	97.4	7942
35-39	95.2	3737	95.2	4126	94.8	4180	96.6	4149
40-44	92.8	839	93.5	860	93.8	897	95.4	895

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-11.3: Proportion of Pregnant Women Abstaining from Cigarette Smoking. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	89.6	19695	89.1	20378	90.4	21474	91.1	22560	83.1	24152
Washoe County	86.3	4268	85.7	4365	85.3	4524	86.8	4688	85.9	4722
All Other Counties**	79.6	2558	80.1	2679	80.6	2711	81.2	2795	79.1	2786
<b>Nevada Total</b>	<b>88.0</b>	<b>26521</b>	<b>87.6</b>	<b>27422</b>	<b>88.5</b>	<b>28709</b>	<b>89.4</b>	<b>30043</b>	<b>90.1</b>	<b>31660</b>
Carson	83.5	585	83.7	623	83.6	603	85.4	616	84.5	612
Churchill	83.6	296	83.4	286	80.3	273	82.3	269	83.1	285
Douglas	70.1	202	68.2	242	69.3	282	71.9	302	60.8	226
Elko	83.8	450	87.0	555	86.0	503	83.5	535	82.7	536
Esmeralda	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Eureka	84.6	11	85.0	17	92.9	13	87.5	14	71.4	10
Humboldt	83.2	218	80.5	165	81.8	184	85.2	178	82.7	186
Lander	86.3	82	78.0	64	86.8	59	69.8	37	76.6	49
Lincoln	72.3	34	82.5	33	85.0	34	88.4	38	85.7	42
Lyon	78.1	343	80.6	315	81.4	377	82.0	409	79.9	430
Mineral	77.0	47	66.7	26	74.4	29	72.5	29	65.2	30
Nye	69.7	182	69.6	231	72.6	223	75.1	238	74.3	257
Pershing	68.1	47	84.7	61	87.3	55	89.4	42	78.7	48
Storey	N/A	<5*	87.5	7	90.9	10	94.7	18	89.5	17
White Pine	75.0	57	75.4	52	81.8	63	80.5	70	79.4	54

**MICH HP2020-11.3: Proportion of Pregnant Women Abstaining from Cigarette Smoking. (Trend Data: 2000 - 2004)**

Race/Ethnicity	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
White	82.5	12620	82.1	12538	83.1	12746	84.5	13130	85.0	13586
Black	87.5	1973	85.2	2035	86.4	2171	86.5	2363	88.4	2463
Native American	84.4	314	81.7	326	81.9	343	82.4	333	85.3	370
Asian	94.4	1787	92.0	1869	93.5	2188	92.6	2206	93.9	2399
Hispanic	96.2	9629	95.9	10389	96.4	10927	96.5	11771	96.6	12591

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-11.3: Proportion of Pregnant Women Abstaining from Cigarette Smoking. (Trend Data: 2000 - 2004)**

Age of Mother	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
0-14	95.3	61	87.3	55	97.9	46	94.0	63	92.6	63
15-17	88.9	1129	88.6	1076	90.4	1061	90.8	1141	93.0	1177
18-19	85.4	2134	85.4	2091	88.7	2185	87.9	2166	89.4	2253
20-24	86.6	7036	85.9	7263	86.8	7610	87.3	7778	88.3	8311
25-29	89.5	7453	89.5	7698	89.8	7930	91.1	8474	90.8	8810
30-34	89.9	5682	89.3	5987	89.7	6355	90.9	6688	91.8	7047
35-39	86.2	2478	84.9	2595	87.1	2862	88.4	3055	89.5	3298
40-44	83.9	504	87.2	597	85.5	615	86.2	623	86.1	656
45+	92.6	25	84.5	60	73.0	27	88.7	47	90.5	38

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-11.3: Proportion of Pregnant Women Abstaining from Cigarette Smoking. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	92.3	25573	92.8	27633	92.9	28594	94.0	27615
Washoe County	87.0	4953	88.2	5428	87.5	5417	87.8	5008
All Other Counties**	81.5	3140	81.4	3314	81.1	3422	86.5	3202
<b>Nevada Total</b>	<b>90.4</b>	<b>33666</b>	<b>90.9</b>	<b>36375</b>	<b>90.9</b>	<b>37433</b>	<b>92.4</b>	<b>35825</b>
Carson	85.3	684	84.5	651	85.4	736	88.8	594
Churchill	81.4	297	81.4	294	83.5	298	85.2	305
Douglas	70.0	289	67.3	270	66.0	264	89.6	292
Elko	85.5	556	86.9	629	86.9	699	86.4	541
Esmeralda	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Eureka	91.7	11	77.8	21	87.5	21	91.3	21
Humboldt	81.7	206	83.2	208	84.4	222	85.3	233
Lander	84.8	56	87.3	62	83.7	77	87.0	80
Lincoln	88.4	38	93.2	41	90.9	50	94.1	16
Lyon	83.7	512	84.1	607	82.2	553	87.7	594
Mineral	68.4	26	62.5	30	66.7	28	77.6	59
Nye	78.2	316	74.7	345	71.7	327	83.5	333
Pershing	62.0	31	76.5	39	75.4	43	86.0	43
Storey	82.9	29	89.7	26	84.6	11	88.9	16
White Pine	80.7	88	81.8	90	79.8	91	76.9	70

**MICH HP2020-11.3: Proportion of Pregnant Women Abstaining from Cigarette Smoking. (Trend Data: 2005 - 2008)**

Race/Ethnicity	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
White	85.1	14025	85.6	14546	86.0	14727	88.0	13984
Black	88.3	2612	89.3	2950	89.5	3220	90.9	3249
Native American	85.7	354	84.3	457	86.2	407	87.3	398
Asian	93.2	2534	95.3	2897	93.7	3103	95.4	2971
Hispanic	97.1	13675	97.1	15137	97.0	15644	97.6	14822

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

**MICH HP2020-11.3: Proportion of Pregnant Women Abstaining from Cigarette Smoking. (Trend Data: 2005 - 2008)**

Age of Mother	2005		2006		2007		2008***	
	Percent	N	Percent	N	Percent	N	Percent	N
0-14	94.8	55	97.1	66	92.1	70	98.5	66
15-17	92.9	1257	92.2	1317	93.1	1364	93.8	1350
18-19	90.4	2322	91.3	2608	90.7	2619	90.3	2486
20-24	88.7	8918	89.7	9466	89.2	9505	91.2	8879
25-29	90.6	9433	90.9	10440	91.2	10882	92.2	10445
30-34	92.0	7285	92.3	7662	92.2	8054	94.1	7672
35-39	90.3	3547	91.0	3945	91.4	4032	93.1	3997
40-44	87.5	791	88.4	813	90.2	862	92.4	867
45+	91.5	54	94.8	55	81.6	40	93.8	61

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.



**MHMD HP2020-1: Suicide Death Rate (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	18.5	251	18.2	262	17.9	273	17.0	264	16.2	272
Washoe County	19.6	67	18.1	63	20.0	70	22.2	79	19.0	71
All Other Counties**	25.5	70	19.3	55	23.1	70	26.8	80	27.4	89
<b>Nevada Total</b>	<b>19.5</b>	<b>388</b>	<b>18.2</b>	<b>380</b>	<b>19.0</b>	<b>413</b>	<b>19.0</b>	<b>423</b>	<b>18.2</b>	<b>432</b>
Carson	17.6	9	26.9	13	19.3	11	31.5	17	37.2	22
Churchill	21.6	5	N/A	<5*	20.7	5	25.3	6	39.2	10
Douglas	19.3	7	19.1	9	24.4	12	15.2	8	13.8	8
Elko	30.1	12	13.7	7	N/A	<5*	22.8	9	21.5	10
Esmeralda	0.0	0	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	36.6	6	39.5	6	N/A	<5*	33.7	5	N/A	<5*
Lander	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Lincoln	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Lyon	35.9	13	20.0	8	26.3	10	26.5	11	31.1	14
Mineral	0.0	0	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Nye	40.4	11	24.6	10	25.8	9	42.9	16	42.4	17
Pershing	0.0	0	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Storey	N/A	<5*	0.0	0	N/A	<5*	0.0	0	0.0	0
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*

**MHMD HP2020-1: Suicide Death Rate (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	32.5	320	29.1	299	30.6	326	31.4	339	29.3	337
Female	6.8	68	7.7	81	7.9	87	7.5	84	8.0	95
White	23.3	330	21.2	318	23.3	356	22.6	347	21.8	360
Black	10.8	14	11.4	14	14.8	22	10.9	17	7.8	13
Native American	N/A	<5*	39.7	12	N/A	<5*	17.5	6	N/A	<5*
Asian	5.9	7	9.6	12	N/A	<5*	12.3	13	7.3	11
Hispanic	9.3	34	7.7	24	7.3	27	7.4	36	11.3	45

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

**MHMD HP2020-1: Suicide Death Rate (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	16.8	296	16.4	304	16.9	323	15.2	292
Washoe County	21.6	86	22.4	90	16.1	69	14.8	63
All Other Counties**	23.2	77	24.1	86	19.0	70	24.3	91
<b>Nevada Total</b>	<b>18.5</b>	<b>459</b>	<b>18.4</b>	<b>480</b>	<b>17.1</b>	<b>462</b>	<b>16.3</b>	<b>446</b>
Carson	26.5	15	22.9	14	N/A	<5*	23.2	14
Churchill	18.9	5	40.1	10	N/A	<5*	22.3	6
Douglas	12.5	6	7.0	5	20.2	12	29.0	17
Elko	23.0	9	17.6	10	19.4	8	16.6	9
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Lincoln	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lyon	26.3	13	25.1	16	21.8	14	22.0	13
Mineral	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Nye	28.2	14	27.3	13	29.7	15	25.4	15
Pershing	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Storey	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
White Pine	N/A	<5*	59.0	5	N/A	<5*	53.7	6

**MHMD HP2020-1: Suicide Death Rate (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	29.5	364	29.3	375	27.1	364	26.2	352
Female	7.8	95	8.0	105	7.3	98	6.8	94
White	22.7	382	22.6	399	21.0	384		
Black	8.3	15	12.7	20	9.1	16		
Native American	N/A	<5*	13.1	5	N/A	<5*		
Asian	4.9	8	8.6	15	10.2	16		
Hispanic	10.3	48	8.6	41	7.1	36		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

NWS HP2020-8: Proportion of Adults Who Are At a Healthy Weight. (Trend Data: 2000 - 2004)

County of Residence	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	42.0	311	41.0	331	37.4	373	37.9	331	35.5	329
Washoe County	46.2	292	44.2	383	42.4	409	43.9	403	46.9	412
All Other Counties**	46.2	255	37.5	245	39.1	393	37.9	343	38.3	347
<b>Nevada Total</b>	<b>43.1</b>	<b>916</b>	<b>41.4</b>	<b>1025</b>	<b>38.4</b>	<b>1186</b>	<b>39.0</b>	<b>1081</b>	<b>37.9</b>	<b>1099</b>
Carson	40.9	56	38.6	63	43.7	83	45.8	66	37.9	63
Churchill	59.2	36	37.9	20	37.0	35	45.4	43	42.2	33
Douglas	50.2	50	44.8	52	36.7	55	31.0	46	47.0	65
Elko	41.7	41	34.0	45	30.5	51	35.3	46	34.9	39
Esmeralda	~	~	~	~	~	~	~	~	~	~
Eureka	~	~	~	~	~	~	~	~	~	~
Humboldt	~	~	~	~	41.5	20	~	~	~	~
Lander	~	~	~	~	~	~	~	~	~	~
Lincoln	~	~	~	~	~	~	~	~	~	~
Lyon	55.8	41	28.8	26	31.8	42	41.8	57	37.6	55
Mineral	~	~	~	~	~	~	~	~	~	~
Nye	36.1	31	40.2	39	50.0	49	35.9	37	29.6	28
Pershing	~	~	~	~	~	~	~	~	~	~
Storey	~	~	~	~	~	~	~	~	~	~
White Pine	~	~	~	~	~	~	~	~	~	~

NWS HP2020-8: Proportion of Adults Who Are At a Healthy Weight. (Trend Data: 2000 - 2004)

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	36.4	375	30.5	412	29.0	454	32.7	432	29.9	424
Female	50.1	546	52.9	622	48.5	744	46.0	660	46.4	685
White	44.4	741	41.9	817	40.2	924	39.4	823	39.7	829
Black	39.8	32	40.4	25	32.5	25	34.8	27	32.6	20
Other	40.4	58	42.3	114	36.3	132	40.3	111	42.3	143
Hispanic	38.6	85	37.9	69	33.8	105	37.6	120	30.3	107

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

~Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

Note: Body weight estimates from self-reported heights and weights tend to be lower than those measured from height and weight.

**NWS HP2020-8: Proportion of Adults Who Are At a Healthy Weight. (Trend Data: 2000 - 2004)**

Age	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	63.6	133	55.4	124	50.8	138	55.0	114	51.0	116
25-34	45.4	199	48.9	194	37.4	175	44.3	197	41.6	167
35-44	41.8	188	46.2	235	31.7	219	38.6	223	33.1	185
45-54	37.6	169	30.7	174	37.2	237	30.4	192	36.3	218
55-64	38.7	95	27.7	101	34.0	157	34.6	139	28.7	169
65+	39.0	131	41.0	195	44.0	258	36.8	214	39.7	241

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

~Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

Note: Body weight estimates from self-reported heights and weights tend to be lower than those measured from height and weight.

NWS HP2020-8: Proportion of Adults Who Are At a Healthy Weight. (Trend Data: 2005 - 2009)

County of Residence	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	40.3	334	33.2	369	35.5	451	35.8	511	33.4	408
Washoe County	40.1	414	37.2	431	42.1	540	39.2	606	37.4	458
All Other Counties**	35.0	369	33.4	346	32.2	415	32.4	508	33.4	431
<b>Nevada Total</b>	<b>39.7</b>	<b>1129</b>	<b>34.5</b>	<b>1164</b>	<b>35.2</b>	<b>1423</b>	<b>35.6</b>	<b>1645</b>	<b>34.3</b>	<b>1317</b>
Carson	35.5	67	37.4	65	24.9	60	36.7	95	37.7	71
Churchill	28.1	24	35.8	29	29.2	30	34.6	49	42.6	39
Douglas	44.6	77	38.7	69	40.8	92	40.1	95	40.9	86
Elko	38.5	45	28.4	38	33.2	54	30.1	65	25.7	44
Esmeralda	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Eureka	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	N/A	<50*	N/A	<50*	34.0	24	34.4	21	44.7	20
Lander	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	36.9	64	31.8	53	29.2	63	28.2	63	30.0	58
Mineral	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	27.3	40	29.2	31	29.8	46	27.6	60	26.3	61
Pershing	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	N/A	<50*	N/A	<50*	N/A	<50*	28.1	16	N/A	<50*

NWS HP2020-8: Proportion of Adults Who Are At a Healthy Weight. (Trend Data: 2005 - 2009)

Gender and Race/Ethnicity	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	29.0	398	28.4	403	28.7	460	27.2	490	25.5	388
Female	51.1	741	40.8	775	42.2	969	44.5	1165	43.6	942
White	41.0	877	34.0	859	36.1	1090	37.5	1305	35.7	1106
Black	34.3	23	30.6	27	36.0	36	43.9	41	37.0	35
Other	36.6	114	34.9	150	43.4	176	35.7	155	36.6	98
Hispanic	38.6	115	36.3	128	27.5	121	28.6	144	25.0	78

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

~Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

Note: Body weight estimates from self-reported heights and weights tend to be lower than those measured from height and weight.

**NWS HP2020-8: Proportion of Adults Who Are At a Healthy Weight. (Trend Data: 2005 - 2009)**

Age	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	60.9	124	60.0	104	52.5	116	53.7	102	56.3	49
25-34	45.8	164	36.8	159	38.4	196	40.8	215	34.8	139
35-44	33.8	187	29.2	188	30.4	212	34.2	245	26.9	159
45-54	32.6	211	26.1	218	30.4	267	26.6	296	31.3	234
55-64	31.9	199	28.4	209	27.2	252	25.9	287	31.1	268
65+	38.9	243	34.3	284	36.7	372	35.6	485	38.2	453

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

~Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

Note: Body weight estimates from self-reported heights and weights tend to be lower than those measured from height and weight.

NWS HP2020-9: Proportion of Adults Who Are Obese. (Trend Data: 2000 - 2004)

County of Residence	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	18.3	118	20.6	170	22.6	210	22.2	190	22.1	183
Washoe County	16.7	99	16.1	119	19.1	182	16.7	159	17.9	176
All Other Counties**	15.6	88	19.2	125	19.0	194	22.1	210	22.5	200
<b>Nevada Total</b>	<b>17.9</b>	<b>337</b>	<b>19.5</b>	<b>451</b>	<b>21.6</b>	<b>596</b>	<b>21.2</b>	<b>571</b>	<b>21.1</b>	<b>568</b>
Carson	12.2	15	22.0	31	21.8	36	18.6	32	21.9	34
Churchill	17.3	13	19.5	15	17.6	17	19.8	19	15.5	11
Douglas	10.6	10	13.8	18	19.5	28	19.7	28	16.0	22
Elko	18.8	19	19.2	25	23.8	38	24.2	34	27.2	26
Esmeralda	~	~	~	~	~	~	~	~	~	~
Eureka	~	~	~	~	~	~	~	~	~	~
Humboldt	~	~	~	~	12.4	7	~	~	~	~
Lander	~	~	~	~	~	~	~	~	~	~
Lincoln	~	~	~	~	~	~	~	~	~	~
Lyon	12.8	10	18.8	18	17.6	26	21.8	29	25.0	35
Mineral	~	~	~	~	~	~	~	~	~	~
Nye	24.1	21	22.1	18	17.6	18	26.1	28	35.3	39
Pershing	~	~	~	~	~	~	~	~	~	~
Storey	~	~	~	~	~	~	~	~	~	~
White Pine	~	~	~	~	~	~	~	~	~	~

NWS HP2020-9: Proportion of Adults Who Are Obese. (Trend Data: 2000 - 2004)

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	20.4	193	22.6	257	23.9	330	23.2	305	22.8	309
Female	15.2	144	16.3	194	19.0	266	19.0	266	19.1	259
White	16.4	247	19.5	340	21.9	434	21.2	416	20.1	396
Black	28.0	21	25.6	18	21.2	15	30.5	17	23.1	17
Other	21.1	33	11.1	44	17.0	62	23.6	68	16.0	68
Hispanic	20.3	36	27.4	47	25.2	80	17.8	65	26.9	80

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

~Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

Note: Body weight estimates from self-reported heights and weights tend to be lower than those measured from height and weight.

**NWS HP2020-9: Proportion of Adults Who Are Obese. (Trend Data: 2000 - 2004)**

Age	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	10.3	18	13.3	29	15.5	28	10.8	21	9.7	15
25-34	21.4	69	14.6	64	27.8	99	18.6	82	24.8	80
35-44	14.7	79	17.3	97	20.9	138	24.7	121	23.2	113
45-54	21.1	80	26.2	101	20.3	123	26.2	142	23.7	127
55-64	22.2	44	24.0	83	23.0	91	23.6	105	22.6	122
65+	16.6	46	21.1	75	20.9	111	18.8	95	17.2	104

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

~Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

Note: Body weight estimates from self-reported heights and weights tend to be lower than those measured from height and weight.



NWS HP2020-9: Proportion of Adults Who Are Obese. (Trend Data: 2005 - 2009)

County of Residence	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	21.6	181	25.1	268	25.1	318	25.3	371	27.9	313
Washoe County	18.5	207	23.6	255	17.9	258	23.6	347	20.9	260
All Other Counties**	25.3	261	27.5	302	29.7	367	27.5	404	26.0	334
<b>Nevada Total</b>	<b>21.2</b>	<b>661</b>	<b>25.0</b>	<b>848</b>	<b>24.6</b>	<b>969</b>	<b>25.6</b>	<b>1145</b>	<b>26.4</b>	<b>923</b>
Carson	20.8	34	18.9	38	30.0	52	20.1	58	19.3	40
Churchill	28.7	29	29.6	30	25.4	29	29.2	34	27.3	30
Douglas	17.0	33	17.6	31	22.9	45	16.6	47	13.7	41
Elko	23.3	30	31.3	40	30.5	52	35.6	63	30.2	46
Esmeralda	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Eureka	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	N/A	<50*	N/A	<50*	22.9	15	32.8	27	29.3	21
Lander	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	32.6	48	25.8	50	28.8	63	28.6	63	28.9	56
Mineral	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	33.8	38	34.8	43	35.9	53	27.8	52	31.4	61
Pershing	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	N/A	<50*	N/A	<50*	N/A	<50*	39.7	18	N/A	<50*

NWS HP2020-9: Proportion of Adults Who Are Obese. (Trend Data: 2005 - 2009)

Gender and Race/Ethnicity	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	22.8	345	26.3	425	25.8	445	27.7	525	29.4	422
Female	19.5	316	23.6	423	23.3	524	23.4	620	23.2	501
White	20.5	450	25.1	582	24.1	665	23.4	815	26.6	741
Black	37.1	24	27.9	23	30.2	36	23.4	36	23.1	29
Other	18.6	93	21.2	106	20.6	119	28.5	124	27.0	61
Hispanic	21.6	89	26.7	130	27.0	143	31.0	164	26.4	82

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

~Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

Note: Body weight estimates from self-reported heights and weights tend to be lower than those measured from height and weight.

**NWS HP2020-9: Proportion of Adults Who Are Obese. (Trend Data: 2005 - 2009)**

Age	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	7.7	24	12.2	27	17.4	40	14.1	29	4.6	7
25-34	19.3	75	23.0	95	20.0	97	21.8	114	29.2	78
35-44	26.9	126	28.5	161	28.6	182	31.6	205	31.9	164
45-54	25.0	148	32.5	192	29.3	198	31.9	247	26.1	167
55-64	25.3	151	29.5	207	32.9	265	30.3	269	31.5	247
65+	18.6	132	20.1	159	17.6	178	21.4	274	22.3	248

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

~Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

Note: Body weight estimates from self-reported heights and weights tend to be lower than those measured from height and weight.

***OH HP2020-1.1: Proportion of Children Aged 3 to 5 Years With Dental Caries in Primary and Permanent Teeth. (Trend Data: 2004 and 2007)***

County of Residence	2004	2007	Gender	2004	2007
	Percent	Percent		Percent	Percent
Clark County	50.3	48.5	Male	N/A	58.8
Washoe County	64.9	63.6	Female	N/A	49.9
All Other Counties**	53.7	60.5			
<b>Nevada Total</b>	<b>54.0</b>	<b>54.3</b>			

***OH HP2020-2.1: Proportion of Children Aged 3 to 5 Years Untreated Dental Decay. (Trend Data: 2004 and 2007)***

County of Residence	2004	2007	Gender	2004	2007
	Percent	Percent		Percent	Percent
Clark County	37.2	31.6	Male	N/A	36.0
Washoe County	37.1	27.9	Female	N/A	27.5
All Other Counties**	38.4	32.0			
<b>Nevada Total</b>	<b>37.5</b>	<b>42.5</b>			

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.  
 Note: Data are from the Head Start Oral Health Survey, Bureau of Child, Family and Community Wellness, Nevada State Health Division.  
 Note: 'N/A' indicates sufficient data are not available.  
 Note: These percentages are not weighted.

**OH HP2020-4.2: Proportion of Older Adults Aged 65 Years and Older Reporting Having All Their Natural Teeth Extracted. (Trend Data: 2002, 2004, 2006, 2008)**

County of Residence	2002		2004		2006		2008	
	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	21.2	37	16.5	26	17.4	45	17.5	65
Washoe County	12.2	24	10.9	25	16.0	44	15.2	56
All Other Counties**	25.1	49	20.8	45	17.5	48	17.8	85
<b>Nevada Total</b>	<b>20.5</b>	<b>112</b>	<b>16.5</b>	<b>98</b>	<b>18.4</b>	<b>143</b>	<b>17.7</b>	<b>212</b>
Carson	N/A	<50*	14.5	6	20.2	12	9.9	9
Churchill	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Douglas	N/A	<50*	N/A	<50*	N/A	<50*	3.6	4
Elko	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Esmeralda	~	~	~	~	N/A	<50*	N/A	<50*
Eureka	~	~	~	~	N/A	<50*	N/A	<50*
Humboldt	N/A	<50*	~	~	N/A	<50*	N/A	<50*
Lander	~	~	~	~	N/A	<50*	N/A	<50*
Lincoln	~	~	~	~	N/A	<50*	N/A	<50*
Lyon	N/A	<50*	N/A	<50*	N/A	<50*	20.7	13
Mineral	~	~	~	~	N/A	<50*	N/A	<50*
Nye	N/A	<50*	N/A	<50*	N/A	<50*	29.2	27
Pershing	~	~	~	~	N/A	<50*	N/A	<50*
Storey	~	~	~	~	N/A	<50*	N/A	<50*
White Pine	~	~	~	~	N/A	<50*	N/A	<50*

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**OH HP2020-4.2: Proportion of Older Adults Aged 65 Years and Older Reporting Having All Their Natural Teeth Extracted. (Trend Data: 2002, 2004, 2006, 2008)**

Gender and Race/Ethnicity	2002		2004		2006		2008	
	Percent	N	Percent	N	Percent	N	Percent	N
Male	14.3	40	14.7	43	17.4	56	19.1	90
Female	25.7	72	18.2	55	19.3	87	16.4	122
White	19.4	94	14.0	76	16.4	113	16.9	173
Black	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Other	N/A	<50*	24.2	11	30.8	19	17.7	20
Hispanic	N/A	<50*	N/A	<50*	N/A	<50*	29.3	11

**OH HP2020-4.2: Proportion of Older Adults Aged 65 Years and Older Reporting Having All Their Natural Teeth Extracted. (Trend Data: 2002, 2004, 2006, 2008)**

Age	2002		2004		2006		2008	
	Percent	N	Percent	N	Percent	N	Percent	N
65-74	20.4	62	14.3	44	16.9	80	16.4	132
75+	20.7	50	19.7	54	20.6	63	19.6	80

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**OH HP2020-12.2: Proportion of Children Aged 8 Years Who Have Received Dental Sealants on Their Molar Teeth. (Trend Data: 2004 and 2007)**

	2004	2007		2004	2007
County of Residence	Percent	Percent	Race/Ethnicity	Percent	Percent
Clark County	32.1	32.9	White	60.4	43.5
Washoe County	67.6	55.8	Black	39.5	26.7
All Other Counties**	55.5	43.1	Native American	22.2	50.5
<b>Nevada Total</b>	<b>41.0</b>	<b>37.5</b>	Asian	45.8	31.3
Male	N/A	37.9	Hawaiian/Pacific Islander	63.6	49.9
Female	N/A	37.1	Hispanic	36.1	36.8

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.  
 Note: Data are from the Head Start Oral Health Survey, Bureau of Child, Family and Community Wellness, Nevada State Health Division.  
 Note: 'N/A' indicates sufficient data are not available.  
 Note: These percentages are not weighted.

**PAF HP2020-1: Proportion of Adults Who Engage in No Leisure Time Physical Activity. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	25.9	181	23.4	195	24.8	239	25.8	228	26.4	252
Washoe County	21.9	122	20.0	157	17.1	180	17.6	169	15.6	156
All Other Counties**	23.5	128	18.2	127	22.7	235	24.4	215	21.3	200
<b>Nevada Total</b>	<b>24.9</b>	<b>470</b>	<b>22.6</b>	<b>533</b>	<b>24.8</b>	<b>703</b>	<b>24.7</b>	<b>640</b>	<b>24.2</b>	<b>628</b>
Carson	22.6	32	16.4	28	24.4	45	34.7	46	21.2	30
Churchill	18.3	11	25.1	16	23.4	21	20.6	20	21.2	15
Douglas	16.2	20	9.7	16	16.0	24	10.6	18	13.5	20
Elko	30.3	26	25.2	31	17.4	30	20.6	30	24.1	26
Esmeralda	~	~	~	~	~	~	~	~	~	~
Eureka	~	~	~	~	~	~	~	~	~	~
Humboldt	~	~	~	~	29.0	17	~	~	~	~
Lander	~	~	~	~	~	~	~	~	~	~
Lincoln	~	~	~	~	~	~	~	~	~	~
Lyon	26.6	20	17.8	19	25.7	33	32.0	41	27.7	37
Mineral	~	~	~	~	~	~	~	~	~	~
Nye	27.2	19	18.7	17	30.8	32	27.3	29	27.7	33
Pershing	~	~	~	~	~	~	~	~	~	~
Storey	~	~	~	~	~	~	~	~	~	~
White Pine	~	~	~	~	~	~	~	~	~	~

**PAF HP2020-1: Proportion of Adults Who Engage in No Leisure Time Physical Activity. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	24.5	224	19.1	255	21.2	303	20.2	253	22.8	285
Female	25.4	246	26.2	278	28.5	400	29.3	387	25.7	343
White	22.9	330	22.6	402	20.3	457	21.2	416	20.6	411
Black	33.3	29	44.8	29	27.1	21	24.2	17	19.6	16
Other	28.4	44	19.8	54	26.4	81	23.4	67	23.4	76
Hispanic	31.2	64	19.3	46	37.9	134	35.3	131	35.7	117

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**PAF HP2020-1: Proportion of Adults Who Engage in No Leisure Time Physical Activity. (Trend Data: 2000 - 2004)**

Age	2000		2001		2002		2003		2004	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	20.6	43	20.3	37	28.8	54	16.0	30	19.9	35
25-34	19.1	76	17.5	64	24.7	91	22.2	92	22.5	80
35-44	24.4	105	24.3	113	22.6	138	22.0	110	21.6	97
45-54	22.5	80	20.0	101	24.9	143	26.1	120	25.1	111
55-64	30.0	64	22.5	84	18.2	93	29.6	119	26.0	119
65+	34.4	98	32.1	131	30.2	172	31.6	158	30.2	178

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.



**PAF HP2020-1: Proportion of Adults Who Engage in No Leisure Time Physical Activity. (Trend Data: 2005 - 2009)**

County of Residence	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	26.3	224	27.0	327	25.2	335	27.9	439	26.5	348
Washoe County	19.1	219	20.4	235	16.1	232	20.9	335	16.2	229
All Other Counties**	25.8	260	26.3	286	24.1	332	27.4	435	23.4	355
<b>Nevada Total</b>	<b>26.8</b>	<b>746</b>	<b>27.1</b>	<b>900</b>	<b>24.4</b>	<b>968</b>	<b>27.6</b>	<b>1264</b>	<b>24.4</b>	<b>954</b>
Carson	28.3	47	32.1	49	25.7	52	30.5	73	16.1	45
Churchill	25.3	20	21.6	22	21.1	25	33.1	41	20.9	34
Douglas	23.9	40	16.7	26	13.3	31	17.2	45	16.7	44
Elko	30.1	37	37.0	47	31.1	52	26.4	57	27.0	37
Esmeralda	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Eureka	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	N/A	<50*	26.4	14	18.3	16	28.8	27	22.8	16
Lander	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	22.0	36	22.1	48	20.1	52	27.8	65	27.5	61
Mineral	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	33.0	40	32.3	42	29.6	52	35.1	74	26.3	63
Pershing	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	N/A	<50*	N/A	<50*	N/A	<50*	16.9	10	N/A	<50*

**PAF HP2020-1: Proportion of Adults Who Engage in No Leisure Time Physical Activity. (Trend Data: 2005 - 2009)**

Gender and Race/Ethnicity	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	24.0	312	24.5	379	22.8	371	24.9	459	20.6	333
Female	29.7	434	29.8	521	26.1	597	30.3	805	28.4	621
White	22.5	478	22.6	584	19.6	614	23.9	861	23.2	743
Black	28.0	20	31.2	29	24.0	30	32.0	39	25.8	31
Other	26.5	95	29.0	117	32.3	139	29.4	136	27.7	76
Hispanic	39.4	143	37.2	163	33.2	180	35.5	221	27.7	88

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**PAF HP2020-1: Proportion of Adults Who Engage in No Leisure Time Physical Activity. (Trend Data: 2005 - 2009)**

Age	2005		2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	24.3	44	30.4	43	21.4	44	19.8	37	19.7	17
25-34	28.6	91	22.8	95	20.6	89	21.4	124	19.3	59
35-44	24.1	105	23.1	128	23.1	130	27.8	170	26.4	119
45-54	23.8	126	27.2	179	26.0	188	29.1	241	21.1	140
55-64	26.7	145	31.1	190	24.9	188	31.3	247	28.6	220
65+	33.6	225	31.3	257	30.9	318	36.2	428	32.1	373

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**PAF HP2020-2.1: Proportion of Adults Reporting Regular Moderate Physical Activity For At Least 30 Minutes per Day, 5 or More Days per Week, or Vigorous Physical Activity For At Least 20 Minutes per Day, 3 or More Days per Week. (Trend Data: 2001, 2003, 2005, 2007, 2009)**

County of Residence	2001		2003		2005		2007		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	48.8	388	49.6	441	50.6	403	45.9	558	48.7	488
Washoe County	49.3	416	59.6	556	55.0	570	55.8	700	56.4	637
All Other Counties**	55.3	348	55.2	524	52.8	540	52.0	656	58.1	647
<b>Nevada Total</b>	<b>49.8</b>	<b>1251</b>	<b>50.8</b>	<b>1542</b>	<b>50.7</b>	<b>1536</b>	<b>48.9</b>	<b>1960</b>	<b>51.4</b>	<b>1795</b>
Carson	59.1	86	49.0	88	49.7	101	50.6	101	49.5	89
Churchill	66.0	41	59.3	53	52.9	44	56.1	60	55.0	48
Douglas	58.2	73	60.9	86	61.2	107	59.4	123	67.0	116
Elko	51.3	59	52.3	69	57.8	64	52.2	81	64.0	83
Esmeralda	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Eureka	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	~	~	~	~	N/A	<50*	52.2	32	60.6	33
Lander	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	53.8	48	52.5	79	54.0	91	56.0	107	55.6	102
Mineral	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Nye	45.7	41	53.7	54	40.2	53	42.3	70	53.1	96
Pershing	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Storey	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*

**PAF HP2020-2.1: Proportion of Adults Reporting Regular Moderate Physical Activity For At Least 30 Minutes per Day, 5 or More Days per Week, or Vigorous Physical Activity For At Least 20 Minutes per Day, 3 or More Days per Week. (Trend Data: 2001, 2003, 2005, 2007, 2009)**

Gender and Race/Ethnicity	2001		2003		2005		2007		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	54.0	678	52.9	773	53.1	770	50.7	848	53.8	738
Female	45.4	573	48.7	769	48.1	766	47.2	1112	49.0	1057
White	50.0	960	52.8	1153	51.1	1149	49.7	1453	51.4	1483
Black	35.3	29	45.1	30	49.8	32	40.0	46	50.8	42
Other	47.6	156	61.0	170	55.8	177	55.8	242	45.7	112
Hispanic	54.5	92	40.9	177	46.9	171	44.6	206	54.4	137

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**PAF HP2020-2.1: Proportion of Adults Reporting Regular Moderate Physical Activity For At Least 30 Minutes per Day, 5 or More Days per Week, or Vigorous Physical Activity For At Least 20 Minutes per Day, 3 or More Days per Week. (Trend Data: 2001, 2003, 2005, 2007, 2009)**

Age	2001		2003		2005		2007		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	61.2	134	65.6	151	60.2	126	53.7	137	66.0	64
25-34	55.1	235	50.9	263	49.1	213	55.4	262	59.9	193
35-44	50.5	281	55.7	316	59.0	299	47.7	340	49.2	262
45-54	48.4	259	45.8	311	52.0	328	48.1	409	50.8	351
55-64	43.3	156	43.7	208	42.4	282	50.5	420	47.3	396
65+	39.5	170	45.7	279	39.7	279	37.1	367	39.5	496

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**PAF HP2020-2.2: Proportion of Adults Reporting Vigorous Physical Activity That Promotes The Development and Maintenance of Cardio-respiratory Fitness, For At Least 20 Minutes per Day 3 or More Days per Week. (Trend Data: 2001, 2003, 2005, 2007, 2009)**

County of Residence	2001		2003		2005		2007		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	26.3	228	28.9	264	33.0	253	26.0	321	27.7	247
Washoe County	27.7	244	39.9	359	34.8	341	34.7	414	34.8	355
All Other Counties**	26.8	181	29.5	286	29.7	298	30.1	372	34.3	352
<b>Nevada Total</b>	<b>26.7</b>	<b>702</b>	<b>30.3</b>	<b>924</b>	<b>32.6</b>	<b>910</b>	<b>28.3</b>	<b>1130</b>	<b>29.9</b>	<b>968</b>
Carson	31.3	44	25.1	50	29.0	54	26.4	52	30.2	47
Churchill	31.9	19	40.6	35	27.7	22	38.7	41	31.3	32
Douglas	31.8	46	30.3	46	34.1	59	33.3	67	34.9	57
Elko	22.8	29	33.5	43	30.7	37	33.4	50	43.7	48
Esmeralda	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Eureka	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	~	~	~	~	N/A	<50*	26.1	19	43.9	18
Lander	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	24.3	24	22.7	37	29.9	52	36.9	71	34.0	55
Mineral	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Nye	17.6	19	29.6	30	22.2	27	20.4	32	27.2	48
Pershing	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
Storey	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	~	~	~	~	N/A	<50*	N/A	<50*	N/A	<50*

**PAF HP2020-2.2: Proportion of Adults Reporting Vigorous Physical Activity That Promotes The Development and Maintenance of Cardio-respiratory Fitness, For At Least 20 Minutes per Day 3 or More Days per Week. (Trend Data: 2001, 2003, 2005, 2007, 2009)**

Gender and Race/Ethnicity	2001		2003		2005		2007		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	31.2	412	34.2	498	36.9	502	32.4	529	34.8	434
Female	22.0	290	26.3	426	28.2	408	24.1	601	25.0	534
White	26.6	523	30.8	676	31.3	668	29.5	848	29.5	787
Black	20.3	17	26.8	19	36.4	20	23.5	26	28.2	23
Other	28.8	96	37.9	108	37.6	110	28.7	132	29.6	65
Hispanic	27.5	58	26.4	116	33.8	108	25.9	120	32.3	79

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**PAF HP2020-2.2: Proportion of Adults Reporting Vigorous Physical Activity That Promotes The Development and Maintenance of Cardio-respiratory Fitness, For At Least 20 Minutes per Day 3 or More Days per Week. (Trend Data: 2001, 2003, 2005, 2007, 2009)**

Age	2001		2003		2005		2007		2009	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	43.9	102	48.1	113	49.9	101	33.9	95	51.8	48
25-34	36.7	159	35.4	181	35.2	139	33.7	165	39.0	129
35-44	27.7	162	36.8	225	38.2	193	30.4	222	27.6	171
45-54	23.4	141	24.0	176	34.8	215	29.0	249	30.1	204
55-64	20.3	74	20.4	101	21.0	135	22.9	208	23.7	194
65+	10.5	55	19.0	123	16.9	122	18.7	182	14.4	200

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**RD HP2020-2.1: Asthma Hospitalizations for Children Under Age 5 Years (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	27.0	283	23.8	264	23.1	267	23.3	281	25.0	317
Washoe County	18.2	44	19.5	48	26.6	67	23.8	62	16.4	44
All Other Counties**	23.3	41	27.2	48	26.4	46	18.5	32	22.0	39
<b>Nevada Total</b>	<b>25.1</b>	<b>368</b>	<b>23.5</b>	<b>360</b>	<b>24.0</b>	<b>380</b>	<b>22.9</b>	<b>375</b>	<b>23.3</b>	<b>400</b>
Carson	19.6	7	N/A	<5*	27.9	10	25.2	9	42.2	15
Churchill	N/A	<5*	54.3	10	28.1	5	N/A	<5*	N/A	<5*
Douglas	0.0	0	27.0	5	N/A	<5*	N/A	<5*	N/A	<5*
Elko	33.8	11	18.7	6	19.7	6	27.5	8	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	0.0	0	N/A	<5*	0.0	0	0.0	0
Lander	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	0.0	0
Lincoln	0.0	0	0.0	0	0.0	0	N/A	<5*	N/A	<5*
Lyon	47.2	10	31.9	7	39.1	9	N/A	<5*	26.1	7
Mineral	0.0	0	N/A	<5*	N/A	<5*	0.0	0	0.0	0
Nye	N/A	<5*	65.0	11	41.9	7	N/A	<5*	N/A	<5*
Pershing	N/A	<5*	N/A	<5*	0.0	0	0.0	0	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	97.5	5	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*

**RD HP2020-2.1: Asthma Hospitalizations for Children Under Age 5 Years (Trend Data: 2000 - 2004)**

Gender	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Male	31.8	238	24.6	193	29.9	242	26.4	222	25.6	225
Female	18.2	130	22.3	167	17.8	138	19.1	153	20.8	174

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Nevada Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 10,000 age-specific population.

**RD HP2020-2.1: Asthma Hospitalizations for Children Under Age 5 Years (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	18.5	246	16.0	223	12.6	183	18.3	267
Washoe County	19.3	54	13.2	38	19.4	57	15.7	47
All Other Counties**	20.7	38	14.7	29	21.9	44	18.9	38
<b>Nevada Total</b>	<b>18.8</b>	<b>338</b>	<b>15.5</b>	<b>290</b>	<b>14.6</b>	<b>284</b>	<b>18.0</b>	<b>352</b>
Carson	16.7	6	18.4	7	29.0	11	15.8	6
Churchill	N/A	<5*	N/A	<5*	N/A	<5*	27.5	5
Douglas	22.2	5	N/A	<5*	N/A	<5*	N/A	<5*
Elko	N/A	<5*	N/A	<5*	17.7	6	N/A	<5*
Esmeralda	0.0	0	0.0	0	N/A	<5*	0.0	0
Eureka	0.0	0	N/A	<5*	0.0	0	0.0	0
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Lander	N/A	<5*	0.0	0	0.0	0	0.0	0
Lincoln	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Lyon	22.1	6	N/A	<5*	23.8	8	17.9	6
Mineral	0.0	0	0.0	0	0.0	0	0.0	0
Nye	30.7	6	N/A	<5*	22.8	5	40.1	9
Pershing	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Storey	0.0	0	0.0	0	0.0	0	N/A	<5*
White Pine	173.7	7	N/A	<5*	123.7	6	N/A	<5*

**RD HP2020-2.1: Asthma Hospitalizations for Children Under Age 5 Years (Trend Data: 2005 - 2008)**

Gender	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Male	20.6	190	19.0	183	18.4	183	20.7	208
Female	16.9	148	11.7	107	10.7	101	15.1	144

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Nevada Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 10,000 age-specific population.



**RD HP2020-2.2: Asthma Hospitalizations for Children and Adults Age 5 to 64 Years (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	10.3	1179	10.0	1215	9.7	1232	10.0	1331	9.4	1320
Washoe County	4.4	123	6.2	182	6.0	179	6.1	188	5.2	164
All Other Counties**	6.1	137	4.9	114	5.2	122	6.0	143	5.9	145
<b>Nevada Total</b>	<b>8.7</b>	<b>1439</b>	<b>8.7</b>	<b>1511</b>	<b>8.5</b>	<b>1533</b>	<b>8.9</b>	<b>1662</b>	<b>8.3</b>	<b>1629</b>
Carson	3.3	13	3.3	13	2.0	8	7.6	31	8.5	35
Churchill	8.7	17	6.4	13	8.3	17	7.6	16	4.7	10
Douglas	2.7	9	1.4	5	2.0	7	2.5	9	3.4	13
Elko	4.8	19	2.9	12	2.7	11	5.3	21	3.2	13
Esmeralda	N/A	<5*	0.0	0	0.0	0	0.0	0	N/A	<5*
Eureka	N/A	<5*	N/A	<5*	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	N/A	<5*	10.3	5	N/A	<5*	0.0	0	N/A	<5*
Lincoln	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lyon	10.9	31	7.4	22	7.8	24	7.6	25	7.0	25
Mineral	N/A	<5*	N/A	<5*	N/A	<5*	23.0	8	N/A	<5*
Nye	6.8	17	10.0	26	10.6	28	7.3	20	10.1	29
Pershing	23.3	11	15.4	7	N/A	<5*	N/A	<5*	0.0	0
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	14.9	9	N/A	<5*	17.2	10	13.8	8	13.5	8

**RD HP2020-2.2: Asthma Hospitalizations for Children and Adults Age 5 to 64 Years (Trend Data: 2000 - 2004)**

Gender	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Male	6.0	510	6.2	556	5.8	540	6.7	642	5.8	589
Female	11.6	929	11.3	955	11.3	993	11.2	1020	10.8	1035

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Nevada Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 10,000 age-specific population.

**RD HP2020-2.2: Asthma Hospitalizations for Children and Adults Age 5 to 64 Years (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	9.4	1377	8.0	1225	6.8	1090	8.9	1424
Washoe County	5.4	177	4.5	153	4.5	157	6.2	218
All Other Counties**	6.1	154	4.3	116	3.7	102	5.4	150
<b>Nevada Total</b>	<b>8.3</b>	<b>1708</b>	<b>7.0</b>	<b>1494</b>	<b>6.1</b>	<b>1349</b>	<b>8.0</b>	<b>1792</b>
Carson	10.7	46	5.5	25	3.8	17	6.4	29
Churchill	8.8	19	5.8	13	7.2	16	5.9	13
Douglas	2.5	10	2.0	8	1.4	6	4.4	18
Elko	2.7	11	1.4	6	2.1	9	3.7	16
Esmeralda	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
Lander	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Lincoln	N/A	<5*	19.7	6	N/A	<5*	0.0	0
Lyon	7.5	27	6.3	27	6.5	29	9.9	44
Mineral	17.5	6	0.0	0	0.0	0	N/A	<5*
Nye	5.2	16	5.1	17	3.5	12	2.8	10
Pershing	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Storey	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
White Pine	14.6	9	12.2	9	N/A	<5*	9.3	7

**RD HP2020-2.2: Asthma Hospitalizations for Children and Adults Age 5 to 64 Years (Trend Data: 2005 - 2008)**

Gender	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Male	5.9	616	5.2	567	4.7	533	6.1	703
Female	10.9	1089	8.9	925	7.5	811	10.0	1089

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Nevada Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 10,000 age-specific population.

**RD HP2020-2.3: Asthma Hospitalizations for Adults Age 65 Years and Older (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	9.1	136	10.9	173	12.2	204	13.4	234	15.1	280
Washoe County	7.9	28	13.4	49	10.2	38	14.1	54	8.9	35
All Other Counties**	9.1	34	10.3	40	12.3	49	11.2	46	10.2	44
<b>Nevada Total</b>	<b>8.9</b>	<b>198</b>	<b>11.2</b>	<b>262</b>	<b>11.9</b>	<b>291</b>	<b>13.1</b>	<b>334</b>	<b>13.4</b>	<b>359</b>
Carson	N/A	<5*	6.3	5	18.9	15	11.4	9	28.0	22
Churchill	21.2	6	24.1	7	N/A	<5*	23.3	7	16.4	5
Douglas	N/A	<5*	N/A	<5*	N/A	<5*	8.2	6	N/A	<5*
Elko	31.0	8	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	N/A	<5*	0.0	0	0.0	0	N/A	<5*	0.0	0
Lander	N/A	<5*	N/A	<5*	0.0	0	0.0	0	0.0	0
Lincoln	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lyon	9.6	5	9.2	5	12.3	7	N/A	<5*	N/A	<5*
Mineral	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Nye	N/A	<5*	12.0	8	14.4	10	13.5	10	N/A	<5*
Pershing	N/A	<5*	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Storey	0.0	0	N/A	<5*	0.0	0	0.0	0	0.0	0
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*

**RD HP2020-2.3: Asthma Hospitalizations for Adults Age 65 Years and Older (Trend Data: 2000 - 2004)**

Gender	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Male	6.4	67	7.5	82	7.7	88	10.2	121	8.3	103
Female	11.1	131	14.4	180	15.6	203	15.7	213	17.9	256

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Nevada Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 10,000 age-specific population.

**RD HP2020-2.3: Asthma Hospitalizations for Adults Age 65 Years and Older (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	20.1	391	14.6	297	12.0	253	18.3	390
Washoe County	11.2	46	11.1	47	11.1	48	16.2	71
All Other Counties**	10.4	47	7.4	36	8.5	42	9.0	45
<b>Nevada Total</b>	<b>17.3</b>	<b>484</b>	<b>12.9</b>	<b>380</b>	<b>11.3</b>	<b>343</b>	<b>16.5</b>	<b>506</b>
Carson	18.3	15	8.1	7	8.1	7	8.1	7
Churchill	N/A	<5*	18.8	6	N/A	<5*	15.9	5
Douglas	N/A	<5*	N/A	<5*	9.3	8	5.8	5
Elko	N/A	<5*	N/A	<5*	N/A	<5*	16.4	6
Esmeralda	0.0	0	0.0	0	0.0	0	N/A	<5*
Eureka	0.0	0	0.0	0	0.0	0	N/A	<5*
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	0.0	0	0.0	0	0.0	0	0.0	0
Lincoln	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Lyon	18.0	12	N/A	<5*	9.7	8	9.8	8
Mineral	0.0	0	N/A	<5*	0.0	0	0.0	0
Nye	8.1	7	N/A	<5*	9.3	9	5.0	5
Pershing	0.0	0	0.0	0	0.0	0	N/A	<5*
Storey	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	N/A	<5*	35.7	6	N/A	<5*	N/A	<5*

**RD HP2020-2.3: Asthma Hospitalizations for Adults Age 65 Years and Older (Trend Data: 2005 - 2008)**

Gender	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Male	13.0	169	8.0	109	6.4	91	10.1	144
Female	21.0	315	17.2	270	15.5	252	22.0	361

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Nevada Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 10,000 age-specific population.

**RD HP2020-10: Death Rate From Chronic Obstructive Pulmonary Disease Among Adults Aged 45 Years and Older. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	133.3	613	135.4	667	143.5	743	132.6	723	113.8	659
Washoe County	141.5	163	181.2	218	172.4	214	181.5	235	170.0	228
All Other Counties**	146.9	160	187.2	213	146.6	172	147.3	180	154.5	197
<b>Nevada Total</b>	<b>136.8</b>	<b>936</b>	<b>151.1</b>	<b>1098</b>	<b>148.7</b>	<b>1129</b>	<b>142.8</b>	<b>1138</b>	<b>129.0</b>	<b>1084</b>
Carson	246.9	50	220.7	46	159.6	34	184.7	40	192.1	42
Churchill	252.4	21	196.0	17	113.2	10	207.0	19	117.1	11
Douglas	31.8	6	74.6	15	100.7	21	64.0	14	103.2	24
Elko	81.4	10	138.7	18	88.5	12	106.6	15	88.8	13
Esmeralda	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Eureka	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Humboldt	N/A	<5*	204.0	11	159.9	9	118.7	7	146.9	9
Lander	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Lincoln	N/A	<5*	N/A	<5*	0.0	0	447.9	6	N/A	<5*
Lyon	131.9	19	268.8	41	187.4	30	157.4	27	220.3	41
Mineral	N/A	<5*	260.8	6	261.9	6	263.5	6	N/A	<5*
Nye	215.7	34	228.1	38	191.8	33	185.9	34	212.7	41
Pershing	N/A	<5*	N/A	<5*	260.8	5	N/A	<5*	252.5	5
Storey	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
White Pine	N/A	<5*	175.1	6	203.3	7	N/A	<5*	173.3	6

**RD HP2020-10: Death Rate From Chronic Obstructive Pulmonary Disease Among Adults Aged 45 Years and Older. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Male	136.1	457	151.2	539	146.5	545	138.4	540	121.3	499
Female	137.5	479	151.0	559	150.8	584	147.0	598	136.3	585
White	159.5	872	178.9	1031	176.3	1054	170.0	1059	158.5	1034
Black	80.6	29	56.3	22	81.9	34	67.8	30	48.6	23
Native American	87.6	7	N/A	<5*	67.4	6	53.3	5	N/A	<5*
Asian	31.9	11	34.0	13	34.0	14	27.0	12	18.6	9
Hispanic	28.9	17	44.8	29	28.6	20	42.2	32	17.0	14

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Nevada Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific population.

Note: 2007 and 2008 data are not final and are subject to change.

**RD HP2020-10: Death Rate From Chronic Obstructive Pulmonary Disease Among Adults Aged 45 Years and Older. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Clark County	121.2	739	102.0	649	83.7	555	106.3	710
Washoe County	185.1	258	131.6	189	163.5	240	147.1	219
All Other Counties**	147.0	197	137.7	198	143.8	211	152.1	224
<b>Nevada Total</b>	<b>135.2</b>	<b>1194</b>	<b>112.1</b>	<b>1036</b>	<b>105.1</b>	<b>1006</b>	<b>119.6</b>	<b>1153</b>
Carson	182.9	42	202.0	49	193.7	47	214.8	52
Churchill	186.2	18	241.1	24	192.1	19	203.8	20
Douglas	68.8	17	70.5	18	85.1	22	101.1	26
Elko	32.7	5	96.6	15	80.2	13	135.4	22
Esmeralda	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	154.7	10	135.6	9	163.0	11	178.2	12
Lander	290.1	6	N/A	<5*	324.4	7	N/A	<5*
Lincoln	N/A	<5*	N/A	<5*	411.5	7	N/A	<5*
Lyon	167.4	32	114.1	26	93.3	22	144.4	34
Mineral	350.4	8	230.4	5	277.9	6	414.6	9
Nye	222.8	47	161.7	37	177.5	42	132.2	32
Pershing	N/A	<5*	N/A	<5*	217.5	6	N/A	<5*
Storey	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*
White Pine	N/A	<5*	215.4	9	119.1	5	141.4	6

**RD HP2020-10: Death Rate From Chronic Obstructive Pulmonary Disease Among Adults Aged 45 Years and Older. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007		2008	
	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths	Rate	Number of Deaths
Male	131.0	566	104.9	474	97.2	455	111.5	526.0
Female	139.2	628	119.1	562	112.7	551	127.3	627
White	163.0	1110	136.9	976	127.7	942		
Black	65.6	33	45.7	24	53.1	29		
Native American	N/A	<5*	N/A	<5*	N/A	<5*		
Asian	32.6	17	23.9	13	14.2	8		
Hispanic	31.4	28	20.4	19	20.7	20		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the Nevada Inpatient Hospital Discharge Database (NIHDD).

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are per 100,000 age-specific population.

Note: 2007 and 2008 data are not final and are subject to change.

**STD HP2020-1.1: Proportion of Females Aged 15 to 24 Years with Chlamydia Trachomatis Infections, Attending Family Planning Clinics. (Trend Data: 2002 - 2006)**

County of Residence	2002		2003		2004		2005		2006	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	5.7	186	5.2	132	4.4	99	5.0	100	5.1	102
Washoe County	3.4	13	2.5	17	5.0	39	4.3	37	3.7	28
<b>Nevada Total</b>	<b>5.5</b>	<b>199</b>	<b>4.6</b>	<b>149</b>	<b>3.9</b>	<b>174</b>	<b>4.3</b>	<b>178</b>	<b>5.0</b>	<b>199</b>

**STD HP2020-1.1: Proportion of Females Aged 15 to 24 Years with Chlamydia Trachomatis Infections, Attending Family Planning Clinics. (Trend Data: 2002 - 2006)**

Gender and Race/Ethnicity	2002		2003		2004		2005		2006	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
White	4.4	58	3.8	44	3.3	70	4.1	79	5.2	95
Black	11.2	69	9.7	39	11.5	36	11.3	29	11.8	30
Native American	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Asian	9.5	11	5.7	5	6.9	7	6.9	6	7.1	6
Hispanic	3.7	55	3.9	58	3.1	56	3.5	59	3.5	59
Other	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	5.8	5

**STD HP2020-1.1: Proportion of Females Aged 15 to 24 Years with Chlamydia Trachomatis Infections, Attending Family Planning Clinics. (Trend Data: 2007 - 2009)**

County of Residence	2007		2008		2009	
	Percent	N	Percent	N	Percent	N
Clark County	7.4	201	10.1	336	10.6	311
Washoe County	4.8	37	4.3	36	3.1	20
<b>Nevada Total</b>	<b>6.9</b>	<b>329</b>	<b>8.0</b>	<b>432</b>	<b>8.4</b>	<b>400</b>

**STD HP2020-1.1: Proportion of Females Aged 15 to 24 Years with Chlamydia Trachomatis Infections, Attending Family Planning Clinics. (Trend Data: 2007 - 2009)**

Gender and Race/Ethnicity	2007		2008		2009	
	Percent	N	Percent	N	Percent	N
White	6.6	130	5.7	139	6.4	136
Black	15.6	55	18.7	100	21.0	104
Native American	N/A	<5*	N/A	<5*	N/A	<5*
Asian	6.9	6	14.4	18	4.7	5
Hispanic	5.4	118	7.7	152	7.9	142
Other	14.3	17	7.0	21	4.1	9

\* More than 0 but less than 5.

Note: Data are provided by the Centers for Disease Control and Prevention (CDC) Infertility Prevention Program (IPP).

Note: 'N/A' indicates sufficient data are not available.

Note: Counts for rural counties are too small to be reported.

**STD HP2020-6: Rate of Gonorrhea. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	99.1	1382	123.8	1839	112.9	1750	121.1	1963	154.3	2646
Washoe County	56.4	193	58.3	206	50.9	183	53.9	201	92.8	356
All Other Counties**	24.2	68	16.3	47	18.9	55	19.9	59	33.7	103
<b>Nevada Total</b>	<b>81.4</b>	<b>1643</b>	<b>98.4</b>	<b>2092</b>	<b>90.4</b>	<b>1988</b>	<b>97.0</b>	<b>2223</b>	<b>129.1</b>	<b>3105</b>

**STD HP2020-6: Rate of Gonorrhea. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Male	96.9	994	108.0	1167	91.2	1020	99.6	1159	137.3	1677
Female	65.4	649	88.2	922	89.3	967	94.3	1063	120.4	1425
White	31.5	423	33.3	463	26.7	379	34.4	502	44.7	676
Black	608.1	842	618.8	904	478.9	726	445.1	703	573.3	951
Native American	39.5	11	N/A	<5*	33.4	10	35.5	11	83.5	27
Asian	22.6	25	23.8	29	13.9	18	15.9	22	36.8	55
Hispanic	47.8	191	47.0	207	48.4	227	50.6	255	68.7	375

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the STD-MIS database.

Note: 'N/A' indicates sufficient data are not available.

Note: Counts for rural counties are too small to be reported.

Note: Rates are per 100,000 population.



**STD HP2020-6: Rate of Gonorrhea. (Trend Data: 2005 - 2008)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	138.9	2496	132.2	2478	108.1	2112	97.4	1917
Washoe County	79.4	315	57.9	237	49.3	206	49.3	209
All Other Counties**	25.0	79	24.5	83	16.5	57	12.7	44
<b>Nevada Total</b>	<b>115.2</b>	<b>2890</b>	<b>106.7</b>	<b>2798</b>	<b>87.4</b>	<b>2375</b>	<b>79.2</b>	<b>2170</b>

**STD HP2020-6: Rate of Gonorrhea. (Trend Data: 2005 - 2008)**

Gender and Race/Ethnicity	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Male	120.7	1538	115.4	1537	94.4	1303	83.6	1162
Female	109.4	1351	97.6	1260	80.1	1072	74.8	1008
White	43.1	672	35.8	583	27.7	468	25.7	437
Black	530.8	918	539.2	973	472.2	887	438.2	829
Native American	47.7	16	48.4	17	30.4	11	32.9	12
Asian	41.4	66	27.7	46	24.3	42	27.0	47
Hispanic	58.2	341	53.0	324	40.7	258	36.1	231

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the STD-MIS database.

Note: 'N/A' indicates sufficient data are not available.

Note: Counts for rural counties are too small to be reported.

Note: Rates are per 100,000 population.

**STD HP2020-7: Rate of Primary and Secondary Syphilis. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	N/A	<5*	N/A	<5*	0.5	7	0.5	8	2.2	38
Washoe County	N/A	<5*	N/A	<5*	1.4	5	N/A	<5*	N/A	<5*
All Other Counties**	0.0	0	1.7	5	N/A	<5*	0.0	0	N/A	<5*
<b>Nevada Total</b>	<b>0.2</b>	<b>5</b>	<b>0.5</b>	<b>10</b>	<b>0.7</b>	<b>15</b>	<b>0.5</b>	<b>12</b>	<b>1.7</b>	<b>40</b>

**STD HP2020-7: Rate of Primary and Secondary Syphilis. (Trend Data: 2000 - 2004)**

Race/Ethnicity	2000		2001		2002		2003		2004	
	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N
White	N/A	<5*	N/A	<5*	0.6	9	0.5	7	1.0	15
Black	N/A	<5*	0.0	0	0.0	0	N/A	<5*	9.6	16
Native American	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0
Asian	N/A	<5*	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Hispanic	N/A	<5*	1.1	5	N/A	<5*	N/A	<5*	0.9	5

**STD HP2020-7: Rate of Primary and Secondary Syphilis. (Trend Data: 2005 - 2009)**

County of Residence	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
Clark County	5.7	103	7.0	132	5.2	102	3.7	72
Washoe County	1.3	5	1.2	5	N/A	<5*	N/A	<5*
All Other Counties**	N/A	<5*	N/A	<5*	1.4	5	N/A	<5*
<b>Nevada Total</b>	<b>4.3</b>	<b>109</b>	<b>5.3</b>	<b>139</b>	<b>4.1</b>	<b>111</b>	<b>2.8</b>	<b>78</b>

**STD HP2020-7: Rate of Primary and Secondary Syphilis. (Trend Data: 2005 - 2008)**

Race/Ethnicity	2005		2006		2007		2008	
	Rate	N	Rate	N	Rate	N	Rate	N
White	3.0	47	2.9	47	2.4	41	1.6	28
Black	18.5	32	20.5	37	17.6	33	11.1	21
Native American	0.0	0	0.0	0	0.0	0	0.0	0
Asian	3.1	5	6.0	10	2.9	5	N/A	<5*
Hispanic	2.7	16	3.4	21	3.0	19	2.0	13

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

Note: Data are from the STD-MIS database.

Note: 'N/A' indicates sufficient data are not available.

Note: Counts for rural counties are too small to be reported.

Note: Rates are per 100,000 population.

**SA HP2020-12: Drug Induced Death Rate. (Trend Data: 2000 - 2004)**

County of Residence	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	14.4	197	14.2	209	15.9	246	16.0	255	17.0	293
Washoe County	15.4	54	10.8	39	13.7	50	15.5	58	12.9	51
All Other Counties**	8.6	24	8.2	23	10.7	30	9.5	28	14.3	44
<b>Nevada Total</b>	<b>13.8</b>	<b>275</b>	<b>12.8</b>	<b>271</b>	<b>14.9</b>	<b>326</b>	<b>15.0</b>	<b>341</b>	<b>16.0</b>	<b>388</b>
Carson	N/A	<5*	7.2	4	N/A	<5*	13.7	7	25.4	13
Churchill	N/A	<5*	N/A	<5*	N/A	<5*	20.5	5	N/A	<5*
Douglas	N/A	<5*	13.1	5	N/A	<5*	8.5	5	10.7	6
Elko	N/A	<5*	N/A	<5*	10.5	5	N/A	<5*	0.0	0
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Humboldt	0.0	0	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Lander	0.0	0	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Lincoln	N/A	<5*	0.0	0	N/A	<5*	N/A	<5*	0.0	0
Lyon	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*	13.5	6
Mineral	0.0	0	N/A	<5*	0.0	0	0.0	0	N/A	<5*
Nye	15.2	5	N/A	<5*	22.7	8	17.5	5	34.8	11
Pershing	0.0	0	0.0	0	N/A	<5*	0.0	0	N/A	<5*
Storey	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	0.0	0	0.0	0

**SA HP2020-12: Drug Induced Death Rate. (Trend Data: 2000 - 2004)**

Gender and Race/Ethnicity	2000		2001		2002		2003		2004	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	18.1	183	15.0	162	18.9	210	17.3	202	18.4	230
Female	9.3	92	10.5	109	10.7	116	12.4	139	13.5	158
White	17.5	244	15.8	230	19.2	281	19.1	288	20.6	322
Black	14.0	17	18.4	26	11.1	16	18.0	28	15.8	26
Native American	0.0	0	19.8	6	N/A	<5*	N/A	<5*	32.6	11
Asian	0.0	0	0.0	0	N/A	<5*	4.1	6	3.1	5
Hispanic	4.7	14	2.3	9	6.1	21	3.3	15	5.1	24

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

SA HP2020-12: Drug Induced Death Rate. (Trend Data: 2005 - 2009)

County of Residence	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Clark County	19.1	341	18.3	344	19.4	383	16.6	327
Washoe County	16.2	65	15.4	64	19.9	85	16.9	73
All Other Counties**	13.6	43	16.4	54	11.4	40	16.7	58
<b>Nevada Total</b>	<b>17.9</b>	<b>449</b>	<b>17.5</b>	<b>462</b>	<b>18.5</b>	<b>508</b>	<b>16.5</b>	<b>458</b>
Carson	18.5	10	21.8	11	8.0	5	16.4	9
Churchill	N/A	<5*	30.3	8	23.8	6	19.1	5
Douglas	9.0	5	9.2	6	N/A	<5*	18.5	11
Elko	N/A	<5*	9.9	5	N/A	<5*	9.2	5
Esmeralda	0.0	0	0.0	0	0.0	0	0.0	0
Eureka	N/A	<5*	0.0	0	N/A	<5*	0.0	0
Humboldt	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*
Lander	N/A	<5*	N/A	<5*	0.0	0	N/A	<5*
Lincoln	0.0	0	N/A	<5*	0.0	0	0.0	0
Lyon	16.7	8	N/A	<5*	10.3	6	14.3	8
Mineral	0.0	0	N/A	<5*	N/A	<5*	N/A	<5*
Nye	35.2	13	21.1	8	19.4	8	33.7	12
Pershing	0.0	0	N/A	<5*	0.0	0	0.0	0
Storey	0.0	0	N/A	<5*	0.0	0	0.0	0
White Pine	N/A	<5*	N/A	<5*	N/A	<5*	N/A	<5*

SA HP2020-12: Drug Induced Death Rate. (Trend Data: 2005 - 2009)

Gender and Race/Ethnicity	2005		2006		2007***		2008***	
	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths	Age Adj. Rate	Number of Deaths
Male	21.0	268	21.3	285	21.6	305	19.1	272
Female	14.7	181	13.7	177	15.1	203	13.8	186
White	23.7	382	22.9	389	24.7	429		
Black	18.8	31	19.7	34	20.4	36		
Native American	N/A	<5*	22.1	8	0.0	0		
Asian	N/A	<5*	4.2	7	N/A	<5*		
Hispanic	4.9	28	5.0	22	5.5	31		

\* More than 0 but less than 5.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, White Pine, and cases where county of residence was unknown. Rates for each county are listed below Nevada Total.

\*\*\*2007 and 2008 data are not final and are subject to change.

Note: Data are from the Nevada Vital Statistics Records.

Note: 'N/A' indicates sufficient data are not available.

Note: Rates are age-adjusted to the 2000 U.S. standard population.

Note: Rates are per 100,000 population.

SA HP2020-14.3: Proportion of Adults Aged 18 Years and Older Engaging in Binge Drinking of Alcohol. (Trend Data: 2001 - 2005)

County of Residence	2001		2002		2003		2004		2005	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	16.0	141	19.7	177	18.2	156	17.2	146	16.7	125
Washoe County	17.3	149	21.4	206	17.9	170	21.6	171	19.7	182
All Other Counties**	17.4	109	20.1	175	17.4	172	18.0	159	17.6	175
<b>Nevada Total</b>	<b>16.7</b>	<b>441</b>	<b>19.8</b>	<b>574</b>	<b>17.9</b>	<b>510</b>	<b>18.0</b>	<b>486</b>	<b>17.6</b>	<b>499</b>
Carson	16.2	24	15.9	23	15.5	30	15.2	21	19.2	29
Churchill	21.3	13	23.0	15	24.9	22	13.7	12	17.1	17
Douglas	12.1	17	18.4	26	11.6	17	15.4	24	13.3	26
Elko	19.9	25	19.9	31	15.8	23	21.9	26	17.9	20
Esmeralda	~	~	~	~	~	~	~	~	N/A	<50*
Eureka	~	~	~	~	~	~	~	~	N/A	<50*
Humboldt	~	~	N/A	<50*	~	~	~	~	N/A	<50*
Lander	~	~	~	~	~	~	~	~	N/A	<50*
Lincoln	~	~	~	~	~	~	~	~	N/A	<50*
Lyon	21.9	19	19.1	23	19.8	29	14.6	18	20.9	31
Mineral	~	~	~	~	~	~	~	~	N/A	<50*
Nye	15.8	11	19.0	19	17.3	18	27.2	26	9.9	14
Pershing	~	~	~	~	~	~	~	~	N/A	<50*
Storey	~	~	~	~	~	~	~	~	N/A	<50*
White Pine	~	~	~	~	~	~	~	~	N/A	<50*

SA HP2020-14.3: Proportion of Adults Aged 18 Years and Older Engaging in Binge Drinking of Alcohol. (Trend Data: 2001 - 2005)

Gender and Race/Ethnicity	2001		2002		2003		2004		2005	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	25.3	329	29.0	411	27.3	369	26.8	343	26.5	358
Female	8.1	112	10.5	163	8.3	141	9.1	143	8.5	141
White	16.1	335	20.3	426	17.9	372	18.1	361	17.9	363
Black	3.5	4	12.6	9	11.2	9	13.5	9	11.4	7
Other	17.3	53	19.5	66	15.1	54	13.1	48	16.5	59
Hispanic	24.9	47	20.9	69	21.5	74	23.0	68	18.6	67

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

SA HP2020-14.3: Proportion of Adults Aged 18 Years and Older Engaging in Binge Drinking of Alcohol. (Trend Data: 2001 - 2005)

Age	2001		2002		2003		2004		2005	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	26.1	59	37.5	94	30.2	77	27.4	57	23.2	52
25-34	28.6	118	31.6	139	23.0	105	27.0	110	26.0	101
35-44	19.4	117	21.1	154	21.9	131	19.8	118	22.1	124
45-54	12.1	86	13.5	94	17.5	109	16.4	95	18.3	122
55-64	8.7	33	11.3	58	11.0	56	10.7	66	6.6	57
65+	5.4	26	4.3	29	4.1	31	6.5	39	6.4	40

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

SA HP2020-14.3: Proportion of Adults Aged 18 Years and Older Engaging in Binge Drinking of Alcohol. (Trend Data: 2006 - 2009)

County of Residence	2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	15.0	154	15.6	173	18.8	214	17.7	144
Washoe County	18.1	178	20.5	224	19.4	242	17.1	163
All Other Counties**	17.1	164	19.7	211	20.4	233	16.6	149
<b>Nevada Total</b>	<b>15.5</b>	<b>506</b>	<b>16.9</b>	<b>627</b>	<b>18.8</b>	<b>698</b>	<b>17.5</b>	<b>465</b>
Carson	10.9	18	16.2	30	22.3	45	16.1	19
Churchill	15.2	16	24.5	16	17.1	15	11.8	11
Douglas	19.0	27	17.4	39	18.8	34	22.1	29
Elko	25.9	28	23.6	31	24.2	36	19.9	24
Esmeralda	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Eureka	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	N/A	<50*	29.2	18	31.0	16	23.9	9
Lander	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	17.4	27	17.3	30	20.9	31	23.9	36
Mineral	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	16.5	16	17.9	23	12.0	23	5.1	11
Pershing	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	N/A	<50*	N/A	<50*	26.3	14	N/A	<50*

SA HP2020-14.3: Proportion of Adults Aged 18 Years and Older Engaging in Binge Drinking of Alcohol. (Trend Data: 2006 - 2009)

Gender and Race/Ethnicity	2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N
Male	19.2	296	23.8	373	24.7	394	23.7	262
Female	11.7	210	9.9	254	12.9	304	11.1	203
White	15.7	352	17.8	465	17.2	498	18.5	382
Black	16.8	9	15.1	15	22.0	17	6.9	7
Other	13.7	68	15.4	67	19.2	65	17.3	38
Hispanic	15.9	72	15.6	73	22.5	114	16.6	34

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

SA HP2020-14.3: Proportion of Adults Aged 18 Years and Older Engaging in Binge Drinking of Alcohol. (Trend Data: 2006 - 2009)

Age	2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N
18-24	24.5	50	22.6	62	29.5	62	27.9	23
25-34	20.0	96	21.7	117	28.3	136	27.2	77
35-44	17.9	123	21.0	132	21.4	142	17.0	96
45-54	15.1	116	17.4	149	16.2	167	18.6	120
55-64	10.8	77	12.0	92	13.3	120	9.9	86
65+	4.8	39	5.5	66	4.6	64	5.3	57

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.



**TU HP2020-1.1: Proportion of Cigarette Smoking Adults. (Trend Data: 2001 - 2005)**

County of Residence	2001		2002		2003		2004		2005	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	27.4	235	27.2	256	26.0	248	24.2	230	23.8	206
Washoe County	23.9	206	22.7	230	21.9	209	21.5	185	19.8	211
All Other Counties**	28.2	188	27.2	271	24.4	227	25.1	241	24.4	256
<b>Nevada Total</b>	<b>26.9</b>	<b>684</b>	<b>26.0</b>	<b>776</b>	<b>25.2</b>	<b>703</b>	<b>23.2</b>	<b>665</b>	<b>23.1</b>	<b>693</b>
Carson	28.8	46	20.9	39	23.1	40	24.2	38	23.6	42
Churchill	31.6	22	39.1	23	22.8	20	21.9	19	18.1	15
Douglas	19.3	25	26.8	37	24.0	34	18.7	28	15.3	30
Elko	33.8	40	27.7	46	24.2	34	23.8	28	25.5	34
Esmeralda	~	~	~	~	~	~	~	~	N/A	<50*
Eureka	~	~	~	~	~	~	~	~	N/A	<50*
Humboldt	~	~	23.3	15	~	~	~	~	N/A	<50*
Lander	~	~	~	~	~	~	~	~	N/A	<50*
Lincoln	~	~	~	~	~	~	~	~	N/A	<50*
Lyon	26.0	26	30.3	40	30.9	42	33.2	44	35.1	55
Mineral	~	~	~	~	~	~	~	~	N/A	<50*
Nye	31.7	29	24.8	29	31.8	31	31.7	38	20.2	32
Pershing	~	~	~	~	~	~	~	~	N/A	<50*
Storey	~	~	~	~	~	~	~	~	N/A	<50*
White Pine	~	~	~	~	~	~	~	~	N/A	<50*

**TU HP2020-1.1: Proportion of Cigarette Smoking Adults. (Trend Data: 2001 - 2005)**

Gender and Race/Ethnicity	2001		2002		2003		2004		2005	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	27.8	349	28.5	403	29.0	367	24.7	322	25.2	337
Female	26.0	335	23.5	373	21.3	336	21.7	343	20.9	356
White	27.1	520	24.9	553	26.0	506	23.5	467	22.9	480
Black	27.5	17	29.9	23	18.0	16	22.5	16	32.1	24
Other	32.2	95	35.4	114	27.2	90	23.6	101	29.5	100
Hispanic	19.9	48	22.8	76	22.8	82	21.8	74	18.6	85

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**TU HP2020-1.1: Proportion of Cigarette Smoking Adults. (Trend Data: 2001 - 2005)**

Age	2001		2002		2003		2004		2005	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	29.5	69	36.5	79	25.6	57	24.7	52	22.2	55
25-34	28.2	118	31.4	125	24.1	113	21.8	96	24.1	107
35-44	32.0	176	23.6	187	26.2	144	27.9	144	25.8	144
45-54	28.2	148	28.3	173	31.0	165	26.2	154	28.2	156
55-64	27.1	99	21.1	110	26.2	124	22.1	123	23.2	136
65+	15.0	70	14.8	90	16.3	91	14.2	88	13.3	91

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**TU HP2020-1.1: Proportion of Cigarette Smoking Adults. (Trend Data: 2006 - 2009)**

County of Residence	2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	22.4	248	22.1	277	23.2	326	22.0	238
Washoe County	18.7	226	20.5	248	18.8	266	20.7	221
All Other Counties**	24.4	251	22.4	293	23.5	350	23.0	299
<b>Nevada Total</b>	<b>22.2</b>	<b>759</b>	<b>21.5</b>	<b>841</b>	<b>22.2</b>	<b>963</b>	<b>22.0</b>	<b>774</b>
Carson	20.9	33	18.0	41	25.4	54	25.8	42
Churchill	26.4	20	20.0	26	21.8	33	24.7	28
Douglas	30.2	47	14.3	34	16.0	40	18.0	41
Elko	21.4	30	27.2	39	28.2	49	16.8	32
Esmeralda	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Eureka	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	33.6	15	22.6	17	20.5	17	21.9	11
Lander	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	25.9	43	23.6	54	26.8	59	27.5	52
Mineral	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	18.5	26	30.9	45	23.6	47	29.5	55
Pershing	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	N/A	<50*	N/A	<50*	19.0	11	N/A	<50*

**TU HP2020-1.1: Proportion of Cigarette Smoking Adults. (Trend Data: 2006 - 2009)**

Gender and Race/Ethnicity	2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N
Male	22.9	367	23.4	377	24.3	396	22.7	306
Female	21.4	392	19.5	464	20.0	567	21.3	468
White	21.1	506	21.1	600	21.9	720	21.1	612
Black	29.2	19	26.0	25	18.2	21	22.3	28
Other	29.6	117	25.4	122	29.5	120	27.5	67
Hispanic	20.3	112	19.1	88	20.5	98	23.0	59

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**TU HP2020-1.1: Proportion of Cigarette Smoking Adults. (Trend Data: 2006 - 2009)**

Age	2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N
18-24	29.7	47	21.3	51	22.3	47	23.2	27
25-34	20.0	92	21.1	104	26.6	117	23.6	74
35-44	18.5	133	20.3	126	20.3	147	22.2	102
45-54	29.4	202	27.3	207	23.8	225	23.5	174
55-64	27.2	171	20.4	171	24.5	219	22.9	187
65+	12.1	108	18.2	173	15.7	196	16.3	195

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**TU HP2020-4.1: Proportion of Adults Reporting Smoking Cessation Attempts in the Past Year. (Trend Data: 2001 - 2005)**

County of Residence	2001		2002		2003		2004		2005	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	49.5	113	56.0	129	44.7	109	44.1	100	60.0	115
Washoe County	51.0	111	52.3	123	47.7	96	69.8	114	53.4	107
All Other Counties**	53.6	104	48.8	127	48.2	114	51.7	123	51.5	133
<b>Nevada Total</b>	<b>50.6</b>	<b>361</b>	<b>54.0</b>	<b>388</b>	<b>46.9</b>	<b>332</b>	<b>49.3</b>	<b>343</b>	<b>57.9</b>	<b>367</b>
Carson	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Churchill	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Douglas	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Elko	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Esmeralda	~	~	N/A	<50*	N/A	<50*	~	~	N/A	<50*
Eureka	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lander	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	43.0	23
Mineral	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Pershing	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	~	~	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

**TU HP2020-4.1: Proportion of Adults Reporting Smoking Cessation Attempts in the Past Year. (Trend Data: 2001 - 2005)**

Gender and Race/Ethnicity	2001		2002		2003		2004		2005	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
Male	49.1	166	52.4	195	44.4	156	48.7	157	55.9	170
Female	52.2	195	56.0	193	50.4	176	49.9	186	60.4	197
White	46.0	261	47.9	265	44.2	223	40.8	225	53.2	242
Black	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Other	58.3	57	56.5	61	50.6	46	55.6	57	62.5	54
Hispanic	N/A	<50*	73.5	44	56.1	50	67.1	46	70.0	56

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**TU HP2020-4.1: Proportion of Adults Reporting Smoking Cessation Attempts in the Past Year. (Trend Data: 2001 - 2005)**

Age	2001		2002		2003		2004		2005	
	Percent	N	Percent	N	Percent	N	Percent	N	Percent	N
18-24	80.5	52	84.4	56	63.6	35	38.6	28	65.6	33
25-34	50.3	68	64.0	81	60.2	64	71.7	67	75.2	73
35-44	52.9	96	46.7	98	45.0	75	52.8	89	51.7	76
45-54	45.7	70	41.4	75	47.5	77	44.7	76	51.2	78
55-64	34.2	41	32.6	38	33.1	49	34.1	44	54.2	64
65+	42.1	34	35.4	36	28.5	28	35.5	34	48.5	43

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**TU HP2020-4.1: Proportion of Adults Reporting Smoking Cessation Attempts in the Past Year. (Trend Data: 2006 - 2009)**

County of Residence	2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N
Clark County	55.4	131	55.0	141	53.4	162	51.8	114
Washoe County	56.2	122	61.0	143	61.6	137	51.6	105
All Other Counties**	47.1	116	51.9	132	56.4	179	56.2	151
<b>Nevada Total</b>	<b>56.3</b>	<b>393</b>	<b>56.2</b>	<b>429</b>	<b>55.1</b>	<b>490</b>	<b>53.5</b>	<b>383</b>
Carson	N/A	<50*	N/A	<50*	60.0	27	N/A	<50*
Churchill	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Douglas	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Elko	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Esmeralda	N/A	<50*	N/A	<50*	~	~	~	~
Eureka	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Humboldt	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lander	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lincoln	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Lyon	N/A	<50*	35.6	18	56.0	29	73.4	31
Mineral	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Nye	N/A	<50*	N/A	<50*	N/A	<50*	50.3	28
Pershing	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Storey	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
White Pine	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*

**TU HP2020-4.1: Proportion of Adults Reporting Smoking Cessation Attempts in the Past Year. (Trend Data: 2006 - 2009)**

Gender and Race/Ethnicity	2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N
Male	52.4	180	53.8	183	53.5	207	55.8	143
Female	60.4	213	59.2	246	57.2	283	50.9	240
White	52.0	246	47.7	287	48.6	338	50.5	297
Black	N/A	<50*	N/A	<50*	N/A	<50*	N/A	<50*
Other	59.5	71	60.5	59	63.8	72	63.0	35
Hispanic	65.8	65	75.5	61	66.7	63	54.3	32

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.

**TU HP2020-4.1: Proportion of Adults Reporting Smoking Cessation Attempts in the Past Year. (Trend Data: 2006 - 2009)**

Age	2006		2007		2008		2009	
	Percent	N	Percent	N	Percent	N	Percent	N
18-24	N/A	<50*	89.1	43	N/A	<50*	N/A	<50*
25-34	58.3	50	66.2	68	66.0	73	59.7	45
35-44	48.2	66	57.8	71	49.4	76	45.0	49
45-54	56.2	112	48.3	106	49.9	120	52.7	93
55-64	61.0	92	42.5	76	38.5	102	47.8	88
65+	41.6	46	35.3	60	46.0	80	46.0	86

\*Less than 50 respondents.

\*\*All Other Counties includes: Carson, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties. Rates for each county are listed below Nevada Total.

Note: Data are from the Behavior Risk Factor Surveillance System (BRFSS) Survey.

-Due to the BRFSS sampling frame, no residents from this county were contacted.

Note: 'N/A' indicates sufficient data are not available.

Note: These percentages are weighted to survey population characteristics. Not all counties were included in the survey results.



**The vision of the Office of Health Statistics and Surveillance is  
to play a vital role in improving the health of all Nevadans  
by providing data that makes a difference.**

**Office of Health Statistics and Surveillance**

**Bureau of Health Statistics, Planning, Epidemiology, and Response**

**Nevada State Health Division**

**Department of Health and Human Services**