# Influenza Weekly Report

2013 Week 08 (February 17 - 23) through 2014 Week 07 (February 16 - 22)

Department of Health and Human Services
Division of Public and Behavioral Health
Office of Public Health Informatics and Epidemiology



Brian Sandoval Governor State of Nevada

Michael J Willden Director Department of Health and Human Services

Richard Whitley, MS Administrator Division of Public and Behavioral Health

Tracey D Green, MD Chief Medical Officer Division of Public and Behavioral Health

# Data for the graphs and tables on the following pages are provisional and may be updated as additional information becomes available.


#### **Purpose**

The purpose of this report is to provide an overview of and statistics for the influenza season in Nevada for the local public health authorities, sentinel providers and the public.

# Influenza-Like Illness Network Surveillance (ILINet)

Respiratory specimens tested for influenza by the World Health Organization (WHO) and National Respiratory and Enteric Virus Surveillance System (NRVESS) collaborating laboratories by sub-type. There were 6,813 specimens collected nationally during week 8 that were tested for influenza; of these 738 tested positive or the percent positive was 24.7%.


Figure 1



Source of Data: CDC: FluView Weekly Report.

Of the 27 specimens tested for influenza at both the Nevada State Public Health Laboratory and Southern Nevada Public Health Laboratory for sentinel providers, 0 were positive for influenza during week 8 or 0.0%.

Figure 2



Source of Data: CDC: ILINet.

Nevada State Public Health Laboratory (NSPHL) has tested 713 specimens this season with 310 positive from sentinel providers (43.5% positive). Southern Nevada Public Health Laboratory (SNPHL) has reported 46 positive influenza specimens through the Pediatric Early Warning Sentinel Surveillance (PEWSS). Nationally, there have been 212,004 specimens sent to the WHO and NERVSS laboratories with 40,419 positive or 19.1%. The national numbers in table 1 are reflected in figure 1. The state of Nevada data in table 1 is reflected in figure 2.


Table 1

| ILINet Surveillance: Influenza Specimens Tested State and Nationally |       |       |                             |     |                             |      |                      |      |                      |      |
|--|-------|-------|-----------------------------|-----|-----------------------------|------|----------------------|------|----------------------|------|
|  | NSPHL | SNPHL | State of Nevada<br>(Week 8) |     | State of Nevada<br>(Season) |      | National<br>(Week 8) |      | National<br>(Season) |      |
|  |       |       | #                           | %   | #                           | %    | #                    | %    | #                    | %    |
| Specimens Tested   | 713   | 272   | 17                          |     | 975                         |      | 6,813                |      | 212,004              |      |
| Positives to Influenza   | 310   | 46    | 0                           | 0.0 | 356                         | 36.5 | 738                  | 10.8 | 40,419               | 19.1 |
|  |       |       |                             |     |                             |      |                      |      |                      |      |
| <u>Influenza A:</u>  | 308   | 46    | 0                           | 0.0 | 350                         | 98.3 | 612                  | 82.9 | 38,780               | 95.9 |
| A(2009 H1N1)   | 295   | 40    | 0                           | 0.0 | 335                         | 95.7 | 337                  | 55.1 | 24,644               | 63.5 |
| A(Sub-typing not performed)  | 0     | 0     | 0                           | 0.0 | 0                           | 0.0  | 250                  | 40.8 | 13,103               | 33.8 |
| A(H3)  | 13    | 2     | 0                           | 0.0 | 15                          | 4.3  | 25                   | 4.1  | 1,034                | 2.7  |
| <u>Influenza B:</u>  | 2     | 4     | 0                           | 0.0 | 6                           | 1.7  | 126                  | 17.1 | 1,638                | 4.1  |

Source of Data: CDC: FluView Report and CDC: ILINet.

For week 8, Nevada reported sporadic activity to the CDC, along with 4 states/territories (Alabama, Colorado, Hawaii, and Puerto Rico). Activity level<sup>1</sup> is derived from data analyzed from Influenza-like Illness (ILI) surveillance (laboratory and sentinel data), and data reported to the state through NBS/NETSS.

Figure 3




Source of Maps: CDC: FluView Report.

Influenza-like Illness (ILI) Network Surveillance has each sentinel providers report the number of patients that meet the ILI case definition<sup>2</sup> and number of patients that visit the provider weekly, which decreased from 18,174 (week 7) to 17,450 (week 8). The "percentage of visits" is the number of ILI patients divided by the total number of patient visit per week. Nevada's ILI percentage of visits to providers decreased to 1.0% during week 8, and is below the state baseline of 2.3%. Region 9 decreased in ILI to 3.5% from 3.4%, and includes the following states/territories: Arizona, California, Guam, Hawaii, and Nevada. The nation decreased to 2.5% from 2.3% during week 8.

<sup>1:</sup> Activity level: Appendix Table 4.

<sup>2:</sup> ILI case definition: Technical Notes


Figure 4



Source of Data: CDC: Flu View Report and CDC: ILINet.

During week 8, 1.0% of visits to sentinel providers were due to ILI. This is a 1.8% point decrease from week 8 of the 2012-2013 influenza season.


Figure 5



Source of Data: CDC: ILINet.

The number of ILI patients and rate decreased from week 7 to week 8, from 276 to 181, and 9.8 to 6.4 per 100,000 population. The rate is calculated by the number of patients presented with ILI divided by the state population multiplied by 100,000. The estimated state population for 2014 is 2,819,321.


Figure 6



Source of Data: CDC: ILINet.


Providers for the sentinel surveillance are grouped by county, then the percent is calculated by ILI visits and total patient visits. During week 8, Elko and Eureka County had high activity; Humboldt and Lincoln counties did not report (Figure 7). Overall, Nevada had minimal activity monitored through ILINet (Figure 8).

Figure 7



Source of Data: CDC: ILINet.

Figure 8




Source of Map: CDC: FluView Report.

### Influenza Positive Surveillance (NBS and NETSS)

Positive cases of influenza are reported to the state health division for surveillance purposes. Figure 10 and 11 reflect all positive influenza cases reported to the state. Types of influenza testing include commercial rapid diagnostic test (rapid), viral culture, fluorescent antibody, enzyme immunoassay, RT-PCR (PCR), and Immunohistochemistry. The two most common test types in Nevada are Rapid and PCR tests. During week 8, there were 8 H1N1 cases and 33 Influenza A cases. There were 31 positive Influenza B cases. Overall, there were 77 influenza positive tests in Nevada, whereas during the previous season for week 8, there were 267 cases.

Figure 9



Source of Data: OPHIE: NBS and SNHD: NETSS.


Table 2

|                                       | Reported Influenza Cases by County Jurisdiction and Influenza Type |    |    |         |       |                             |       |     |         |       |  |
|---------------------------------------|--|----|----|---------|-------|-----------------------------|-------|-----|---------|-------|--|
| Reporting Jurisdiction                | Current Week (Week 8)  |    |    |         |       | Cumulative Influenza Season |       |     |         |       |  |
|                                       | H1N1   | Α  | В  | Unknown | Total | H1N1                        | Α     | В   | Unknown | Total |  |
| Carson City Health and Human Services | 0  | 5  | 1  | 0       | 6     | 17                          | 358   | 18  | 16      | 409   |  |
| Rural Health Services                 | 2  | 2  | 4  | 1       | 9     | 97                          | 240   | 31  | 46      | 414   |  |
| Southern Nevada Health District       | 5  | 24 | 26 | 3       | 58    | 163                         | 1,500 | 142 | 29      | 1,834 |  |
| Washoe County Health District         | 2  | 2  | 0  | 0       | 4     | 180                         | 492   | 28  | 27      | 727   |  |
| State of Nevada                       | 8  | 33 | 31 | 4       | 77    | 457                         | 2,590 | 219 | 118     | 3,384 |  |

Source: OPHIE: NBS and SNHD: NETSS.

Clark County experienced a decrease in influenza from 81 to 58 influenza cases during week 8. Washoe County experienced a decrease in influenza for week 8, from 12 to 4 influenza cases. Carson City, Churchill, Douglas, and Elko counties all had influenza activity during week 8.

Figure 10



Source: OPHIE: NBS and SNHD: NETSS.

### **Hospitalizations**

There have been 343 hospitalizations associated with influenza this season.

Table 3


| Influenza Hospitalizations            |                       |     |                             |      |  |  |
|---------------------------------------|-----------------------|-----|-----------------------------|------|--|--|
| Reporting Jurisdiction                | Current Week (Week 8) |     | Cumulative Influenza Season |      |  |  |
|                                       | #                     | %   | #                           | %    |  |  |
| Carson City Health and Human Services | 0                     | 0.0 | 22                          | 6.4  |  |  |
| Rural Health Services                 | 0                     | 0.0 | 7                           | 2.0  |  |  |
| Southern Nevada Health District       | 6                     | 100 | 238                         | 69.4 |  |  |
| Washoe County Health District         | 0                     | 0.0 | 76                          | 22.2 |  |  |
| State of Nevada                       | 6                     | 100 | 343                         | 100  |  |  |

Source: Reported to Office of Public Health Informatics and Epidemiology from each Jurisdiction.

# Pneumonia and Influenza (P&I) Mortality Surveillance

The Pneumonia and Influenza (P&I) mortality percentage is the deaths, where Pneumonia and Influenza is listed as a cause of death, divided by the total deaths in Nevada for each week. There were 21 P&I deaths and 237 total deaths for week 8, as of March 3. The P&I mortality percentage is above the national epidemic threshold at 8.9%, (threshold at 7.4%). Nationally, the P&I mortality is above the national epidemic threshold at 7.6%.

Figure 11



Source: OVR: WEVRRS and CDC: FluView.

#### **Appendix**

Activity level in figure 3 is based on the following information.

| Activity<br>Level | ILI Activity*/Outbreaks  |     | Laboratory Data  |
|-------------------|--|-----|--|
| No Activity       | Low  |     |  |
|                   | Not Increased  |     | Isolated lab-confirmed cases †   |
| Sporadic          |  |     | Or   |
|                   | Not Increased  | And | Lab confirmed outbreak in one institution ‡  |
|                   | Increased ILI in 1 region**, ILI activity in other regions is not increased  |     | Recent (within the past 3 weeks) lab evidence of influenza in region with increased ILI  |
| Local             |  |     | Or   |
| Bocar             | 2 or more institutional outbreaks (ILI or lab confirmed) in 1 region; ILI activity in other regions is not increased                                 |     | Recent (within the past 3 weeks) lab evidence of influenza in region with the outbreaks; virus activity is no greater than sporadic in other regions |
| Dagianal          | Recent (within the past 3 weeks) lab evidence of influenza in region with the outbreaks; virus activity is no greater than sporadic in other regions |     | Recent (within the past 3 weeks) lab confirmed influenza in the affected regions   |
| Regional          |  |     | Or   |
|                   | Institutional outbreaks (ILI or lab confirmed) in ≥2 and less than half of the regions   | And | Recent (within the past 3 weeks) lab confirmed influenza in the affected regions   |
| Widespread        | Increased ILI and/or institutional outbreaks (ILI or lab confirmed) in at least half of the regions  | And | Recent (within the past 3 weeks) lab confirmed influenza in the state  |

<sup>\*</sup>ILI activity can be assessed using a variety of data sources including ILINet providers, school/workplace absenteeism and other syndromic surveillance systems that monitor influenza-like illness.

#### **Technical Notes**

- Influenza-like illness (ILI): a fever greater than or equal 100°F with cough and/or sore throat
- Percent positive: The number of positive influenza laboratory tests divided by the total number of tests performed.
- Incidence rate is per 100,000 population as estimated by the state demographer.

This report contains information from national and state-level data sources. Influenza surveillance data is collected by a various systems, including:

- Influenza-like Illness Network (ILINet): a sentinel surveillance system in collaboration with the Centers for the Disease Control and Prevention (CDC) where outpatient providers report ILI information weekly.
- National Electronic Telecommunication System for Surveillance (NETSS): a system whereby data is transmits to CDC. Influenza data collected through NETSS does not provide influenza sub-typing information.
- National Electronic Disease Surveillance System (NEDSS): a system for collecting data and monitoring disease trends and outbreaks.
- NEDDS Based System (NBS): an implementation of the NEDSS standards. It provides a secure, accurate, and efficient means of collecting, transmitting, and analyzing public health data.

#### **Citations**

- 1. CDC. FluView: A Weekly Influenza Surveillance Report. http://www.cdc.gov/flu/weekly/pastreports.htm.
- 2. Nevada State Demographer's Office. 2003-2012 ASRHO Estimates and Projections. Division of Public and Behavioral Health edition. Vintage 2012.
- 3. OPHIE. DPBH. NBS. 2010-2013. Accessed March 2014.
- Office of Vital Records (OVR). DPBH. Web Enabled Vital Records Registry System (WEVRRS) [unpublished data]. 2012-2013. Accessed March 2014.
- 5. Southern Nevada Health District (SNHD). NETSS/Trisano. 2010-2013. Accessed March 2014.

<sup>†</sup> Lab confirmed case = case confirmed by rapid diagnostic test, antigen detection, culture, or PCR.

<sup>‡</sup> Institution includes nursing home, hospital, prison, school, etc.

<sup>\*\*</sup>Region: population under surveillance in a defined geographical subdivision of a state. Nevada has 5 regions.

# Comments, suggestions, and requests for further information may be addressed to:

NEVADA INFLUENZA SURVEILLANCE PROGRAM

OFFICE OF PUBLIC HEALTH INFORMATICS AND EPIDEMIOLOGY

4126 TECHNOLOGY WAY, STE 200

CARSON CITY NV 89706

Tel: (775) 684-5897

FAX: (775) 684-5999

## **Compiled and Written by:**

JEN THOMPSON

#### **Recommended Citation:**

Division of Public and Behavioral Health. Office of Public Health Informatics and Epidemiology. Influenza Weekly Report, 2013 Week 8 (February 17) through 2014 Week 8 (February 22), Nevada. February 2014 i 8 edition 1.0.

This publication was supported by Cooperative Agreement Number TP000534-02 from the Centers for Disease Control and Prevention and/or Assistant Secretary for Preparedness and Response. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention and/or Assistant Secretary for Preparedness and Response.

