

Nevada State Health Division
Sexually Transmitted Disease (STD) Prevention and Control Program
STD Fast Facts, 2007

County	Chlamydia				Gonorrhea				Primary and Secondary Syphilis			
	No.	% of Total	Estimated Rate per 100,000**	National Rate †	No.	% of Total	Estimated Rate per 100,000**	National Rate †	No.	% of Total	Estimated Rate per 100,000**	National Rate †
Clark	7,371	77.1%	393.2	347.8	2,126	89.4%	113.4	120.9	102	91.9%	5.4	3.3
Washoe	1,530	16.0%	374.0	347.8	206	8.7%	50.4	120.9	4	3.6%	1.0	3.3
Carson City	126	1.3%	218.4	347.8	2	0.1%	3.5	120.9	0	0.0%	0.0	3.3
All Other Counties*	530	5.5%	188.3	347.8	40	1.7%	14.2	120.9	5	4.5%	1.8	3.3
Unknown	2	0.0%	N/A	N/A	3	0.1%	0.0	120.9	0	0.0%	0.0	3.3

Gender	Chlamydia				Gonorrhea				Primary and Secondary Syphilis			
	No.	% of Total	Estimated Rate per 100,000**	National Rate †	No.	% of Total	Estimated Rate per 100,000**	National Rate †	No.	% of Total	Estimated Rate per 100,000**	National Rate †
Male	2,467	25.8%	185.2	173.4	1,303	54.8%	97.8	117.1	99	89.2%	7.4	5.7
Female	7,081	74.1%	548.4	517.0	1,074	45.2%	83.2	124.6	12	10.8%	0.9	1.0
Unknown	11	0.1%	N/A	N/A	-	0.0%	N/A	N/A	0	0.0%	N/A	N/A

Race/Ethnicity	Chlamydia				Gonorrhea				Primary and Secondary Syphilis			
	No.	% of Total	Estimated Rate per 100,000**	National Rate †	No.	% of Total	Estimated Rate per 100,000**	National Rate †	No.	% of Total	Estimated Rate per 100,000**	National Rate †
White, non-Hispanic	2,075	21.7%	127.3	153.1	466	19.6%	28.6	36.5	40	36.0%	2.5	1.9
Black, non-Hispanic	1,623	17.0%	899.5	1275.0	891	37.5%	493.8	658.4	33	29.7%	18.3	11.3
Hispanic	1,731	18.1%	283.3	477.0	252	10.6%	41.2	77.4	18	16.2%	2.9	3.6
Asian	233	2.4%	140.2	132.1	26	1.1%	15.6	21.1	3	2.7%	1.8	1.3
American Indian/ Alaskan Native	89	0.9%	253.6	797.3	11	0.5%	31.3	138.3	0	0.0%	0.0	3.3
Unknown	3,808	39.8%	N/A	N/A	731	30.8%	N/A	N/A	17	15.3%	N/A	N/A

Age	Chlamydia				Gonorrhea				Primary and Secondary Syphilis			
	No.	% of Total	Estimated Rate per 100,000**	National Rate †	No.	% of Total	Estimated Rate per 100,000**	National Rate †	No.	% of Total	Estimated Rate per 100,000**	National Rate †
<10	7	0.1%	1.9	unavailable	6	0.3%	1.6	unavailable	0	0.0%	0.0	unavailable
10 to 14	124	1.3%	68.4	65.2	40	1.7%	22.1	20.4	0	0.0%	0.0	0.1
15 to 19	3,251	34.0%	1749.1	1674.1	655	27.6%	352.4	458.8	7	6.3%	3.8	2.7
20 to 24	3,233	33.8%	1688.4	1795.8	654	27.5%	341.5	527.5	22	19.8%	11.5	6.6
25 to 29	1,579	16.5%	817.9	803.3	358	15.1%	185.4	308.2	19	17.1%	9.8	7.8
30 to 34	678	7.1%	355.8	317.8	203	8.5%	106.5	156.0	16	14.4%	8.4	6.1
35 to 39	362	3.8%	190.5	147.4	172	7.2%	90.5	98.4	14	12.6%	7.4	7.5
40 to 44	145	1.5%	73.0	67.1	118	5.0%	59.4	63.6	13	11.7%	6.5	6.6
45 to 54	113	1.2%	31.6	26.7	122	5.1%	34.1	32.6	19	17.1%	5.3	3.4
55 to 64	25	0.3%	9.2	7.9	37	1.6%	13.6	10.3	1	0.9%	0.4	1.2
65+	8	0.1%	2.7	2.4	5	0.2%	1.7	2.2	0	0.0%	0.0	0.2
Unknown	34	0.4%	N/A	N/A	7	0.3%	N/A	N/A	0	0.0%	N/A	3.3

TOTAL	Chlamydia				Gonorrhea				Primary and Secondary Syphilis			
	No.	% of Total	Estimated Rate per 100,000**	National Rate †	No.	% of Total	Estimated Rate per 100,000**	National Rate †	No.	% of Total	Estimated Rate per 100,000**	National Rate †
Nevada	9,559	100%	364.4	347.8	2,377	100%	90.6	120.9	111	100%	4.2	3.3

Source: Nevada STD*MIS (March 6, 2008)

Note: Rates highlighted in red indicate where Nevada had a higher rate than the national rate.

*"All Other Counties" includes the counties of Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine.

**Estimated rates were calculated using the most recent population estimates provided by the NSHD Center for Health Data and Statistics (rates based on 2006 data - most current data)

†National Rate based on 2006 National STD Report from the Centers for Disease Control and Prevention (rates based on 2006 data - most current data) -

<http://www.cdc.gov/std/stats/toe2006.htm>



For more information, please contact:
Nevada State Health Division, STD Prevention and Control Program
Julia Spaulding, MHA at 775.684.4192 or jspaulding@health.nv.gov