



2017 HIV Fast Facts



Division of Public and Behavioral Health

Office of Public Health Informatics and Epidemiology

HIV/AIDS Surveillance Program



Brian Sandoval, Governor
State of Nevada

Julie Kotchevar, Ph.D., Administrator
Division of Public and Behavioral Health

Richard Whitley, MS, Director
Department of Health and Human Services

Ihsan Azzam, Ph.D., MD
Chief Medical Officer



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Nevada New HIV Diagnoses, 2017~

County of Diagnosis	Total			Male			Female		
	N	Column %^	Rate*	n	Column %^	Rate*	n	Column %^	Rate*
Clark	439	90%	20.0	384	90.8%	35.0	55	87%	5.0
Washoe	33	7%	7.3	29	6.9%	12.7	4	6%	1.8
All Other Counties**	14	3%	4.1	10	2.4%	5.8	4	6%	2.4
Total	486	100%	16.3	423	100%	28.2	63	100%	4.2
Race/Ethnicity									
White, non-Hispanic	168	35%	10.9	151	36%	19.4	17	27%	2.2
Black, non-Hispanic	140	29%	54.0	112	27%	85.7	28	44%	21.8
Hispanic	145	30%	16.7	134	32%	30.4	11	18%	2.6
Asian/Hawaiian/ Pacific Islander	27	6%	9.6	23	5%	17.7	4	6%	2.6
American Indian/ Alaska Native	4	1%	11.6	2	1%	11.8	2	3%	11.4
Multi-race/Other	2	0%	NA	1	0%	NA	1	2%	NA
Total	486	100%	16.3	423	100%	28.2	63	100%	4.2
Age Group at Diagnosis									
< 13	1	0%	0.2	0	0%	0.0	1	2%	0.4
13 to 24	79	16%	16.6	71	17%	28.9	8	13%	3.5
25 to 34	196	40%	47.2	174	41%	81.8	22	35%	10.9
35 to 44	91	19%	22.4	78	18%	38.0	13	21%	6.5
45 to 54	76	16%	19.2	65	15%	32.2	11	18%	5.7
55 to 64	37	8%	10.4	29	7%	16.4	8	13%	4.4
65 +	6	1%	1.4	6	1%	3.1	0	0%	0.0
Total	486	100%	16.3	423	100%	28.2	63	100%	4.2
Transmission Category									
Male-to-male sexual contact (MSM)	311	64%	NA	311	74%	NA	0	0%	NA
Injection drug use (IDU)	25	5%	NA	16	4%	NA	9	14%	NA
MSM+IDU	29	6%	NA	29	7%	NA	0	0%	NA
Heterosexual contact	27	6%	NA	7	2%	NA	20	32%	NA
Perinatal exposure	1	0%	NA	0	0%	NA	1	2%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	93	19%	NA	60	14%	NA	33	52%	NA
Total	486	100%	16.3	423	100%	28.2	63	100%	4.2

Source: Division of Public and Behavioral Health, HIV Reporting System (eHARS), (March 2018)

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but who currently live in Nevada. HIV diagnoses and AIDS diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in the same year.

* Rates per 100,000 population were calculated using 2017 population projections from the Nevada State Demographer vintage 2017 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

~ The table above contains counts under 12. Please use caution when interpreting the data as the Relative Standard Error (RSE) is greater than 30%.

^Percents may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Nevada New HIV Stage 3 (AIDS) Diagnoses, 2017~

	Total			Male			Female		
	N	Column %^	Rate*	n	Column %^	Rate*	n	Column %^	Rate*
County of Diagnosis									
Clark	154	88%	7.0	133	88%	12.1	21	84%	1.9
Washoe	14	0.1	3.1	12	8%	5.3	2	8%	0.9
All Other Counties**	8	0.0	2.3	6	4%	3.5	2	8%	1.2
Total	176	100%	5.9	151	100%	10.1	25	100%	1.7
Race/Ethnicity									
White, non-Hispanic	60	34%	3.9	54	36%	6.9	6	24%	0.8
Black, non-Hispanic	50	28%	19.3	37	25%	28.3	13	52%	10.1
Hispanic	55	31%	6.3	52	34%	11.8	3	12%	0.7
Asian/Hawaiian/ Pacific Islander	8	5%	2.8	6	4%	4.6	2	8%	1.3
American Indian/ Alaska Native	0	0%	0.0	0	0%	0.0	0	0%	0.0
Multi-race/Other	3	2%	NA	2	1%	NA	1	4%	NA
Total	176	100%	5.9	151	100%	10.1	25	100%	1.7
Age Group at Diagnosis									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 24	20	11%	4.2	18	12%	7.3	2	8%	0.9
25 to 34	49	28%	11.8	44	29%	20.7	5	20%	2.5
35 to 44	36	21%	8.9	32	21%	15.6	4	16%	2.0
45 to 54	37	21%	9.3	29	19%	14.4	8	32%	4.1
55 to 64	27	15%	7.6	21	14%	11.9	6	24%	3.3
65 +	7	4%	1.7	7	5%	3.6	0	0%	0.0
Total	176	100%	5.9	151	100%	10.1	25	100%	1.7
Transmission Category									
Male-to-male sexual contact (MSM)	115	65%	NA	115	76%	NA	0	0%	NA
Injection drug use (IDU)	14	8%	NA	11	7%	NA	3	12%	NA
MSM+IDU	8	5%	NA	8	5%	NA	0	0%	NA
Heterosexual contact	10	6%	NA	1	1%	NA	9	36%	NA
Perinatal exposure	2	1%	NA	1	1%	NA	1	4%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	27	15%	NA	15	10%	NA	12	48%	NA
Total	176	100%	5.9	151	100%	10.1	25	100%	1.7

Source: Division of Public and Behavioral Health, HIV Reporting System (eHARS), (March 2018)

New stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include stage 3 (AIDS) and HIV cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but who currently live in Nevada. Stage 3 (AIDS) diagnoses and HIV diagnoses may duplicate case counts if the person was diagnosed with both stage 3 (AIDS) and HIV in the same year.

* Rates per 100,000 population were calculated using 2017 population projections from the Nevada State Demographer vintage 2017 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

~ The table above contains counts under 12. Please use caution when interpreting the data as the Relative Standard Error (RSE) is greater than 30%.

^Percents may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Persons Living with HIV^s in Nevada, 2017~

	Total			Male			Female		
	N	Column % [^]	Rate* [*]	n	Column % [^]	Rate* [*]	n	Column % [^]	Rate* [*]
County of Residence									
Clark	10,079	85%	460.1	8,505	85%	775.5	1,574	85%	143.9
Washoe	1,281	11%	282.6	1,102	11%	483.2	179	10%	79.5
All Other Counties**	498	4%	146.0	410	4%	237.1	88	5%	52.3
Unknown	43	0%	NA	37	0%	NA	6	0%	NA
Total	11,901	100%	398.7	10,054	100%	671.2	1,847	100%	124.2
Race/Ethnicity									
White, non-Hispanic	5,255	44%	340.6	4,653	46%	596.5	602	33%	78.9
Black, non-Hispanic	3,130	26%	1,207.2	2,276	23%	1,741.6	854	46%	664.1
Hispanic	2,822	24%	325.6	2,536	25%	576.1	286	16%	67.1
Asian/Hawaiian/ Pacific Islander	431	4%	152.8	370	4%	285.0	61	3%	40.1
American Indian/Alaska Native	96	1%	277.7	73	1%	429.7	23	1%	130.8
Multi-race/Other	165	1%	NA	145	1%	NA	20	1%	NA
Unknown	2	0%	NA	1	0%	NA	1	0%	NA
Total	11,901	100%	398.7	10,054	100%	671.2	1,847	100%	124.2
Age Group at End of Year									
< 13	14	0%	2.7	6	0%	2.3	8	0%	3.2
13 to 24	331	3%	69.4	285	3%	116.0	46	3%	19.9
25 to 34	2,050	17%	493.4	1,796	18%	844.1	254	14%	125.3
35 to 44	2,330	20%	574.6	1,936	19%	944.3	394	21%	196.5
45 to 54	3,634	31%	917.8	3,060	30%	1,517.0	574	31%	295.5
55 to 64	2,524	21%	707.1	2,118	21%	1,198.3	406	22%	225.3
65 +	890	8%	210.4	742	7%	382.3	148	8%	64.7
Missing	128	1%	NA	111	1%	NA	17	1%	NA
Total	11,901	100%	398.7	10,054	100%	671.2	1,847	100%	124.2
Transmission Category									
Male-to-male sexual contact	7,579	64%	NA	7,579	75%	NA	0	0%	NA
Injection drug use (IDU)	839	7%	NA	565	6%	NA	274	15%	NA
MSM+IDU	744	6%	NA	744	7%	NA	0	0%	NA
Heterosexual contact	1,365	12%	NA	333	3%	NA	1,032	56%	NA
Perinatal exposure	78	1%	NA	31	0%	NA	47	3%	NA
Transfusion/Hemophilia	13	0%	NA	8	0%	NA	5	0%	NA
No identified risk (NIR)	1,283	11%	NA	794	8%	NA	489	27%	NA
Total	11,901	100%	398.7	10,054	100%	671.2	1,847	100%	124.2

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2018)

Persons living with HIV data include data on persons living in Nevada with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in Nevada.

* Rates per 100,000 population were calculated using 2017 population projections from the Nevada State Demographer vintage 2017 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

~ The table above contains counts under 12. Please use caution when interpreting the data as the Relative Standard Error (RSE) is greater than 30%.

^sPersons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2017.

[^]Percents may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Clark County New HIV Diagnoses, 2017~

	Total			Male			Female		
	N	Column %^	Rate*	n	Column %^	Rate*	n	Column %^	Rate*
Race/Ethnicity									
White, non-Hispanic	139	32%	14.0	125	33%	24.8	14	26%	2.9
Black, non-Hispanic	139	32%	57.3	111	29%	91.9	28	51%	23.0
Hispanic	133	30%	19.1	124	32%	35.3	9	16%	2.6
Asian/Hawaiian/ Pacific Islander	25	6%	10.2	21	6%	18.7	4	7%	3.0
American Indian/ Alaska Native	2	1%	13.5	2	1%	27.8	0	0%	0.0
Multi-race/Other	1	0%	NA	1	0%	NA	0	0%	NA
Total	439	100%	20.0	384	100%	35.0	55	100%	5.0
Age Group at Diagnosis									
< 13	1	0%	0.3	0	0%	0.0	1	2%	0.5
13 to 24	73	17%	20.8	67	17%	37.2	6	11%	3.5
25 to 34	178	41%	58.5	157	41%	101.2	21	38%	14.1
35 to 44	82	19%	26.1	71	19%	44.8	11	20%	7.1
45 to 54	67	15%	22.7	57	15%	38.0	10	18%	6.9
55 to 64	32	7%	12.7	26	7%	20.9	6	11%	4.7
65 +	6	1%	2.1	6	2%	4.6	0	0%	0.0
Total	439	100%	20.0	384	100%	35.0	55	100%	5.0
Transmission Category									
Male-to-male sexual contact (MSM)	284	65%	NA	284	74%	NA	0	0%	NA
Injection drug use (IDU)	22	5%	NA	14	4%	NA	8	15%	NA
MSM+IDU	26	6%	NA	26	7%	NA	0	0%	NA
Heterosexual contact	25	6%	NA	7	2%	NA	18	33%	NA
Perinatal exposure	1	0%	NA	0	0%	NA	1	2%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	81	19%	NA	53	14%	NA	28	51%	NA
Total	439	100%	20.0	384	100%	35.0	55	100%	5.0

Source: Division of Public and Behavioral Health, HIV Reporting System (eHARS), (March 2018)

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but who currently live in Nevada. HIV diagnoses and HIV stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in the same year.

* Rates per 100,000 population were calculated using 2017 population projections from the Nevada State Demographer vintage 2017 data.

~ The table above contains counts under 12. Please use caution when interpreting the data as the Relative Standard Error (RSE) is greater than 30%.

^Percents may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Clark County New HIV Stage 3 (AIDS) Diagnoses, 2017~

	Total			Male			Female		
	N	Column %^	Rate*	n	Column %^	Rate*	n	Column %^	Rate*
Race/Ethnicity									
White, non-Hispanic	50	33%	5.0	46	35%	9.1	4	19%	0.8
Black, non-Hispanic	50	33%	20.6	37	28%	30.6	13	62%	10.7
Hispanic	45	29%	6.5	43	32%	12.2	2	10%	0.6
Asian/Hawaiian/ Pacific Islander	7	5%	2.9	5	4%	4.4	2	10%	1.5
American Indian/ Alaska Native	0	0%	0.0	0	0%	0.0	0	0%	0.0
Multi-race/Other	2	1%	NA	2	2%	NA	0	0%	NA
Total	154	100%	7.0	133	100%	12.1	21	100%	1.9
Age Group at Diagnosis									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 24	17	11%	4.8	16	12%	8.9	1	5%	0.6
25 to 34	43	28%	14.1	39	29%	25.1	4	19%	2.7
35 to 44	33	21%	10.5	29	22%	18.3	4	19%	2.6
45 to 54	31	20%	10.5	24	18%	16.0	7	33%	4.8
55 to 64	23	15%	9.2	18	14%	14.5	5	24%	3.9
65 +	7	5%	2.4	7	5%	5.3	0	0%	0.0
Total	154	100%	7.0	133	100%	12.1	21	100%	1.9
Transmission Category									
Male-to-male sexual contact (MSM)	103	67%	NA	103	77%	NA	0	0%	NA
Injection drug use (IDU)	13	8%	NA	10	8%	NA	3	14%	NA
MSM+IDU	7	5%	NA	7	5%	NA	0	0%	NA
Heterosexual contact	8	5%	NA	1	1%	NA	7	33%	NA
Perinatal exposure	2	1%	NA	1	1%	NA	1	5%	NA
Transfusion/ Hemophilia	0	0%	NA	0	0%	NA	0	0%	NA
No identified risk (NIR)	21	14%	NA	11	8%	NA	10	48%	NA
Total	154	100%	7.0	133	100%	12.1	21	100%	1.9

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2018)

New stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include stage 3 (AIDS) and HIV cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but who currently live in Nevada. Stage 3 (AIDS) diagnoses and HIV diagnoses may duplicate case counts if the person was diagnosed with both stage 3 (AIDS) and HIV in the same year.

* Rates per 100,000 populations were calculated using 2017 population projections from the Nevada State Demographer vintage 2017 data.

~ The table above contains counts under 12. Please use caution when interpreting the data as the Relative Standard Error (RSE) is greater than 30%.

^Percents may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Persons Living with HIV[§] in Clark County, 2017~

	Total			Male			Female		
	N	Column % [^]	Rate* [*]	n	Column % [^]	Rate* [*]	n	Column % [^]	Rate* [*]
Race/Ethnicity									
White, non-Hispanic	4,079	41%	410.7	3,642	43%	721.7	437	28%	89.5
Black, non-Hispanic	2,911	29%	1,199.4	2,104	25%	1,742.0	807	51%	661.8
Hispanic	2,482	25%	356.6	2,239	26%	636.6	243	15%	70.6
Asian/Hawaiian/ Pacific Islander	396	4%	162.2	342	4%	304.3	54	3%	41.0
American Indian/ Alaska Native	69	1%	465.1	53	1%	737.5	16	1%	209.2
Multi-race/Other	142	1%	NA	125	2%	NA	17	1%	NA
Total	10,079	100%	460.1	8,505	100%	775.5	1,574	100%	143.9
Age Group at End of Year									
< 13	14	0%	3.6	6	0%	3.0	8	1%	4.2
13 to 24	292	3%	83.1	253	3%	140.4	39	3%	22.8
25 to 34	1,843	18%	605.5	1,617	19%	1,042.1	226	14%	151.5
35 to 44	2,077	21%	660.4	1,727	20%	1,089.6	350	22%	224.3
45 to 54	3,001	30%	1,015.7	2,534	30%	1,690.2	467	30%	320.9
55 to 64	2,027	20%	807.5	1,687	20%	1,355.8	340	22%	268.6
65 +	697	7%	242.7	570	7%	435.0	127	8%	81.3
Missing	128	1%	NA	111	1%	NA	17	1%	NA
Total	10,079	100%	460.1	8,505	100%	775.5	1,574	100%	143.9
Transmission Category									
Male-to-male sexual contact (MSM)	6,597	66%	NA	6,597	78%	NA	0	0%	NA
Injection drug use (IDU)	626	6%	NA	420	5%	NA	206	13%	NA
MSM+IDU	578	6%	NA	578	7%	NA	0	0%	NA
Heterosexual contact	1,184	12%	NA	275	3%	NA	909	58%	NA
Perinatal exposure	70	1%	NA	29	0%	NA	41	3%	NA
Transfusion/Hemophilia	10	0%	NA	7	0%	NA	3	0%	NA
No identified risk (NIR)	1,014	10%	NA	599	7%	NA	415	26%	NA
Total	10,079	100%	460.1	8,505	100%	775.5	1,574	100%	143.9

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2018)

Persons living with HIV data include data on persons living in Nevada with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in Nevada.

* Rates per 100,000 population were calculated using 2017 population projections from the Nevada State Demographer vintage 2017 data.

~ The table above contains counts under 12. Please use caution when interpreting the data as the Relative Standard Error (RSE) is greater than 30%.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2017.

^Percents may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Washoe County New HIV Diagnoses and New HIV Stage 3 (AIDS) Diagnoses, 2017~

	New HIV Diagnoses			New HIV Stage 3 (AIDS) Diagnoses		
	N	Column %^	Rate*	N	Column %^	Rate*
Sex at Birth						
Male	29	88%	12.7	12	86%	5.3
Female	4	12%	1.8	2	14%	0.9
Total	33	100%	7.3	14	100%	3.1
Race/Ethnicity						
White, non-Hispanic	20	61%	6.9	5	36%	1.7
Black, non-Hispanic	1	3%	8.7	0	0%	0.0
Hispanic	9	27%	8.0	8	57%	7.1
Asian/Hawaiian/Pacific Islander	2	6%	6.4	1	7%	3.2
American Indian/Alaska Native	1	3%	13.7	0	0%	0.0
Multi-race/Other	0	0%	NA	0	0%	NA
Total	33	100%	7.3	14	100%	3.1
Age Group at Diagnosis						
< 13	0	0%	0.0	0	0%	0.0
13 to 24	5	15%	6.8	2	14%	2.7
25 to 34	13	39%	20.0	5	36%	7.7
35 to 44	6	18%	10.6	2	14%	3.5
45 to 54	6	18%	10.6	3	21%	5.3
55 to 64	3	9%	5.2	2	14%	3.4
65 +	0	0%	0.0	0	0%	0.0
Total	33	100%	7.3	14	100%	3.1
Transmission Category						
Males						
Male-to-male sexual contact (MSM)	20	69%	NA	7	58%	NA
Injection drug use (IDU)	1	3%	NA	1	8%	NA
MSM+IDU	3	10%	NA	1	8%	NA
Heterosexual contact	0	0%	NA	0	0%	NA
Perinatal Exposure	0	0%	NA	0	0%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA
No identified risk (NIR)	5	17%	NA	3	25%	NA
Subtotal	29	100%	12.7	12	100%	5.3
Females						
IDU	0	0%	NA	0	0%	NA
Heterosexual contact	1	25%	NA	1	50%	NA
Perinatal Exposure	0	0%	NA	0	0%	NA
Transfusion/Hemophilia	0	0%	NA	0	0%	NA
No identified risk (NIR)	3	75%	NA	1	50%	NA
Subtotal	4	100%	1.7	2	100%	0.8
Total	33	100%	7.3	14	100%	3.1

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2018)

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but who currently live in Nevada. HIV diagnoses and stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in 2017.

* Rates per 100,000 population were calculated using 2017 population projections from the Nevada State Demographer vintage 2017 data.

~ The table above contains counts under 12. Please use caution when interpreting the data as the Relative Standard Error (RSE) is greater than 30%.

^Percents may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Persons Living with HIV[§] in Washoe County, 2017~

	Total			Male			Female		
	N	Column % [^]	Rate* [*]	n	Column % [^]	Rate* [*]	n	Column % [^]	Rate* [*]
Race/Ethnicity									
White, non-Hispanic	836	65%	287.9	730	66%	499.5	106	59%	73.5
Black, non-Hispanic	139	11%	1211.6	109	10%	1725.2	30	17%	582.1
Hispanic	242	19%	214.4	212	19%	368.3	30	17%	54.3
Asian/Hawaiian/Pacific Islander	29	2%	92.7	23	2%	158.7	6	3%	35.7
American Indian/Alaska Native	18	1%	246.1	13	1%	365.2	5	3%	133.2
Multi-race/Other	16	1%	NA	14	1%	NA	2	1%	NA
Unknown	1	0%	NA	1	0%	NA	0	0%	NA
Total	1,281	100%	282.6	1,102	100%	483.2	179	100%	79.5
Age Group at End of Year									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 24	25	2%	33.9	23	2%	60.3	2	1%	5.6
25 to 34	154	12%	237.3	132	12%	400.7	22	12%	68.9
35 to 44	186	15%	329.2	154	14%	537.3	32	18%	114.9
45 to 54	444	35%	784.6	369	34%	1282.1	75	42%	269.7
55 to 64	335	26%	576.1	300	27%	1042.1	35	20%	119.2
65 +	137	11%	201.9	124	11%	390.7	13	7%	36.0
Missing	0	0%	NA	0	0%	NA	0	0%	NA
Total	1,281	100%	282.6	1,102	100%	483.2	179	100%	79.5
Transmission Category									
Male-to-male sexual contact (MSM)	749	59%	NA	749	68%	NA	0	0%	NA
Injection drug use (IDU)	115	9%	NA	74	7%	NA	41	23%	NA
MSM+IDU	113	9%	NA	113	10%	NA	0	0%	NA
Heterosexual contact	119	9%	NA	32	3%	NA	87	49%	NA
Perinatal Exposure	3	0%	NA	1	0%	NA	2	1%	NA
Transfusion/Hemophilia	1	0%	NA	0	0%	NA	1	1%	NA
No identified risk (NIR)	181	14%	NA	133	12%	NA	48	27%	NA
Total	1,281	100%	282.6	1,102	100%	483.2	179	100%	79.5

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2018)

Persons living with HIV data include data on persons living in Nevada with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in Nevada.

* Rates per 100,000 population were calculated using 2017 population projections from the Nevada State Demographer vintage 2017 data.

~ The table above contains counts under 12. Please use caution when interpreting the data as the Relative Standard Error (RSE) is greater than 30%.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2017.

^Percents may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program Fast Facts

Annual Percent Change: New HIV Diagnoses and Persons Living with HIV[§] in Nevada, 2016-2017~

	New HIV Diagnoses					All Persons Living with HIV [§]				
	2016		2017		Annual % Change:	2016		2017		Annual % Change:
	N	Column %	N	Column %	% Change [†]	N	Column %	N	Column %	% Change [†]
County										
Clark	458	90%	439	90%	-4%	9,347	87%	10,079	85%	8%
Washoe	42	8%	33	7%	-21%	1,025	10%	1,281	11%	25%
All Other Counties**	10	2%	14	3%	40%	427	4%	498	4%	17%
Total	510	100%	486	100%	-5%	10,801	100%	11,901	100%	10%
Sex at Birth										
Male	438	86%	423	87%	-3%	9,096	84%	10,054	84%	11%
Female	72	14%	63	13%	-13%	1,705	16%	1,847	16%	8%
Total	510	100%	486	100%	-5%	10,801	100%	11,901	100%	10%
Race/Ethnicity										
White, non-Hispanic	150	29%	168	35%	12%	4,790	44%	5,255	44%	10%
Black, non-Hispanic	160	31%	140	29%	-13%	2,811	26%	3,130	26%	11%
Hispanic	164	32%	145	30%	-12%	2,559	24%	2,822	24%	10%
Asian/Hawaiian/Pacific Islander	21	4%	27	6%	29%	396	4%	431	4%	9%
American Indian/Alaska Native	8	2%	4	1%	-50%	92	1%	96	1%	4%
Multi-race/Other	7	1%	2	0%	-71%	153	1%	165	1%	8%
Unknown	0	0%	0	0%	NA	0	0%	2	0%	NA
Total	510	100%	486	100%	-5%	10,801	100%	11,901	100%	10%
Age Group*										
< 13	0	0%	1	0%	NA	13	0%	14	0%	8%
13 to 24	97	19%	79	16%	-19%	359	3%	331	3%	-8%
25 to 34	210	41%	196	40%	-7%	1,881	17%	2,050	17%	9%
35 to 44	101	20%	91	19%	-10%	2,214	21%	2,330	20%	5%
45 to 54	76	15%	76	16%	0%	3,482	32%	3,634	31%	4%
55 to 64	22	4%	37	8%	68%	2,095	19%	2,524	21%	20%
65 +	4	1%	6	1%	50%	699	7%	890	8%	27%
Missing	0	0%	0	0%	NA	58	1%	128	1%	121%
Total	510	100%	486	100%	-5%	10,801	100%	11,901	100%	10%
Transmission Category										
Males										
Male-to-male sexual contact (MSM)	323	74%	311	74%	-4%	6,942	76%	7,579	75%	9%
IDU	17	4%	16	4%	-6%	510	6%	565	6%	11%
MSM+IDU	20	5%	29	7%	45%	680	8%	744	7%	9%
Heterosexual contact	14	3%	7	2%	-50%	309	3%	333	3%	8%
Perinatal Exposure	0	0%	0	0%	NA	30	0%	31	0%	3%
Transfusion/Hemophilia	0	0%	0	0%	NA	7	0%	8	0%	14%
No identified risk (NIR)	64	15%	60	14%	-6%	618	7%	794	8%	28%
Subtotal	438	100%	423	100%	-3%	9,096	100%	10,054	100%	11%
Females										
IDU	7	10%	9	14%	29%	250	15%	274	15%	10%
Heterosexual contact	18	25%	20	32%	11%	994	58%	1,032	56%	4%
Perinatal Exposure	0	0%	1	2%	NA	42	3%	47	3%	12%
Transfusion/Hemophilia	0	0%	0	0%	NA	4	0%	5	0%	25%
No identified risk (NIR)	47	65%	33	52%	-30%	415	24%	489	27%	18%
Subtotal	72	100%	63	100%	-13%	1,705	100%	1,847	100%	8%
Total	510	100%	486	100%	-5%	10,801	100%	11,901	100%	10%

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2018)

Persons living HIV data includes data on persons living in Nevada with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in Nevada.

* For New HIV diagnoses, age refers to age at HIV infection diagnosis. For persons living with HIV, age refers to age at the end of the report year.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2017.

†Annual % Change is the percentage increase or decrease relative to the number of cases in 2017. Take caution when interpreting percent changes calculated from small case counts because they can be susceptible to high variability and are likely to be misleading.

*Percent change for small counts are not shown as they are susceptible to high variability and are misleading.

^Percents may not equal 100% due to rounding and unknown counts.



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program

Facility of Diagnosis for New HIV Diagnoses, Nevada HIV Fast Facts, 2017~

	Nevada		Clark County		Washoe County		All Other Counties*	
	N	Column %	n	Column %	n	Column %	n	Column %
Facility of Diagnosis								
HIV Counseling and Testing Site	86	18%	86	20%	0	0%	0	0%
Private Physician's Office	186	38%	177	41%	7	21%	2	9%
Inpatient Facility/Hospital	38	8%	29	7%	6	18%	3	13%
Outpatient Facility (unspecified)	54	11%	35	8%	14	41%	5	22%
Adult HIV Clinic	0	0%	0	0%	0	0%	0	0%
Correctional Facility	19	4%	17	4%	0	0%	2	9%
STD Clinic	64	13%	64	15%	0	0%	0	0%
Blood Bank or Plasma Center	24	5%	19	4%	4	12%	1	4%
Emergency Room	3	1%	0	0%	3	9%	0	0%
Tuberculosis Clinic	0	0%	0	0%	0	0%	0	0%
Obstetrics and Gynecology Clinic	0	0%	0	0%	0	0%	0	0%
Facility/Other/Unknown	12	2%	2	0%	0	0%	10	43%
Total	486	100%	429	100%	34	100%	23	100%



Division of Public and Behavioral Health- HIV/AIDS Surveillance Program

Facility of Diagnosis for New Stage 3 (AIDS) Diagnoses, Nevada HIV Fast Facts, 2017~

	Nevada		Clark County		Washoe County		All Other Counties*	
	N	Column %	n	Column %	n	Column %	n	Column %
Facility of Diagnosis								
HIV Counseling and Testing Site	12	7%	12	8%	0	0%	0	0%
Private Physician's Office	62	35%	61	40%	0	0%	1	8%
Inpatient Facility/Hospital	39	22%	30	20%	7	64%	2	17%
Outpatient Facility (unspecified)	24	14%	20	13%	4	36%	0	0%
Adult HIV Clinic	9	5%	9	6%	0	0%	0	0%
Correctional Facility	2	1%	1	1%	0	0%	1	8%
STD Clinic	16	9%	16	10%	0	0%	0	0%
Blood Bank or Plasma Center	0	0%	0	0%	0	0%	0	0%
Emergency Room	0	0%	0	0%	0	0%	0	0%
Tuberculosis Clinic	0	0%	0	0%	0	0%	0	0%
Obstetrics and Gynecology Clinic	0	0%	0	0%	0	0%	0	0%
Facility/Other/Unknown	12	7%	4	3%	0	0%	8	67%
Total	176	100%	153	100%	11	100%	12	100%

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2018)

New HIV Diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states, but who currently live in Nevada. HIV diagnoses and stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in 2017.

*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

^Percents may not equal 100% due to rounding and unknown counts.

For more information, contact:

Kellie Ducker
HIV Surveillance Coordinator
Office of Public Health Informatics and Epidemiology
Division of Public and Behavioral Health
500 Damonte Ranch Parkway Ste 657
Reno NV 89521
Phone: (775) 684-5280
kducker@health.nv.gov

Amy Lucas, MS
HIV/STD Biostatistician
Office of Public Health Informatics and Epidemiology
Division of Public and Behavioral Health
4126 Technology Way Ste 201
Carson City NV 89706
Phone: (775) 684-5895
alucas@health.nv.gov

Theron Huntamer
HIV/AIDS Epidemiology Capacity Coordinator
Office of Public Health Informatics and Epidemiology
Division of Public and Behavioral Health
500 Damonte Ranch Parkway Ste 657
Reno NV 89521
Phone: (775) 684-5288
thuntamer@health.nv.gov

Recommended Citation:

Office of Public Health Informatics and Epidemiology. Division of Public and Behavioral Health. *2017 HIV Fast Facts*. Carson City, Nevada. e1.0. July 2018.

The authors would like to recognize the Centers for Disease Control and Prevention (CDC) for their support through Grant Number NU62PS924579-01-00 for the HIV/AIDS Surveillance Program. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the CDC or the Department of Health and Human Services.