




Breast Cancer Mortality Rates Nevada Residents, 2022


| | Total | | | Male | | | Female | | |
|-------------------------------------|------------|---------------|-------------|----------|---------------|------------|------------|---------------|-------------|
| | N | %* | Rate** | N | %* | Rate** | N | %* | Rate** |
| Race/Ethnicity | | | | | | | | | |
| White | 272 | 66.2% | 17.3 | 5 | 100.0% | 0.6 | 267 | 65.8% | 34.2 |
| Black | 51 | 12.4% | 17.5 | 0 | 0.0% | 0.0 | 51 | 12.6% | 35.1 |
| Native American | 2 | 0.5% | 5.7 | 0 | 0.0% | 0.0 | 2 | 0.5% | 11.0 |
| Asian | 45 | 10.9% | 14.0 | 0 | 0.0% | 0.0 | 45 | 11.1% | 26.0 |
| Hispanic | 40 | 9.7% | 4.1 | 0 | 0.0% | 0.0 | 40 | 9.9% | 8.2 |
| Other | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Unknown | 1 | 0.2% | N/A | 0 | 0.0% | N/A | 1 | 0.2% | N/A |
| Resident County at Diagnosis | | | | | | | | | |
| Clark | 300 | 73.0% | 12.8 | 3 | 60.0% | 0.3 | 297 | 73.2% | 25.3 |
| Washoe | 52 | 12.7% | 10.4 | 1 | 20.0% | 0.4 | 51 | 12.6% | 20.4 |
| Other† | 58 | 14.1% | 15.9 | 1 | 20.0% | 0.5 | 57 | 14.0% | 31.4 |
| Unknown | 1 | 0.2% | N/A | 0 | 0.0% | N/A | 1 | 0.2% | N/A |
| Age Group | | | | | | | | | |
| <10 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 10-19 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 20-29 | 3 | 0.7% | 0.7 | 0 | 0.0% | 0.0 | 3 | 0.7% | 1.4 |
| 30-39 | 6 | 1.5% | 1.4 | 0 | 0.0% | 0.0 | 6 | 1.5% | 2.7 |
| 40-49 | 30 | 7.3% | 7.1 | 0 | 0.0% | 0.0 | 30 | 7.4% | 14.4 |
| 50-59 | 65 | 15.8% | 16.0 | 0 | 0.0% | 0.0 | 65 | 16.0% | 32.2 |
| 60-69 | 96 | 23.4% | 26.8 | 2 | 40.0% | 1.1 | 94 | 23.2% | 51.2 |
| 70-79 | 111 | 27.0% | 48.8 | 2 | 40.0% | 1.9 | 109 | 26.8% | 87.8 |
| 80-89 | 73 | 17.8% | 83.8 | 1 | 20.0% | 2.7 | 72 | 17.7% | 144.3 |
| 90+ | 27 | 6.6% | 166.6 | 0 | 0.0% | 0.0 | 27 | 6.7% | 254.6 |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Total | 411 | 100.0% | 12.8 | 5 | 100.0% | 0.3 | 406 | 100.0% | 25.3 |





Female Cancers Mortality Rates Nevada Residents, 2022

| | Cervix Uteri | | | Corpus Uteri and Uterus | | | Ovary | | |
|-------------------------------------|--------------|---------------|------------|-------------------------|---------------|------------|------------|---------------|------------|
| | N | %* | Rate** | N | %* | Rate** | N | %* | Rate** |
| Race/Ethnicity | | | | | | | | | |
| White | 34 | 77.3% | 4.3 | 49 | 54.4% | 6.3 | 68 | 61.8% | 8.7 |
| Black | 5 | 11.4% | 3.4 | 15 | 16.7% | 10.3 | 9 | 8.2% | 6.2 |
| Native American | 0 | 0.0% | 0.0 | 1 | 1.1% | 5.5 | 1 | 0.9% | 5.5 |
| Asian | 3 | 6.8% | 1.7 | 7 | 7.8% | 4.0 | 13 | 11.8% | 7.5 |
| Hispanic | 2 | 4.5% | 0.4 | 17 | 18.9% | 3.5 | 18 | 16.4% | 3.7 |
| Other | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Unknown | 0 | 0.0% | N/A | 1 | 1.1% | N/A | 1 | 0.9% | N/A |
| Resident County at Diagnosis | | | | | | | | | |
| Clark | 32 | 72.7% | 2.7 | 69 | 76.7% | 5.9 | 80 | 72.7% | 6.8 |
| Washoe | 5 | 11.4% | 2.0 | 16 | 17.8% | 6.4 | 20 | 18.2% | 8.0 |
| Other† | 7 | 15.9% | 3.9 | 5 | 5.6% | 2.8 | 10 | 9.1% | 5.5 |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Age Group | | | | | | | | | |
| <10 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 10-19 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 20-29 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 2 | 1.8% | 0.9 |
| 30-39 | 5 | 11.4% | 2.3 | 3 | 3.3% | 1.4 | 3 | 2.7% | 1.4 |
| 40-49 | 8 | 18.2% | 3.8 | 1 | 1.1% | 0.5 | 10 | 9.1% | 4.8 |
| 50-59 | 9 | 20.5% | 4.5 | 13 | 14.4% | 6.4 | 24 | 21.8% | 11.9 |
| 60-69 | 10 | 22.7% | 5.5 | 26 | 28.9% | 14.2 | 24 | 21.8% | 13.1 |
| 70-79 | 8 | 18.2% | 6.4 | 26 | 28.9% | 20.9 | 25 | 22.7% | 20.1 |
| 80-89 | 4 | 9.1% | 8.0 | 15 | 16.7% | 30.1 | 18 | 16.4% | 36.1 |
| 90+ | 0 | 0.0% | 0.0 | 5 | 5.6% | 47.1 | 4 | 3.6% | 37.7 |
| Unknown | 0 | 0.0% | N/A | 1 | 1.1% | N/A | 0 | 0.0% | N/A |
| Total | 44 | 100.0% | 2.7 | 90 | 100.0% | 5.6 | 110 | 100.0% | 6.9 |




Source: Nevada Electronic Death Registry System.
 *Percent may not equal to 100% due to rounding.
 **Rates per 100,000 female-specific population were calculated using population projections from the Nevada State Demographer vintage 2023 data. Rates are based on birth sex.
 †Other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine.
 ‡Mortality rates are based on female-specific population.



Prostate Cancer Mortality Rates Nevada Residents, 2022

| | Total | | | Male | | |
|-------------------------------------|------------|---------------|-------------|------------|---------------|-------------|
| | N | %* | Rate** | N | %* | Rate** |
| Race/Ethnicity | | | | | | |
| White | 243 | 73.2% | 30.7 | 243 | 73.2% | 30.7 |
| Black | 48 | 14.5% | 32.7 | 48 | 14.5% | 32.7 |
| Native American | 1 | 0.3% | 5.8 | 1 | 0.3% | 5.8 |
| Asian | 7 | 2.1% | 4.7 | 7 | 2.1% | 4.7 |
| Hispanic | 29 | 8.7% | 5.9 | 29 | 8.7% | 5.9 |
| Other | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Unknown | 4 | 1.2% | N/A | 4 | 1.2% | N/A |
| Resident County at Diagnosis | | | | | | |
| Clark | 235 | 70.8% | 20.2 | 235 | 70.8% | 20.2 |
| Washoe | 49 | 14.8% | 19.5 | 49 | 14.8% | 19.5 |
| Other† | 48 | 14.5% | 26.3 | 48 | 14.5% | 26.3 |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Age Group | | | | | | |
| <10 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 10-19 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 20-29 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 30-39 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 40-49 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 50-59 | 7 | 2.1% | 3.4 | 7 | 2.1% | 3.4 |
| 60-69 | 55 | 16.6% | 31.6 | 55 | 16.6% | 31.6 |
| 70-79 | 127 | 38.3% | 123.0 | 127 | 38.3% | 123.0 |
| 80-89 | 100 | 30.1% | 268.6 | 100 | 30.1% | 268.6 |
| 90+ | 43 | 13.0% | 767.8 | 43 | 13.0% | 767.8 |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Total | 332 | 100.0% | 20.8 | 332 | 100.0% | 20.8 |



Source: Nevada Electronic Death Registry System.

*Percent may not equal to 100% due to rounding.

**Rates per 100,000 male-specific population were calculated using population projections from the Nevada State Demographer vintage 2023 data. Rates are based on birth sex.


†Other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine.

‡Mortality rates are based on male-specific population.



Leukemia Cancer Mortality Rates Nevada Residents, 2022

| | Total | | | Male | | | Female | | |
|-------------------------------------|------------|---------------|------------|-----------|---------------|------------|-----------|---------------|------------|
| | N | %* | Rate** | N | %* | Rate** | N | %* | Rate** |
| Race/Ethnicity | | | | | | | | | |
| White | 112 | 70.4% | 7.1 | 69 | 74.2% | 8.7 | 43 | 65.2% | 5.5 |
| Black | 12 | 7.5% | 4.1 | 3 | 3.2% | 2.0 | 9 | 13.6% | 6.2 |
| Native American | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| Asian | 14 | 8.8% | 4.4 | 9 | 9.7% | 6.1 | 5 | 7.6% | 2.9 |
| Hispanic | 20 | 12.6% | 2.0 | 11 | 11.8% | 2.2 | 9 | 13.6% | 1.8 |
| Other | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Unknown | 1 | 0.6% | N/A | 1 | 1.1% | N/A | 0 | 0.0% | N/A |
| Resident County at Diagnosis | | | | | | | | | |
| Clark | 110 | 69.2% | 4.7 | 59 | 63.4% | 5.1 | 51 | 77.3% | 4.3 |
| Washoe | 31 | 19.5% | 6.2 | 20 | 21.5% | 8.0 | 11 | 16.7% | 4.4 |
| Other† | 17 | 10.7% | 4.7 | 13 | 14.0% | 7.1 | 4 | 6.1% | 2.2 |
| Unknown | 1 | 0.6% | N/A | 1 | 1.1% | N/A | 0 | 0.0% | N/A |
| Age Group | | | | | | | | | |
| <10 | 2 | 1.3% | 0.5 | 0 | 0.0% | 0.0 | 2 | 3.0% | 1.1 |
| 10-19 | 2 | 1.3% | 0.5 | 2 | 2.2% | 0.9 | 0 | 0.0% | 0.0 |
| 20-29 | 1 | 0.6% | 0.2 | 1 | 1.1% | 0.4 | 0 | 0.0% | 0.0 |
| 30-39 | 2 | 1.3% | 0.5 | 2 | 2.2% | 0.9 | 0 | 0.0% | 0.0 |
| 40-49 | 4 | 2.5% | 1.0 | 1 | 1.1% | 0.5 | 3 | 4.5% | 1.4 |
| 50-59 | 12 | 7.5% | 3.0 | 8 | 8.6% | 3.9 | 4 | 6.1% | 2.0 |
| 60-69 | 25 | 15.7% | 7.0 | 13 | 14.0% | 7.5 | 12 | 18.2% | 6.5 |
| 70-79 | 51 | 32.1% | 22.4 | 30 | 32.3% | 29.1 | 21 | 31.8% | 16.9 |
| 80-89 | 47 | 29.6% | 54.0 | 30 | 32.3% | 80.6 | 17 | 25.8% | 34.1 |
| 90+ | 13 | 8.2% | 80.2 | 6 | 6.5% | 107.1 | 7 | 10.6% | 66.0 |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Total | 159 | 100.0% | 5.0 | 93 | 100.0% | 5.8 | 66 | 100.0% | 4.1 |



Source: Nevada Electronic Death Registry System.

*Percent may not equal to 100% due to rounding.


**Rates per 100,000 population were calculated using population projections from the Nevada State Demographer vintage 2023 data. Rates are based on birth sex.

†Other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine.



Non-Hodgkin Lymphoma Cancer Mortality Rates Nevada Residents, 2022

| | Total | | | Male | | | Female | | |
|-------------------------------------|------------|---------------|------------|-----------|---------------|------------|-----------|---------------|------------|
| | N | %* | Rate** | N | %* | Rate** | N | %* | Rate** |
| Race/Ethnicity | | | | | | | | | |
| White | 113 | 71.1% | 7.2 | 67 | 72.0% | 8.5 | 46 | 69.7% | 5.9 |
| Black | 9 | 5.7% | 3.1 | 6 | 6.5% | 4.1 | 3 | 4.5% | 2.1 |
| Native American | 1 | 0.6% | 2.8 | 0 | 0.0% | 0.0 | 1 | 1.5% | 5.5 |
| Asian | 16 | 10.1% | 5.0 | 8 | 8.6% | 5.4 | 8 | 12.1% | 4.6 |
| Hispanic | 20 | 12.6% | 2.0 | 12 | 12.9% | 2.4 | 8 | 12.1% | 1.6 |
| Other | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Resident County at Diagnosis | | | | | | | | | |
| Clark | 120 | 75.5% | 5.1 | 72 | 77.4% | 6.2 | 48 | 72.7% | 4.1 |
| Washoe | 24 | 15.1% | 4.8 | 10 | 10.8% | 4.0 | 14 | 21.2% | 5.6 |
| Other† | 15 | 9.4% | 4.1 | 11 | 11.8% | 6.0 | 4 | 6.1% | 2.2 |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Age Group | | | | | | | | | |
| <10 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 10-19 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 20-29 | 1 | 0.6% | 0.2 | 1 | 1.1% | 0.4 | 0 | 0.0% | 0.0 |
| 30-39 | 3 | 1.9% | 0.7 | 2 | 2.2% | 0.9 | 1 | 1.5% | 0.5 |
| 40-49 | 5 | 3.1% | 1.2 | 5 | 5.4% | 2.4 | 0 | 0.0% | 0.0 |
| 50-59 | 8 | 5.0% | 2.0 | 5 | 5.4% | 2.4 | 3 | 4.5% | 1.5 |
| 60-69 | 42 | 26.4% | 11.7 | 28 | 30.1% | 16.1 | 14 | 21.2% | 7.6 |
| 70-79 | 52 | 32.7% | 22.9 | 28 | 30.1% | 27.1 | 24 | 36.4% | 19.3 |
| 80-89 | 36 | 22.6% | 41.3 | 18 | 19.4% | 48.4 | 18 | 27.3% | 36.1 |
| 90+ | 12 | 7.5% | 74.1 | 6 | 6.5% | 107.1 | 6 | 9.1% | 56.6 |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Total | 159 | 100.0% | 5.0 | 93 | 100.0% | 5.8 | 66 | 100.0% | 4.1 |



Source: Nevada Electronic Death Registry System.

*Percent may not equal to 100% due to rounding.


**Rates per 100,000 population were calculated using population projections from the Nevada State Demographer vintage 2023 data. Rates are based on birth sex.

†Other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine.



Brain and Central Nervous System Cancer Mortality Rates Nevada Residents, 2022

| Race/Ethnicity | Total | | | Male | | | Female | | |
|-------------------------------------|------------|---------------|------------|-----------|---------------|------------|-----------|---------------|------------|
| | N | %* | Rate** | N | %* | Rate** | N | %* | Rate** |
| White | 112 | 83.6% | 7.1 | 63 | 84.0% | 7.9 | 49 | 83.1% | 6.3 |
| Black | 9 | 6.7% | 3.1 | 5 | 6.7% | 3.4 | 4 | 6.8% | 2.8 |
| Native American | 1 | 0.7% | 2.8 | 0 | 0.0% | 0.0 | 1 | 1.7% | 5.5 |
| Asian | 4 | 3.0% | 1.2 | 3 | 4.0% | 2.0 | 1 | 1.7% | 0.6 |
| Hispanic | 8 | 6.0% | 0.8 | 4 | 5.3% | 0.8 | 4 | 6.8% | 0.8 |
| Other | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Resident County at Diagnosis | | | | | | | | | |
| Clark | 75 | 56.0% | 3.2 | 47 | 62.7% | 4.0 | 28 | 47.5% | 2.4 |
| Washoe | 36 | 26.9% | 7.2 | 14 | 18.7% | 5.6 | 22 | 37.3% | 8.8 |
| Other†† | 23 | 17.2% | 6.3 | 14 | 18.7% | 7.7 | 9 | 15.3% | 5.0 |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Age Group | | | | | | | | | |
| <10 | 1 | 0.7% | 0.3 | 1 | 1.3% | 0.5 | 0 | 0.0% | 0.0 |
| 10-19 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 20-29 | 2 | 1.5% | 0.5 | 1 | 1.3% | 0.4 | 1 | 1.7% | 0.5 |
| 30-39 | 2 | 1.5% | 0.5 | 1 | 1.3% | 0.4 | 1 | 1.7% | 0.5 |
| 40-49 | 6 | 4.5% | 1.4 | 0 | 0.0% | 0.0 | 6 | 10.2% | 2.9 |
| 50-59 | 15 | 11.2% | 3.7 | 10 | 13.3% | 4.9 | 5 | 8.5% | 2.5 |
| 60-69 | 43 | 32.1% | 12.0 | 21 | 28.0% | 12.0 | 22 | 37.3% | 12.0 |
| 70-79 | 45 | 33.6% | 19.8 | 28 | 37.3% | 27.1 | 17 | 28.8% | 13.7 |
| 80-89 | 20 | 14.9% | 23.0 | 13 | 17.3% | 34.9 | 7 | 11.9% | 14.0 |
| 90+ | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Total | 134 | 100.0% | 4.2 | 75 | 100.0% | 4.7 | 59 | 100.0% | 3.7 |



Source: Nevada Electronic Death Registry System.

*Percent may not equal to 100% due to rounding.


**Rates per 100,000 population were calculated using population projections from the Nevada State Demographer vintage 2023 data. Rates are based on birth sex.

††Other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine.



Lung and Bronchus Cancer Mortality Rates Nevada Residents, 2022

| | Total | | | Male | | | Female | | |
|-------------------------------------|--------------|---------------|-------------|------------|---------------|-------------|------------|---------------|-------------|
| | N | %* | Rate** | N | %* | Rate** | N | %* | Rate** |
| Race/Ethnicity | | | | | | | | | |
| White | 834 | 77.1% | 53.0 | 442 | 76.5% | 55.8 | 392 | 77.8% | 50.1 |
| Black | 87 | 8.0% | 29.8 | 50 | 8.7% | 34.0 | 37 | 7.3% | 25.5 |
| Native American | 5 | 0.5% | 14.1 | 2 | 0.3% | 11.6 | 3 | 0.6% | 16.5 |
| Asian | 82 | 7.6% | 25.6 | 43 | 7.4% | 29.2 | 39 | 7.7% | 22.5 |
| Hispanic | 71 | 6.6% | 7.2 | 39 | 6.7% | 7.9 | 32 | 6.3% | 6.6 |
| Other | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Unknown | 3 | 0.3% | N/A | 2 | 0.3% | N/A | 1 | 0.2% | N/A |
| Resident County at Diagnosis | | | | | | | | | |
| Clark | 741 | 68.5% | 31.7 | 402 | 69.6% | 34.5 | 339 | 67.3% | 28.9 |
| Washoe | 157 | 14.5% | 31.3 | 75 | 13.0% | 29.8 | 82 | 16.3% | 32.8 |
| Other† | 179 | 16.5% | 49.1 | 97 | 16.8% | 53.1 | 82 | 16.3% | 45.1 |
| Unknown | 5 | 0.5% | N/A | 4 | 0.7% | N/A | 1 | 0.2% | N/A |
| Age Group | | | | | | | | | |
| <10 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 10-19 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 20-29 | 1 | 0.1% | 0.2 | 0 | 0.0% | 0.0 | 1 | 0.2% | 0.5 |
| 30-39 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 40-49 | 11 | 1.0% | 2.6 | 9 | 1.6% | 4.3 | 2 | 0.4% | 1.0 |
| 50-59 | 73 | 6.7% | 18.0 | 38 | 6.6% | 18.6 | 35 | 6.9% | 17.3 |
| 60-69 | 275 | 25.4% | 76.9 | 154 | 26.6% | 88.3 | 121 | 24.0% | 66.0 |
| 70-79 | 433 | 40.0% | 190.5 | 234 | 40.5% | 226.7 | 199 | 39.5% | 160.3 |
| 80-89 | 243 | 22.5% | 278.9 | 124 | 21.5% | 333.1 | 119 | 23.6% | 238.5 |
| 90+ | 46 | 4.3% | 283.9 | 19 | 3.3% | 339.2 | 27 | 5.4% | 254.6 |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Total | 1,082 | 100.0% | 33.8 | 578 | 100.0% | 36.1 | 504 | 100.0% | 31.4 |



Source: Nevada Electronic Death Registry System.

*Percent may not equal to 100% due to rounding.

**Rates per 100,000 population were calculated using population projections from the Nevada State Demographer vintage 2023 data. Rates are based on birth sex.


†Other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine.

‡Chart is scaled to display rate differences among years; y-axis starts at 30 instead of zero to better display changes.



Pancreas Cancer Mortality Rates Nevada Residents, 2022

| | Total | | | Male | | | Female | | |
|-------------------------------------|------------|---------------|-------------|------------|---------------|-------------|------------|---------------|-------------|
| | N | %* | Rate** | N | %* | Rate** | N | %* | Rate** |
| Race/Ethnicity | | | | | | | | | |
| White | 311 | 69.4% | 19.8 | 165 | 72.1% | 20.8 | 146 | 66.7% | 18.7 |
| Black | 56 | 12.5% | 19.2 | 26 | 11.4% | 17.7 | 30 | 13.7% | 20.7 |
| Native American | 3 | 0.7% | 8.5 | 1 | 0.4% | 5.8 | 2 | 0.9% | 11.0 |
| Asian | 33 | 7.4% | 10.3 | 12 | 5.2% | 8.1 | 21 | 9.6% | 12.1 |
| Hispanic | 45 | 10.0% | 4.6 | 25 | 10.9% | 5.1 | 20 | 9.1% | 4.1 |
| Other | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Resident County at Diagnosis | | | | | | | | | |
| Clark | 320 | 71.4% | 13.7 | 161 | 70.3% | 13.8 | 159 | 72.6% | 13.6 |
| Washoe | 58 | 12.9% | 11.6 | 30 | 13.1% | 11.9 | 28 | 12.8% | 11.2 |
| Other† | 70 | 15.6% | 19.2 | 38 | 16.6% | 20.8 | 32 | 14.6% | 17.6 |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Age Group | | | | | | | | | |
| <10 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 10-19 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 20-29 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 30-39 | 4 | 0.9% | 0.9 | 2 | 0.9% | 0.9 | 2 | 0.9% | 0.9 |
| 40-49 | 14 | 3.1% | 3.3 | 7 | 3.1% | 3.3 | 7 | 3.2% | 3.3 |
| 50-59 | 53 | 11.8% | 13.0 | 32 | 14.0% | 15.6 | 21 | 9.6% | 10.4 |
| 60-69 | 105 | 23.4% | 29.3 | 58 | 25.3% | 33.3 | 47 | 21.5% | 25.6 |
| 70-79 | 167 | 37.3% | 73.5 | 77 | 33.6% | 74.6 | 90 | 41.1% | 72.5 |
| 80-89 | 89 | 19.9% | 102.2 | 47 | 20.5% | 126.3 | 42 | 19.2% | 84.2 |
| 90+ | 16 | 3.6% | 98.7 | 6 | 2.6% | 107.1 | 10 | 4.6% | 94.3 |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Total | 448 | 100.0% | 14.0 | 229 | 100.0% | 14.3 | 219 | 100.0% | 13.6 |




Source: Nevada Electronic Death Registry System.
 *Percent may not equal to 100% due to rounding.
 **Rates per 100,000 population were calculated using population projections from the Nevada State Demographer vintage 2023 data. Rates are based on birth sex.
 †Other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine.



Liver and Intrahepatic Bile Ducts Cancer Mortality Rates Nevada Residents, 2022

| | Total | | | Male | | | Female | | |
|-------------------------------------|------------|---------------|------------|------------|---------------|-------------|-----------|---------------|------------|
| | N | %* | Rate** | N | %* | Rate** | N | %* | Rate** |
| Race/Ethnicity | | | | | | | | | |
| White | 120 | 51.7% | 7.6 | 86 | 52.8% | 10.9 | 33 | 48.5% | 4.2 |
| Black | 29 | 12.5% | 9.9 | 22 | 13.5% | 15.0 | 7 | 10.3% | 4.8 |
| Native American | 3 | 1.3% | 8.5 | 2 | 1.2% | 11.6 | 1 | 1.5% | 5.5 |
| Asian | 31 | 13.4% | 9.7 | 20 | 12.3% | 13.6 | 11 | 16.2% | 6.3 |
| Hispanic | 47 | 20.3% | 4.8 | 32 | 19.6% | 6.5 | 15 | 22.1% | 3.1 |
| Other | 2 | 0.9% | N/A | 1 | 0.6% | N/A | 1 | 1.5% | N/A |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Resident County at Diagnosis | | | | | | | | | |
| Clark | 175 | 75.4% | 7.5 | 127 | 77.9% | 10.9 | 48 | 70.6% | 4.1 |
| Washoe | 24 | 10.3% | 4.8 | 15 | 9.2% | 6.0 | 9 | 13.2% | 3.6 |
| Other† | 32 | 13.8% | 8.8 | 20 | 12.3% | 11.0 | 11 | 16.2% | 6.1 |
| Unknown | 1 | 0.4% | N/A | 1 | 0.6% | N/A | 0 | 0.0% | N/A |
| Age Group | | | | | | | | | |
| <10 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 10-19 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 20-29 | 1 | 0.4% | 0.2 | 1 | 0.6% | 0.4 | 0 | 0.0% | 0.0 |
| 30-39 | 2 | 0.9% | 0.5 | 2 | 1.2% | 0.9 | 0 | 0.0% | 0.0 |
| 40-49 | 8 | 3.4% | 1.9 | 6 | 3.7% | 2.8 | 2 | 2.9% | 1.0 |
| 50-59 | 30 | 12.9% | 7.4 | 18 | 11.0% | 8.8 | 12 | 17.6% | 5.9 |
| 60-69 | 76 | 32.8% | 21.2 | 62 | 38.0% | 35.6 | 14 | 20.6% | 7.6 |
| 70-79 | 70 | 30.2% | 30.8 | 45 | 27.6% | 43.6 | 24 | 35.3% | 19.3 |
| 80-89 | 37 | 15.9% | 42.5 | 24 | 14.7% | 64.5 | 13 | 19.1% | 26.1 |
| 90+ | 8 | 3.4% | 49.4 | 5 | 3.1% | 89.3 | 3 | 4.4% | 28.3 |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Total | 232 | 100.0% | 7.2 | 163 | 100.0% | 10.2 | 68 | 100.0% | 4.2 |



Source: Nevada Electronic Death Registry System.

*Percent may not equal to 100% due to rounding.


**Rates per 100,000 population were calculated using population projections from the Nevada State Demographer vintage 2023 data. Rates are based on birth sex.

†Other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine.



Colorectal Cancer Mortality Rates Nevada Residents, 2022

| | Total | | | Male | | | Female | | |
|-------------------------------------|------------|---------------|-------------|------------|---------------|-------------|------------|---------------|-------------|
| | N | %* | Rate** | N | %* | Rate** | N | %* | Rate** |
| Race/Ethnicity | | | | | | | | | |
| White | 331 | 65.7% | 21.0 | 169 | 63.8% | 21.3 | 162 | 67.8% | 20.7 |
| Black | 50 | 9.9% | 17.1 | 29 | 10.9% | 19.7 | 21 | 8.8% | 14.5 |
| Native American | 1 | 0.2% | 2.8 | 1 | 0.4% | 5.8 | 0 | 0.0% | 0.0 |
| Asian | 47 | 9.3% | 14.7 | 26 | 9.8% | 17.6 | 21 | 8.8% | 12.1 |
| Hispanic | 75 | 14.9% | 7.6 | 40 | 15.1% | 8.1 | 35 | 14.6% | 7.2 |
| Other | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Resident County at Diagnosis | | | | | | | | | |
| Clark | 364 | 72.2% | 15.6 | 187 | 70.6% | 16.1 | 177 | 74.1% | 15.1 |
| Washoe | 56 | 11.1% | 11.2 | 30 | 11.3% | 11.9 | 26 | 10.9% | 10.4 |
| Other† | 83 | 16.5% | 22.8 | 48 | 18.1% | 26.3 | 35 | 14.6% | 19.3 |
| Unknown | 1 | 0.2% | N/A | 0 | 0.0% | N/A | 1 | 0.4% | N/A |
| Age Group | | | | | | | | | |
| <10 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 10-19 | 1 | 0.2% | 0.2 | 0 | 0.0% | 0.0 | 1 | 0.4% | 0.5 |
| 20-29 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 30-39 | 7 | 1.4% | 1.6 | 5 | 1.9% | 2.2 | 2 | 0.8% | 0.9 |
| 40-49 | 21 | 4.2% | 5.0 | 11 | 4.2% | 5.2 | 10 | 4.2% | 4.8 |
| 50-59 | 82 | 16.3% | 20.2 | 47 | 17.7% | 23.0 | 35 | 14.6% | 17.3 |
| 60-69 | 121 | 24.0% | 33.8 | 72 | 27.2% | 41.3 | 49 | 20.5% | 26.7 |
| 70-79 | 144 | 28.6% | 63.3 | 80 | 30.2% | 77.5 | 64 | 26.8% | 51.6 |
| 80-89 | 98 | 19.4% | 112.5 | 40 | 15.1% | 107.4 | 58 | 24.3% | 116.3 |
| 90+ | 30 | 6.0% | 185.1 | 10 | 3.8% | 178.6 | 20 | 8.4% | 188.6 |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Total | 504 | 100.0% | 15.7 | 265 | 100.0% | 16.6 | 239 | 100.0% | 14.9 |




Source: Nevada Electronic Death Registry System.
 *Percent may not equal to 100% due to rounding.
 **Rates per 100,000 population were calculated using population projections from the Nevada State Demographer vintage 2023 data. Rates are based on birth sex.
 †Other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine.
 ‡Chart is scaled to display rate differences among years; y-axis starts at 10 instead of zero to better display changes.



Esophagus Cancer Mortality Rates Nevada Residents, 2022

| | Total | | | Male | | | Female | | |
|-------------------------------------|------------|---------------|------------|------------|---------------|------------|-----------|---------------|------------|
| | N | %* | Rate** | N | %* | Rate** | N | %* | Rate** |
| Race/Ethnicity | | | | | | | | | |
| White | 129 | 81.6% | 8.2 | 100 | 80.0% | 12.6 | 29 | 87.9% | 3.7 |
| Black | 9 | 5.7% | 3.1 | 8 | 6.4% | 5.4 | 1 | 3.0% | 0.7 |
| Native American | 4 | 2.5% | 11.3 | 4 | 3.2% | 23.2 | 0 | 0.0% | 0.0 |
| Asian | 7 | 4.4% | 2.2 | 5 | 4.0% | 3.4 | 2 | 6.1% | 1.2 |
| Hispanic | 9 | 5.7% | 0.9 | 8 | 6.4% | 1.6 | 1 | 3.0% | 0.2 |
| Other | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Resident County at Diagnosis | | | | | | | | | |
| Clark | 96 | 60.8% | 4.1 | 75 | 60.0% | 6.4 | 21 | 63.6% | 1.8 |
| Washoe | 26 | 16.5% | 5.2 | 21 | 16.8% | 8.3 | 5 | 15.2% | 2.0 |
| Other† | 35 | 22.2% | 9.6 | 29 | 23.2% | 15.9 | 6 | 18.2% | 3.3 |
| Unknown | 1 | 0.6% | N/A | 0 | 0.0% | N/A | 1 | 3.0% | N/A |
| Age Group | | | | | | | | | |
| <10 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 10-19 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 20-29 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 30-39 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 40-49 | 6 | 3.8% | 1.4 | 5 | 4.0% | 2.4 | 1 | 3.0% | 0.5 |
| 50-59 | 21 | 13.3% | 5.2 | 20 | 16.0% | 9.8 | 1 | 3.0% | 0.5 |
| 60-69 | 47 | 29.7% | 13.1 | 38 | 30.4% | 21.8 | 9 | 27.3% | 4.9 |
| 70-79 | 56 | 35.4% | 24.6 | 43 | 34.4% | 41.7 | 13 | 39.4% | 10.5 |
| 80-89 | 26 | 16.5% | 29.8 | 18 | 14.4% | 48.4 | 8 | 24.2% | 16.0 |
| 90+ | 2 | 1.3% | 12.3 | 1 | 0.8% | 17.9 | 1 | 3.0% | 9.4 |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Total | 158 | 100.0% | 4.9 | 125 | 100.0% | 7.8 | 33 | 100.0% | 2.1 |




Source: Nevada Electronic Death Registry System.
 *Percent may not equal to 100% due to rounding.
 **Rates per 100,000 population were calculated using population projections from the Nevada State Demographer vintage 2023 data. Rates are based on birth sex.
 †Other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine.
 ‡Chart is scaled to display rate differences among years; y-axis starts at 3 instead of zero to better display changes.



Urinary Bladder Cancer Mortality Rates Nevada Residents, 2022

| | Total | | | Male | | | Female | | |
|-------------------------------------|------------|---------------|------------|------------|---------------|------------|-----------|---------------|------------|
| | N | %* | Rate** | N | %* | Rate** | N | %* | Rate** |
| Race/Ethnicity | | | | | | | | | |
| White | 149 | 80.5% | 9.5 | 113 | 84.3% | 14.3 | 36 | 70.6% | 4.6 |
| Black | 17 | 9.2% | 5.8 | 9 | 6.7% | 6.1 | 8 | 15.7% | 5.5 |
| Native American | 1 | 0.5% | 2.8 | 0 | 0.0% | 0.0 | 1 | 2.0% | 5.5 |
| Asian | 8 | 4.3% | 2.5 | 5 | 3.7% | 3.4 | 3 | 5.9% | 1.7 |
| Hispanic | 10 | 5.4% | 1.0 | 7 | 5.2% | 1.4 | 3 | 5.9% | 0.6 |
| Other | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Resident County at Diagnosis | | | | | | | | | |
| Clark | 131 | 70.8% | 5.6 | 94 | 70.1% | 8.1 | 37 | 72.5% | 3.2 |
| Washoe | 33 | 17.8% | 6.6 | 24 | 17.9% | 9.5 | 9 | 17.6% | 3.6 |
| Other† | 21 | 11.4% | 5.8 | 16 | 11.9% | 8.8 | 5 | 9.8% | 2.8 |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Age Group | | | | | | | | | |
| <10 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 10-19 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 20-29 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 30-39 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 40-49 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 |
| 50-59 | 7 | 3.8% | 1.7 | 5 | 3.7% | 2.4 | 2 | 3.9% | 1.0 |
| 60-69 | 30 | 16.2% | 8.4 | 23 | 17.2% | 13.2 | 7 | 13.7% | 3.8 |
| 70-79 | 70 | 37.8% | 30.8 | 55 | 41.0% | 53.3 | 15 | 29.4% | 12.1 |
| 80-89 | 58 | 31.4% | 66.6 | 38 | 28.4% | 102.1 | 20 | 39.2% | 40.1 |
| 90+ | 20 | 10.8% | 123.4 | 13 | 9.7% | 232.1 | 7 | 13.7% | 66.0 |
| Unknown | 0 | 0.0% | N/A | 0 | 0.0% | N/A | 0 | 0.0% | N/A |
| Total | 185 | 100.0% | 5.8 | 134 | 100.0% | 8.4 | 51 | 100.0% | 3.2 |



Source: Nevada Electronic Death Registry System.
 *Percent may not equal to 100% due to rounding.
 **Rates per 100,000 population were calculated using population projections from the Nevada State Demographer vintage 2023 data. Rates are based on birth sex.
 †Other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine.
 ‡Chart is scaled to display rate differences among years; y-axis starts at 3 instead of zero to better display changes.