

Nevada State Health Division~ STD Program Chlamydia Cases in Nevada, 2010

| Se town of | Total | | | | | М | ale | | Female | | | |
|---------------------------------|-------|------|-----------------|--------------------|-------|------|-----------------|--------------------|--------|------|-----------------|--------------------|
| | N | % | Nevada Rate* | National Rate** | n | % | Nevada Rate* | National Rate** | n | % | Nevada Rate* | National Rate** |
| County at Diagnosis | | | | | | | | | | | | |
| Clark County | 7,362 | 78% | 374.1 | 409.2 | 1,896 | 73% | 189.6 | 219.3 | 5,466 | 80% | 565.0 | 592.2 |
| Washoe County | 1,429 | 15% | 337.2 | 409.2 | 515 | 20% | 239.4 | 219.3 | 914 | 13% | 437.9 | 592.2 |
| Carson/Douglas/Lyon Counties | 312 | 3% | 188.5 | 409.2 | 82 | 3% | 99.1 | 219.3 | 230 | 3% | 277.7 | 592.2 |
| All Other Counties*** | 327 | 3% | 180.0 | 409.2 | 107 | 4% | 115.5 | 219.3 | 220 | 3% | 247.1 | 592.2 |
| Total | 9,430 | 100% | 344.3 | 409.2 | 2,600 | 100% | 187.0 | 219.3 | 6,830 | 100% | 506.7 | 592.2 |
| Race/Ethnicity | | | | | | | | | | | | |
| White, non-Hispanic | 2,071 | 22% | 121.8 | 178.8 | 655 | 25% | 76.3 | 84.0 | 1,416 | 21% | 168.1 | 270.2 |
| Black, non-Hispanic | 1,696 | 18% | 896.5 | 1,559.1 | 617 | 24% | 650.9 | 970.0 | 1,079 | 16% | 1,143.1 | 2,095.5 |
| Hispanic | 1,630 | 17% | 255.1 | 504.2 | 447 | 17% | 131.6 | 237.3 | 1,183 | 17% | 395.1 | 788.8 |
| American Indian/Alaska Native | 83 | 1% | 227.9 | 776.5 | 22 | 1% | 123.5 | 328.8 | 61 | 1% | 327.8 | 1,214.9 |
| Asian/Hawaiian/Pacific Islander | 306 | 3% | 176.0 | 149.0 | 65 | 3% | 80.8 | 72.0 | 241 | 4% | 257.8 | 221.9 |
| Unknown/Other | 3,644 | 39% | N/A | N/A | 794 | 31% | N/A | N/A | 2,850 | 42% | N/A | N/A |
| Total | 9,430 | 100% | 344.3 | 401.3 | 2,600 | 100% | 187.0 | 219.3 | 6,830 | 100% | 506.7 | 592.2 |
| Age | | | | | | | | | | | | |
| <14 | 102 | 1% | 17.8 | 69.5 | 19 | 1% | 6.5 | 13.8 | 83 | 1% | 29.7 | 127.9 |
| 15-19 | 3,054 | 32% | 1,573.9 | 1,999.9 | 624 | 24% | 620.1 | 735.5 | 2,430 | 36% | 2,601.6 | 3,329.30 |
| 20-24 | 3,281 | 35% | 1,640.7 | 2,165.0 | 874 | 34% | 840.2 | 1,120.60 | 2,407 | 35% | 2,508.5 | 3,273.90 |
| 25-29 | 1,510 | 16% | 748.6 | 895.2 | 480 | 18% | 456.7 | 573.3 | 1,030 | 15% | 1,066.4 | 1,234.00 |
| 30-34 | 740 | 8% | 371.6 | 397.0 | 274 | 11% | 263.5 | 286 | 466 | 7% | 489.7 | 511.7 |
| 35-39 | 363 | 4% | 182.8 | 173.3 | 148 | 6% | 143.7 | 141.3 | 215 | 3% | 225.1 | 205.8 |
| 40-44 | 199 | 2% | 95.9 | 85.1 | 98 | 4% | 90.8 | 81.9 | 101 | 1% | 101.5 | 88.4 |
| 45-54 | 135 | 1% | 36.2 | 34.0 | 63 | 2% | 33.3 | 36 | 72 | 1% | 39.2 | 32 |
| 55-64 | 32 | 0% | 11.3 | 10.0 | 17 | 1% | 12.2 | 11 | 15 | 0% | 10.4 | 9.1 |
| 65+ | 6 | 0% | 2.0 | 2.4 | 1 | 0% | 0.7 | 2.9 | 5 | 0% | 3.0 | 2.1 |
| Unknown | 8 | 0% | N/A | N/A | 2 | 0% | N/A | N/A | 6 | 0% | N/A | N/A |
| Total | 9,430 | 100% | 367.3 | 401.3 | 2,600 | 100% | 187.0 | 219.3 | 6,830 | 100% | 506.7 | 592.2 |

Source: Nevada State Health Division Sexually Transmitted Disease Management Information Systems (STD*MIS), data as of March 2011

^{*}Nevada Rates per 100,000 population were calculated using population estimates from the Nevada State Demographer. Interim 2008 Population Estimates were used to calculate 2009 rates. The 2007 and 2008 Interim Population Estimates are based on the 2007 and 2008 Total Population Estimates provided in March 2008 and 2009, respectively and 2005 Population Estimate Breakdowns. They were updated in July 2008 and 2009 by the Nevada State Health Division, Bureau of Health Statistics, Planning, and Emergency Response.

^{**} National Rates are based on the 2009 Rates from the CDC STD Surveillance Report and are expressed per 100,000 cases per population.

^{*&}quot;All Other Counties" includes the counties of Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Rates higlighed in *red* indicated a Nevada Rate higher than the National Rate.

Nevada State Health Division~ STD Program Gonorrhea Cases in Nevada, 2010

| and trace | | Total | | | | Male | | | | Female | | | |
|---------------------------------|-------|-------|-----------------|--------------------|-----|------|-----------------|--------------------|-----|--------|--------------|--------------------|--|
| | N | % | Nevada Rate* | National Rate** | n | % | Nevada Rate* | National Rate** | n | % | Nevada Rate* | National Rate** | |
| County at Diagnosis | | | | | | | | | | | | | |
| Clark County | 1,511 | 92% | 76.8 | 99.1 | 742 | 90% | 74.2 | 91.9 | 769 | 93% | 79.5 | 105.5 | |
| Washoe County | 100 | 6% | 23.6 | 99.1 | 62 | 8% | 28.8 | 91.9 | 38 | 5% | 18.2 | 105.5 | |
| Carson/Douglas/Lyon Counties | 11 | 1% | 6.6 | 99.1 | 7 | 1% | 8.5 | 91.9 | 4 | 0% | 4.8 | 105.5 | |
| All Other Counties* | 23 | 1% | 12.7 | 99.1 | 10 | 1% | 10.8 | 91.9 | 13 | 2% | 14.6 | 105.5 | |
| Total | 1,645 | 100% | 60.1 | 99.1 | 821 | 100% | 59.0 | 91.9 | 824 | 100% | 61.1 | 105.5 | |
| Race/Ethnicity | | | | | | | | | | | | | |
| White, non-Hispanic | 259 | 16% | 15.2 | 27.2 | 134 | 16% | 15.6 | 21.5 | 125 | 15% | 14.8 | 32.8 | |
| Black, non-Hispanic | 670 | 41% | 354.2 | 556.4 | 339 | 41% | 357.6 | 555.2 | 331 | 40% | 350.7 | 557.5 | |
| Hispanic | 115 | 7% | 18.0 | 58.6 | 64 | 8% | 18.8 | 54.5 | 51 | 6% | 17.0 | 63.0 | |
| American Indian/Alaska Native | 3 | 0% | 8.2 | 110.2 | 3 | 0% | 16.8 | 75.0 | 0 | 0% | 0.0 | 144.2 | |
| Asian/Hawaiian/Pacific Islander | 29 | 2% | 16.7 | 18.1 | 15 | 2% | 18.7 | 19.1 | 14 | 2% | 15.0 | 20.8 | |
| Unknown/Other | 569 | 35% | N/A | N/A | 266 | 32% | N/A | N/A | 303 | 37% | N/A | N/A | |
| Total | 1,645 | 100% | 60.1 | 99.1 | 821 | 100% | 59.0 | 91.9 | 824 | 100% | 61.1 | 105.5 | |
| Age | | | | | | | | | | | | | |
| 10-14 | 16 | 1% | 2.8 | 14.9 | 3 | 0% | 1.0 | 5.0 | 13 | 2% | 4.7 | 25.3 | |
| 15-19 | 534 | 32% | 275.2 | 405.4 | 186 | 23% | 184.8 | 250 | 348 | 42% | 372.6 | 568.8 | |
| 20-24 | 471 | 29% | 235.5 | 479.1 | 226 | 28% | 217.3 | 407.5 | 245 | 30% | 255.3 | 555.3 | |
| 25-29 | 232 | 14% | 115.0 | 234.3 | 128 | 16% | 121.8 | 238.9 | 104 | 13% | 107.7 | 229.4 | |
| 30-34 | 117 | 7% | 58.8 | 125.9 | 74 | 9% | 71.2 | 145 | 43 | 5% | 45.2 | 106.2 | |
| 35-39 | 104 | 6% | 52.4 | 66.7 | 69 | 8% | 67.0 | 85.6 | 35 | 4% | 36.6 | 47.6 | |
| 40-44 | 67 | 4% | 32.3 | 41.8 | 51 | 6% | 47.3 | 60.8 | 16 | 2% | 16.1 | 22.9 | |
| 45-54 | 73 | 4% | 19.6 | 21 | 57 | 7% | 30.1 | 33.6 | 16 | 2% | 8.7 | 8.7 | |
| 55-64 | 23 | 1% | 8.1 | 6.6 | 21 | 3% | 15.0 | 11.4 | 2 | 0% | 1.4 | 2.1 | |
| 65+ | 7 | 0% | 2.3 | 1.4 | 6 | 1% | 4.2 | 2.7 | 1 | 0% | 0.6 | 0.5 | |
| Unknown | 1 | 0% | N/A | N/A | 0 | 0% | N/A | N/A | 1 | 0% | N/A | N/A | |
| Total | 1,645 | 100% | 60.1 | 99.1 | 821 | 100% | 59.0 | 91.9 | 824 | 100% | 61.1 | 105.5 | |

Source: Nevada State Health Division Sexually Transmitted Disease Management Information Systems (STD*MIS), data as of March 2011

^{*}Nevada Rates per 100,000 population were calculated using population estimates from the Nevada State Demographer. Interim 2008 Population Estimates were used to calculate 2009 rates. The 2007 and 2008 Interim Population Estimates are based on the 2007 and 2008 Total Population Estimates provided in March 2008 and 2009, respectively and 2005 Population Estimate Breakdowns. They were updated in July 2008 and 2009 by the Nevada State Health Division, Bureau of Health Statistics, Planning, and Emergency Response.

^{**} National Rates are based on the 2009 Rates from the CDC STD Surveillance Report and are expressed per 100,000 cases per population.

^{*&}quot;All Other Counties" includes the counties of Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Rates higlighed in red indicated a Nevada Rate higher than the National Rate.



Nevada State Health Division~ STD Program Primary and Secondary Syphilis Cases in Nevada, 2010

| Contract of | | | Total | | Male | | | | Female | | | |
|---------------------------------|-----|------|-----------------|--------------------|------|------|-----------------|--------------------|--------|------|-----------------|--------------------|
| | N | % | Nevada Rate* | National Rate** | n | % | Nevada Rate* | National Rate** | n | % | Nevada Rate* | National Rate** |
| County at Diagnosis | | | | | | | | | | | | |
| Clark County | 126 | 94% | 6.4 | 4.6 | 120 | 94% | 12.0 | 7.8 | 6 | 86% | 0.6 | 1.4 |
| Washoe County | 2 | 1% | 0.5 | 4.6 | 2 | 2% | 0.9 | 7.8 | 0 | 0% | 0.0 | 1.4 |
| Carson/Douglas/Lyon Conties | 1 | 1% | 0.6 | 4.6 | 1 | 1% | 1.2 | 7.8 | 0 | 0% | 0.0 | 1.4 |
| All Other Counties* | 5 | 4% | 2.8 | 4.6 | 4 | 3% | 4.3 | 7.8 | 1 | 14% | 1.1 | 1.4 |
| Total | 134 | 100% | 4.9 | 4.6 | 127 | 100% | 9.1 | 7.8 | 7 | 100% | 0.5 | 1.4 |
| Race/Ethnicity | | | | | | | | | | | | |
| White, non-Hispanic | 48 | 36% | 2.8 | 2.1 | 48 | 38% | 5.6 | 3.9 | 0 | 0% | 0.0 | 0.4 |
| Black, non-Hispanic | 40 | 30% | 21.1 | 19.2 | 35 | 28% | 36.9 | 31.3 | 5 | 71% | 5.3 | 8.2 |
| Hispanic | 30 | 22% | 4.7 | 4.5 | 29 | 23% | 8.5 | 8.1 | 1 | 14% | 0.3 | 0.6 |
| American Indian/Alaska Native | 1 | 1% | 2.7 | 2.4 | 1 | 1% | 5.6 | 3.9 | 0 | 0% | 0.0 | 0.9 |
| Asian/Hawaiian/Pacific Islander | 2 | 1% | 1.2 | 1.6 | 2 | 2% | 2.5 | 3.0 | 0 | 0% | 0.0 | 0.2 |
| Unknown/Other | 13 | 10% | N/A | N/A | 12 | 9% | N/A | N/A | 1 | 14% | N/A | N/A |
| Total | 134 | 100% | 4.9 | 4.6 | 127 | 100% | 9.1 | 7.8 | 7 | 100% | 0.5 | 1.4 |
| Age | | | | | | | | | | | | |
| 10-14 | 0 | 0% | 0.0 | 0.1 | 0 | 0% | 0.0 | 0.0 | 0 | 0% | 0.0 | 0.2 |
| 15-19 | 6 | 4% | 3.1 | 4.7 | 5 | 4% | 5.0 | 6.0 | 1 | 14% | 1.1 | 3.3 |
| 20-24 | 27 | 20% | 13.5 | 13.4 | 26 | 20% | 25.0 | 20.7 | 1 | 14% | 1.0 | 5.6 |
| 25-29 | 27 | 20% | 13.4 | 11.3 | 25 | 20% | 23.8 | 18.5 | 2 | 29% | 2.1 | 3.6 |
| 30-34 | 19 | 14% | 9.5 | 9.5 | 19 | 15% | 18.3 | 15.8 | 0 | 0% | 0.0 | 3.0 |
| 35-39 | 16 | 12% | 8.1 | 7.7 | 16 | 13% | 15.5 | 13.3 | 0 | 0% | 0.0 | 1.9 |
| 40-44 | 16 | 12% | 7.7 | 7.6 | 15 | 12% | 13.9 | 13.7 | 1 | 14% | 1.0 | 1.6 |
| 45-54 | 16 | 12% | 4.3 | 4.6 | 14 | 11% | 7.4 | 8.3 | 2 | 29% | 1.1 | 1.0 |
| 55-64 | 5 | 4% | 1.8 | 1.5 | 5 | 4% | 3.6 | 2.9 | 0 | 0% | 0.0 | 0.2 |
| 65+ | 2 | 1% | 0.7 | 0.2 | 2 | 2% | 1.4 | 0.5 | 0 | 0% | 0.0 | 0.0 |
| Unknown | 0 | 0% | N/A | N/A | 0 | 0% | N/A | N/A | 0 | 0% | N/A | N/A |
| Total | 134 | 100% | 4.9 | 4.6 | 127 | 100% | 9.1 | 7.8 | 7 | 100% | 0.5 | 1.4 |

Source: Nevada State Health Division Sexually Transmitted Disease Management Information Systems (STD*MIS), data as of March 2011

^{*}Nevada Rates per 100,000 population were calculated using population estimates from the Nevada State Demographer. Interim 2008 Population Estimates were used to calculate 2009 rates. The 2007 and 2008 Interim Population Estimates are based on the 2007 and 2008 Total Population Estimates provided in March 2008 and 2009, respectively and 2005 Population Estimate Breakdowns. They were updated in July 2008 and 2009 by the Nevada State Health Division, Bureau of Health Statistics, Planning, and Emergency Response.

^{**} National Rates are based on the 2009 Rates from the CDC STD Surveillance Report and are expressed per 100,000 cases per population.

^{*&}quot;All Other Counties" includes the counties of Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine

Nevada State Health Division~ STD Program Early Latent Syphilis Cases in Nevada, 2010

| | Total | | - | Male | | | Female | | | |
|---------------------------------|-------|------|-----------------|------|------|-----------------|--------|------|-----------------|--|
| | N | % | Nevada Rate* | n | % | Nevada Rate* | n | % | Nevada Rate* | |
| County at Diagnosis | | | | | | | | | | |
| Clark County | 180 | 98% | 9.1 | 158 | 98% | 15.8 | 22 | 100% | 2.3 | |
| Washoe County | 4 | 2% | 0.9 | 4 | 2% | 1.9 | 0 | 0% | 0.0 | |
| Carson/Douglas/Lyon Conties | 0 | 0% | 0.0 | 0 | 0% | 0.0 | 0 | 0% | 0.0 | |
| All Other Counties* | 0 | 0% | 0.0 | 0 | 0% | 0.0 | 0 | 0% | 0.0 | |
| Total | 184 | 100% | 6.7 | 162 | 100% | 11.6 | 22 | 100% | 1.6 | |
| Race/Ethnicity | | | | | | | | | | |
| White, non-Hispanic | 54 | 29% | 3.2 | 52 | 32% | 6.1 | 2 | 9% | 0.2 | |
| Black, non-Hispanic | 59 | 32% | 31.2 | 46 | 28% | 48.5 | 13 | 59% | 13.8 | |
| Hispanic | 52 | 28% | 8.1 | 50 | 31% | 14.7 | 2 | 9% | 0.7 | |
| American Indian/Alaska Native | 0 | 0% | 0.0 | 0 | 0% | 0.0 | 0 | 0% | 0.0 | |
| Asian/Hawaiian/Pacific Islander | 4 | 2% | 2.3 | 3 | 2% | 3.7 | 1 | 5% | 1.1 | |
| Unknown/Other | 15 | 8% | N/A | 11 | 7% | N/A | 4 | 18% | N/A | |
| Total | 184 | 100% | 6.7 | 162 | 100% | 11.6 | 22 | 100% | 1.6 | |
| Age | | | | | | | | | | |
| 10-14 | 0 | 0% | 0.0 | 0 | 0% | 0.0 | 0 | 0% | 0.0 | |
| 15-19 | 11 | 6% | 5.7 | 3 | 2% | 3.0 | 8 | 36% | 8.6 | |
| 20-24 | 28 | 15% | 14.0 | 24 | 15% | 23.1 | 4 | 18% | 4.2 | |
| 25-29 | 24 | 13% | 11.9 | 22 | 14% | 20.9 | 2 | 9% | 2.1 | |
| 30-34 | 28 | 15% | 14.1 | 23 | 14% | 22.1 | 5 | 23% | 5.3 | |
| 35-39 | 16 | 9% | 8.1 | 15 | 9% | 14.6 | 1 | 5% | 1.0 | |
| 40-44 | 30 | 16% | 14.5 | 30 | 19% | 27.8 | 0 | 0% | 0.0 | |
| 45-54 | 35 | 19% | 9.4 | 34 | 21% | 18.0 | 1 | 5% | 0.5 | |
| 55-64 | 9 | 5% | 3.2 | 8 | 5% | 5.7 | 1 | 5% | 0.7 | |
| 65+ | 3 | 2% | 1.0 | 3 | 2% | 2.1 | 0 | 0% | 0.0 | |
| Unknown | 0 | 0% | N/A | 0 | 0% | N/A | 0 | 0% | N/A | |
| Total | 184 | 100% | 6.7 | 162 | 100% | 11.6 | 22 | 100% | 1.6 | |

Source: Nevada State Health Division Sexually Transmitted Disease Management Information Systems (STD*MIS), data as of March 2011

^{*}Nevada Rates per 100,000 population were calculated using population estimates from the Nevada State Demographer. Interim 2008 Population Estimates were used to calculate 2009 rates. The 2007 and 2008 Interim Population Estimates are based on the 2007 and 2008 Total Population Estimates provided in March 2008 and 2009, respectively and 2005 Population Estimate Breakdowns. They were updated in July 2008 and 2009 by the Nevada State Health Division, Bureau of Health Statistics, Planning, and Emergency Response.

^{*&}quot;All Other Counties" includes the counties of Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine