

Nevada

2020 STD Fast Facts

NEVADA DIVISION OF PUBLIC AND BEHAVIORAL HEALTH

Office of Public Health Investigation and Epidemiology

Sexually Transmitted Disease (STD) Prevention and Control Program



Steve Sisolak, Governor
State of Nevada

Lisa Sherych
Administrator

Richard Whitley, MS, Director
Department of Health and Human Services

Ihsan Azzam, Ph.D., M.D.
Chief Medical Officer

PURPOSE

The purpose of the *Nevada 2020 STD Fast Facts* report is to provide an analysis on all sexually transmitted diseases (STD) reported in 2020 in Nevada. This annual publication is meant as a reference document for policy makers, program managers, health planners, researchers, and community members concerned with the public health implications of the diseases presented. The figures and tables in this edition supersede those in earlier publications.

METHODS

The data used for this profile are between January 1, 2020 to December 31, 2020; was obtained from the NEDSS-Based System (NBS). The NBS database application is provided by the Centers for Disease and Control and Prevention (CDC) and maintained by the Division of Public and Behavioral Health (DPBH) for the STD Prevention and Control Program. The data are collected from medical labs, private and public health providers, clinics, and state and local disease intervention specialists (DIS). The STD case definition for this report utilizes the 2020 CDC Case Definitions. Per the CDC, a patient may be infected with multiple diseases at the same time, and while a patient may contract STDs multiple times in the calendar year, only the first incidence of the disease is counted within a 30-day period.

TECHNICAL NOTES

Nevada Administrative Code (NAC) 441A.040 mandates that Chlamydia, Gonorrhea, Syphilis, and congenital Syphilis are reportable communicable diseases. Additionally, Nevada Revised Statute (NRS) 441A.150 requires that a diagnosis of Chlamydia, Gonorrhea, or Syphilis is to be reported to the local health authority by all providers, medical facilities, and laboratories.

Unknown categories (including percentage and incidence calculations) within the report are due to missing data on gender, race/ethnicity, full address, and age; they are still required reporting according to the NAC. Local health authorities do conduct investigations to complete these cases, but due to limited staff and funding some cases are not complete.

Crude rates are calculated using 2020 population projections from the Nevada State Demographer. Rates are based on per 100,000 persons.

n (used for birth sex stratification) is the basic measure of disease and may not equal the total case count (N) due to unknown demographic information.

N (Total case count) is the total number of disease cases in the population.

N/A (notation) is used to represent cases where the data may not meet the criteria for reliability, data quality, or confidentiality due to small data counts or the inability to calculate data rates based on an equivalent population.

Population is based on the 2020 population projections from the Nevada State Demographer.

RC (Rate Change) is the difference in rates between 2019 and 2020 data divided by the 2019 data.

RD (Rate Difference) is the difference in incidence rates between 2019 and 2020 data.

RSE (Relative Standard Error) the publication contains counts under 12, please use caution when interpreting the data as the RSE is greater than 30%.



**Division of Public and Behavioral Health, STD Prevention & Control Program
Chlamydia Cases in Nevada, 2020**

	Total			Male			Female		
	N	%*	Rate	n	%*	Rate	n	%*	Rate
Resident County at Diagnosis									
Carson City	190	1.3%	334.8	63	1.1%	231.6	127	1.4%	429.8
Churchill	120	0.8%	458.8	49	0.9%	382.0	71	0.8%	532.7
Clark	11,286	76.6%	482.8	4,296	77.3%	368.0	6,969	76.1%	595.6
Douglas	80	0.5%	161.6	23	0.4%	95.0	57	0.6%	225.3
Elko	147	1.0%	268.9	31	0.6%	111.5	116	1.3%	432.0
Esmeralda	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Eureka	2	0.0%	104.5	1	0.0%	99.9	1	0.0%	109.5
Humboldt	46	0.3%	270.1	12	0.2%	137.2	34	0.4%	410.6
Lander	16	0.1%	264.6	3	0.1%	98.7	13	0.1%	432.0
Lincoln	7	0.0%	133.8	2	0.0%	69.8	5	0.1%	211.4
Lyon	175	1.2%	302.6	61	1.1%	211.0	114	1.2%	394.2
Mineral	16	0.1%	338.3	5	0.1%	211.0	11	0.1%	466.3
Nye	76	0.5%	153.9	21	0.4%	84.4	55	0.6%	224.3
Pershing	7	0.0%	102.1	0	0.0%	0.0	7	0.1%	278.3
Storey .	5	0.0%	118.7	2	0.0%	94.9	3	0.0%	142.6
Washoe	2,542	17.2%	533.9	979	17.6%	409.3	1,563	17.1%	659.6
White Pine	24	0.2%	225.0	7	0.1%	114.9	17	0.2%	371.7
Total	14,739	100.0%	465.6	5,555	100.0%	350.8	9,163	100.0%	579.2
Race/Ethnicity									
White, non-Hispanic	2,663	18.1%	169.5	973	17.5%	122.7	1,690	18.4%	217.2
Black, non-Hispanic	2,091	14.2%	738.2	942	17.0%	660.5	1,149	12.5%	817.0
Hispanic	2,335	15.8%	243.4	915	16.5%	188.7	1,418	15.5%	298.9
American Indian/Alaska Native	75	0.5%	208.7	17	0.3%	96.7	58	0.6%	315.9
Asian/Hawaiian/Pacific Islander	294	2.0%	93.0	120	2.2%	82.4	174	1.9%	101.9
Unknown/Other	7,281	49.4%	N/A	2,588	46.6%	N/A	4,674	51.0%	N/A
Total	14,739	100.0%	465.6	5,555	100.0%	350.8	9,163	100.0%	579.2
Age Group									
< 9	3	0.0%	0.8	2	0.0%	1.0	1	0.0%	0.5
10-14	64	0.4%	29.5	12	0.2%	10.9	52	0.6%	48.9
15-19	3,041	20.6%	1,418.2	755	13.6%	685.2	2,284	24.9%	2,191.2
20-24	4,955	33.6%	2,348.8	1,587	28.6%	1,457.8	3,359	36.7%	3,290.2
25-29	3,040	20.6%	1,312.6	1,274	22.9%	1,081.3	1,762	19.2%	1,548.6
30-34	1,670	11.3%	758.4	817	14.7%	723.3	851	9.3%	793.5
35-39	891	6.0%	432.2	454	8.2%	438.5	436	4.8%	425.0
40-44	475	3.2%	220.0	265	4.8%	243.6	210	2.3%	196.1
45-54	442	3.0%	108.7	275	5.0%	133.1	165	1.8%	82.4
55-64	128	0.9%	33.7	90	1.6%	47.8	38	0.4%	19.8
65+	28	0.2%	6.0	24	0.4%	11.2	4	0.0%	1.6
Unknown	2	0.0%	N/A	0	0.0%	NA	1	0.0%	N/A
Total	14,739	100.0%	465.6	5,555	100.0%	350.8	9,163	100.0%	579.2

Source: Division of Public and Behavioral Health, NEDSS Based System (NBS), data as of December 2021.

* Percent may not equal 100% due to rounding and unknown counts.

** All other counties include Churchill, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Mineral, Nye, Pershing, Storey, and White Pine.

^Male and female column totals may not add up to total number of Chlamydia cases due to patients with unknown sex reported.



**Division of Public and Behavioral Health, STD Prevention & Control Program
Gonorrhea Cases in Nevada, 2020**

	Total			Male			Female		
	N	%*	Rate	n	%*	Rate	n	%*	Rate
Resident County at Diagnosis									
Carson City	44	0.7%	77.5	24	0.6%	88.2	20	0.8%	67.7
Churchill	19	0.3%	72.6	9	0.2%	70.2	10	0.4%	75.0
Clark	4,951	77.8%	211.8	2,991	78.5%	256.2	1,955	76.8%	167.1
Douglas	27	0.4%	54.5	14	0.4%	57.8	13	0.5%	51.4
Elko	56	0.9%	102.5	28	0.7%	100.7	28	1.1%	104.3
Esmeralda	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Eureka	2	0.0%	104.5	1	0.0%	99.9	1	0.0%	109.5
Humboldt	25	0.4%	146.8	12	0.3%	137.2	13	0.5%	157.0
Lander	8	0.1%	132.3	5	0.1%	164.6	3	0.1%	99.7
Lincoln	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Lyon	66	1.0%	114.1	35	0.9%	121.1	30	1.2%	103.7
Mineral	5	0.1%	105.7	1	0.0%	42.2	4	0.2%	169.6
Nye	21	0.3%	42.5	13	0.3%	52.3	8	0.3%	32.6
Pershing	4	0.1%	58.4	2	0.1%	46.1	2	0.1%	79.5
Storey	2	0.0%	47.5	1	0.0%	47.4	1	0.0%	47.5
Washoe	1,132	17.8%	237.7	676	17.7%	282.6	456	17.9%	192.4
White Pine	2	0.0%	18.8	0	0.0%	0.0	2	0.1%	43.7
Total	6,364	100.0%	201.0	3,812	100.0%	240.7	2,546	100.0%	160.9
Race/Ethnicity									
White, non-Hispanic	1,365	21.4%	86.9	736	19.3%	92.8	628	24.7%	80.7
Black, non-Hispanic	1,468	23.1%	518.3	946	24.8%	663.3	522	20.5%	371.2
Hispanic	916	14.4%	95.5	641	16.8%	132.2	274	10.8%	57.8
American Indian/Alaska Native	33	0.5%	91.8	9	0.2%	51.2	24	0.9%	130.7
Asian/Hawaiian/Pacific Islander	85	1.3%	26.9	57	1.5%	39.1	28	1.1%	16.4
Unknown/Other	2,497	39.2%	N/A	1,423	37.3%	N/A	1,070	42.0%	N/A
Total	6,364	100.0%	201.0	3,812	100.0%	240.7	2,546	100.0%	160.9
Age Group									
< 9	3	0.0%	0.8	0	0.0%	0.0	3	0.1%	1.6
10-14	17	0.3%	7.8	5	0.1%	4.5	12	0.5%	11.3
15-19	704	11.1%	328.3	276	7.2%	250.5	426	16.7%	408.7
20-24	1,464	23.0%	694.0	758	19.9%	696.3	705	27.7%	690.5
25-29	1,401	22.0%	604.9	884	23.2%	750.3	516	20.3%	453.5
30-34	1,062	16.7%	482.3	678	17.8%	600.2	383	15.0%	357.1
35-39	669	10.5%	324.5	455	11.9%	439.5	214	8.4%	208.6
40-44	447	7.0%	207.0	297	7.8%	273.0	150	5.9%	140.1
45-54	417	6.6%	102.5	322	8.4%	155.9	95	3.7%	47.5
55-64	148	2.3%	39.0	112	2.9%	59.5	35	1.4%	18.3
65+	32	0.5%	6.8	25	0.7%	11.6	7	0.3%	2.7
Unknown	0	0.0%	N/A	0	0.0%	N/A	0	0.0%	N/A
Total	6,364	100.0%	201.0	3,812	100.0%	240.7	2,546	100.0%	160.9

Source: Division of Public and Behavioral Health, NEDSS Based System (NBS), data as of December 2021.

* Percent may not equal 100% due to rounding and unknown counts.

** All other counties include Churchill, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Mineral, Nye, Pershing, Storey, and White Pine.

^Male and female column totals may not add up to total number of Chlamydia cases due to patients with unknown sex reported.



**Division of Public and Behavioral Health, STD Prevention & Control Program
Primary & Secondary Syphilis Cases in Nevada, 2020**

	Total			Male			Female		
	N	%*	Rate	n	%*	Rate	n	%*	Rate
Resident County at Diagnosis									
Carson City	7	0.9%	12.3	5	0.8%	18.4	2	1.3%	6.8
Churchill	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Clark	613	79.9%	26.2	498	80.7%	42.7	115	76.7%	9.8
Douglas	3	0.4%	6.1	2	0.3%	8.3	1	0.7%	4.0
Elko	1	0.1%	1.8	1	0.2%	3.6	0	0.0%	0.0
Esmeralda	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Eureka	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Humboldt	1	0.1%	5.9	1	0.2%	11.4	0	0.0%	0.0
Lander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Lincoln	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Lyon	5	0.7%	8.6	4	0.6%	13.8	1	0.7%	3.5
Mineral	1	0.1%	21.1	1	0.2%	42.2	0	0.0%	0.0
Nye	2	0.3%	4.0	1	0.2%	4.0	1	0.7%	4.1
Pershing	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Storey	1	0.1%	23.7	1	0.2%	47.4	0	0.0%	0.0
Washoe	133	17.3%	27.9	103	16.7%	43.1	30	20.0%	12.7
White Pine	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Total	767	100.0%	24.2	617	100.0%	39.0	150	100.0%	9.5
Race/Ethnicity									
White, non-Hispanic	255	33.2%	16.2	193	31.3%	24.3	62	41.3%	8.0
Black, non-Hispanic	225	29.3%	79.4	176	28.5%	123.4	49	32.7%	34.8
Hispanic	206	26.9%	21.5	178	28.8%	36.7	28	18.7%	5.9
American Indian/Alaska Native	3	0.4%	8.3	2	0.3%	11.4	1	0.7%	5.4
Asian/Hawaiian/Pacific Islander	20	2.6%	6.3	18	2.9%	12.4	2	1.3%	1.2
Unknown/Other	58	7.6%	N/A	50	8.1%	N/A	8	5.3%	N/A
Total	767	100.0%	24.2	617	100.0%	39.0	150	100.0%	9.5
Age Group									
< 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
10-14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
15-19	23	3.0%	10.7	13	2.1%	11.8	10	6.7%	9.6
20-24	83	10.8%	39.3	65	10.5%	59.7	18	12.0%	17.6
25-29	173	22.6%	74.7	140	22.7%	118.8	33	22.0%	29.0
30-34	144	18.8%	65.4	117	19.0%	103.6	27	18.0%	25.2
35-39	93	12.1%	45.1	72	11.7%	69.5	21	14.0%	20.5
40-44	69	9.0%	32.0	57	9.2%	52.4	12	8.0%	11.2
45-54	122	15.9%	30.0	101	16.4%	48.9	21	14.0%	10.5
55-64	52	6.8%	13.7	44	7.1%	23.4	8	5.3%	4.2
65+	8	1.0%	1.7	8	1.3%	3.7	0	0.0%	0.0
Unknown	0	0.0%	N/A	0	0.0%	N/A	0	0.0%	N/A
Total	767	100.0%	24.2	617	100.0%	39.0	150	100.0%	9.5

Source: Division of Public and Behavioral Health, NEDSS Based System (NBS), data as of December 2021.

* Percent may not equal 100% due to rounding and unknown counts.

** All other counties include Churchill, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Mineral, Nye, Pershing, Storey, and White Pine.



**Division of Public and Behavioral Health, STD Prevention & Control Program
Early Latent Syphilis Cases in Nevada, 2020**

	Total			Male			Female		
	N	%*	Rate	n	%*	Rate	n	%*	Rate
Resident County at Diagnosis									
Carson City	2	0.4%	3.5	2	0.5%	7.4	0	0.0%	0.0
Churchill	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Clark	403	81.3%	17.2	339	83.3%	29.0	64	71.9%	5.5
Douglas	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Elko	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Esmeralda	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Eureka	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Humboldt	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Lander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Lincoln	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Lyon	1	0.2%	1.7	1	0.2%	3.5	0	0.0%	0.0
Mineral	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Nye	1	0.2%	2.0	1	0.2%	4.0	0	0.0%	0.0
Pershing	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Storey	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Washoe	89	17.9%	18.7	64	15.7%	26.8	25	28.1%	10.5
White Pine	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
Total	496	100.0%	15.7	407	100.0%	25.7	89	100.0%	5.6
Race/Ethnicity									
White, non-Hispanic	152	30.6%	9.7	121	29.7%	15.3	31	34.8%	4.0
Black, non-Hispanic	113	22.8%	39.9	85	20.9%	59.6	28	31.5%	19.9
Hispanic	178	35.9%	18.6	156	38.3%	32.2	22	24.7%	4.6
American Indian/Alaska Native	2	0.4%	5.6	1	0.2%	5.7	1	1.1%	5.4
Asian/Hawaiian/Pacific Islander	16	3.2%	5.1	16	3.9%	11.0	0	0.0%	0.0
Unknown/Other	35	7.1%	N/A	28	6.9%	N/A	7	7.9%	N/A
Total	496	100.0%	15.7	407	100.0%	25.7	89	100.0%	5.6
Age Group									
< 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
10-14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
15-19	10	2.0%	4.7	3	0.7%	2.7	7	7.9%	6.7
20-24	54	10.9%	25.6	32	7.9%	29.4	22	24.7%	21.5
25-29	64	12.9%	27.6	49	12.0%	41.6	15	16.9%	13.2
30-34	84	16.9%	38.1	74	18.2%	65.5	10	11.2%	9.3
35-39	77	15.5%	37.4	63	15.5%	60.8	14	15.7%	13.6
40-44	76	15.3%	35.2	66	16.2%	60.7	10	11.2%	9.3
45-54	85	17.1%	20.9	77	18.9%	37.3	8	9.0%	4.0
55-64	38	7.7%	10.0	36	8.8%	19.1	2	2.2%	1.0
65+	8	1.6%	1.7	7	1.7%	3.3	1	1.1%	0.4
Unknown	0	0.0%	N/A	0	0.0%	N/A	0	0.0%	N/A
Total	496	100.0%	15.7	407	100.0%	25.7	89	100.0%	5.6

Source: Division of Public and Behavioral Health, NEDSS Based System (NBS), data as of December 2021.

* Percent may not equal 100% due to rounding and unknown counts.

** All other counties include Churchill, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Mineral, Nye, Pershing, Storey, and White Pine.



	Chlamydia			Gonorrhea			P & S Syphilis ¹			EL Syphilis ²		
	2019	2020	% Change	2019	2020	% Change	2019	2020	% Change	2019	2020	% Change
Race/Ethnicity												
White, non-Hispanic	3,207	2,663	-17.0%	1,334	1,365	2.3%	311	255	-18.0%	176	152	-13.6%
Black, non-Hispanic	2,698	2,091	-22.5%	1,847	1,468	-20.5%	219	225	2.7%	118	113	-4.2%
Hispanic	3,162	2,335	-26.2%	1,008	916	-9.1%	224	206	-8.0%	185	178	-3.8%
American Indian/Alaska Native	85	75	-11.8%	32	33	3.1%	2	3	50.0%	4	2	-50.0%
Asian/Hawaiian/Pacific Islander	436	294	-32.6%	108	85	-21.3%	20	20	0.0%	17	16	-5.9%
Unknown/Other	8,240	7,281	-11.6%	2,190	2,497	14.0%	32	58	81.3%	23	35	52.2%
Total	17,828	14,739	-17.3%	6,519	6,364	-2.4%	808	767	-5.1%	523	496	-5.2%
Resident County												
Carson City	265	190	-28.3%	42	44	4.8%	8	7	-12.5%	13	2	-84.6%
Churchill	89	120	34.8%	12	19	58.3%	1	0	-100.0%	0	0	0.0%
Clark	14,045	11,286	-19.6%	5,448	4,951	-9.1%	628	613	-2.4%	389	403	3.6%
Douglas	112	80	-28.6%	22	27	22.7%	1	3	200.0%	4	0	-100.0%
Elko	186	147	-21.0%	52	56	7.7%	1	1	0.0%	0	0	0.0%
Esmeralda	1	0	-100.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%
Eureka	4	2	-50.0%	0	2	N/A	0	0	0.0%	0	0	0.0%
Humboldt	62	46	-25.8%	7	25	257.1%	1	1	0.0%	0	0	0.0%
Lander	30	16	-46.7%	2	8	300.0%	0	0	0.0%	0	0	0.0%
Lincoln	6	7	16.7%	1	0	-100.0%	0	0	0.0%	0	0	0.0%
Lyon	177	175	-1.1%	31	66	112.9%	4	5	25.0%	3	1	-66.7%
Mineral	21	16	-23.8%	3	5	66.7%	1	1	0.0%	0	0	0.0%
Nye	93	76	-18.3%	22	21	-4.5%	1	2	100.0%	1	1	0.0%
Pershing	10	7	-30.0%	2	4	100.0%	0	0	0.0%	0	0	0.0%
Storey	9	5	-44.4%	2	2	0.0%	0	1	N/A	1	0	-100.0%
Washoe	2,697	2,542	-5.7%	872	1,132	29.8%	162	133	-17.9%	112	89	-20.5%
White Pine	21	24	14.3%	1	2	100.0%	0	0	0.0%	0	0	0.0%
Total	17,828	14,739	-17.3%	6,519	6,364	-2.4%	808	767	-5.1%	523	496	-5.2%



Division of Public and Behavioral Health, STD Prevention & Control Program

Age	Chlamydia			Gonorrhea			P & S Syphilis ¹			EL Syphilis ²		
	2019	2020	% Change	2019	2020	% Change	2019	2020	% Change	2019	2020	% Change
<9	4	3	-25.0%	5	3	-40.0%	0	0	0.0%	0	0	0.0%
10-14	63	64	1.6%	20	17	-15.0%	1	0	-100.0%	0	0	0.0%
15-19	3,967	3,041	-23.3%	928	704	-24.1%	16	23	43.8%	9	10	11.1%
20-24	6,064	4,955	-18.3%	1,412	1,464	3.7%	105	83	-21.0%	58	54	-6.9%
25-29	3,550	3,040	-14.4%	1,381	1,401	1.4%	184	173	-6.0%	100	64	-36.0%
30-34	1,904	1,670	-12.3%	1,026	1,062	3.5%	151	144	-4.6%	105	84	-20.0%
35-39	980	891	-9.1%	659	669	1.5%	107	93	-13.1%	85	77	-9.4%
40-44	550	475	-13.6%	431	447	3.7%	80	69	-13.8%	55	76	38.2%
45-54	552	442	-19.9%	469	417	-11.1%	108	122	13.0%	78	85	9.0%
55-64	167	128	-23.4%	161	148	-8.1%	44	52	18.2%	30	38	26.7%
65+	27	28	3.7%	27	32	18.5%	12	8	-33.3%	3	8	166.7%
Unknown	0	2	N/A	0	0	0.0%	0	0	0.0%	0	0	0.0%
Total	17,828	14,739	-17.3%	6,519	6,364	-2.4%	808	767	-5.1%	523	496	-5.2%

Source: Division of Public and Behavioral Health, NEDSS Based System (NBS), data as of December 2021.

* Percent may not equal 100% due to rounding and unknown counts.

** All other counties include Churchill, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Mineral, Nye, Pershing, Storey, and White Pine.

For more information contact:

Elizabeth Kessler, MPH

*STD and Adult Viral Hepatitis Program Manager
Nevada Department of Health and Human Services
Division of Public and Behavioral Health
Office of Public Health Investigation and Epidemiology
500 Damonte Ranch Parkway, Ste. 657
Reno, NV 89521
Phone: (775)684-5287
ekessler@health.nv.gov*

RECOMMENDED CITATION:

Office of Public Health Investigation and Epidemiology. Division of Public and Behavioral Health. *State of Nevada 2020 STD Fast Facts*. Reno, Nevada. e1.0. January 2021.

This publication is supported by the Grant or Cooperative Agreement Number, 6 NH25PS004376, funded by the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention or the Department of Health and Human Services.