Compliance Agreement Division of Public and Behavioral Health and Alcala Labs

This Compliance Agreement is made and entered into effective on January 6, 2021, by, between, and among the Bureau of Health Care Quality and Compliance of the Division of Public and Behavioral Health of the Nevada Department of Health and Human Services of the State of Nevada ("BHCQC"), Alcala Labs, and the State Board of Health ("Board").

RECITALS

The goal is to define the criteria for compliance for Alcala Labs (Licensed Laboratory #11056) located at 8880 W. Sunset Rd. Ste. 130, Las Vegas, NV 89148, and the State Board of Health ("Board").

A. NAC 652.195 allows a licensed laboratory to collect specimens or perform tests, or both, at a location other than the location set forth in its license by obtaining a permit to operate a laboratory at a temporary location.

B. Due to the COVID-19 outbreak and the need to serve the public in the State of Nevada in the collection of specimens for the purpose of COVID-19 laboratory testing by a CLIA certified laboratory, Alcala Labs, a Licensed laboratory, will be allowed to perform specimen collections and perform COVID laboratory testing at locations other than the location set forth in its license, with one temporary location permit for multiple sites. The location of the additional sites for collection and COVID testing will be submitted to the BHCQC prior to the initiation of specimen collection and COVID laboratory testing at the additional sites. Alcala Labs will be allowed to add collection and COVID testing sites beyond what is listed in this document as long as the provision of Section C, number 3 is followed.

NOW, THEREFORE, it is hereby agreed as follows:

- C. State Licensure. The Laboratory falls under the provisions of Nevada Administrative Code (652).
 - 1) The Chief Medical Officer shall postpone enforcement of NAC 652.195 which requires a licensed laboratory to collect specimens at a location other than the location set forth in its license by obtaining a permit to operate a laboratory at a temporary location for each temporary location which expires 90 days after the effective date of the permit.
 - 2) The laboratory will be allowed to perform specimen collection and COVID laboratory testing at multiple temporary locations, as documented in Section B, including additional locations added pursuant to number 3, with only one temporary location application. The temporary location permit will not expire in 90 days, but will remain in effect for the term of the agreement as outlined in Section C.
 - 3) The laboratory will be allowed to collect specimens and perform COVID testing for additional temporary locations not listed in Section B by notifying BHCQC in writing, which may be via electronic means, prior to the date in which the specimen collection occurs.

D. Term of Agreement. This Agreement shall remain in effect until the Chief Medical Officer terminates this agreement

Requirements. Except as otherwise provided in this Agreement, the Laboratory will maintain in compliance with all applicable provisions of NAC Chapter 652.

IN WITNESS WHEREOF, the parties have executed this Agreement effective the day and year first above written.

Alcala Labs, a medical laboratory licensed by the Division of Public and Behavioral Health and the State Board of Health ("Board").

Christian Tagwerker/Ph.D., Laboratory Director Signed:

Date:__0/_/ Z____, 2021

NEVADA DEPARTMENT OF HEALTH AND HUMAN SERVICES HEALTH DIVISION BUREAU OF HEALTH CARE QUALITY AND COMPLIANCE

Signed: Ihsanzam, P.h.D, M.D, Chief Medical Officer	Date:	01/13/, 2021
Approved by Board of Health on: Signed:	_ Date:	, 2021

Compliance Agreement

Division of Public and Behavioral Health and University Medical Center of Southern Nevada-Pathology

This Compliance Agreement is made and entered into effective on January 15, 2021, by, between, and among the Bureau of Health Care Quality and Compliance of the Division of Public and Behavioral Health of the Nevada Department of Health and Human Services of the State of Nevada ("BHCQC"), University Medical Center of Southern Nevada-Pathology ("The Laboratory"), and the State Board of Health ("Board").

RECITALS

The goal is to define the criteria for compliance for University Medical Center of Southern Nevada-Pathology (Licensed Laboratory #1507) located at 1800 W. Charleston Blvd., Las Vegas, NV 89102, and the State Board of Health ("Board").

A. NAC 652.195 allows a licensed laboratory to collect specimens or perform tests, or both, at a location other than the location set forth in its license by obtaining a permit to operate a laboratory at a temporary location.

B. Due to the COVID-19 outbreak and the need to serve the public in the State of Nevada in the collection of specimens for the purpose of COVID-19 laboratory testing by a CLIA certified laboratory, University Medical Center of Southern Nevada-Pathology, a Licensed laboratory, will be allowed to perform specimen collections and perform COVID laboratory testing at locations other than the location set forth in its license, with one temporary location permit for multiple sites. The location of the additional sites for collection and COVID testing will be submitted to the BHCQC prior to the initiation of specimen collection and COVID laboratory testing sites beyond what is listed in this document as long as the provision of Section C, number 3 is followed.

The Orleans Arena 4500 W. Tropicana Ave. Las Vegas, NV 89103

NOW, THEREFORE, it is hereby agreed as follows:

- C. State Licensure. The Laboratory falls under the provisions of Nevada Administrative Code (652).
 - 1) The Chief Medical Officer shall postpone enforcement of NAC 652.195 which requires a licensed laboratory to collect specimens at a location other than the location set forth in its license by obtaining a permit to operate a laboratory at a temporary location for each temporary location which expires 90 days after the effective date of the permit.
 - 2) The laboratory will be allowed to perform specimen collection and COVID laboratory testing at multiple temporary locations, as documented in Section B, including additional locations added pursuant to number 3, with only one temporary location application. The temporary location permit will not expire in 90 days, but will remain in effect for the term of the agreement as outlined in Section C.
 - 3) The laboratory will be allowed to collect specimens and perform COVID testing for additional temporary locations not listed in Section B by notifying BHCQC in writing, which may be via electronic means, prior to the date in which the specimen collection occurs.

D. Term of Agreement. This Agreement shall remain in effect until the Chief Medical Officer terminates this agreement

Requirements. Except as otherwise provided in this Agreement, the Laboratory will maintain in compliance with all applicable provisions of NAC Chapter 652.

IN WITNESS WHEREOF, the parties have executed this Agreement effective the day and year first above written.

University Medical Center of Southern Nevada-Pathology, a medical laboratory licensed by the Division of Public and Behavioral Health and the State Board of Health ("Board").

Signed:

Date: 1/1.5 , 2021

NEVADA DEPARTMENT OF HEALTH AND HUMAN SERVICES HEALTH DIVISION BUREAU OF HEALTH CARE QUALITY AND COMPLIANCE

Date: <u>1/19</u>, 2021

Approved by Board of Health on: Signed: Lisa Sherych, Executive Officer of Board of Health

Compliance Agreement Division of Public and Behavioral Health and Boulder City Fire Department

This Compliance Agreement is made and entered into effective on January 5, 2021, by, between, and among the Bureau of Health Care Quality and Compliance of the Division of Public and Behavioral Health of the Nevada Department of Health and Human Services of the State of Nevada ("BHCQC"), the Boulder City Fire Department, and the State Board of Health ("Board").

RECITALS

The goal is to define the criteria for compliance for Boulder City Fire Department (Exempt Laboratory #11245) located at 1101 Elm St. Boulder City, NV 89005, and the State Board of Health ("Board").

A. NAC 652.195 allows a licensed laboratory to collect specimens or perform tests, or both, at a location other than the location set forth in its license by obtaining a permit to operate a laboratory at a temporary location.

B. Due to the COVID-19 outbreak and the need to serve the public in the State of Nevada in the collection of specimens for the purpose of COVID-19 laboratory testing by a CLIA certified laboratory, the Boulder City Fire Department, an exempt laboratory, will be allowed to operate at locations other than the location set forth in its license without a permit and without being a licensed laboratory at the following locations:

Elaine K. Smith Center 700 Wyoming St. Boulder City, NV 89005

Whalen Baseball Field Parking Lots 880 Avenue B Boulder City, NV 89005

NOW, THEREFORE, it is hereby agreed as follows:

- C. State Licensure. The Laboratory falls under the provisions of Nevada Administrative Code (652).
 - 1) The laboratory will be allowed to perform COVID-19 specimen collection and testing at the locations which are documented in B. without obtaining a permit and without being a licensed laboratory.
 - 2) The laboratory must remain in compliance with NRS 652.072; therefore, the patients served in the locations other than the locations set forth in its license would be patients of the laboratory director.

D. Term of Agreement. This Agreement shall remain in effect until the chief medical officer terminates this agreement

Requirements. Except as otherwise provided in this Agreement, the Laboratory will maintain compliance with all applicable provisions of NAC Chapter 652.

IN WITNESS WHEREOF, the parties have executed this Agreement effective the day and year first above written.

The Boulder City Fire Department, a medical laboratory licensed by the Division of Public and Behavioral Health and the State Board of Health ("Board").

Signed: Will Gray, CFO, Fire Chief-Boulder City Fire Department

Date: 5742, 2021

NEVADA DEPARTMENT OF HEALTH AND HUMAN SERVICES HEALTH DIVISION BUREAU OF HEALTH CARE OUALITY AND COMPLIANCE

Signed: _____

Ihsan Azzam, P.h.D, M.D, Chief Medical Officer

Date: _____January 11_, 2021

Approved by Board of Health on: Signed: Lisa Sherych, Executive Officer of Board of Health

Date: , 2021

Compliance Agreement Division of Public and Behavioral Health and the Carson City School District

This Compliance Agreement is made and entered into effective on December 22, 2020, by, between, and among the Bureau of Health Care Quality and Compliance of the Division of Public and Bchavioral Health of the Nevada Department of Health and Human Services of the State of Nevada ("BHCQC"), Carson City School District and the State Board of Health ("Board").

RECITALS

The goal is to define the criteria for compliance for the Carson City School District located at P.O. Box 603 Carson City, NV 89703, and the State Board of Health ("Board").

Due to the COVID-19 outbreak and the need to expand testing, the Carson City School District will be allowed to have Registered Nurses that are licensed in the State of Nevada, to serve as a laboratory director for schools which are performing waived COVID laboratory testing.

NOW, THEREFORE, it is hereby agreed as follows:

State Licensure. The Laboratory falls under the provisions of Nevada Administrative Code (NAC)652. The laboratories that will be conducting waived COVID laboratory tests in the public schools within the Carson City School District, will be allowed to have a Registered Nurse to qualify as a laboratory director of a State of Nevada Exempt laboratory.

Term of Agreement. This Agreement shall remain in effect until the Governor lifts the order allowing Registered Nurses to qualify as a State of Nevada Exempt laboratory director conducting waived COVID tests.

Requirements. The Registered Nurse that accepts the responsibility of being the laboratory director of a State of Nevada Exempt laboratory performing waived COVID testing, will be required to ensure that the laboratory meets the State regulatory requirements for Exempt laboratories stated in NAC 652.155.

IN WITNESS WHEREOF, the parties have executed this Agreement effective the day and year first above written.

The Carson City School District and the State Board of Health ("Board").

Signed:

Date: 13/39 , 2020

Sheila Story, Carson City School District

Signed:		Date:	January 11	_, 2021
	Ihsan Azzam, P.h.D, M.D, Chief Medical Officer			
Approve	ed by Board of Health on:			
Signed:	·	Date:		_, 2021
Lisa She	erych, Executive Officer of Board of Health			

Compliance Agreement Division of Public and Behavioral Health and the Washoe School District

This Compliance Agreement is made and entered into effective on December 22, 2020, by, between, and among the Bureau of Health Care Quality and Compliance of the Division of Public and Behavioral Health of the Nevada Department of Health and Human Services of the State of Nevada ("BHCQC"), Washoe School District and the State Board of Health ("Board").

RECITALS

The goal is to define the criteria for compliance for the Washoe School District located at 425 E. Ninth St., Reno, NV 89520, and the State Board of Health ("Board").

Due to the COVID-19 outbreak and the need to expand testing, the Washoe School District will be allowed to have Registered Nurses that are licensed in the State of Nevada, to serve as a laboratory director for schools which are performing waived COVID laboratory testing.

NOW, THEREFORE, it is hereby agreed as follows:

State Licensure. The Laboratory falls under the provisions of Nevada Administrative Code (NAC) 652. The laboratories that will be conducting waived COVID laboratory tests in the public schools within the Washoe School District, will be allowed to have a Registered Nurse to qualify as a laboratory director of a State of Nevada Exempt laboratory.

Term of Agreement. This Agreement shall remain in effect until the Governor lifts the order allowing Registered Nurses to qualify as a State of Nevada Exempt laboratory director conducting waived COVID tests.

Requirements. The Registered Nurse that accepts the responsibility of being the laboratory director of a State of Nevada Exempt laboratory performing waived COVID testing, will be required to ensure that the laboratory meets the State regulatory requirements for Exempt laboratories stated in NAC 652.155.

IN WITNESS WHEREOF, the parties have executed this Agreement effective the day and year first above written.

The Washoe School District and the State Board of Health ("Board").

Signed: Washoe School District Jennifer Stane.

Date: 13 , 2021

Signed:

Date: February 1, 2021

Ihsan Azzam, P.h.D, M.D, Chief Medical Officer

Approved by Board of Health on: Signed: ______ Lisa Sherych, Executive Officer of Board of Health

Compliance Agreement Division of Public and Behavioral Health and the State Public Charter School Authority

This Compliance Agreement is made and entered into effective on December 22, 2020, by, between, and among the Bureau of Health Care Quality and Compliance of the Division of Public and Behavioral Health of the Nevada Department of Health and Human Services of the State of Nevada ("BHCQC"), the State Public School Authority (SPCSA) and the State Board of Health ("Board").

RECITALS

The goal is to define the criteria for compliance for the SPCSA located at 2080 East Flamingo Rd., Suite 230, Las Vegas, NV 89119, and the State Board of Health ("Board").

Due to the COVID-19 outbreak and the need to expand testing, the SPCSA will be allowed to have Registered Nurses that are licensed in the State of Nevada, to serve as a laboratory director for schools which are performing waived COVID laboratory testing.

NOW, THEREFORE, it is hereby agreed as follows:

State Licensure. The Laboratory falls under the provisions of Nevada Administrative Code (NAC) 652. The laboratories that will be conducting waived COVID laboratory tests in the public schools within the SPCSA, will be allowed to have a Registered Nurse to qualify as a laboratory director of a State of Nevada Exempt laboratory.

Term of Agreement. This Agreement shall remain in effect until the Governor lifts the order allowing Registered Nurses to qualify as a State of Nevada Exempt laboratory director conducting waived COVID tests.

Requirements. The Registered Nurse that accepts the responsibility of being the laboratory director of a State of Nevada Exempt laboratory performing waived COVID testing, will be required to ensure that the laboratory meets the State regulatory requirements for Exempt laboratories stated in NAC 652.155.

IN WITNESS WHEREOF, the parties have executed this Agreement effective the day and year first above written.

The SPCSA and the State Board of Health ("Board").

Signed:_

Date:_____, 2020

Rebecca Feiden, State Public Charter School Authority

Signed: _		Date:	January 11, 2021
	Ihsan Azzam, P.h.D, M.D, Chief Medical Officer		
Approve	d by Board of Health on:		
Signed: _	-	Date:	, 2021
Lisa She	rych, Executive Officer of Board of Health		

Compliance Agreement Division of Public and Behavioral Health and Humboldt School District

This Compliance Agreement is made and entered into effective on December 21, 2020, by, between, and among the Bureau of Health Care Quality and Compliance of the Division of Public and Behavioral Health of the Nevada Department of Health and Human Services of the State of Nevada ("BHCQC"), the Humboldt School District, and the State Board of Health ("Board").

RECITALS

The goal is to define the criteria for compliance for the Humboldt School District located at 310 East Fourth St., Winnemucca, NV 89445.

Due to the COVID-19 outbreak and the need to expand testing, BHCQC is waiving the \$500 initial laboratory license fee in accordance with NAC 652.488(1)(f) so that the fees will not act as a financial burden on the Nevada Public School system and the public schools in Nevada will have the availability to provide COVID-19 testing to the students and staff of the schools in this district.

NOW, THEREFORE, it is hereby agreed as follows:

BHCQC will waive the initial laboratory licensing fee for the Humboldt School District in accordance with NAC 652.488(1)(f). The subsequent State of Nevada laboratory license biennial renewal fees will be required to be paid according to the fees associated with this category of laboratory stipulated in NAC 652.488.

Term of Agreement. This Agreement shall remain in effect until the Governor lifts the emergency declaration.

Requirements. The COVID-19 collection and testing personnel are required to meet the requirements in accordance with NRS 652.210(1). Any person that is identified to collect or perform laboratory testing that does not meet the requirements in NRS 652.210(1), must be licensed by the State of Nevada as an Office Laboratory Assistant (OLA). All laboratory collection and testing personnel will be required to have documentation of training and competency before collecting or testing human specimens.

IN WITNESS WHEREOF, the parties have executed this Agreement effective the day and year first above written.

1

The Humboldt School District and the State Board of Health ("Board").

Signed: David Jensen, Humboldt School District

Date: _1 2 3 1, 2020

Signed:		Date:	January 11	, 2021
	Ihsan Azzam, P.h.D, M.D, Chief Medical Officer	-		

2

Approved by Board of Health on: Signed: ______ Lisa Sherych, Executive Officer of Board of Health

Compliance Agreement Division of Public and Behavioral Health and Carson City School District

This Compliance Agreement is made and entered into effective on December 21, 2020, by, between, and among the Bureau of Health Care Quality and Compliance of the Division of Public and Behavioral Health of the Nevada Department of Health and Human Services of the State of Nevada ("BHCQC"), the Carson City School District, and the State Board of Health ("Board").

RECITALS

The goal is to define the criteria for compliance for the Carson City School District located at P.O. Box 603 Carson City, NV 89703.

Due to the COVID-19 outbreak and the need to expand testing, BHCQC is waiving the \$500 initial laboratory license fee in accordance with NAC 652.488(1)(f) so that the fees will not act as a financial burden on the Nevada Public School system and the public schools in Nevada will have the availability to provide COVID-19 testing to the students and staff of the schools in this district.

NOW, THEREFORE, it is hereby agreed as follows:

BHCQC will waive the initial laboratory licensing fee for the Carson City School District in accordance with NAC 652.488(1)(f). The subsequent State of Nevada laboratory license biennial renewal fees will be required to be paid according to the fees associated with this category of laboratory stipulated in NAC 652.488.

Term of Agreement. This Agreement shall remain in effect until the Governor lifts the emergency declaration.

Requirements. The COVID-19 collection and testing personnel are required to meet the requirements in accordance with NRS 652.210(1). Any person that is identified to collect or perform laboratory testing that does not meet the requirements in NRS 652.210(1), must be licensed by the State of Nevada as an Office Laboratory Assistant (OLA). All laboratory collection and testing personnel will be required to have documentation of training and competency before collecting or testing human specimens.

IN WITNESS WHEREOF, the parties have executed this Agreement effective the day and year first above written.

The Carson City School District and the State Board of Health ("Board").

Signed: Ann L. Cyr Ann L. Cyr, Carson City School District

Date: Dec. 30_, 2020

1

Signed:		Date:	January 11 , 2021
Ihsan Azzam, P	h.D, M.D, Chief Medical Officer		
Approved by Board of He	alth on:		
Signed:		Date:	, 2021
Lisa Sherych, Executive (Officer of Board of Health	_	

Compliance Agreement Division of Public and Behavioral Health and the Humboldt School District

This Compliance Agreement is made and entered into effective on December 22, 2020, by, between, and among the Bureau of Health Care Quality and Compliance of the Division of Public and Behavioral Health of the Nevada Department of Health and Human Services of the State of Nevada ("BHCQC"), Humboldt School District and the State Board of Health ("Board").

RECITALS

The goal is to define the criteria for compliance for the Humboldt School District located at 310 East Fourth St., Winnemucca, NV 89445, and the State Board of Health ("Board").

Due to the COVID-19 outbreak and the need to expand testing, the Humboldt School District will be allowed to have Registered Nurses that are licensed in the State of Nevada, to serve as a laboratory director for schools which are performing waived COVID laboratory testing.

NOW, THEREFORE, it is hereby agreed as follows:

State Licensure. The Laboratory falls under the provisions of Nevada Administrative Code (NAC) 652. The laboratories that will be conducting waived COVID laboratory tests in the public schools within the Humboldt School District, will be allowed to have a Registered Nurse to qualify as a laboratory director of a State of Nevada Exempt laboratory.

Term of Agreement. This Agreement shall remain in effect until the Governor lifts the order allowing Registered Nurses to qualify as a State of Nevada Exempt laboratory director conducting waived COVID tests.

Requirements. The Registered Nurse that accepts the responsibility of being the laboratory director of a State of Nevada Exempt laboratory performing waived COVID testing, will be required to ensure that the laboratory meets the State regulatory requirements for Exempt laboratories stated in NAC 652.155.

IN WITNESS WHEREOF, the parties have executed this Agreement effective the day and year first above written.

The Humboldt School District and the State Board of Health ("Board").

Signed:

Date: 1/4/2021, 2020

David Jensen, Humboldt School District

>

Signed:

Date: January 11, 2021

Ihsan Azzam, P.h.D, M.D, Chief Medical Officer

Approved by Board of Health on: Signed:

Date: _____, 2021

Lisa Sherych, Executive Officer of Board of Health

Compliance Agreement Division of Public and Behavioral Health and State Public Charter School Authority

This Compliance Agreement is made and entered into effective on December 21, 2020, by, between, and among the Bureau of Health Care Quality and Compliance of the Division of Public and Behavioral Health of the Nevada Department of Health and Human Services of the State of Nevada ("BHCQC"), the State Public Charter School Authority (SPCSA), and the State Board of Health ("Board").

RECITALS

The goal is to define the criteria for compliance for the SPCSA located at 2080 East Flamingo Rd, Suite 230 Las Vegas, NV 89119.

Due to the COVID-19 outbreak and the need to expand testing, BHCQC is waiving the \$500 initial laboratory license fee in accordance with NAC 652.488(1)(f) so that the fees will not act as a financial burden on the Nevada Public School system and the public schools in Nevada will have the availability to provide COVID-19 testing to the students and staff of the schools in this district.

NOW, THEREFORE, it is hereby agreed as follows:

BHCQC will waive the initial laboratory licensing fee for the SPCSA in accordance with NAC 652.488(1)(f). The subsequent State of Nevada laboratory license biennial renewal fees will be required to be paid according to the fees associated with this category of laboratory stipulated in NAC 652.488.

Term of Agreement. This Agreement shall remain in effect until the Governor lifts the emergency declaration.

<u>Requirements</u>. The COVID-19 collection and testing personnel are required to meet the requirements in accordance with NRS 652.210(1). Any person that is identified to collect or perform laboratory testing that does not meet the requirements in NRS 652.210(1), must be licensed by the State of Nevada as an Office Laboratory Assistant (OLA). All laboratory collection and testing personnel will be required to have documentation of training and competency before collecting or testing human specimens.

IN WITNESS WHEREOF, the parties have executed this Agreement effective the day and year first above written.

The State Public Charter School Authority and the State Board of Health ("Board").

Signed:

Date: December 29, 2020

Rebecca Feiden, State Public Charter School Authority

Signed: _

Date: _____January 11 __, 2021

Ihsan Azzam, P.h.D, M.D, Chief Medical Officer

Approved by Board of Health on: Signed: ______ Lisa Sherych, Executive Officer of Board of Health

Compliance Agreement Division of Public and Behavioral Health and Washoe School District

This Compliance Agreement is made and entered into effective on December 21, 2020, by, between, and among the Bureau of Health Care Quality and Compliance of the Division of Public and Behavioral Health of the Nevada Department of Health and Human Services of the State of Nevada ("BHCQC"), the Washoe School District, and the State Board of Health ("Board").

RECITALS

The goal is to define the criteria for compliance for the Washoe School District located at 425 E. Ninth St. Reno, NV 89520.

Due to the COVID-19 outbreak and the need to expand testing, BHCQC is waiving the \$500 initial laboratory license fee in accordance with NAC 652.488(1)(f) so that the fees will not act as a financial burden on the Nevada Public School system and the public schools in Nevada will have the availability to provide COVID-19 testing to the students and staff of the schools in this district.

NOW, THEREFORE, it is hereby agreed as follows:

BHCQC will waive the initial laboratory licensing fee for the Washoe School District in accordance with NAC 652.488(1)(f). The subsequent State of Nevada laboratory license biennial renewal fees will be required to be paid according to the fees associated with this category of laboratory stipulated in NAC 652.488.

Term of Agreement. This Agreement shall remain in effect until the Governor lifts the emergency declaration.

<u>Requirements</u>. The COVID-19 collection and testing personnel are required to meet the requirements in accordance with NRS 652.210(1). Any person that is identified to collect or **per**form laboratory testing that does not meet the requirements in NRS 652.210(1), must be licensed by the State of Nevada as an Office Laboratory Assistant (OLA). All laboratory collection and testing personnel will be required to have documentation of training and competency before collecting or testing human specimens.

IN WITNESS WHEREOF, the parties have executed this Agreement effective the day and year first above written.

The Washoe School District and the State Board of Health ("Board").

Signed: M Jennifer L Crane. ashoe School District

2021 Date:

Date: February 1, 2021

Signed: Ihsan Azzam, P.h.D, M.D, Chief Medical Officer

Approved by Board of Health on: Signed: _____ Lisa Sherych, Executive Officer of Board of Health

Compliance Agreement Division of Public and Behavioral Health and Great Basin College

This Compliance Agreement is made and entered into effective on January 26, 2021, by, between, and among the Bureau of Health Care Quality and Compliance of the Division of Public and Behavioral Health of the Nevada Department of Health and Human Services of the State of Nevada ("BHCQC"), Great Basin College and the State Board of Health ("Board").

RECITALS

The goal is to define the criteria for compliance for Great Basin College (Exempt Laboratory #11253) located at 1500 College Pkwy Elko, NV 89801, and the State Board of Health ("Board").

A. NAC 652.195 allows a licensed laboratory to collect specimens or perform tests, or both, at a location other than the location set forth in its license by obtaining a permit to operate a laboratory at a temporary location.

B. Due to the COVID-19 outbreak and the need to serve the public in the State of Nevada in the collection of specimens for the purpose of COVID-19 laboratory testing by a CLIA certified laboratory, Great Basin College, an exempt laboratory, will be allowed to operate at locations other than the location set forth in its license without a permit and without being a licensed laboratory at the following locations:

5490 Kluncy Canyon Rd. Winnemucca, NV 89445

NOW, THEREFORE, it is hereby agreed as follows:

- C. <u>State Licensure</u>. The Laboratory falls under the provisions of Nevada Administrative Code (652).
 - 1) The laboratory will be allowed to perform COVID-19 specimen collection and testing at the locations which are documented in B. without obtaining a permit and without being a licensed laboratory.
 - 2) The laboratory must remain in compliance with NRS 652.072; therefore, the patients served in the locations other than the locations set forth in its license would be patients of the laboratory director.

D. <u>Term of Agreement</u>. This Agreement shall remain in effect until the chief medical officer terminates this agreement

<u>Requirements</u>. Except as otherwise provided in this Agreement, the Laboratory will maintain compliance with all applicable provisions of NAC Chapter 652.

IN WITNESS WHEREOF, the parties have executed this Agreement effective the day and year first above written.

Great Basin College, a medical laboratory licensed by the Division of Public and Behavioral Health and the State Board of Health ("Board").

Signed: Cheryl Hug English, MD, Laboratory Director

Date: 126 , 2021

Signed:

LAU

Date: _____January 26_, 2021

Ihsan Azzam, P.h.D, M.D, Chief Medical Officer

Approved by Board of Health on: Signed:

Date:_____, 2021

Lisa Sherych, Executive Officer of Board of Health

Compliance Agreement Division of Public and Behavioral Health and Athlete Advantage Medical

This Compliance Agreement is made and entered into effective on February 17, 2021, by, between, and among the Bureau of Health Care Quality and Compliance of the Division of Public and Behavioral Health of the Nevada Department of Health and Human Services of the State of Nevada ("BHCQC"), Athlete Advantage Medical, and the State Board of Health ("Board").

RECITALS

The goal is to define the criteria for compliance for Athlete Advantage Medical (Exempt Laboratory #11140) located at 6771 W. Charleston Blvd. Suite B, Las Vegas, NV 89146, and the State Board of Health ("Board").

A. NAC 652.195 allows a licensed laboratory to collect specimens or perform tests, or both, at a location other than the location set forth in its license by obtaining a permit to operate a laboratory at a temporary location.

B. Due to the COVID-19 outbreak and the need to serve the public in the State of Nevada in the collection and testing of specimens for the purpose of COVID-19 laboratory testing by a CLIA certified laboratory, Athlete Advantage Medical, an exempt laboratory, will be allowed to operate at locations other than the location set forth in its license without a permit and without being a licensed laboratory at the following locations:

The Venetian Resort Las Vegas 3355 Las Vegas Blvd. South Las Vegas, NV 89109

NOW, THEREFORE, it is hereby agreed as follows:

- C. <u>State Licensure</u>. The Laboratory falls under the provisions of Nevada Administrative Code (652).
 - 1) The laboratory will be allowed to perform COVID-19 specimen collection and testing at the locations which are documented in B. without obtaining a permit and without being a licensed laboratory.
 - 2) The laboratory must remain in compliance with NRS 652.072; therefore, the patients served in the locations other than the locations set forth in its license would be patients of the laboratory director.

D. <u>Term of Agreement</u>. This Agreement shall remain in effect until the chief medical officer terminates this agreement

<u>Requirements</u>. Except as otherwise provided in this Agreement, the Laboratory will maintain compliance with all applicable provisions of NAC Chapter 652.

IN WITNESS WHEREOF, the parties have executed this Agreement effective the day and year first above written.

Athlete Advantage Medical, a medical laboratory licensed by the Division of Public and Behavioral Health and the State Board of Health ("Board").

	1/2 1 1.
Signed:	Nondyn

Date: FEB 17

_____, 2021

Nick Sadeghi, MD, Laboratory Director

NEVADA DEPARTMENT OF HEALTH AND HUMAN SERVIC	CES	
HEALTH DIVISION		
BUREAU OF HEALTH CARE QUALITY AND COMPLIANCE		
Margot Chappal		
Deputy Administrator		
Deputy Administrator Signed: signing for Dr. Azzam Mulgot Chappel	Date:	2/17, 2021
Ihsan Azzam, P.h.D, M.D, Chief Medical Officer		
Approved by Board of Health on:		
Signed:	Date:	, 2021

Lisa Sherych, Executive Officer of Board of Health

Date:	,	2021
-------	---	------

Compliance Agreement Division of Public and Behavioral Health and Innovative Medical LLC

This Compliance Agreement is made and entered into effective on February 17, 2021, by, between, and among the Bureau of Health Care Quality and Compliance of the Division of Public and Behavioral Health of the Nevada Department of Health and Human Services of the State of Nevada ("BHCQC"), Innovative Medical LLC, and the State Board of Health ("Board").

RECITALS

The goal is to define the criteria for compliance for Innovative Medical LLC (Exempt Laboratory #11229) located at 4130 E. Sunset Rd, Henderson, NV 89014, and the State Board of Health ("Board").

A. NAC 652.195 allows a licensed laboratory to collect specimens or perform tests, or both, at a location other than the location set forth in its license by obtaining a permit to operate a laboratory at a temporary location.

B. Due to the COVID-19 outbreak and the need to serve the public in the State of Nevada in the collection and testing of specimens for the purpose of COVID-19 laboratory testing by a CLIA certified laboratory, Innovative Medical LLC, an exempt laboratory, will be allowed to operate at locations other than the location set forth in its license without a permit and without being a licensed laboratory at the following locations:

5835 S. Eastern Ave. Las Vegas, NV 89119

540 Marks St. Henderson, NV 89014

4427 E. Sunset Rd. Henderson, NV 89014

NOW, THEREFORE, it is hereby agreed as follows:

- C. State Licensure. The Laboratory falls under the provisions of Nevada Administrative Code (652).
 - 1) The laboratory will be allowed to perform COVID-19 specimen collection and testing at the locations which are documented in B. without obtaining a permit and without being a licensed laboratory.
 - 2) The laboratory must remain in compliance with NRS 652.072; therefore, the patients served in the locations other than the locations set forth in its license would be patients of the laboratory director.

D. <u>Term of Agreement</u>. This Agreement shall remain in effect until the chief medical officer terminates this agreement

<u>Requirements</u>. Except as otherwise provided in this Agreement, the Laboratory will maintain compliance with all applicable provisions of NAC Chapter 652.

IN WITNESS WHEREOF, the parties have executed this Agreement effective the day and year first above written.

Innovative Medical LLC, a medical laboratory licensed by the Division of Public and Behavioral Health and the State Board of Health ("Board").

Signed: Kevin Ramsey, MD, Laboratory Director

Date: 2/17, 2021

NEVADA DEPARTMENT OF HEALTH AND HUMAN SERVICES HEALTH DIVISION BUREAU OF HEALTH CARE QUALITY AND COMPLIANCE Margot Chappal Deputy Administrator Signed: signing for Dr. Azzam Ihsan Azzam, P.h.D, M.D, Chief Medical Officer Date: <u>2/17</u>, 2021

Approved by Board of Health on: Signed: ______ Lisa Sherych, Executive Officer of Board of Health

Compliance Agreement Division of Public and Behavioral Health and the Pershing School District

This Compliance Agreement is made and entered into effective on December 22, 2020, by, between, and among the Bureau of Health Care Quality and Compliance of the Division of Public and Behavioral Health of the Nevada Department of Health and Human Services of the State of Nevada ("BHCQC"), Pershing School District and the State Board of Health ("Board").

RECITALS

The goal is to define the criteria for compliance for the Pershing School District located at 1150 Elmhurst Ave., P.O. Box 389, Lovelock NV 89419, and the State Board of Health ("Board").

Due to the COVID-19 outbreak and the need to expand testing, the Pershing School District will be allowed to have Registered Nurses that are licensed in the State of Nevada, to serve as a laboratory director for schools which are performing waived COVID laboratory testing.

NOW, THEREFORE, it is hereby agreed as follows:

State Licensure. The Laboratory falls under the provisions of Nevada Administrative Code (NAC) 652. The laboratories that will be conducting waived COVID laboratory tests in the public schools within the Pershing School District, will be allowed to have a Registered Nurse to qualify as a laboratory director of a State of Nevada Exempt laboratory.

Term of Agreement. This Agreement shall remain in effect until the Governor lifts the order allowing Registered Nurses to qualify as a State of Nevada Exempt laboratory director conducting waived COVID tests.

Requirements. The Registered Nurse that accepts the responsibility of being the laboratory director of a State of Nevada Exempt laboratory performing waived COVID testing, will be required to ensure that the laboratory meets the State regulatory requirements for Exempt laboratories stated in NAC 652.155.

IN WITNESS WHEREOF, the parties have executed this Agreement effective the day and year first above written.

The Pershing School District and the State Board of Health ("Board").

Signed: Runell Dfult Russell D. Fecht, Pershing School District

Date: 2/17, 2021

NEVAD	A DEPARTMENT OF HEALTH AND HUMAN SERVIC	CES	
	H DIVISION		
BUREA	U OF HEALTH CARE QUALITY AND COMPLIANCE		
Signed:	U OF HEALTH CARE QUALITY AND COMPLIANCE Margot Chappal Deputy Administrator signing for Dr. Azzam	Date:	2/17, 2021
	Ihsan Azzam, P.h.D, M.D, Chief Medical Officer		

Approved by Board of Health on: Signed:

.2021 Date:

Lisa Sherych, Executive Officer of Board of Health

Compliance Agreement Division of Public and Behavioral Health and Pershing School District

This Compliance Agreement is made and entered into effective on December 21, 2020, by, between, and among the Bureau of Health Care Quality and Compliance of the Division of Public and Behavioral Health of the Nevada Department of Health and Human Services of the State of Nevada ("BHCQC"), the Pershing School District, and the State Board of Health ("Board").

RECITALS

The goal is to define the criteria for compliance for the Pershing School District located at 1150 Elmhurst Ave., P.O. Box 389, Lovelock, NV 89419.

Due to the COVID-19 outbreak and the need to expand testing, BHCQC is waiving the \$500 initial laboratory license fee in accordance with NAC 652.488(1)(f) so that the fees will not act as a financial burden on the Nevada Public School system and the public schools in Nevada will have the availability to provide COVID-19 testing to the students and staff of the schools in this district.

NOW, THEREFORE, it is hereby agreed as follows:

BHCQC will waive the initial laboratory licensing fee for the Pershing School District in accordance with NAC 652.488(1)(f). The subsequent State of Nevada laboratory license biennial renewal fees will be required to be paid according to the fees associated with this category of laboratory stipulated in NAC 652.488.

Term of Agreement. This Agreement shall remain in effect until the Governor lifts the emergency declaration.

<u>Requirements</u>. The COVID-19 collection and testing personnel are required to meet the requirements in accordance with NRS 652.210(1). Any person that is identified to collect or perform laboratory testing that does not meet the requirements in NRS 652.210(1), must be licensed by the State of Nevada as an Office Laboratory Assistant (OLA). All laboratory collection and testing personnel will be required to have documentation of training and competency before collecting or testing human specimens.

IN WITNESS WHEREOF, the parties have executed this Agreement effective the day and year first above written.

The Pershing School District and the State Board of Health ("Board").

Signed: Russell D. Fecht, Pershing School District

Date: 2/17, 2021

NEVADA DEPARTMENT OF HEALTH AND HUMAN SERVICE	ES
HEALTH DIVISION	
BUREAU OF HEALTH CARE QUALITY AND COMPLIANCE	
Margot Chappal	
Deputy Administrator Signed: signing for Dr. Azzam Mulliot Chappel	
	Dat
Ihsan Azzam, P.h.D, M.D, Chief Medical Officer	

te: 2/17, 2021

Approved by Board of Health on: Signed:

Date: , 2021