

DEPARTMENT OF HEALTH AND HUMAN SERVICES

DIVISION OF PUBLIC AND BEHAVIORAL HEALTH Helping people. It's who we are and what we do.



Lisa Sherych Administrator

Ihsan Azzam, Ph.D., M.D. Chief Medical Officer

Variance No. 734



DEPARTMENT OF HEALTH AND HUMAN SERVICES

DIVISION OF PUBLIC AND BEHAVIORAL HEALTH Helping people. It's who we are and what we do.



NOTICE OF PUBLIC HEARING

P. THERESA BRUSHFIELD, ADULT CARE SOLUTIONS LLC IS REQUESTING A VARIANCE, #734, FROM THE NEVADA STATE BOARD OF HEALTH REGULATIONS.

NOTICE IS HEREBY GIVEN that P. THERESA BRUSHFIELD, ADULT CARE SOLUTIONS LLC has requested a variance from Nevada Administrative Code (NAC) 449.211 and NAC 449.229.

A public hearing will be conducted on June 3, 2022, at 9:00 am by the Nevada State Board of Health to consider this request. This meeting will be held online.

Meeting Locations:

- Southern Nevada Health District (SNHD)
 Red Rock Trail Rooms A and B
 280 S. Decatur Boulevard; Las Vegas, Nevada 89107
- Nevada Division of Public and Behavioral Health (DPBH)
 Hearing Room No. 303, 3rd Floor
 4150 Technology Way; Carson City, Nevada 89706

Join from computer using the Zoom meeting link:

https://zoom.us/j/94244271039?pwd=V0s1UW5aKy9pdlVTNzlzR0xLODU4dz09

Online Conference ID Number: 942 4427 1039

Passcode: 479010

Join by Phone:

1-669-900-9128 US (San Jose)

Phone Conference ID Number: 942 4427 1039

Passcode: 479010

P. THERESA BRUSHFIELD, ADULT CARE SOLUTIONS, LLC is requesting a variance from NAC 449.211 and NAC 449.229 which states:

NAC 449.211 Automatic sprinkler systems. (NRS 449.0302)

- 1. After January 14, 1997, the Division shall withhold the issuance of an initial license to operate a residential facility that does not have an automatic sprinkler system which complies with the provisions of <u>chapter 477</u> of NRS and any local ordinances relating to the installation of automatic sprinkler systems.
- 2. Except as otherwise provided in subsection 3, a residential facility with less than seven residents that is issued a license on or before January 14, 1997, shall install an automatic sprinkler system that complies with the provisions of chapter 477 of NRS and any local ordinances relating to the installation of automatic sprinkler systems if:
 - (a) The ownership of the facility is transferred to a new owner;
 - (b) The number of beds in the facility is increased;
- (c) The facility is currently authorized to admit or retain category 1 residents only and wishes to apply for authorization to admit or retain category 2 residents; or
- (d) The facility is not currently authorized to admit or retain residents who suffer from Alzheimer's disease or other related dementia and the facility wishes to apply for authorization to admit or retain such residents.
- 3. A residential facility with less than seven residents that was issued its initial license on or before January 14, 1997, may not admit or retain a category 2 resident, unless an automatic sprinkler system that complies with the provisions of chapter 477 of NRS and any local ordinances relating to the installation of automatic sprinkler systems is installed in the facility. Not more than one resident who is confined to a wheelchair or who is required to use a walker may be admitted to such a facility at any time unless such an automatic sprinkler system is installed in the facility.
 - 4. An automatic sprinkler system that has been installed in a residential facility must be inspected:
- (a) Not less than once each calendar quarter by a person who understands the manner in which the system operates and the manner in which it should be maintained; and
- (b) Not less than once each calendar year by a person who is licensed to inspect such a system pursuant to the provisions of chapter 477 of NAC.

(Added to NAC by Bd. of Health by R003-97, eff. 10-30-97)

NAC 449.229 Requirements and precautions regarding safety from fire. (NRS 449.0302)

- 1. The administrator of a residential facility shall ensure that the facility complies with the regulations adopted by the State Fire Marshal pursuant to <u>chapter 477</u> of NRS and all local ordinances relating to safety from fire. The facility must be approved for residency by the State Fire Marshal.
- 2. The Bureau shall notify the State Fire Marshal or the appropriate local government, as applicable, if, during an inspection of a residential facility, the Bureau knows of or suspects the presence of a violation of a regulation of the State Fire Marshal or a local ordinance relating to safety from fire.
- 3. An exit door in a residential facility must not be equipped with a lock that requires a key to open it from the inside unless approved by the State Fire Marshal or his or her designee.

(Added to NAC by Bd. of Health by R003-97, eff. 10-30-97; A by R052-99, 9-27-99; R073-03, 1-22-2004; R119-10, 1-13-2011)

The authority of the State Board of Health to consider and grant a variance from the requirements of a regulation is set forth at NRS 439.200 and NAC 439.200 – 439.280.

Persons wishing to comment upon the proposed variance may appear at the scheduled public hearing or may submit written testimony at least five days before the scheduled hearing to:

Secretary, State Board of Health Division of Public and Behavioral Health 4150 Technology Way, Suite 300 Carson City, NV 89706

Anyone wishing to testify for more than five minutes on the proposed variance must petition the Board of Health at the above address. Petitions shall contain the following: 1) a concise statement of the subject(s) on which the petitioner will present testimony; 2) the estimated time for the petitioner's presentation.

This notice has also been posted at the following locations:

DIVISION OF PUBLIC AND BEHAVIORAL HEALTH, 4150 TECHNOLOGY WAY, CARSON CITY, NV

DIVISION OF PUBLIC AND BEHAVIORAL HEALTH WEBSITE:

http://dpbh.nv.gov/Boards/BOH/Meetings/Meetings/

DIVISION OF PUBLIC AND BEHAVIORAL HEALTH 4150 Technology Way, Suite 300 CARSON CITY, NV 89706

APPLICATION FOR VARIANCE

Please check the appropriate box that pertains to the NAC for which you are requesting a variance. Health Care Quality & Compliance **Division Administration** (NAC 449, 457, 459 & 652) (NAC 439, 441A, 452, 453A, & 629) Child, Family & Community Wellness Health Statistics, Planning, (NAC 392, 394, 432A, 439, 441A, & 442) Epidemiology and Response (NAC 440,450B, 452, 453, 453A, & 695C) Public Health & Clinical Services (NAC 211, 444, 446, 447, 583, & 585) Date: APRIL 24, 2022 Phone: 702-731-5941 or 702-858-2118 P. Theresa Brushfield, RFA, Et al. Name of Applicant: 3021 Ocean Port Drive Mailing Address: NV 89117 Las Vegas Zip: City: State: of the Nevada We do hereby apply for a variance to NAC 449.211 & NAC 449.229 chapter/section Administrative Code (NAC). (For example: NAC 449.204) Title of section in NAC 449.229 Requirements and precautions regarding safety from fire question: Statement of existing or proposed conditions in violation of the NAC: Modern electronic fire safety and security products like almost all electronic devices made today utilize integrated circuits or microchips. The Global microchip shortage components continue to be in short supply with lead times of up to one year. Allocations continue to restrict supply. Some component manufacturers insist on non-cancellable order with excessive lead times. Sourcing -parts outside the usual distributor network resulted in some components costing 10 to 20-times more. There are additional shipping delays beyond anyone's control. Senator Cortez-Masto has made this an issue in her re-election campaign, as it is not only a local issue but a worldwide event. Therefore contractors are unable to comply with the Nevada State Fire Marshal's requirements for Residential Facility for Groups.

DIVISION OF PUBLIC AND BEHAVIORAL HEALTH 4150 Technology Way, Suite 300 CARSON CITY, NV 89706

APPLICATION FOR VARIANCE

Date of initial operation (if existing): Not Applicable

ATTENTION: Please read this section closely. Your request for variance will be examined against these criteria:

Any person who, because of unique circumstances, is unduly burdened by a regulation of the State Board of Health and thereby suffers a hardship and the abridgement of a substantial property right may apply for a variance from a regulation. (NAC 439.200(1))

- 1. The State Board of Health will grant a variance from a regulation only if it finds from the evidence presented at the hearing that:
 - (a) There are circumstances or conditions which:
 - (1) Are unique to the applicant;
 - (2) Do not generally affect other persons subject to the regulation;
 - (3) Make compliance with the regulation unduly burdensome; and
 - (4) Cause a hardship to and abridge a substantial property right of the applicant; and
 - (b) Granting the variance:
 - (1) Is necessary to render substantial justice to the applicant and enable him to preserve and enjoy his property; and
 - (2) Will not be detrimental or pose a danger to public health and safety.
- 2. Whenever an applicant for a variance alleges that he suffers or will suffer economic hardship by complying with the regulation, he must submit evidence demonstrating the costs of his compliance with the regulation. The Board will consider the evidence and determine whether those costs are unreasonable. (NAC 439.240)

Therefore, it is important for your variance request to be as complete as possible. It is your responsibility to attach documentation supportive of your variance request.

Statement of degree of risk of health	No negative impact to the health of the residents
From the Scottsdale Arizona 15-year report; a community that	has 41,408 homes, more than 50 percent of the homes in Scottsdale, protected with fire sprinkler systems: Lives Saved In the
15 years there were 598 home fires. Of the 598 home fires, 49	were in single-family homes with fire sprinkler systems: • There were no deaths in sprinklered homes. • 13 people died in home
without sprinklers. • The lives of 13 people who would have like	ely died without sprinklers, were saved. Our facilities will have operatable fire sprinklers and in facilities for persons with
Alzheimer's or Dementia there will be awake staffing. We belie	ve that there will be no loss of life and minimum structural damage.

DIVISION OF PUBLIC AND BEHAVIORAL HEALTH 4150 Technology Way, Suite 300 CARSON CITY, NV 89706

APPLICATION FOR VARIANCE

Please state in detail the circumstances or conditions which demonstrate that:

1. An exceptional and undue hardship results from a strict application of the Regulation:
Mortgage or rent payments, property taxes, business license, electric, water, gas, sewer, trash, liability insurance, landscaping or yard maintenance, fire protection quarterly maintenance,
plus miscellaneous items can add up to over \$5,000.00 with a loss of income of \$6,000.00 to \$10,000 per month. Some people budgeted, quit their current employment put their life savings
into this industry and now can not operate because of a world-wide situation that is not under their control. These expenses do not take into consideration the cost of maintaining their private residence
With their own expenses, i.e., food, clothing, health insurance, car payment, auto insurance and their utilities. This problem is horrifying, dismaying, and depressing, besides being a financial disaster.
2. The variance, if granted, would not:A. Cause substantial detriment to the public welfare.
This variance would not cause any detriment to the public welfare. People are returning to work after Covid-19 and are not able to care for their aging parent,
family member or friend. Employed persons cannot leave a family member at home while they are working or doing general activities with a vulnerable person
left at home alone, or in the care of someone they might feel is abusive or neglectful. As baby boomers are aging the need for our services are in demand.
B. Impair substantially the purpose of the regulation from which the application seeks a variance. Allowing this variance will not cause our residents to be in any jeopardy. Please note in the letter from the State Fire Marshal, facilities that were licensed in 1997 and they are sold, are not required to upgrade to the newest fire codes. For the residents who will occupy the facilities that are asking for the variance, will be properly protected because of the training of the staff to respond promptly and effectively to any fire emergency and they will have the same or better fire sprinkler systems than previously licensed facilities.
The bureau may require the following supporting documents to be submitted with and as a part of this application: 1. Legal description of property concerned See Attached

_ 2.

General area identification map

DIVISION OF PUBLIC AND BEHAVIORAL HEALTH 4150 Technology Way, Suite 300 CARSON CITY, NV 89706

APPLICATION FOR VARIANCE

Plat map showing locations of all pertinent items and appurtenances

	_ 4.	Well log (if applicable)							
	_ 5.	Applicable lab reports							
	_ 6.	Applicable engineering or construction/remodeling information							
	_ 7.	Other items (see following pages)							
regulation more supporting	This application must be accompanied by evidence demonstrating the costs of your compliance with regulations or specific statutory standards. Your request will be placed on the Board of Health agenda 40 days or more after receipt in this office if accompanied by the required fee (NAC 439.210). The application and supporting documentation will form the basis for the Division of Public and Behavioral Health staff report and recommendation(s) to the Board. Failure to respond to the above statements may cause the Board to deny consideration of the application at the requested Board meeting.								
Please s	chedule	this hearing during:							
\checkmark	The next regularly scheduled Board of Health meeting, regardless of location.								
	The next scheduled meeting in Carson City.								
	The nex	st scheduled meeting in Las	Vegas.						
			Signature:	Showf Inwefact					
			Printed Name:	P. Theresa Brushfield, RFA					
			Title:	Applicant					
			Date:	April 24, 2022					

Adult Care Connections, LLC 3301 Spring Mountain RD Ste. 20 Las Vegas, NV 89102 702.474.7171 Theresa@adultcareconnections.com Adultcareconnections.com

April 24, 2021

State of Nevada Board of Health

SUBJECT: List of Owners to be included in the Variance Application Regarding Fire System

Bryan Grosh

Happy Valley Care Home

Category II 10-Beds

Residential facility which provides care to persons with Alzheimer's disease Facility Address: 6791 Elmdale Place, Clark County, Las Vegas NV. 89103

Richard Sanders

Henderson Senior Care Home

Category II 10-Beds


Residential facility which provides care to persons with Alzheimer's disease

Facility Address: 2690 Celebrate Court, Clark County, Henderson, Nevada, 89074

Analyn Bolus Lua-Diaz Green Valley Memory Care, Inc.

Category II 9-Beds

Residential facility which provides care to persons with Alzheimer's disease Facility Address: 2321 Thayer Street, Clark County, Henderson, Nevada, 89074



FRANK MANCIA

Category II 10-Beds

LUMINOUS HORIZONS

Residential facility which provides care to persons with Alzheimer's disease Facility Address: 2321 Thayer Street, Clark County, Henderson, Nevada, 89074

BIAR ATEM NAME TO BE ANNOUNCED AT LATER DATE

Category II 10-Beds

Residential facility which provides care to persons with Alzheimer's disease Facility Address:

923 Jason Alexander Avenue

Clark County, North Las Vegas, Nevada, 89031

Sincerely,

Thereisa Bruishfield

Adult Care Connections, LLC

3301 Spring Mountain RD Ste. 20 Las Vegas, NV 89102 702.474.7171 Theresa@adultcareconnections.com Adultcareconnections.com

April 11, 2022

Department of Public Safety State of Nevada Fire Marshall Division State Fire Marshal Mike Dzyak 107 Jacobsen Way Carson City, Nevada 89711

Re: New and Existing Residential Facility for Groups

Dear Fire Marshal Dzyak:

My name is P. Theresa Brushfield, RFA of Adult Care Connections, LLC. I haven't had the pleasure of working with you, but I have worked with your predecessors over the last 26 years.

We represent 8 facilities that are or will be 10-bed Residential Facilities for Groups Category II, 5 that our applying for a new license, and 3 that our doing a change of ownership. We all have been affected by the Covid-19 pandemic and the current supply chain shortages.

The contractor that we have been working with has not been able to acquire the parts needed for the horns and strobes lighting and has been told that they cannot expect a shipment until sometime late August 2022, and there is no guarantee that the products will arrive by that date.

We are asking is there a way that these facilities that have a fully functional sprinkler system could be given a 6-to-9-month provisional certificate of compliance, while waiting for the contractor to complete the alarm system.

One of applicant suggest a Fire Watcher, however after reviewing the guidelines for such a person it is financially impossible for a 10-bed facility to afford the cost.

State Fire Marshal Mike Dzyak Page 2

It would be financially feasible for the facilities to have awake staff 24-hours per day, seven days a week, even though they may not be a facility with a dementia endorsement.

For the facilities that are doing a change of ownership (CHOW) we heard that they are right now considered "Grandfathered-in" and do not require any upgrades of the Fire Systems to the current standards.

The people have invested anywhere from \$75,000 to over \$200,000.00 in the start-up cost and it will be an extreme hardship as they continue paying their overhead cost to State, County and local municipalities, mortgages, liability, and workmen's compensation policies (required by local business license agencies before issuance of a license), utilities and all the upkeep cost. We need to be able to assist these individuals, by allowing a provisional certificate of occupancy. Thank you for your consideration.

Yours very truly,

ADULT CARE CONNECTIONS, LLC

P. Theresa Brushfield, RFA

cc:

Bryan Grosh Richard Sanders Analyn Lua Diaz

Elena and Nicole Kealoha

Biar Atem

Jetaime Castor

Elaine Manliclic

Frank Mancia

HCQC Bureau Chief F. Paul Shubert

Amir Bringard, Health Facilities Inspection Manager

State Fire Marshal Bureau Chief Albert Ruiz

Steve Sisolak Governor



George Togliatti

Director

Sheri Brueggemann Deputy Director

Mike Dzyak State Fire Marshal

Nevada State Fire Marshal Division

Stewart Facility 107 Jacobsen Way Carson City, Nevada 89711 Telephone (775) 684-7501 - Fax (775) 684-7518

April 19, 2022

Adult Care Connections Attn: Theresa Brushfield 3301 Spring Mountain RD Ste. 20 Las Vegas, NV 89102

Tel: (702) 474-7171

Re: New and Existing Residential Facilities for Groups

Dear Ms. Brushfield,

As a Certificate of Compliance issued by the State Fire Marshal is a final document needed for occupancy and it indicates that a certain facility, whether it be a group home or any other business type, is fully compliant with all applicable codes and standards, the Division of the State Fire Marshal is unable to issue a provisional certificate. In the realm of fire protection systems, an occupancy is fully compliant and suitable for occupancy or not fully compliant and not suitable for occupancy.

A fire alarm system is an integral component of the protection features of the building in both terms or occupant warning and evacuation as well as initiating an emergency response. Without a fully functioning fire alarm system, the occupants are at risk and even more so those requiring evacuation assistance or mobility challenged. Furthermore, the International Fire Code (2018) as adopted by the State Fire Marshal states that "it shall be unlawful to occupy any portion of a building until the required fire detection, alarm and suppression systems have been tested and approved" (IFC 2018 section 901.5.1). The State Fire Marshal is obligated to enforce the code as adopted by the State of Nevada and will not endorse a provisional certificate of compliance and assume any liability for doing so.

As you have pointed out, there are avenues that are allowed by the International Fire Code to address this issue and that is with the implementation of a fire watch. We understand that there are cost considerations for the use of a fire watch, however, the cost of any injuries or loss of life due to a partial system will far outweigh the cost of a fire watch.

Concerning those facilities that are solely undergoing a change of ownership, if there are no additions, tenant improvements, change to egress or any other construction, they will be enforced to the code in which they were initially given a certificate of compliance. The new facilities must comply with today's standards to receive a certificate of compliance from the State Fire Marshal.

Mike Dzyak

Fire Marshal

Department of Public Safety



7165 BRIDGEVIEW AVE. LAS VEGAS, NV 89147 P: 702-331-5066 F: 702-331-0255 E: dfpinclv@hotmail.com www.dignityfirelv.com License# 86354 Limit \$200,000.00

April 20, 2022

To: Theresa Brushfield - President, Adult Care Connections, LLC

From: Paul J Sebastian – Director, Dignity Fire Protection, Inc. Jan R Matias – President, Dignity Fire Protection, Inc.

Re: Fire Alarm Systems Required by The HCQC and the State Fire Marshal

SUBJECT: Fire Alarm Devices Alternative Method

As the production of the required Fire Alarm System Devices is delayed due to the limited supply of semiconductors and other unforeseen reasons. You may be aware of the delay this is causing our current projects and will cause the future projects.

We are writing this in response to your letter to propose an Alternative Method to the dilemma we have at hand. As you mentioned, The required Approved Low Frequency Horn Strobe Alarms and System Smoke Detectors are nonexistent at the present time.

As the Director of Dignity Fire Protection Inc., We are proposing to Install Alternative Devices to temporarily replace the required low frequency horn & strobe and system smoke detectors into whichever devices are available and in stock by our suppliers and will be acceptable by the Local Authority Fire Department and Nevada State Fire Marshal as a temporary replacement.

However, These alternative devices and any alternate method permit if needed will be an extra cost to the property owners that are willing to support this proposal. In doing this, We are able to temporarily "complete" and satisfy the requirement by HCQC and Nevada State Fire Marshal until the Approved Devices are available for purchase. We can by then request for another Inspection to prove that the Alternative Devices has been replaced and Approved Devices are installed and in compliance with the Submitted Approved Local Authority Fire Department and Nevada State Fire Marshal Fire Alarm Plans.

Respectfully,
DIGNITY FIRE PROTECTION, INC
"fire systems with dignity"

<u>faulsebaslian</u>
Paul J Sebastian, Director

Honeywell

HONEYWELL FIRE SOLUTIONS
12 Clintonville Road
Northford, CT 06472
www.firelite.com
www.silentknight.com
www.systemsensor.com

August 11, 2021

Dear Honeywell Distributor,

Earlier this year we sent an update regarding the global semiconductor and other commodity shortages. While we were hoping that the impact would be short-term, due to circumstances outside of our control, lead times for products remain extended.

Our Integrated Supply Chain (ISC) team continues to work tirelessly to procure the components from alternative suppliers and is working alongside our Engineering and Quality teams to validate additional suppliers. Even with these efforts, and significant investments to secure all available supplies, we anticipate that we will not see a significant improvement in this environment for the short-term. This is a dynamic situation where the specific SKUs impacted vary from day-to-day and week-to-week. Please continue to check order status through mybuildings.honeywell.com, as we sometimes may improve delivery from the initial shipment date provided.

In cases where an escalation is required due to a critical customer issue, please continue to work with your Regional Sales Manager so we can manage these exceptions through our escalation processes. Our leadership team will continue to work towards prioritizing escalation requests to allocate products in a reasonable and appropriate manner where supplies are severely constrained.

Thank you for your patience, loyalty and understanding and we will continue to keep you updated as we navigate these challenges.

Sincerely,

Daraius Patell VP/General Manager Honeywell Fire Americas





Sweet Valley Home Care

6791 Elmdale Pl. Las Vegas, NV. 89103 323-710-1331 Bryan.Grosh.KWagent@gmail.com

4/22/2022

Nevada Department of Health and Human Services Division of Public and Behavior Health Bureau of Health Care Quality and Compliance Paul Shubert Bureau Chief 4220 S. Maryland Pkwy Las Vegas, NV 89119

T: (702) 486-6515 F: (702) 486-6520

Re: Variance Request from the Board of Health

Dear Mr. Paul Shubert,

My Name is Bryan Grosh and I am in the process of renovating 6791 Elmdale Pl. Las Vegas, NV 89103 to make it ready for a 10 bed Adult Care Facility.

Considering the latest news regarding material shortages, Dignity Fire Protection Inc. recently briefed me on delays regarding horn strobes and smoke detectors. Based on our conversations, The owners of Dignity Fire Protection Inc and I discovered their distributors (Dignity Fire Protection's) are experiencing shortages from their suppliers-Honeywell. Even worse, Honeywell is experiencing shortages from their suppliers – vendors over sea. So, the possibility of acquiring horn strobes and smoke detectors from a different retailers/providers are highly unlikely.

Over the last 24 hours, I reached out to ¹3 other Fire Protection companies in Clark
County and spoke to 1 company. The salesperson from Pye-Barker Fire & Safety had a similar response to Dignity Fire Protection. He said, "Components for the fire alarm systems are on back order for 1-3 months, but even that timeline is not guarantee". Pye-Bakers Fire & Safety's "no guaranteed" message is consistent with the message from Dignity Fire protection Inc. as the back-order release date continue to be pushed out. As evident from the distributor and manufacturer emails below, Dignity Fire Protection Inc ordered components in January; however, the components will not be released until September.

After speaking with several professional in the industry, I have concluded there are 3 options: 1) administrative 2) mechanical and 3) operational options. Due to the submission timeline, these will need to be discuss in further detail. The administrative option would allow operators to develop a Fire Watch Plan amongst the staff to ensure a safe facility. The (2) mechanical option will allow for contractors to install alternate (like for like) horn strobes and smoke detectors- provided components are available. And lastly, operators would have the option to operate as a 2-bed facility with impunity to fees and process times.

As you are aware, many of us have invested anywhere from \$75,000- to over \$200,000 in the startup cost and it will be an extreme hardship as we continue to carrying renovation cost, overhead cost to state, county, and local municipalities, mortgages, liability, and workers' compensation policies, utilities, and upkeep cost.

We thank you for your help and we look forward to a mutually beneficial outcome: patients, facility owners, and the Bureau of Health Care Quality and Compliance.

Sincerely,


Bryan Grosh

-DocuSigned by:

ENGRAPE DE OSC

Notes: ¹The other 2 Fire protection companies were unavailable, messages were sent.

Darren from Delta Fire systems can speak with great authority on the supply constraints. For more info. (775)798-1055. https://www.deltafiresystems.com/services



Vince Graves <vgraves@alarmax.com>

Tue 4/19/2022 10:49 AM

To: You



Quote attached. Here are the lead times:

x1	Current lead time per the Honeywell website is 4/28/22
хб	2 days
х3	In stock
x12	In stock
хб	Currently BO until 9/29/22
x1	4-5 days
	x6 x3 x12 x6

Thank you!

From: Vince Graves <<u>vgraves@alarmax.com</u>>
Sent: Wednesday, March 23, 2022 1:09 PM

To: 'Dignity Fire Protection' < dfpinclv@hotmail.com>

Subject: RE: 6591 ELMDALE FA

Everything is in stock except the 2WB and the PC2WLLF.

2WB on BO until 8/22/22 PC2WLLF on BO until 09/2/22

That is per the website.

Thank you!



Vince Graves <vgraves@alarmax.com>

Wed 3/9/2022 1:33 PM

To: You

You got it! Everything is in stock except the following:

2WB

x7

PC2WL-LF

х6

Thank you!

q



Pc2wl If - ms10 orders



Vince Graves <vgraves@alarmax.com>

Wed 1/26/2022 8/32 AM

To: You

Negative. Here are the current backorder dates:

MS10 6/14/22

PC2WL-LF 7/12/22

P2WL-LF 7/19/22

Wish I had better news.

Thank you!

Vince Graves Inside Sales

5850 Polaris Ave #1500 Las Vegas, NV 89118 Ph: 702.940.5000 Fax: 702.940.5001

vgraves@alarmax.com

Sign up for the Alarmax mailing list below to recieve special offers, discounts and monthly flyers.


Fax failed

Home Office

Wednesday, 04-27-2022 18:30

7027315971

Date	Time	Туре	Job #	Length	Speed	Fax Name/Number	Pages	Status
04-27-2022	18:29	SCAN	135	0:00	0	7756847570	0	NO ANSWER



TO: Lisa Sherych, Administrator

FAX: 775-684-7570 PHONE: 775-684-7500 DATE: [Date of Fax]

SUBJECT: Variance Applications

FROM: P. Theresa Brushfield, RFA

FAX: 702-731-5971 PHONE: 702-858-2118 (Mobile)

OF PAGES: 18

Re: 449.229 and 449.211

Scan Log

Scan to e-mail failed.

Details

Date: 04-27-2022-183048

Primary SMTP Gateway:

Connection failure: <-10> E-mail server not set up.

Mail server response:: N/A

Secondary SMTP Gateway:

Connection failure: <-10> E-mail server not set up.

Mail server response:: N/A