

Nevada Department of Health and Human Services
Division of Public and Behavioral Health
Office of HIV – HIV Prevention and Surveillance Program
Office of Analytics



Joe Lombardo, Governor State of Nevada **Cody Phinney, MPH, Administrator**Division of Public and Behavioral Health

Richard Whitley, MS, Director
Department of Health and Human Services

Ihsan Azzam, Ph.D., MD Chief Medical Officer

PURPOSE

The primary purpose of the Nevada 2022 HIV Fast Facts report is to provide statistics and trends on HIV and HIV Stage 3 (AIDS) in Nevada. This annual publication is a reference document for policymakers, program managers, health planners, researchers, and community members who are concerned with the public health implications of this disease. The tables provided in this edition supersede earlier publications.

METHODS

The data used for this report comes from information gathered between January 1, 2022, to December 31, 2022, and was obtained from the enhanced HIV/AIDS Reporting System (eHARS); statistics provided in this publication are based on provisional data. The eHARS database application is provided by the Centers for Disease and Control and Prevention (CDC) and is maintained by the Nevada Division of Public and Behavioral Health (DPBH) HIV Prevention and Surveillance Program (HPSP). The data is collected from medical laboratories, state and local health departments, and other community providers. The HIV case definition for this report utilizes the 2014 CDC Case Definition. Per the CDC, an individual may be diagnosed concurrently with both HIV and HIV Stage 3 (AIDS) within the same year, allowing them to be counted in both the HIV incidence and HIV Stage 3 (AIDS) incidence tables.

DATA CONSIDERATIONS

Recent improvements in timeliness of death ascertainment and national case de-duplication efforts are reflected within this report's data. These efforts may be more apparent when comparing this report's data to previous Nevada HIV Fast Facts reports.

TECHNICAL NOTES

Per the Nevada Administrative Code (NAC) 441A.040, HIV is a reportable communicable disease. As prescribed by NRS 441A.150, a diagnosis of HIV is reported to the local health authority by providers, medical facilities, and laboratories.

- **Age Group** is defined as the age of the individual at the time of the HIV and/or HIV Stage 3 (AIDS) diagnosis.
- All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.
- Annual % Change is the percent increase or decrease relative to the number of cases in 2022. Take caution when interpreting percent changes calculated from small case counts because they can be susceptible to high variability and are likely to be misleading.
- N (incidence rate) is the measure of disease in the total population.
- n (incidence rate) is the measure of disease for a given subpopulation, such as sex, race/ethnicity, age, or full address. The subpopulations may not equal the total incidence rate for the population due to unknown demographics such as sex, race/ethnicity, age, or full address.
- New HIV diagnoses are diagnoses counted in eHARS surveillance statistics and include HIV
 and HIV Stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The
 surveillance data excludes HIV and HIV Stage 3 (AIDS) cases diagnosed in other states but
 currently living in Nevada. HIV and HIV Stage 3 (AIDS) diagnoses may duplicate case counts if
 the person was diagnosed with both HIV and HIV Stage 3 (AIDS) in the same year.
- New HIV Stage 3 (AIDS) diagnoses are diagnoses counted in eHARS surveillance statistics and include HIV Stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The

surveillance data excludes HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in Nevada. HIV and HIV Stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and HIV Stage 3 (AIDS) in the same year.

- **Persons living with HIV** include data on persons living in Nevada with HIV (not yet HIV Stage 3 (AIDS)) and HIV Stage 3 (AIDS) based on the current address listed in eHARS. These persons may or may not have been diagnosed with HIV or HIV Stage 3 (AIDS) in Nevada.
- **Provisional data** is data that is not yet complete and may be subject to revision as information continues to be collected and analyzed.
- **Population** is based on the 2022 population projections from the Nevada State Demographer vintage 2021 data.
- **Rate** is the rate of the population per 100,000 persons and calculated by using the 2022 population projections from the Nevada State Demographer vintage.
- **Relative Standard Error (RSE)** This publication contains counts under 12. Please use caution when interpreting the data, as the RSE is greater than 30%.



Nevada New HIV Diagnoses, 2022 Male

Female

BEHAVIORAL HEALTH		Total			Male			Female	
	N	Column %	Rate*	n	Column %	Kate*	n	Column %	Rate*
County of Diagnosis									
Clark	488	91.2	20.6	411	91.5	34.8	77	89.5	6.5
Washoe	38	7.1	7.7	31	6.9	12.5	7	8.1	2.8
All Other Counties**	9	1.7	2.5	7	1.6	3.9	2	2.3	1.1
Total	535	100.0	16.6	449	100.0	27.9	86	100.0	5.3
Race/Ethnicity									
White, non-Hispanic	126	23.6	8.0	101	22.5	12.7	25	29.1	3.2
Black, non-Hispanic	143	26.7	48.2	107	23.8	71.7	36	41.9	24.4
Hispanic	228	42.6	23.0	209	46.5	41.9	19	22.1	3.9
Asian/Hawaiian/ Pacific Islander	19	3.6	5.8	18	4.0	12.0	1	1.2	0.6
American Indian/ Alaska Native	3	0.6	8.4	2	0.4	11.5	1	1.2	5.5
Multi-race/Other	16	3.0	-	12	2.7	-	4	4.7	-
Total	535	100.0	16.6	449	100.0	27.9	86	100.0	5.3
Age Group at Diagnosis									
< 13	2	0.4	0.4	2	0.4	0.8	0	0.0	0.0
13 to 14	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
15 to 19	14	2.6	6.2	12	2.7	10.3	2	2.3	1.8
20 to 24	75	14.0	34.0	68	15.1	59.8	7	8.1	6.6
25 to 29	103	19.3	45.2	91	20.3	78.4	12	14.0	10.8
30 to 34	100	18.7	42.8	84	18.7	70.7	16	18.6	13.9
35 to 39	82	15.3	38.6	66	14.7	61.3	16	18.6	15.3
40 to 44	56	10.5	26.0	46	10.2	42.7	10	11.6	9.3
45 to 54	61	11.4	14.8	47	10.5	22.6	14	16.3	6.9
55 to 64	32	6.0	8.3	24	5.3	12.4	8	9.3	4.1
65 +	10	1.9	2.0	9	2.0	3.9	1	1.2	0.4
Total	535	100.0	16.6	449	100.0	27.9	86	100.0	5.3
Transmission Category									
Male-to-male sexual contact (MSM)	263	49.2	8.2	263	58.6	16.4	0	0.0	0.0
Injection drug use (IDU)	16	3.0	0.5	9	2.0	0.6	7	8.1	0.4
MSM+IDU	23	4.3	0.7	23	5.1	1.4	0	0.0	0.0
Heterosexual contact	18	3.4	0.6	4	0.9	0.2	14	16.3	0.9
Perinatal exposure	1	0.2	0.0	1	0.2	0.1	0	0.0	0.0
Transfusion/Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	214	40.0	40.0	149	33.2	9.3	65	75.6	4.0
Total	535	100.0	16.6	449	100.0	27.9	86	100.0	5.3

Total

Source: Division of Public and Behavioral Health, enhanced HIV/AIDS Reporting System (eHARS), (April 2023).

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and HIV stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. HIV and HIV Stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and HIV Stage 3 (AIDS) in the same year. The surveillance data excludes HIV/HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in Nevada.

^{*} Rates per 100,000 population were calculated using 2022 population projections from the Nevada State Demographer vintage 2021 data.

^{**}All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

Nevada Department of Health and

Division of Public and Behavioral Health – HIV Prevention and Surveillance Program Fast Facts Nevada New HIV Diagnoses, 2022, by Gender Identity

Health and Human Services DIVISION OF PUBLIC AND		Total	Cisge	ender Male	Cisger	nder Female		nsgender, to Female		insgender, ale to Male		ale at birth, ender UNK		ale at birth, nder UNK
BEHAVIORAL HEALTH	N	Column %	n	Column %	n	Column %	n	Column %	n	Column %	n	Column %	n	Column %
County of Diagnosis														
Clark	488	91.2	381	91.4	72	90.0	16	88.9	2	100.0	14	100.0	3	75.0
Washoe	38	7.1	29	7.0	6	7.5	2	11.1	0	0.0	0	0.0	1	25.0
All Other Counties**	9	1.7	7	1.7	2	2.5	0	0.0	0	0.0	0	0.0	0	0.0
Total	535	100.0	417	100.0	80	100.0	18	100.0	2	100.0	14	100.0	4	100.0
Race/Ethnicity														
White, non-Hispanic	126	23.6	93	22.3	25	31.3	4	22.2	0	0.0	4	28.6	0	0.0
Black, non-Hispanic	143	26.7	95	22.8	33	41.3	4	22.2	1	50.0	8	57.1	2	50.0
Hispanic	228	42.6	200	48.0	17	21.3	7	38.9	1	50.0	2	14.3	1	25.0
Asian/Hawaiian/ Pacific Islander	19	3.6	16	3.8	1	1.3	2	11.1	0	0.0	0	0.0	0	0.0
American Indian/ Alaska Native	3	0.6	2	0.5	0	0.0	0	0.0	0	0.0	0	0.0	1	25.0
Multi-race/Other	16	3.0	11	2.6	4	5.0	1	5.6	0	0.0	0	0.0	0	0.0
Total	535	100.0	417	100.0	80	100.0	18	100.0	2	100.0	14	100.0	4	100.0
Age Group at Diagnosis														
< 13	2	0.4	2	0.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13 to 14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
15 to 19	14	2.6	10	2.4	2	2.5	1	5.6	0	0.0	1	7.1	0	0.0
20 to 24	75	14.0	66	15.8	6	7.5	2	11.1	1	50.0	0	0.0	0	0.0
25 to 29	103	19.3	85	20.4	12	15.0	3	16.7	0	0.0	3	21.4	0	0.0
30 to 34	100	18.7	81	19.4	15	18.8	2	11.1	0	0.0	1	7.1	1	25.0
35 to 39	82	15.3	56	13.4	16	20.0	6	33.3	0	0.0	4	28.6	0	0.0
40 to 44	56	10.5	44	10.6	8	10.0	2	11.1	0	0.0	0	0.0	2	50.0
45 to 54	61	11.4	44	10.6	13	16.3	1	5.6	1	50.0	2	14.3	0	0.0
55 to 64	32	6.0	21	5.0	7	8.8	0	0.0	0	0.0	3	21.4	1	25.0
65 +	10	1.9	8	1.9	1	1.3	1	5.6	0	0.0	0	0.0	0	0.0
Total	535	100.0	417	100.0	80	100.0	18	100.0	2	100.0	14	100.0	4	100.0
Transmission Category														
Male-to-male sexual contact (MSM)	263	49.2	243	58.3	0	0.0	15	83.3	0	0.0	5	35.7	0	0.0
Injection drug use (IDU)	16	3.0	9	2.2	6	7.5	0	0.0	0	0.0	0	0.0	1	25.0
MSM+IDU	23	4.3	20	4.8	0	0.0	2	11.1	0	0.0	1	7.1	0	0.0
Heterosexual contact	18	3.4	4	1.0	13	16.3	0	0.0	1	50.0	0	0.0	0	0.0
Perinatal exposure	1	0.2	1	0.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transfusion/Hemophilia	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
No identified risk (NIR)	214	40.0	140	33.6	61	76.3	1	5.6	1	50.0	8	57.1	3	75.0
Total	535	100.0	417	100.0	80	100.0	18	100.0	2	100.0	14	100.0	4	100.0



Nevada New HIV Stage 3 (AIDS) Diagnoses, 2022

Female

Male

BEHAVIORAL HEALTH		iotai			iviale			Female	
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
County of Diagnosis									
Clark	187	89.5	7.9	154	89.0	13.1	33	91.7	2.8
Washoe	16	7.7	3.2	14	8.1	5.6	2	5.6	0.8
All Other Counties**	6	2.9	1.7	5	2.9	2.8	1	2.8	0.6
Total	209	100.0	6.5	173	100.0	10.8	36	100.0	2.2
Race/Ethnicity									
White, non-Hispanic	56	26.8	3.6	48	27.7	6.1	8	22.2	1.0
Black, non-Hispanic	69	33.0	23.3	51	29.5	34.2	18	50.0	12.2
Hispanic	64	30.6	6.5	56	32.4	11.2	8	22.2	1.6
Asian/Hawaiian/ Pacific Islander	11	5.3	3.4	10	5.8	6.7	1	2.8	0.6
American Indian/ Alaska Native	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Multi-race/Other	9	4.3	-	8	4.6	-	1	2.8	-
Total	209	100.0	6.5	173	100.0	10.8	36	100.0	2.2
Age Group at Diagnosis									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 14	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
15 to 19	1	0.5	0.4	0	0.0	0.0	1	2.8	0.9
20 to 24	11	5.3	5.0	10	5.8	8.8	1	2.8	0.9
25 to 29	31	14.8	13.6	29	16.8	25.0	2	5.6	1.8
30 to 34	33	15.8	14.1	27	15.6	22.7	6	16.7	5.2
35 to 39	26	12.4	12.2	19	11.0	17.6	7	19.4	6.7
40 to 44	30	14.4	13.9	23	13.3	21.4	7	19.4	6.5
45 to 54	42	20.1	10.2	34	19.7	16.3	8	22.2	3.9
55 to 64	22	10.5	5.7	20	11.6	10.4	2	5.6	1.0
65 +	13	6.2	2.6	11	6.4	4.8	2	5.6	0.7
Total	209	100.0	6.5	173	100.0	10.8	36	100.0	2.2
Transmission Category									
Male-to-male sexual contact (MSM)	102	48.8	3.2	102	59.0	6.3	0	0.0	0.0
Injection drug use (IDU)	7	3.3	0.2	6	3.5	0.4	1	2.8	0.1
MSM+IDU	2	1.0	0.1	2	1.2	0.1	0	0.0	0.0
Heterosexual contact	19	9.1	0.6	5	2.9	0.3	14	38.9	0.9
Perinatal exposure	1	0.5	0.0	1	0.6	0.1	0	0.0	0.0
Transfusion/Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	78	37.3	2.4	57	32.9	3.5	21	58.3	1.3
Total	209	100.0	6.5	173	100.0	10.8	36	100.0	2.2

Total

Source: Division of Public and Behavioral Health, enhanced HIV/AIDS Reporting System (eHARS), (April 2023).

New HIV Stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include HIV Stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in Nevada.

^{*} Rates per 100,000 population were calculated using 2022 population projections from the Nevada State Demographer vintage 2021 data.

^{**}All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

Due to rounding, percentages may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.



Division of Public and Behavioral Health – HIV Prevention and Surveillance Program Fast Facts Nevada New HIV Stage 3 (AIDS) Diagnoses, 2022, by Gender Identity

Health and	Nevada New IIIV Stage 5 (F						(AIDS) Diagnoses, 2022, by Gender Identity							
Human Services DIVISION OF PUBLIC AND BEHAVIORAL HEALTH		Total	Cisge	nder Male	Cisge	nder Female		nsgender, e to Female		nsgender, ale to Male		ale at birth, ender UNK		ale at birth, nder UNK
DELIAVIONAL NEALIN	N	Column %	n	Column %	n	Column %	n	Column %	n	Column %	n	Column %	n	Column %
County of Diagnosis														
Clark	187	89.5	140	88.1	32	91.4	9	100.0	1	100.0	5	100.0	0	0.0
Washoe	16	7.7	14	8.8	2	5.7	0	0.0	0	0.0	0	0.0	0	0.0
All Other Counties**	6	2.9	5	3.1	1	2.9	0	0.0	0	0.0	0	0.0	0	0.0
Total	209	100.0	159	100.0	35	100.0	9	100.0	1	100.0	5	100.0	0	0.0
Race/Ethnicity														
White, non-Hispanic	56	26.8	45	28.3	7	20.0	1	11.1	1.0	100.0	2	40.0	0	0.0
Black, non-Hispanic	69	33.0	44	27.7	18	51.4	5	55.6	0.0	0.0	2	40.0	0	0.0
Hispanic	64	30.6	54	34.0	8	22.9	1	11.1	0.0	0.0	1	20.0	0	0.0
Asian/Hawaiian/ Pacific Islander	11	5.3	8	5.0	1	2.9	2	22.2	0.0	0.0	0	0.0	0	0.0
American Indian/ Alaska Native	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0	0.0	0	0.0
Multi-race/Other	9	4.3	8	5.0	1	2.9	0	0.0	0.0	0.0	0	0.0	0	0.0
Total	209	100.0	159	100.0	35	100.0	9	100.0	1.0	100.0	5	100.0	0	0.0
Age Group at Diagnosis														
< 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13 to 14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
15 to 19	1	0.5	0	0.0	1	2.9	0	0.0	0	0.0	0	0.0	0	0.0
20 to 24	11	5.3	9	5.7	1	2.9	1	11.1	0	0.0	0	0.0	0	0.0
25 to 29	31	14.8	25	15.7	2	5.7	3	33.3	0	0.0	1	20.0	0	0.0
30 to 34	33	15.8	24	15.1	5	14.3	2	22.2	1	100.0	1	20.0	0	0.0
35 to 39	26	12.4	18	11.3	7	20.0	0	0.0	0	0.0	1	20.0	0	0.0
40 to 44	30	14.4	22	13.8	7	20.0	1	11.1	0	0.0	0	0.0	0	0.0
45 to 54	42	20.1	32	20.1	8	22.9	2	22.2	0	0.0	0	0.0	0	0.0
55 to 64	22	10.5	18	11.3	2	5.7	0	0.0	0	0.0	2	40.0	0	0.0
65 +	13	6.2	11	6.9	2	5.7	0	0.0	0	0.0	0	0.0	0	0.0
Total	209	100.0	159	100.0	35	100.0	9	100.0	1	100.0	5	100.0	0	0.0
Transmission Category														
Male-to-male sexual contact (MSM)	102	48.8	91	57.2	0	0.0	8	88.9	0	0.0	3	60.0	0	0.0
Injection drug use (IDU)	7	3.3	6	3.8	1	2.9	0	0.0	0	0.0	0	0.0	0	0.0
MSM+IDU	2	1.0	2	1.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	19	9.1	5	3.1	13	37.1	0	0.0	1	100.0	0	0.0	0	0.0
Perinatal exposure	1	0.5	1	0.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transfusion/Hemophilia	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
No identified risk (NIR)	78	37.3	54	34.0	21	60.0	1	11.1	0	0.0	2	40.0	0	0.0
Total	209	100.0	159	100.0	35	100.0	9	100.0	1	100.0	5	100.0	0	0.0



Division of Public and Behavioral Health – HIV Prevention and Surveillance Program Fast Facts

Persons Living with HIV[§] in Nevada, 2022

DIVISION OF PUBLIC AND			1 613	Olis Elvili	8 WILLIIIV	iii ivevaua,					
BEHAVIORAL HEALTH		Total			Male			Female			
County of Posidones	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*		
County of Residence Clark	11 510	86.6	106 7	0.706	86.6	920.4	1 722	96.7	145 1		
	11,518		486.7	9,796		830.4	1,722	86.7	145.1		
Washoe	1,223	9.2	246.5	1,065	9.4	427.9	158	8.0	63.9		
All Other Counties**	558	4.2	156.4	452	4.0	251.9	106	5.3	59.7		
Total	13,299	100.0	413.0	11,313	100.0	703.5	1,986	100.0	123.2		
Race/Ethnicity	5,005	27.6	210 /	4.410	39.0	EE6 E	595	30.0	76.3		
White, non-Hispanic		37.6	318.4	4,410		556.5					
Black, non-Hispanic	3,739	28.1	1,261.5	2,815	24.9	1,887.4	924	46.5	627.5		
Hispanic	3,613	27.2	365.1	3,287	29.1	658.7	326	16.4	66.4		
Asian/Hawaiian/ Pacific Islander	507	3.8	155.5	433	3.8	288.6	74	3.7	42.0		
American Indian/Alaska Native	65	0.5	182.5	52	0.5	299.1	13	0.7	71.3		
Multi-race/Other	368	2.8	-	315	2.8	-	53	2.7	-		
Unknown	2	0.0	-	1	0.0	-	1	0.1	-		
Total	13,299	100.0	413.0	11,313	100.0	703.5	1,986	100.0	123.2		
Age Group at End of Year	1			1			l				
< 13	7	0.1	1.4	2	0.0	0.8	5	0.3	2.1		
13 to 14	2	0.0	2.3	2	0.0	4.5	0	0.0	-		
15 to 19	37	0.3	16.3	23	0.2	19.8	14	0.7	12.6		
20 to 24	255	1.9	115.7	222	2.0	195.1	33	1.7	31.0		
25 to 29	846	6.4	371.6	765	6.8	658.7	81	4.1	72.6		
30 to 34	1,562	11.7	668.2	1,414	12.5	1,189.3	148	7.5	128.8		
35 to 39	1,605	12.1	756.1	1,416	12.5	1,314.8	189	9.5	180.7		
40 to 44	1,439	10.8	668.1	1,222	10.8	1,134.7	217	10.9	201.5		
45 to 54	2,866	21.6	695.3	2,340	20.7	1,123.4	526	26.5	258.0		
55 to 64	3,152	23.7	813.5	2,638	23.3	1,367.6	514	25.9	264.2		
65 +	1,528	11.5	304.0	1,269	11.2	554.1	259	13.0	94.7		
Total	13,299	100.0	413.0	11,313	100.0	703.5	1,986	100.0	123.2		
Transmission Category						-	-				
Male-to-male sexual contact (MSM)	8,528	64.1	264.9	8,528	75.4	530.3	0	0.0	-		
Injection drug use (IDU)	750	5.6	23.3	475	4.2	29.5	275	13.8	17.1		
MSM+IDU	776	5.8	24.1	776	6.9	48.3	0	0.0	-		
Heterosexual contact	1,368	10.3	42.5	348	3.1	21.6	1,020	51.4	63.3		
Perinatal exposure	85	0.6	2.6	35	0.3	2.2	50	2.5	3.1		
Transfusion/Hemophilia	6	0.0	0.2	3	0.0	0.2	3	0.2	0.2		
No identified risk (NIR)	1,786	13.4	55.5	1,148	10.1	71.4	638	32.1	39.6		
Total	13,299	100.0	413.0	11,313	100.0	703.5	1,986	100.0	123.2		

Source: Division of Public and Behavioral Health, enhanced HIV/AIDS Reporting System (eHARS), (April 2023).

Persons living with HIV include data on persons living in Nevada with HIV (not yet HIV Stage 3 (AIDS)) and HIV Stage 3 (AIDS) based on the current address listed in eHARS. These persons may or may not have been diagnosed with HIV or HIV Stage 3 (AIDS) in Nevada.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2022.

^{*} Rates per 100,000 population were calculated using 2022 population projections from the Nevada State Demographer vintage 2021 data.

^{**}All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.



Clark County New HIV Diagnoses, 2022

BEHAVIORAL HEALTH		Total			Male			Female	
4	N	Column %	Rate*	n	Column %	6 Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	106	21.7	10.6	84	20.4	16.5	22	28.6	4.5
Black, non-Hispanic	137	28.1	49.4	103	25.1	74.8	34	44.2	24.4
Hispanic	211	43.2	26.7	195	47.4	49.2	16	20.8	4.1
Asian/Hawaiian/ Pacific Islander	19	3.9	6.8	18	4.4	13.9	1	1.3	0.7
American Indian/ Alaska Native	1	0.2	6.6	1	0.2	13.7	0	0.0	0.0
Multi-race/Other	14	2.9	-	10	2.4	-	4	5.2	-
Total	488	100.0	20.6	411	100.0	34.8	77	100.0	6.5
Age Group at Diagnosis									
< 13	2	0.4	0.5	2	0.5	1.1	0	0.0	0.0
13 to 14	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
15 to 19	13	2.7	7.6	11	2.7	12.7	2	2.6	2.4
20 to 24	70	14.3	43.1	63	15.3	75.8	7	9.1	8.8
25 to 29	87	17.8	51.6	78	19.0	91.1	9	11.7	10.9
30 to 34	97	19.9	56.4	82	20.0	93.8	15	19.5	17.8
35 to 39	72	14.8	46.1	59	14.4	74.9	13	16.9	16.8
40 to 44	53	10.9	31.4	43	10.5	51.2	10	13.0	11.8
45 to 54	57	11.7	18.2	44	10.7	27.9	13	16.9	8.3
55 to 64	28	5.7	10.1	21	5.1	15.2	7	9.1	5.0
65 +	9	1.8	2.6	8	1.9	5.2	1	1.3	0.5
Total	488	100.0	20.6	411	100.0	34.8	77	100.0	6.5
Transmission Category									
Male-to-male sexual contact (MSM)	243	49.8	10.3	243	59.1	20.6	0	0.0	0.0
Injection drug use (IDU)	11	2.3	0.5	6	1.5	0.5	5	6.5	0.4
MSM+IDU	19	3.9	0.8	19	4.6	1.6	0	0.0	0.0
Heterosexual contact	15	3.1	0.6	4	1.0	0.3	11	14.3	0.9
Perinatal exposure	1	0.2	0.0	1	0.2	0.1	0	0.0	0.0
Transfusion/Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	199	40.8	8.4	138	33.6	11.7	61	79.2	5.1
Total	488	100.0	20.6	411	100.0	34.8	77	100.0	6.5

Source: Division of Public and Behavioral Health, enhanced HIV/AIDS Reporting System (eHARS), (April 2023).

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and HIV Stage 3 (AIDS) cases where resident county at time of diagnosis is Clark County, both living and deceased. The surveillance data excludes HIV/HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in Clark County. HIV and HIV Stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and HIV Stage 3 (AIDS) in the same year.

^{*} Rates per 100,000 population were calculated using 2022 population projections from the Nevada State Demographer vintage 2021 data.



Clark County New HIV Stage 3 (AIDS) Diagnoses, 2022

BEHAVIORAL HEALTH		Total			Male			Female	
4	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	44	23.5	4.4	37	24.0	7.3	7	21.2	1.4
Black, non-Hispanic	68	36.4	24.5	50	32.5	36.3	18	54.5	12.9
Hispanic	56	29.9	7.1	50	32.5	12.6	6	18.2	1.5
Asian/Hawaiian/ Pacific Islander	11	5.9	3.9	10	6.5	7.7	1	3.0	0.7
American Indian/ Alaska Native	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Multi-race/Other	8	4.3	-	7	4.5	-	1	3.0	-
Total	187	100.0	7.9	154	100.0	13.1	33	100.0	2.8
Age Group at Diagnosis									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 14	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
15 to 19	1	0.5	0.6	0	0.0	0.0	1	3.0	1.2
20 to 24	10	5.3	6.2	9	5.8	10.8	1	3.0	1.3
25 to 29	26	13.9	15.4	25	16.2	29.2	1	3.0	1.2
30 to 34	32	17.1	18.6	26	16.9	29.7	6	18.2	7.1
35 to 39	23	12.3	14.7	17	11.0	21.6	6	18.2	7.7
40 to 44	28	15.0	16.6	21	13.6	25.0	7	21.2	8.3
45 to 54	39	20.9	12.5	31	20.1	19.7	8	24.2	5.1
55 to 64	16	8.6	5.8	15	9.7	10.8	1	3.0	0.7
65 +	12	6.4	3.5	10	6.5	6.4	2	6.1	1.1
Total	187	100.0	7.9	154	100.0	13.1	33	100.0	2.8
Transmission Category									
Male-to-male sexual contact (MSM)	94	50.3	4.0	94	61.0	8.0	0		0.0
Injection drug use (IDU)	4	2.1	0.2	3	1.9	0.3	1	3.0	0.1
MSM+IDU	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Heterosexual contact	16	8.6	0.7	5	3.2	0.4	11	33.3	0.9
Perinatal exposure	1	0.5	0.5	1	0.6	0.1	0	0.0	0.0
Transfusion/ Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	72	38.5	3.0	51	33.1	4.3	21	63.6	1.8
Total	187	100.0	7.9	154	100.0	13.1	33	100.0	2.8

Source: Division of Public and Behavioral Health, enhanced HIV/AIDS Reporting System (eHARS), (April 2023).

New HIV Stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include HIV Stage 3 (AIDS) cases diagnosed in Clark County, both living and deceased. The surveillance data excludes HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in Clark County.

^{*} Rates per 100,000 population were calculated using 2022 population projections from the Nevada State Demographer vintage 2021 data.



Division of Public and Behavioral Health – HIV Prevention and Surveillance Program Fast Facts Persons Living with HIV§ in Clark County, 2022

Male

Female

DELIAVIONAL HEALTH		iotai			iviale			remaie	
BEHAVIORAL HEALTH	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	3,946	34.3	393.4	3,502	35.7	688.3	444	25.8	89.8
Black, non-Hispanic	3,556	30.9	1,283.0	2,672	27.3	1,940.2	884	51.3	633.9
Hispanic	3,191	27.7	403.8	2,917	29.8	735.6	274	15.9	69.6
Asian/Hawaiian/ Pacific Islander	477	4.1	169.7	411	4.2	317.6	66	3.8	43.5
American Indian/ Alaska Native	48	0.4	315.7	39	0.4	535.1	9	0.5	113.7
Multi-race/Other	300	2.6	-	255	2.6	-	45	2.6	-
Total	11,518	100.0	486.7	9,796	100.0	830.4	1,722	100.0	145.1
Age Group at End of Year									
< 13	7	0.1	1.9	2	0.0	1.1	5	0.3	2.7
13 to 14	1	0.0	1.5	1	0.0	3.0	0	0.0	-
15 to 19	30	0.3	17.6	21	0.2	24.2	9	0.5	10.8
20 to 24	223	1.9	137.4	194	2.0	233.4	29	1.7	36.7
25 to 29	752	6.5	446.2	682	7.0	796.3	70	4.1	84.4
30 to 34	1414	12.3	822.5	1278	13.0	1,461.9	136	7.9	161.0
35 to 39	1,439	12.5	920.4	1,280	13.1	1,623.9	159	9.2	205.1
40 to 44	1,295	11.2	768.2	1,095	11.2	1,305.0	200	11.6	236.2
45 to 54	2,496	21.7	796.8	2,034	20.8	1,291.9	462	26.8	296.5
55 to 64	2,637	22.9	950.8	2,207	22.5	1,593.8	430	25.0	309.6
65 +	1224	10.6	357.7	1002	10.2	645.1	222	12.9	118.8
Total	11,518	100.0	487.7	9,796	100.0	831.4	1,722	100.0	146.1
Transmission Category									
Male-to-male sexual contact (MSM)	7,566	65.7	319.7	7,566	77.2	641.3	0	0.0	-
Injection drug use (IDU)	575	5.0	24.3	369	3.8	31.3	206	12.0	17.4
MSM+IDU	592	5.1	25.0	592	6.0	50.2	0	0.0	-
Heterosexual contact	1,209	10.5	51.1	298	3.0	25.3	911	52.9	76.7
Perinatal exposure	71	0.6	3.0	31	0.3	2.6	40	2.3	3.4
Transfusion/Hemophilia	4	0.0	0.2	2	0.0	0.2	2	0.1	0.2
No identified risk (NIR)	1,501	13.0	63.4	938	9.6	79.5	563	32.7	47.4
Total	11,518	100.0	486.7	9,796	100.0	830.4	1,722	100.0	145.1
	•						-		

Total

Source: Division of Public and Behavioral Health, enhanced HIV/AIDS Reporting System (eHARS), (April 2023).

Persons living with HIV include data on persons living in Nevada with HIV (not yet HIV Stage 3 (AIDS)) and HIV Stage 3 (AIDS) based on the current address listed in eHARS. These persons may or may not have been diagnosed with HIV or HIV Stage 3 (AIDS) in Clark County or Nevada.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV Stage 3 (AIDS), living in Clark County in 2022.

^{*} Rates per 100,000 population were calculated using 2022 population projections from the Nevada State Demographer vintage 2021 data.



Washoe County New HIV Diagnoses, 2022

	Female			Male			Total		BEHAVIORAL HEALTH
Rate*	Column %	n	Rate*	Column %	n	Rate*	Column %	N	1
									Race/Ethnicity
1.3	28.6	2	7.8	38.7	12	4.6	36.8	14	White, non-Hispanic
16.7	14.3	1	53.5	12.9	4	37.1	13.2	5	Black, non-Hispanic
4.5	42.9	3	17.7	38.7	12	11.2	39.5	15	Hispanic
0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	Asian/Hawaiian/ Pacific Islander
26.9	14.3	1	29.3	3.2	1	28.0	5.3	2	American Indian/ Alaska Native
-	0.0	0	-	6.5	2	-	5.3	2	Multi-race/Other
2.8	100.0	7	12.5	100.0	31	7.7	100.0	38	Total
									Age Group at Diagnosis
0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	< 13
0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	13 to 14
0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	15 to 19
0.0	0.0	0	25.5	16.1	5	13.3	13.2	5	20 to 24
17.3	42.9	3	55.0	32.3	10	36.6	34.2	13	25 to 29
6.1	14.3	1	11.9	6.5	2	9.0	7.9	3	30 to 34
11.5	28.6	2	35.0	19.4	6	23.1	21.1	8	35 to 39
0.0	0.0	0	12.9	6.5	2	6.6	5.3	2	40 to 44
3.5	14.3	1	6.9	6.5	2	5.2	7.9	3	45 to 54
0.0	0.0	0	9.8	9.7	3	4.9	7.9	3	55 to 64
0.0	0.0	0	2.6	3.2	1	1.2	2.6	1	65 +
2.8	100.0	7	12.5	100.0	31	7.7	100.0	38	Total
									Transmission Category
0.0	0.0	0	7.2	58.1	18	3.6	47.4	18	Male-to-male sexual contact (MSM)
0.8	28.6	2	8.0	6.5	2	0.8	10.5	4	Injection drug use (IDU)
0.0	0.0	0	1.2	9.7	3	0.6	7.9	3	MSM+IDU
0.8	28.6	2	0.0	0.0	0	0.4	5.3	2	Heterosexual contact
0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	Perinatal exposure
0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	Transfusion/Hemophilia
1.2	42.9	3	3.2	25.8	8	2.2	28.9	11	No identified risk (NIR)
2.8	100.0	7	12.5	100.0	31	7.7	100.0	38	Total
	42.9	3	3.2	25.8	8	2.2	28.9	11	No identified risk (NIR)

Source: Division of Public and Behavioral Health, enhanced HIV/AIDS Reporting System (eHARS), (April 2023).

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and HIV Stage 3 (AIDS) cases where resident county at time of diagnosis is Washoe County, both living and deceased. The surveillance data excludes HIV/HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in Washoe County. HIV and HIV Stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and HIV Stage 3 (AIDS) in the same year.

^{*} Rates per 100,000 population were calculated using 2022 population projections from the Nevada State Demographer vintage 2021 data.



Washoe County New HIV Stage 3 (AIDS) Diagnoses, 2022

BEHAVIORAL HEALTH		Total			Male			Female	
Y	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	7	43.8	2.3	7	50.0	4.6	0	0.0	0.0
Black, non-Hispanic	1	6.3	7.4	1	7.1	13.4	0	0.0	0.0
Hispanic	7	43.8	5.2	5	35.7	7.4	2	100.0	3.0
Asian/Hawaiian/ Pacific Islander	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
American Indian/ Alaska Native	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Multi-race/Other	1	6.3	-	1	7.1	-	0	0.0	-
Total	16	100.0	3.2	14	100.0	5.6	2	100.0	0.8
Age Group at Diagnosis									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 14	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
15 to 19	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
20 to 24	1	6.3	2.7	1	7.1	5.1	0	0.0	0.0
25 to 29	4	25.0	11.3	3	21.4	16.5	1	50.0	5.8
30 to 34	1	6.3	3.0	1	7.1	6.0	0	0.0	0.0
35 to 39	2	12.5	5.8	1	7.1	5.8	1	50.0	5.7
40 to 44	1	6.3	3.3	1	7.1	6.5	0	0.0	0.0
45 to 54	2	12.5	3.5	2	14.3	6.9	0	0.0	0.0
55 to 64	4	25.0	6.5	4	28.6	13.1	0	0.0	0.0
65 +	1	6.3	1.2	1	7.1	2.6	0	0.0	0.0
Total	16	100.0	3.2	14	100.0	5.6	2	100.0	0.8
Transmission Category									
Male-to-male sexual contact (MSM)	7	43.8	1.4	7	50.0	2.8	0	0.0	0.0
Injection drug use (IDU)	1	6.3	0.2	1	7.1	0.4	0	0.0	0.0
MSM+IDU	2	12.5	0.4	2	14.3	0.8	0	0.0	0.0
Heterosexual contact	2	12.5	0.4	0	0.0	0.0	2	100.0	0.8
Perinatal exposure	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Transfusion/ Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	4	25.0	0.8	4	28.6	1.6	0	0.0	0.0
Total	16	100.0	3.2	14	100.0	5.6	2	100.0	0.8

Source: Division of Public and Behavioral Health, enhanced HIV/AIDS Reporting System (eHARS), (April 2023).

New HIV Stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include HIV Stage 3 (AIDS) cases where resident county at time of diagnosis is Washoe County. The surveillance data excludes HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in Washoe County.

^{*} Rates per 100,000 population were calculated using 2022 population projections from the Nevada State Demographer vintage 2021 data.



Division of Public and Behavioral Health – HIV and Prevention Surveillance Program Fast Facts Persons Living with HIV§ in Washoe County, 2022

Male

Female

DIVISION OF PUBLIC AND		TOTAL			iviale			remaie	
BEHAVIORAL HEALTH	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	721	59.0	236.9	638	59.9	416.5	83	52.5	54.9
Black, non-Hispanic	119	9.7	883.9	90	8.5	1,204.8	29	18.4	483.9
Hispanic	300	24.5	224.0	267	25.1	394.9	33	20.9	49.8
Asian/Hawaiian/ Pacific Islander	24	2.0	64.5	18	1.7	104.5	6	3.8	30.0
American Indian/ Alaska Native	9	0.7	126.1	6	0.6	175.8	3	1.9	80.6
Multi-race/Other	49	4.0	0.0	45	4.2	0.0	4	2.5	-
Unknown	1	0.1	0.0	1	0.1	0.0	0	0.0	-
Total	1,223	100.0	246.5	1,065	100.0	427.9	158	100.0	63.9
Age Group at End of Year									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 14	1	0.1	7.9	1	0.1	14.9	0	0.0	0.0
15 to 19	2	0.2	5.6	0	0.0	0.0	2	1.3	11.2
20 to 24	29	2.4	77.0	25	2.3	127.6	4	2.5	22.1
25 to 29	69	5.6	194.4	62	5.8	341.0	7	4.4	40.4
30 to 34	112	9.2	336.1	103	9.7	613.2	9	5.7	54.5
35 to 39	119	9.7	344.1	97	9.1	565.1	22	13.9	126.3
40 to 44	105	8.6	346.0	95	8.9	614.9	10	6.3	67.1
45 to 54	261	21.3	456.1	222	20.8	766.8	39	24.7	138.0
55 to 64	322	26.3	522.2	277	26.0	906.2	45	28.5	144.7
65 +	203	16.6	248.4	183	17.2	479.9	20	12.7	45.9
Total	1,223	100.0	246.5	1,065	100.0	427.9	158	100.0	63.9
Transmission Category									
Male-to-male sexual contact (MSM)	708	57.9	142.7	708	66.5	284.5	0	0.0	0.0
Injection drug use (IDU)	85	7.0	17.1	50	4.7	20.1	35	22.2	14.2
MSM+IDU	127	10.4	25.6	127	11.9	51.0	0	0.0	0.0
Heterosexual contact	101	8.3	20.4	32	3.0	12.9	69	43.7	27.9
Perinatal exposure	8	0.7	1.6	3	0.3	1.2	5	3.2	2.0
Transfusion/Hemophilia	1	0.1	0.2	0	0.0	0.0	1	0.6	0.4
No identified risk (NIR)	193	15.8	38.9	145	13.6	58.3	48	30.4	19.4
Total	1,223	100.0	246.5	1,065	100.0	427.9	158	100.0	63.9

Total

Source: Division of Public and Behavioral Health, enhanced HIV/AIDS Reporting System (eHARS), (April 2023).

Persons living with HIV include data on persons living in Nevada with HIV (not yet HIV Stage 3 (AIDS)) and HIV Stage 3 (AIDS) based on the current address listed in eHARS. These persons may or may not have been diagnosed with HIV or HIV Stage 3 (AIDS) in Washoe County or Nevada.

 ${\it \$Persons Living with HIV indicate any person regardless of HIV staging, including HIV Stage 3 (AIDS), living in Washoe County in 2022.}$

^{*} Rates per 100,000 population were calculated using 2022 population projections from the Nevada State Demographer vintage 2021 data.



All Other Counties' New HIV Diagnoses, 2022

DIVISION OF PUBLIC AND BEHAVIORAL HEALTH		Total			Male			Female	
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	6	66.7	2.3	5	71.4	3.8	1	50.0	0.7
Black, non-Hispanic	1	11.1	17.4	0	0.0	0.0	1	50.0	55.5
Hispanic	2	22.2	3.1	2	28.6	5.7	0	0.0	0.0
Asian/Hawaiian/ Pacific Islander	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
American Indian/ Alaska Native	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Multi-race/Other	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Total	9	100.0	2.5	7	100.0	3.9	2	100.0	1.1
Age Group at Diagnosis									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 14	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
15 to 19	1	11.1	4.6	1	14.3	8.8	0	0.0	0.0
20 to 24	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
25 to 29	3	33.3	12.7	3	42.9	24.4	0	0.0	0.0
30 to 34	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
35 to 39	2	22.2	9.4	1	14.3	8.5	1	50.0	10.4
40 to 44	1	11.1	6.1	1	14.3	12.0	0	0.0	0.0
45 to 54	1	11.1	2.4	1	14.3	4.6	0	0.0	0.0
55 to 64	1	11.1	2.1	0	0.0	0.0	1	50.0	4.1
65 +	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Total	9	100.0	2.5	7	100.0	3.9	2	100.0	1.1
Transmission Category									
Male-to-male sexual contact (MSM)	2	22.2	0.6	2	28.6	1.1	0	0.0	0.0
Injection drug use (IDU)	1	11.1	0.3	1	14.3	0.6	0	0.0	0.0
MSM+IDU	1	11.1	0.3	1	14.3	0.6	0	0.0	0.0
Heterosexual contact	1	11.1	0.3	0	0.0	0.0	1	50.0	0.6
Perinatal exposure	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Transfusion/Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	4	44.4	1.1	3	42.9	1.7	1	50.0	0.6
Total	9	100.0	2.5	7	100.0	1.1	2	100.0	1.1

Source: Division of Public and Behavioral Health, enhanced HIV/AIDS Reporting System (eHARS), (April, 2023).

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and HIV Stage 3 (AIDS) cases where resident county at time of diagnosis is All Other Counties, both living and deceased. The surveillance data excludes HIV/HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in All Other Counties. HIV and HIV Stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and HIV Stage 3 (AIDS) in the same year.

^All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

^{*} Rates per 100,000 population were calculated using 2022 population projections from the Nevada State Demographer vintage 2021 data.



All Other Counties New HIV Stage 3 (AIDS) Diagnoses, 2022

BEHAVIORAL HEALTH	lotal					Female			
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	5	83.3	1.9	4	80.0	3.1	1	100.0	0.7
Black, non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Hispanic	1	16.7	1.5	1	20.0	2.9	0	0.0	0.0
Asian/Hawaiian/ Pacific Islander	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
American Indian/ Alaska Native	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Multi-race/Other	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Total	6	100.0	1.7	5	100.0	2.8	1	100.0	0.6
Age Group at Diagnosis									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 14	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
15 to 19	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
20 to 24	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
25 to 29	1	16.7	4.2	1	20.0	8.1	0	0.0	0.0
30 to 34	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
35 to 39	1	16.7	4.7	1	20.0	8.5	0	0.0	0.0
40 to 44	1	16.7	6.1	1	20.0	12.0	0	0.0	0.0
45 to 54	1	16.7	2.4	1	20.0	4.6	0	0.0	0.0
55 to 64	2	33.3	4.1	1	20.0	4.2	1	100.0	4.1
65 +	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Total	6	100.0	1.7	5	100.0	2.8	1	100.0	0.6
Transmission Category									
Male-to-male sexual contact (MSM)	1	16.7	0.3	1	20.0	0.6	0	0.0	0.0
Injection drug use (IDU)	2	33.3	0.6	2	40.0	1.1	0	0.0	0.0
MSM+IDU	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Heterosexual contact	1	16.7	0.3	0	0.0	0.0	1	100.0	0.6
Perinatal exposure	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Transfusion/ Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	2	33.3	0.6	2	40.0	1.1	0	0.0	0.0
Total	6	100.0	1.7	5	100.0	2.8	1	100.0	0.6

Source: Division of Public and Behavioral Health, enhanced HIV/AIDS Reporting System (eHARS), (April 2023).

New HIV Stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include HIV Stage 3 (AIDS) cases where resident county at time of diagnosis is All Other Counties. The surveillance data excludes HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in All Other Counties.

[^]All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

^{*} Rates per 100,000 population were calculated using 2022 population projections from the Nevada State Demographer vintage 2021 data.



Persons Living with HIV§ in All Other Counties^, 2022

BEHAVIORAL HEALTH		Total		Male		Female			
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	338	60.6	127.7	270	59.7	48.4	68	64.2	12.2
Black, non-Hispanic	64	11.5	1,110.9	53	11.7	9.5	11	10.4	2.0
Hispanic	122	21.9	186.2	103	22.8	18.5	19	17.9	3.4
Asian/Hawaiian/ Pacific Islander	6	1.1	78.0	4	0.9	0.7	2	1.9	0.4
American Indian/ Alaska Native	8	1.4	60.3	7	1.5	1.3	1	0.9	0.2
Multi-race/Other	19	3.4	-	15	3.3	2.7	4	3.8	0.7
Unknown	1	0.2	-	0	0.0	-	1	0.9	0.2
Total	558	100.0	156.4	452	100.0	251.9	106	100.0	59.7
Age Group at End of Year									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 14	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
15 to 19	5	0.9	23.2	2	0.4	17.6	3	2.8	29.4
20 to 24	3	0.5	14.6	3	0.7	27.1	0	0.0	0.0
25 to 29	25	4.5	105.9	21	4.6	170.5	4	3.8	35.5
30 to 34	36	6.5	126.2	33	7.3	224.9	3	2.8	21.6
35 to 39	47	8.4	220.3	39	8.6	333.3	8	7.5	83.0
40 to 44	39	7.0	236.7	32	7.1	383.9	7	6.6	86.0
45 to 54	109	19.5	261.3	84	18.6	383.6	25	23.6	126.2
55 to 64	193	34.6	398.6	154	34.1	645.8	39	36.8	158.7
65 +	101	18.1	128.4	84	18.6	236.2	17	16.0	39.5
Total	558	100.0	156.4	452	100.0	251.9	106	100.0	59.7
Transmission Category									
Male-to-male sexual contact (MSM)	254	45.5	71.2	254	56.2	141.6	0	0.0	-
Injection drug use (IDU)	90	16.1	25.2	56	12.4	31.2	34	32.1	19.2
MSM+IDU	57	10.2	16.0	57	12.6	31.8	0	0.0	-
Heterosexual contact	58	10.4	16.3	18	4.0	10.0	40	37.7	22.5
Perinatal exposure	6	1.1	1.7	1	0.2	0.6	5	4.7	2.8
Transfusion/Hemophilia	1	0.2	0.3	1	0.2	0.6	0	0.0	-
No identified risk (NIR)	92	16.5	25.8	65	14.4	36.2	27	25.5	15.2
Total	558	100.0	156.4	452	100.0	251.9	106	100.0	59.7

Source: Division of Public and Behavioral Health, enhanced HIV/AIDS Reporting System (eHARS), (April 2023).

Persons living with HIV include data on persons living in Nevada with HIV (not yet HIV Stage 3 (AIDS)) and HIV Stage 3 (AIDS) based on the current address listed in eHARS. These persons may or may not have been diagnosed with HIV or HIV Stage 3 (AIDS) in All Other Counties or Nevada.

^All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

 ${\it \$Persons Living with HIV indicate any person regardless of HIV staging, including HIV Stage 3 (AIDS), living in Nevada in 2022.}$

^{*} Rates per 100,000 population were calculated using 2022 population projections from the Nevada State Demographer vintage 2021 data.



Division of Public and Behavioral Health – HIV Prevention and Surveillance Program Fast Facts Annual Percent Change: New HIV Diagnoses, Nevada, 2021-2022

DIVISION OF PUBLIC AND BEHAVIORAL HEALTH	:	2021		2022 Annual % Change:			
	N	Column %	N	Column %	% Change ^t		
County							
Clark	441	89.3	488	91.2	11%		
Washoe	38	7.7	38	7.1	0%		
All Other Counties**	15	3.0	9	1.7	-40%		
Total	494	100.0	535	100.0	8%		
Sex at Birth							
Male	430	87.0	449	83.9	4%		
Female	64	13.0	86	16.1	34%		
Total	494	100.0	535	100.0	8%		
Race/Ethnicity							
White, non-Hispanic	134	27.1	126	23.6	-6%		
Black, non-Hispanic	148	30.0	143	26.7	-3%		
Hispanic	174	35.2	228	42.6	31%		
Asian/Hawaiian/Pacific Islander	29	5.9	19	3.6	-34%		
American Indian/Alaska Native	4	0.8	3	0.6	-25%		
Multi-race/Other	5	1.0	16	3.0	220%		
Total	494	100.0	535	100.0	8%		
Age Group*							
< 13	0	0.0	2	0.4	0%		
13 to 14	0	0.0	0	0.0	0%		
15 to 19	12	2.4	14	2.6	17%		
20 to 24	62	12.6	75	14.0	21%		
25 to 29	85	17.2	103	19.3	21%		
30 to 34	104	21.1	100	18.7	-4%		
35 to 39	66	13.4	82	15.3	24%		
40 to 44	46	9.3	56	10.5	22%		
45 to 54	68	13.8	61	11.4	-10%		
55 to 64	40	8.1	32	6.0	-20%		
65 +	11	2.2	10	1.9	-9%		
Total	494	100.0	535	100.0	8%		
Transmission Category							
Males			T	T			
Male-to-male sexual contact (MSM)	258	52.2	263	49.2	2%		
IDU	18	3.6	9	1.7	-50%		
MSM+IDU	26	5.3	23	4.3	-12%		
Heterosexual contact	5	1.0	4	0.7	-20%		
Perinatal Exposure	0	0.0	1	0.2	0%		
Transfusion/Hemophilia	0	0.0	0	0.0	0%		
No identified risk (NIR)	123	24.9	149	27.9	21%		
Subtotal	430	87.0	449	83.9	4%		
Females			_	1.2	2001		
IDU	9	1.8	7	1.3	-22%		
Heterosexual contact	4	0.8	14	2.6	250%		
Perinatal Exposure	0	0.0	0	0.0	0%		
Transfusion/Hemophilia	0	0.0	0	0.0	0%		
No identified risk (NIR)	51	10.3	65	12.1	27%		
Subtotal	64	13.0	86	16.1	34%		
Total	494	100.0	535	100.0	8%		

Source: Division of Public and Behavioral Health, enhanced HIV/AIDS Reporting System (eHARS), (April 2023).

For New HIV diagnoses, age refers to age at HIV infection diagnosis. For persons living with HIV, age refers to age at the end of the report year.

+Annual % Change is the percentage increase or decrease relative to the number of cases in 2022.

^{**}All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.



Annual Percent Change: Persons Living with HIV§ in Nevada, 2021-2022

BEHAVIORAL HEALTH	2	2021)22	Annual % Change:	
	N	Column %	N	Column %	% Change [†]	
County						
Clark	11,132	86.5	11,518	86.6	3%	
Washoe	1,169	9.1	1,223	9.2	5%	
All Other Counties**	565	4.4	558	4.2	-1%	
Total	12,866	100.0	13,299	100.0	3%	
Sex at Birth			·			
Male	10,909	84.8	11,313	85.1	4%	
Female	1,957	15.2	1,986	14.9	1%	
Total	12,866	100.0	13,299	100.0	3%	
Race/Ethnicity				•		
White, non-Hispanic	5,014	39.0	5,005	37.6	0%	
Black, non-Hispanic	3,690	28.7	3,739	28.1	1%	
Hispanic	3,313	25.8	3,613	27.2	9%	
Asian/Hawaiian/Pacific Islander	523	4.1	507	3.8	-3%	
American Indian/Alaska Native	78	0.6	65	0.5	-17%	
Multi-race/Other	246	1.9	368	2.8	50%	
Unknown	2	0.0	2	0.0	0%	
Total	12,866	100.0	13,299	100.0	3%	
Age Group*	12,000	100.0	13,233	100.0	3,0	
<13	5	0.0	7	0.1	40%	
13 to 14	3	0.0	2	0.0	-33%	
15 to 19	33	0.3	37	0.3	12%	
20 to 24	263	2.0	255	1.9	-3%	
25 to 29	902	7.0	846	6.4	-6%	
30 to 34	1,508	11.7	1,562	11.7	4%	
35 to 39	1,548	12.0	1,605	12.1	4%	
40 to 44	1,347	10.5	1,439	10.8	7%	
45 to 54	2,880	22.4	2,866	21.6	0%	
55 to 64	3,053	23.7	3,152	23.7	3%	
65 +	1,324	10.3	1,528	11.5	15%	
Total	12,866	100.0	13,299	100.0	3%	
Transmission Category	12,000	100.0	13,233	200.0	3,0	
Males						
Male-to-male sexual contact (MSM)	8,256	64.2	8,528	64.1	3%	
IDU	485	3.8	475	3.6	-2%	
MSM+IDU	762	5.9	776	5.8	2%	
Heterosexual contact	353	2.7	348	2.6	-1%	
Perinatal Exposure	333	0.3	35	0.3	6%	
Transfusion/Hemophilia	3	0.0	33	0.0	0%	
No identified risk (NIR)	1,017	7.9	1,148	8.6	13%	
Subtotal	10,909	84.8	11,313	85.1	4%	
Females	10,303	0-1.0	11,313	03.1	7/0	
IDU	274	2.1	275	2.1	0%	
Heterosexual contact	1,033	8.0	1,020	7.7	-1%	
Perinatal Exposure	54	0.4	50	0.4	-7%	
Transfusion/Hemophilia	3	0.0	3	0.0	0%	
No identified risk (NIR)	593	4.6	638	4.8	8%	
Subtotal	1,957	15.2	1,986	14.9	1%	
Total	12,866	100.0	13,299	100.0	3%	
10(01	12,000	100.0	13,433	100.0	3/0	

Source: Division of Public and Behavioral Health, enhanced HIV/AIDS Reporting System (eHARS), (April 2023).

Persons living with HIV include data on persons living in Nevada with HIV (not yet HIV Stage 3 (AIDS)) and HIV Stage 3 (AIDS) based on the current address listed in eHARS. These persons may or may not have been diagnosed with HIV or HIV Stage 3 (AIDS) in Nevada.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV Stage 3 (AIDS), living in Nevada in 2022.

+Annual % Change is the percentage increase or decrease relative to the number of cases in 2022.

^{**}All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.



Facility of Diagnosis for New HIV Diagnoses, 2022

All Other Counties*

BEHAVIORAL HEALTH	N	evada	Clark	County	wasno	e County	All Other Counties*	
Y	N	Column %	n	Column %	n	Column %	n	Column %
Facility of Diagnosis								
HIV Counseling and Testing Site	45	8.4%	41	8.4%	4	10.5%	0	0.0%
Private Physician's Office	135	25.2%	134	27.5%	1	2.6%	0	0.0%
Inpatient Facility/Hospital	62	11.6%	48	9.8%	10	26.3%	4	44.4%
Outpatient Facility (unspecified)	46	8.6%	43	8.8%	0	0.0%	3	33.3%
Adult HIV Clinic	15	2.8%	9	1.8%	6	15.8%	0	0.0%
Correctional Facility	17	3.2%	15	3.1%	1	2.6%	1	11.1%
STD Clinic	44	8.2%	44	9.0%	0	0.0%	0	0.0%
Blood Bank or Plasma Center	27	5.0%	25	5.1%	2	5.3%	0	0.0%
Emergency Room	19	3.6%	17	3.5%	2	5.3%	0	0.0%
Tuberculosis Clinic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Drug Treatment Center	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Obstetrics and Gynecology Clinic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Community Health Center	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Facility/Other/Unknown	125	23.4%	112	23.0%	12	31.6%	1	11.1%
Total	535	100.0%	488	100.0%	38	100.0%	9	100.0%

Source: Division of Public and Behavioral Health, enhanced HIV/AIDS Reporting System (eHARS), (April 2023).

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and HIV Stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but currently living in Nevada. HIV and HIV Stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and HIV Stage 3 (AIDS) in 2022.

*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.



Facility of Diagnosis for New HIV Stage 3 (AIDS) Diagnoses, 2022

Washne County


All Other Counties*

BEHAVIORAL HEALTH		Nevada	Cla	ark County	wasi	ioe County	All Other Counties	
	N	Column %	n	Column %	n	Column %	n	Column %
Facility of Diagnosis								
HIV Counseling and Testing Site	3	1.4%	3	1.6%	0	0.0%	0	0.0%
Private Physician's Office	41	19.6%	40	21.4%	1	6.3%	0	0.0%
Inpatient Facility/Hospital	50	23.9%	39	20.9%	7	43.8%	4	66.7%
Outpatient Facility (unspecified)	45	21.5%	44	23.5%	0	0.0%	1	16.7%
Adult HIV Clinic	16	7.7%	11	5.9%	5	31.3%	0	0.0%
Correctional Facility	2	1.0%	2	1.1%	0	0.0%	0	0.0%
STD Clinic	18	8.6%	18	9.6%	0	0.0%	0	0.0%
Blood Bank or Plasma Center	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Emergency Room	8	3.8%	7	3.7%	1	6.3%	0	0.0%
Tuberculosis Clinic	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Facility/Other/Unknown	26	12.4%	23	12.3%	2	12.5%	1	16.7%
Total	209	100.0%	187	100.0%	16	100.0%	6	100.0%

Source: Division of Public and Behavioral Health, enhanced HIV/AIDS Reporting System (eHARS), (April 2023).

New HIV Stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include HIV Stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in Nevada.

^{*}All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.



For more information, contact:

Lyell S. Collins, MBA

HIV Prevention and Surveillance Program Manager
(Health Program Specialist II)
Office of HIV - HIV Prevention and Surveillance Program
Nevada Department of Health and Human Services
Division of Public and Behavioral Health
Community Health Services
2290 S. Jones, Suite 100, 89146
Email: Iscollins@health.nv.gov

Phone: (702) 486-8105

Preston Nguyen Tang, MPH

HIV Prevention Coordinator and Data Analyst
(Health Program Specialist I)
Office of HIV - HIV Prevention and Surveillance Program
Nevada Department of Health and Human Services
Division of Public and Behavioral Health
Community Health Services
2290 S. Jones, Suite 100, 89146
Email: ptang@health.nv.gov

Phone: (702) 486-6488

Phone: (775) 684-5953

Ted Artiaga, MS

HIV/STD Biostatistician

(Health Resource Analyst II)

Office of Analytics

Nevada Department of Health and Human Services

Division of Public and Behavioral Health

4126 Technology Way Ste 201 Carson City NV 89706 Email: tartiaga@dhhs.nv.gov

Fredricka Martin, MA

HIV Surveillance Epidemiologist
(Health Resource Analyst II)

Office of HIV - HIV Prevention and Surveillance Program
Nevada Department of Health and Human Services
Division of Public and Behavioral Health
Community Health Services
2290 S. Jones, Suite 100, 89146
Email: fmartin@health.nv.gov

Phone: (702) 486-5665

Recommended Citation:

State of Nevada, Office of HIV. Division of Public and Behavioral Health. 2022 HIV Fast Facts. Las Vegas, Nevada. e1.0. July 2023.

Additional References:

1) End HIV Nevada 2) HIV OPHIE 3) HIV Prevention Program 4) Office of Analytics

This publication was supported by the Centers for Disease Control and Prevention (CDC) through Grant Number NU62PS924579 for the HIV Prevention and Surveillance Program. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Nevada State Department of Health and Human Services nor the Centers for Disease Control and Prevention.