

Medical Professionals are now required to ask patients 15 years and older whether they would like to be tested for HIV and other STIs in primary care and emergency medical settings.

## Exceptions are limited:

- treating a life-threatening emergency,
- 2) the patient has recently been offered testing or has been recently tested, or 3) lacks the capacity to consent.

NOT PART OF YOUR PRACTICE?

MAKE A REFERRAL TO A LOCAL CLINIC
PROVIDING TESTING IN YOUR AREA.

## **HIV MODERNIZATION**

Know your role to stop the stigma!

Medical Professionals are now required to ask patients 15 years and older whether they would like to be tested for HIV and other STIs in primary care and emergency medical settings.

## Exceptions are limited:

- 1) treating a life-threating emergency,
- 2) the patient has recently been offered testing or has been recently tested, or
  - 3) lacks the capacity to consent.

Not part of your practice?

Make a referral to a local clinic providing testing in your area.

## **HIV MODERNIZATION**

Know your role to stop the stigma!

Medical Professionals are now required to ask patients 15 years and older whether they would like to be tested for HIV and other STIs in primary care and emergency medical settings.

**Exceptions are limited:** 

- 1) treating a life-threating emergency,
  - 2) the patient has recently been offered testing or has been recently tested, or
    - 3) lacks the capacity to consent.

Not part of your practice? Make a referral to a local clinic providing testing in your area.