

Influenza Weekly Report

2017 Week 7 (February 12 – February 18, 2017) through 2018 Week 7 (February 11 – February 17, 2018)

Department of Health and Human Services
Office of Analytics



Brian Sandoval
Governor
State of Nevada

Richard Whitley, MS
Director
Department of Health and Human Services

Julie Kotchevar, Ph.D.
Acting Administrator
Division of Public and Behavioral Health

February, 2018
Edition 1.0

Data for the graphs and tables on the following pages are provisional and may be updated as additional information becomes available.


Purpose

The purpose of this report is to provide an overview of and statistics for the influenza season in Nevada for the local public health authorities, sentinel providers and the public.

Sentinel Provider Data: Influenza-Like Illness Network Surveillance (ILINet)

Respiratory specimens are tested for influenza by the World Health Organization (WHO) and National Respiratory and Enteric Virus Surveillance System (NRVESS) collaborating laboratories by sub-type. During week 7, there were 55,744 specimens collected and tested for influenza, of those 14,715 were positive (26.4%).


Figure 1



Source of Data: CDC: FluView Weekly Report.

The Nevada total includes laboratory tests for all Nevada residents tested by sentinel providers including out of state laboratories. Laboratory data is obtained from CDC’s ILINet system. During week 7, where there were 11 specimens collected, in which 8 were positive. There is a two-week delay for laboratory surveillance. Data are subject to change as we receive additional reports.

Figure 2



Source of Data: CDC: ILINet.

Nevada State Public Health Laboratory (NSPHL) has tested 492 specimens for influenza from sentinel providers, of which there have been 427 positive (86.8%). Southern Nevada Public Health Laboratory (SNPHL) has tested 71 specimens this season of which there have been 5 positive. Nationally, there have been 872,675 specimens sent to the WHO and NERVSS laboratories of which 196,673 have been positive (22.5%). The national numbers in Table 1 are reflected in Figure 1. The state of Nevada data in Table 1 is reflected in Figure 2. The Nevada total includes laboratory test for all Nevada residents tested by sentinel providers, including out of state laboratories.


Table 1

	Influenza Specimens Tested State and Nationally through Sentinel Providers										
	NSPHL	SNPHL	All Other Laboratories	State of Nevada (Week 7)		State of Nevada (Season)		National (Week 7)		National (Season)	
				#	%	#	%	#	%	#	%
Specimens Tested	492	71	862	11	-	1,425	-	55,744		872,675	
Influenza Positives	427	5	233	8	72.7	665	46.7	14,715	26.4	196,673	22.5
Influenza A:	308	3	201	4	50.0	512	77.0	8,623	58.6	150,615	76.6
A (2009 H1N1)	16	0	1	1	25.0	17	3.3	143	1.7	3,358	2.2
A (H3)	292	3	6	3	75.0	301	58.8	469	5.4	25,104	16.7
A (Sub-typing not performed)	0	0	194	0	0	194	37.9	8,011	92.9	122,153	81.1
Influenza B:	119	2	32	4	50.0	153	23.0	6,092	41.4	46,058	23.4
B (Victoria Lineage)	1	0	0	0	0	1	0.7	31	0.5	461	1.0
B (Yamagata Lineage)	118	0	4	4	100	122	79.7	245	4.0	4,337	9.4
B (Sub-typing not performed)	0	2	28	0	0	30	19.6	5,816	95.5	41,260	89.6

Source of Data: CDC: FluView Report and CDC: ILINet.

Influenza-like Illness (ILI) Surveillance Network has each sentinel provider report the number of patients seen that meet the ILI case definition and the total number of patients seen for any reason each week. The “percentage of visits for ILI” is the number of ILI patients divided by the total number of patients visit per week. Nevada’s percentage of ILI visits for week 7 is 3.3% which is above the state baseline of 1.5%. Region 9 ILI percentage for week 7 is 4.0% which is the above the region baseline of 2.4%. Region 9 includes the following states/territory: Arizona, California, Guam, Hawaii, and Nevada. The national ILI percentage for week 7 is 6.4% which is above the national baseline 2.2%.


Figure 3



Source of Data: CDC: Flu View Report and CDC: ILINet.

During week 7, 3.3% of visits to sentinel providers were due to ILI; this is greater than the 2016-2017 influenza season (1.3%). There were 10,921 patients seen by sentinel providers during week 7, of which 357 patients presented with ILI; week 7 of 2017, there were 248 patients seen with ILI (18,740 total patients seen). Data availability depends on sentinel provider reporting.


Figure 4



Source of Data: CDC: ILINet.

Influenza-like Illness is reported by age groups. During week 7, patients ages 0-4 were the greatest number of patients seen with ILI, at 106 patients seen. The rate for week 7 is 12.0 per 100,000 population. The rate is calculated by the number of patients presented with ILI, divided by the state population, multiplied by 100,000. The estimated state population for 2018 is 2,969,849.

Figure 5



Source of Data: CDC: ILINet.

Influenza Positive Surveillance (NBS and NETSS)


Positive cases of influenza are reported to the state health authority for surveillance purposes. Table 2 and Figure 7 reflect all positive influenza cases reported to the state. Types of influenza testing include commercial rapid diagnostic test (rapid), viral culture, fluorescent antibody, enzyme immunoassay, RT-PCR (PCR), and Immunohistochemistry. The two most common test types in Nevada are Rapid and PCR tests. During week 7, there were 869 influenza cases reported to the state, 282 influenza A, 545 influenza B and 42 unknown subtyping.

Table 2

Reporting Jurisdiction	Reported Influenza Cases by County Jurisdiction and Influenza Type							
	Current Week (Week 7)				Cumulative Influenza Season			
	A	B	Unknown	Total	A	B	Unknown	Total
Carson City Health and Human Services	43	51	11	105	1,206	439	68	1,713
Rural Community Health Services	41	98	2	141	978	555	30	1,563
Southern Nevada Health District	142	243	7	392	6,786	1,566	231	8,583
Washoe County Health District	56	153	22	231	3,023	1,235	348	4,606
State of Nevada	282	545	42	869	11,993	3,795	677	16,465

Source: to Office of Analytics: NBS and SNHD: NETSS.

Figure 6



Source of Data: to Office of Analytics: NBS and SNHD: NETSS.

Hospitalizations

There were 43 hospitalizations associated with influenza reported to the state health authority for week 7.

Table 3


Reporting Jurisdiction	Influenza Hospitalizations			
	Current Week (Week 7)		Cumulative Influenza Season	
	#	%	#	%
Carson City Health and Human Services	6	14.0	130	9.2
Rural Community Health Services	0	0	38	2.7
Southern Nevada Health District	23	53.5	789	56.0
Washoe County Health District	14	32.6	451	32.0
State of Nevada	43	100	1,408	100%

Source: Reported to Office of Analytics from each Jurisdiction.

Pneumonia and Influenza (P&I) Mortality Surveillance

The Pneumonia and Influenza (P&I) mortality percentage is all deaths, where Pneumonia or Influenza is listed as the underlying or contributing cause of death, divided by the total deaths in Nevada for each week. As of February 26th, there were 36 P&I deaths and 339 total deaths for week 7 in Nevada. Please note that the CDC does not have updated P&I counts for week 6 or week 7.

Figure 7



Source: OVR: WEVRRS and CDC: FluView.

Technical Notes

- Data are subject to changes, additionally, there is a lag in reporting.
- Influenza surveillance procedures vary by jurisdiction.
- Influenza-like illness (ILI): a fever greater than or equal 100°F with cough and/or sore throat.
- Percent positive: The number of positive influenza laboratory tests divided by the total number of tests performed.
- Incidence rate is per 100,000 population as estimated by the state demographer.

This report contains information from national and state-level data sources. Influenza surveillance data is collected by various systems, including:

- Influenza-like Illness Network (ILINet): a sentinel surveillance system in collaboration with the Centers for the Disease Control and Prevention (CDC) where outpatient providers report ILI information weekly.
- National Electronic Telecommunication System for Surveillance (NETSS): a system whereby data is transmitted to CDC. Influenza data collected through NETSS does not provide influenza sub-typing information.
- National Electronic Disease Surveillance System (NEDSS): a system for collecting data and monitoring disease trends and outbreaks.
- NEDSS Based System (NBS): an implementation of the NEDSS standards. It provides a secure, accurate, and efficient means of collecting, transmitting, and analyzing public health data.

Citations

1. CDC. FluView: A Weekly Influenza Surveillance Report. <http://www.cdc.gov/flu/weekly/pastreports.htm>.
2. Nevada State Demographer's Office. 2003-2020 ASRHO Estimates and Projections. Division of Public and Behavioral Health edition. Vintage 2015.
3. Office of Analytics. DHHS. NBS. 2016-2018. Accessed February 2018.
4. Office of Vital Records (OVR). DPBH. Web Enabled Vital Records Registry System (WEVRRS) [unpublished data]. 2017-2018. Accessed February 2018.
5. Southern Nevada Health District (SNHD). NETSS/Trisano. 2016-2018. Accessed February 2018.

Comments, suggestions, and requests for further information may be addressed to:

NEVADA INFLUENZA SURVEILLANCE PROGRAM
OFFICE OF ANALYTICS
4126 TECHNOLOGY WAY
CARSON CITY, NV 89706
TEL: (775) 684-5997
FAX: (775) 684-5999

Compiled and Written by:

Michelle Khau

Reviewed by:

Helen See, MPH
 Melissa Peek-Bullock

Recommended Citation:

Department of Health and Human Services. Office of Analytics. Influenza Weekly Report, 2017 Week 7 (February 12, 2017) through 2018 Week 7 (February 17, 2018), Nevada. February 2018 i 7 edition 1.0.

This publication was supported by Cooperative Agreement Number TP000534-02 from the Centers for Disease Control and Prevention and/or Assistant Secretary for Preparedness and Response. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention and/or Assistant Secretary for Preparedness and Response.

