2013-2014 Wellness Survey Report Washoe County School District Re-Engagement Program



Department of Health and Human Services Division of Public and Behavioral Health Bureau of Child, Family and Community Wellness Chronic Disease Prevention and Health Promotion

Brian Sandoval, Governor State of Nevada Richard Whitley, MS, Director Department of Health and Human Services

Apr 2016 e 1.0 Cody L. Phinney, MPH, Administrator Division of Public of Behavioral Health

Acknowledgements

The Division of Public and Behavioral Health, Bureau of Child, Family, and Community Wellness wants to thank the Washoe County School District's Re-Engagement Program for providing the data in this report.

Authors:

Jessica Lamb, Obesity Prevention Program Coordinator

Table of Contents

| Acknowledgements | i |
|----------------------------|-----|
| Table of Contents | ii |
| List of Figures | iii |
| Acronyms and Abbreviations | iv |
| Executive Summary | A |
| Methodology | A |
| Results | В |
| Recommendations | V |
| References | W |
| | |

List of Figures

| Figure 1: Age | В |
|---|--|
| Figure 2: Ethnicity | В |
| Figure 3: Gender | C |
| Figure 6: Family Income | C |
| Figure 7: Health Status | D |
| Figure 8: Body Mass Index | |
| Figure 9: Weight Description | E |
| Figure 10: Last Visit to a Doctor | E |
| Figure 11: Reasons for not receiving a physical examination | F |
| Figure 12: Doctor's Visit/ Cost | F |
| Figure 13: Healthcare Coverage | F |
| Figure 14: HealthCare Obtain | G |
| Figure 15: Reason for no Healthcare | Н |
| Figure 16: Fruits/Vegetables Intake | Н |
| Figure 17: Nutrition Label Comprehension | |
| Figure 18: Sodas per Week | |
| Figure 20: Days physically active for at least an hour | J |
| Figure 21: Hours of TV per day | J |
| Figure 22: Hours of playing games per day | К |
| Figure 23: Asthma | |
| Figure 24: Last dentist visit | L |
| Figure 25: Smoking | |
| Figure 26: Quit Smoking in the past year | M |
| Figure 27: Used Chewing Tobacco | M |
| Figure 28: One drink of alcohol | N |
| Figure 29: Five or more drinks per month | |
| | 0 |
| Figure 30: History of Diabetes | |
| Figure 31: History of Cancer | D |
| | |
| Figure 31: History of CancerFigure 32: History of High Blood PressureFigure 33: History of Heart Attack | P |
| Figure 31: History of CancerFigure 32: History of High Blood PressureFigure 33: History of Heart AttackFigure 34: History of a Stroke | P |
| Figure 31: History of Cancer Figure 32: History of High Blood Pressure Figure 33: History of Heart Attack Figure 34: History of a Stroke Figure 39: Mental Health - Sadness | P Q |
| Figure 31: History of CancerFigure 32: History of High Blood PressureFigure 33: History of Heart AttackFigure 34: History of a StrokeFigure 39: Mental Health - SadnessFigure 40: Mental Health - Nervous | P Q Q R |
| Figure 31: History of Cancer Figure 32: History of High Blood Pressure Figure 33: History of Heart Attack Figure 34: History of a Stroke Figure 39: Mental Health - Sadness | P Q Q R |
| Figure 31: History of CancerFigure 32: History of High Blood PressureFigure 33: History of Heart AttackFigure 34: History of a StrokeFigure 39: Mental Health - SadnessFigure 40: Mental Health - Nervous | P Q Q R R |
| Figure 31:History of CancerFigure 32:History of High Blood PressureFigure 33:History of Heart AttackFigure 34:History of a StrokeFigure 39:Mental Health - SadnessFigure 40:Mental Health - NervousFigure 41:Mental Health - RestlessFigure 42:Mental Health - HopelessFigure 43:Mental Health - Worthless | P Q Q Q R R S S S |
| Figure 31: History of Cancer Figure 32: History of High Blood Pressure Figure 33: History of Heart Attack Figure 34: History of a Stroke Figure 39: Mental Health - Sadness Figure 40: Mental Health - Nervous Figure 41: Mental Health - Restless Figure 42: Mental Health - Hopeless Figure 43: Mental Health - Worthless Figure 44: Mental Health - Everything was a struggle | P Q Q R R R S S |
| Figure 31: History of CancerFigure 32: History of High Blood PressureFigure 33: History of Heart AttackFigure 34: History of a StrokeFigure 39: Mental Health - SadnessFigure 40: Mental Health - NervousFigure 41: Mental Health - RestlessFigure 42: Mental Health - HopelessFigure 43: Mental Health - WorthlessFigure 44: Mental Health - Everything was a struggleFigure 45: Emotional Support | P Q Q R R S S S S |
| Figure 31: History of Cancer Figure 32: History of High Blood Pressure Figure 33: History of Heart Attack Figure 34: History of a Stroke Figure 39: Mental Health - Sadness Figure 40: Mental Health - Nervous Figure 41: Mental Health - Restless Figure 42: Mental Health - Hopeless Figure 43: Mental Health - Worthless Figure 44: Mental Health - Everything was a struggle | P Q Q R R S S S T T |

Acronyms and Abbreviations

| BMI | Body Mass Index |
|-------|--|
| BRFSS | Behavioral Risk Factor Surveillance System |
| CDC | Centers for Disease Control and Prevention |

Executive Summary

The purpose of the Washoe County School District Re-Engagement Program Wellness Survey is to assess the responses of students whom are classified as "high risk" within the Washoe County School District. The term "high risk" for the purpose of this report, refers to students who are at risk of not graduating high school due to attendance issues. The Washoe County School District Re-Engagement Program Wellness Survey consisted of a series of demographic, physical activity, nutrition, medical and mental health questions. The survey questions were created and distributed, in partnership, with the Washoe County School District Re-Engagement Program and the Nevada Division of Public and Behavioral Health's Chronic Disease Prevention and Health Promotion section. The responses were compiled by the Nevada Division of Public and Behavioral Health to determine some of the most prevalent barriers to student health and wellness.

Key findings from this report are as follows:

1) One third of the respondents (29.9%) aged 14-19 years old identified themselves as overweight or obese. Figure 6.

2) Nearly half of the respondents (49.6%) either did not have health insurance or did not know their insurance status. Figure 10.

3) The majority of respondents (61%) do not get a minimum of the recommended 60 minutes of physical activity per day. Figure 17.

4) Two-thirds of the respondents (63%) reported to play more than one hour of video games per day. Nearly 24% of respondents played five of more hours of video games per day. Figure 18.


Methodology

105 students in the Washoe School District participated in the survey. Each respondent was asked 40 question and responses were based on the Likert scale. The results section of the report is broken into two sections: demographics and health status. Responses are represented as population proportions in both respective areas.

Results

Demographics





The majority of respondents were 15 to 18 years old.





Figure 2: Ethnicity

The majority of respondents identified as Hispanic (64.1%).

Figure 3: Gender



There were approximately 6% more female than males assessed in this study.





Figure 4: Family Income

The majority of families' income was at or below 250% of the federal poverty level.

Health Status

Figure 5: Health Status









Figure 6: Body Mass Index

Approximately 30% of the sample size were overweight or obese.

Figure 7: Weight Description



Approximately 30% of the respondents stated they were either slightly overweight or very overweight.





Figure 8: Last Visit to a Doctor


34% of respondents had not been seen by a physician in two or more years.

Figure 9: Reasons for not receiving a physical examination



Most respondents stated that they did not have a reason to seek a physical examination; therefore, they did not attempt to see a doctor.


Figure 10: Doctor's Visit/ Cost




The majority of respondents (59.83) stated that affordability was not a barrier to receiving medical care.

Nevada Division of Public and Behavioral Health • Chronic Disease Prevention and Health Promotion

Figure 11: Healthcare Coverage









Figure 12: HealthCare Obtain


Medicaid beneficiaries accounted for 22% of those surveyed. Approximately 18% of the students had coverage through their parent's insurance plan.

Figure 13: Reason for no Healthcare




8.55% of respondents did not have health insurance because it was too expensive.

Figure 14: Fruits/Vegetables Intake



Almost 70% of participant reported to eat between 3 – 5 fruits per day.

Figure 15: Nutrition Label Comprehension









Figure 16: Sodas per Week

Nearly 74% of respondents drank at least one soda per week.

Figure 17: Days physically active for at least an hour



61% of respondents did not meet the daily recommended 60 minutes of physical activity per day.






Figure 18: Hours of TV per day

51% of respondents watch more than one hour of TV per day.



63% of respondents play more than one hour of video games per day.

Figure 20: Asthma



Approximately 13% of respondents had asthma.








Figure 22: Smoking



Approximately 21% of respondents smoke cigarettes.



11% of respondents stated they attempted to quit smoking in the last twelve months, while approximately 15% did not attempt to stop smoking in the last year.






Figure 24: Used Chewing Tobacco

86.32% of respondents reported not chewing tobacco.




Approximately 32% of respondents drank alcohol at least once in the last 30 days.

Figure 26: Five or more drinks per month



Approximately 44.44% of respondents reported not drinking five or more alcoholic drinks.

Figure 27: History of Diabetes



Approximately 31.62% of respondents had a family member with diabetes.





Figure 28: History of Cancer

29% of respondents had a family member with cancer.

Figure 29: History of High Blood Pressure



41.03% of respondents had a family member with high blood pressure.






Figure 30: History of Heart Attack

12% of respondents had a family member who had a heart attack.




21% of respondents had a family member who had a stroke.

Figure 32: Mental Health - Sadness



Almost half of respondents (46%) reported feeling sad at a minimum a "little of the time".

Figure 33: Mental Health - Nervous









Figure 34: Mental Health - Restless

More than half of respondents (60%) reported feeling restless at a minimum a "little of the time".

Figure 35: Mental Health - Hopeless



40% of respondents reported feeling hopeless at a minimum a "little of the time".






Figure 36: Mental Health - Worthless

32% of respondents reported feeling worthless at a minimum a "little of the time".

Figure 37: Mental Health – Everything was a struggle









Figure 38: Emotional Support


18% of respondents reported "rarely" or "never" having emotional support.

Figure 39: Satisfaction with life



13% of respondents reported being "dissatisfied" or "very dissatisfied" with life.





The majority of respondents reported that they receive information regarding health and health related topics from non-certified health care professional such as a friend and/or family member.

Recommendations

The responses in this survey concluded, in general, that high risk Washoe County teenagers face a variety of disadvantages which could be partially combatted by regular physical activity, better nutrition, and regular dentist and medical visits. Teenagers in this survey spend more than the recommended daily amount of screen time, watching television and playing video games. Proper physical activity and nutrition have been proven to help decrease absenteeism during the school day. Adequate physical activity and nutrition can improve concentration, mental health, reduce disruptive behaviors, and improve academic scores. Students assessed in this re-engagement report may be more likely to not graduate high school, have poor mental health and be overweight or obese, which are all risk factors for chronic diseases.

References

Andreyeva, Tatiana; Sturm, Roland; Ringel, Jeanne S (2004), "Moderate and Severe Obesity Have Large Differences in Health Care Costs", *Obesity Research* 12 (12): 1936–1943, doi:10.1038/oby.2004.243, PMID 15687394.

Blackburn, G L; Walker, W A (July 1, 2005), "Science-based solutions to obesity: What are the roles of academia, government, industry, and health care?", *The American journal of clinical nutrition* (American Society for Clinical Nutrition) 82 (1): 207–210, PMID 16002821.

Centers for Disease Control and Prevention. "About BMI for Adults." Centers for Disease Control and Prevention, 13 Sept. 2011. Web. Accessed on 29 Dec. 2013. Available at: <u>http://www.cdc.gov/healthyweight/assessing/bmi/adult_bmi/index.html</u>

Eknoyan, Garabed (2007). "Adolphe Quetelet (1796–1874)—the average man and indices of obesity". Nephrology Dialysis Transplantation 23 (1): 47–51. doi:10.1093/ndt/gfm517. PMID 17890752.

Finkelstein, E.A. Fiebelkorn (2003), "National medical spending attributable to overweight and obesity: how much, and who's paying" (PDF), *Health Affairs* 3 (1): 219–226.

Haslam DW, James WP (2005). "Obesity". *Lancet* 366 (9492): 1197–209. doi:10.1016/S0140-6736(05)67483-1. PMID 16198769

Jeremy Singer-Vine (July 20, 2009). "Beyond BMI: Why doctors won't stop using an outdated measure for obesity". Slate.com. Retrieved 15 December 2013.

Keys, Ancel; Fidanza, Flaminio; Karvonen, Martti J.; Kimura, Noboru; Taylor, Henry L. (1972). "Indices of relative weight and obesity". *Journal of Chronic Diseases* 25 (6–7): 329–43. doi:10.1016/0021-9681(72)90027-6. PMID 4650929.

Le, A., Judd, S.E., Allison, D.B., Oza-Frank, R., Affuso, O., Safford, M. M., Howard, V. J., & Howard, G. (2013). The geographic distribution of obesity in the US and the potential regional differences in misreporting of obesity. *Obesity*. DOI: 10.1002/oby.20451.

Le Marchand L, Yoshizawa CN, Nomura AM. Validation of body size information on driver's licenses. *Am. J. Epidemiol.* 1988;128(4):874–877.

Morris DS, Schubert SS, Ngo DL, Rubado D, Main E, Douglas JP. (2013) DMV records are valuable for monitoring obesity in Oregon. Oregon Health Authority Environmental Public Health Tracking. Available at:

http://public.health.oregon.gov/HealthyEnvironments/TrackingAssessment/EnvironmentalPublicHealth Tracking/Documents/Reports/EPHT_DMV_obesity_tracking.pdf



Further information may be addressed to:

Department of Health and Human Services Division of Public and Behavioral Health Chronic Disease Prevention and Health Promotion Section

> 4150 Technology Way Suite 210 Carson City NV 89706 (775) 684-4285

This report is available on the Nevada Division of Public and Behavioral Health website at: <u>http://health.nv.gov/CD_Obesity.htm</u>

Contact information:

Melanie Flores Quality Improvement Manger Chronic Disease Prevention & Health Promotion Bureau of Child, Family, & Community Wellness Division of Public and Behavioral Health Office: 775-687-7509 Email: <u>mflores@health.nv.gov</u>

Suggested citation:

Chronic Disease Prevention and Health Promotion. Nevada Division of Public and Behavioral Health. 2013-2014 Wellness Survey Report Washoe County School District Re-Engagement Program. Carson City, Nevada. April 2016.

**This publication was supported by the Nevada State Division of Public and Behavioral Health through Grant Number 3U58DP002003-04S1 from the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of neither Division nor the Centers for Disease Control and Prevention.