



Nevada 2020 HIV Fast Facts

Nevada Department of Health and Human Services
Division of Public and Behavioral Health
Office of HIV – HIV Prevention and Surveillance Program
Office of Analytics



**Nevada Department of
Health and
Human Services**
DIVISION OF PUBLIC AND
BEHAVIORAL HEALTH

Steve Sisolak, Governor
State of Nevada

Lisa Sherych, MBA, Administrator
Division of Public and Behavioral Health

Richard Whitley, MS, Director
Department of Health and Human Services

Ihsan Azzam, Ph.D., MD
Chief Medical Officer

PURPOSE

The primary purpose of the Nevada 2020 HIV Fast Facts report is to provide statistics and trends on HIV and HIV Stage 3 (AIDS) in Nevada. This annual publication is a reference document for policymakers, program managers, health planners, researchers, and anyone in the community who is concerned with the public health implications of this disease. The tables provided in this edition supersede earlier publications.

METHODS

The data used for this report comes from information gathered between January 1, 2020, to December 31, 2020, and was obtained from the electronic HIV/AIDS Reporting System (eHARS); statistics provided in this publication are based on preliminary data. The eHARS database application is provided by the Centers for Disease and Control and Prevention (CDC) and maintained by the Nevada Division of Public and Behavioral Health (DPBH) HIV Prevention and Surveillance Program. The data is collected from medical laboratories, state and local health departments, and other community providers. The HIV case definition for this report utilizes the 2014 CDC Case Definition. Per the CDC, a patient may be diagnosed concurrently with both HIV and HIV Stage 3 (AIDS) within the same year, allowing them to be counted in both the HIV incidence and HIV Stage 3 (AIDS) tables.

TECHNICAL NOTES

Per the Nevada Administrative Code (NAC) 441A.040, HIV is a reportable communicable disease. As prescribed by NRS 441A.150, a diagnosis of HIV is reported to the local health authority by providers, medical facilities, and laboratories.

- **Age Group** is defined as the age of the individual at the time of the HIV and/or HIV Stage 3 (AIDS) diagnosis.
- **All other counties** include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.
- **Annual % Change** is the percent increase or decrease relative to the number of cases in 2019 to 2020. Take caution when interpreting percent changes calculated from small case counts because they can be susceptible to the high variability and are likely to be misleading.
- **N (incidence rate)** is the measure of disease in the total population.
- **n (incidence rate)** is the measure of disease for a given subpopulation, such as sex, race/ethnicity, age, or full address. The subpopulations may not equal the total incidence rate for the population due to unknown demographics such as sex, race/ethnicity, age, or full address.
- **NA (Not Applicable)** is used to represent cases where the data may not meet the criteria for reliability, data quality, or confidentiality due to small counts or inability to calculate rates based on an equivalent population.
- **New HIV diagnoses** are diagnoses counted in eHARS surveillance statistics and include HIV and HIV Stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV and HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in Nevada. HIV and HIV Stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and HIV Stage 3 (AIDS) in the same year.
- **New Stage 3 (AIDS)** are diagnoses counted in eHARS surveillance statistics and include HIV Stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in Nevada. HIV and HIV Stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and HIV Stage 3 (AIDS) in the same year.

- **Persons living with HIV** include data on persons living in Nevada with HIV (not yet HIV Stage 3 (AIDS)) and HIV Stage 3 (AIDS) based on the current address listed in eHARS. These persons may or may not have been diagnosed with HIV or HIV Stage 3 (AIDS) in Nevada.
- **Population** is based on the 2020 population projections from the Nevada State Demographer vintage 2020 data.
- **Rate** is the rate of the population per 100,000 persons and calculated by using the 2020 population projections from the Nevada State Demographer vintage.
- **Relative Standard Error (RSE)** This publication contains counts under 12. Please use caution when interpreting the data, as the RSE is greater than 30%.

Recommended Citation:

State of Nevada, Office of HIV. Division of Public and Behavioral Health. *Nevada 2020 HIV Fast Facts*. Las Vegas, Nevada. e1.0. August 2021.

Additional References:

- 1) [End HIV Nevada](#) 2) [HIV OPHIE](#) 3) [HIV Prevention Program](#) 4) [Office of Analytics](#)

This publication was supported by the Centers for Disease Control and Prevention (CDC) through Grant Number NU62PS924579 for the HIV Prevention and Surveillance Program. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Nevada State Department of Health and Human Services nor the Centers for Disease Control and Prevention.



Division of Public and Behavioral Health – HIV Prevention and Surveillance Program

Fast Facts

Nevada New HIV Diagnoses, 2020

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
County of Diagnosis									
Clark	325	87.4	13.9	282	87.3	24.2	43	87.8	3.7
Washoe	39	10.5	8.2	34	10.5	14.2	5	10.2	2.1
All Other Counties**	8	2.2	2.3	7	2.2	4.0	1	2.0	0.6
Total	372	100.0	11.8	323	100.0	20.4	49	100.0	3.1
Race/Ethnicity									
White, non-Hispanic	115	30.9	7.3	99	30.7	12.5	16	32.7	2.1
Black, non-Hispanic	112	30.1	39.5	91	28.2	63.8	21	42.9	15.1
Hispanic	119	32	12.4	112	34.7	23.1	7	14.3	1.5
Asian/Hawaiian/ Pacific Islander	21	5.6	6.6	16	5	11.0	5	10.2	3.0
American Indian/ Alaska Native	2	0.5	5.6	2	0.6	11.4	0	0.0	0.0
Multi-race/Other	3	0.8	-	3	0.9	-	0	0.0	-
Total	372	100.0	11.8	323	100.0	20.4	49	100.0	3.1
Age Group at Diagnosis									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 24	63	16.9	12.2	53	16.4	19.9	10	20.4	4.0
25 to 34	147	39.5	32.5	137	42.4	59.4	10	20.4	4.6
35 to 44	69	18.5	16.3	58	18.0	27.3	11	22.4	5.3
45 to 54	57	15.3	14.0	46	14.2	22.3	11	22.4	5.5
55 to 64	30	8.1	7.9	23	7.1	12.2	7	14.3	3.7
65 +	6	1.6	1.3	6	1.9	2.8	0	0.0	0.0
Total	372	100.0	11.8	323	100.0	20.4	49	100.0	3.1
Transmission Category									
Male-to-male sexual contact (MSM)	236	63.4	7.5	236	73.1	14.9	-	-	-
Injection drug use (IDU)	15	4	0.5	9	2.8	0.6	6	12.2	0.4
MSM+IDU	14	3.8	0.4	14	4.3	0.9	-	-	-
Heterosexual contact	14	3.8	0.4	7	2.2	0.4	7	14.3	0.4
Perinatal exposure	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Transfusion/Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	93	25.0	2.9	57	17.6	3.6	36	73.5	2.3
Total	372	100.0	11.8	323	100.0	20.4	49	100.0	3.1

Source: Division of Public and Behavioral Health, electronic HIV/AIDS Reporting System (eHARS), (April 2021).

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and HIV stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV/HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in Nevada. HIV and HIV Stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and HIV Stage 3 (AIDS) in the same year.

* Rates per 100,000 population were calculated using 2020 population projections from the Nevada State Demographer vintage 2020 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.



Division of Public and Behavioral Health – HIV Prevention and Surveillance Program
Fast Facts
Nevada New HIV Stage 3 (AIDS) Diagnoses, 2020

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
County of Diagnosis									
Clark	117	86.7	5.0	98	86.0	8.5	19	90.5	1.6
Washoe	14	10.4	2.9	14	12.3	5.8	0	0.0	0.0
All Other Counties**	3	2.2	0.9	2	1.8	1.1	1	4.8	0.6
Unknown	1	0.7	-	0	0.0	-	1	4.8	-
Total	135	100.0	4.3	114	100.0	7.2	21	100.0	1.3
Race/Ethnicity									
White, non-Hispanic	39	28.9	2.5	32	28.1	4.0	7	33.3	0.9
Black, non-Hispanic	39	28.9	13.9	34	29.8	24.1	5	23.8	3.6
Hispanic	44	32.6	4.6	38	33.3	7.9	6	28.6	1.3
Asian/Hawaiian/ Pacific Islander	8	5.9	2.6	5	4.4	3.5	3	14.3	1.8
American Indian/ Alaska Native	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Multi-race/Other	5	3.7	-	5	4.4	-	0	0.0	-
Total	135	100.0	4.3	114	100.0	7.2	21	100.0	1.3
Age Group at Diagnosis									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 24	6	4.4	1.2	5	4.4	1.9	1	4.8	0.4
25 to 34	38	28.1	8.5	36	31.6	15.7	2	9.5	0.9
35 to 44	33	24.4	7.9	29	25.4	13.7	4	19.0	1.9
45 to 54	28	20.7	6.9	22	19.3	10.7	6	28.6	3.0
55 to 64	18	13.3	4.8	13	11.4	6.9	5	23.8	2.6
65 +	12	8.9	2.6	9	7.9	4.2	3	14.3	1.2
Total	135	100.0	4.3	114	100.0	7.2	21	100.0	1.3
Transmission Category									
Male-to-male sexual contact (MSM)	74	54.8	2.3	74	64.9	4.7	-	-	-
Injection drug use (IDU)	8	5.9	0.3	4	3.5	0.3	4	19.0	0.3
MSM+IDU	9	6.7	0.3	9	7.9	0.6	-	-	-
Heterosexual contact	10	7.4	0.3	6	5.3	0.4	4	19.0	0.3
Perinatal exposure	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Transfusion/Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	34	25.2	1.1	21	18.4	1.3	13	61.9	0.8
Total	135	100.0	4.3	114	100.0	7.2	21	100.0	1.3

Source: Division of Public and Behavioral Health, electronic HIV/AIDS Reporting System (eHARS), (April 2021).

New HIV Stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include HIV Stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in Nevada.

* Rates per 100,000 population were calculated using 2020 population projections from the Nevada State Demographer vintage 2020 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.



Division of Public and Behavioral Health – HIV Prevention and Surveillance Program
Fast Facts
Persons Living with HIV^s in Nevada, 2020

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
County of Residence									
Clark	10,694	86.2	457.5	9,043	86.1	774.6	1,651	86.8	141.1
Washoe	1,146	9.2	240.7	993	9.5	415.2	153	8.0	64.6
All Other Counties**	566	4.6	160.8	467	4.4	264.0	99	5.2	56.6
Total	12,406	100.0	391.9	10,503	100.0	663.3	1,903	100.0	120.3
Race/Ethnicity									
White, non-Hispanic	4,981	40.1	317.1	4,393	41.8	554.2	588	30.9	75.6
Black, non-Hispanic	3,485	28.1	1,230.3	2,585	24.6	1,812.5	900	47.3	639.9
Hispanic	3,139	25.3	327.2	2,847	27.1	587.1	292	15.3	61.6
Asian/Hawaiian/ Pacific Islander	501	4.0	158.4	424	4.0	291.2	77	4.0	45.1
American Indian/Alaska Native	75	0.6	208.7	57	0.5	324.2	18	0.9	98.1
Multi-race/Other	223	1.8	-	196	1.9	-	27	1.4	-
Unknown	2	0.0	-	1	0.0	-	1	0.1	-
Total	12,406	100.0	391.9	10,503	100.0	663.3	1,903	100.0	120.3
Age Group at End of Year									
< 13	6	0.0	1.2	1	0.0	0.4	5	0.3	2.0
13 to 24	297	2.4	57.4	248	2.4	93.3	49	2.6	19.5
25 to 34	2,370	19.1	524.6	2,139	20.4	926.8	231	12.1	104.5
35 to 44	2,659	21.4	630.1	2,260	21.5	1,064.3	399	21.0	190.3
45 to 54	2,895	23.3	711.7	2,376	22.6	1,150.2	519	27.3	259.3
55 to 64	2,876	23.2	756.9	2,396	22.8	1,272.3	480	25.2	250.5
65 +	1,176	9.5	250.1	972	9.3	452.8	204	10.7	79.8
Unknown	127	1.0	-	111	1.1	-	16	0.8	-
Total	12,406	100.0	391.9	10,503	100.0	663.3	1,903	100.0	120.3
Transmission Category									
Male-to-male sexual contact (MSM)	8,002	64.5	252.8	8,002	76.2	505.3	-	-	-
Injection drug use (IDU)	754	6.1	23.8	481	4.6	30.4	273	14.3	17.3
MSM+IDU	755	6.1	23.9	755	7.2	47.7	-	-	-
Heterosexual contact	1,387	11.2	43.8	343	3.3	21.7	1,044	54.9	66.0
Perinatal exposure	87	0.7	2.7	33	0.3	2.1	54	2.8	3.4
Transfusion/Hemophilia	8	0.1	0.3	5	0.0	0.3	3	0.2	0.2
No identified risk (NIR)	1,413	11.4	44.6	884	8.4	55.8	529	27.8	33.4
Total	12,406	100.0	391.9	10,503	100.0	663.3	1,903	100.0	120.3

Source: Division of Public and Behavioral Health, electronic HIV/AIDS Reporting System (eHARS), (April 2021).

Persons living with HIV include data on persons living in Nevada with HIV (not yet HIV Stage 3 (AIDS)) and HIV Stage 3 (AIDS) based on the current address listed in eHARS. These persons may or may not have been diagnosed with HIV or HIV Stage 3 (AIDS) in Nevada.

* Rates per 100,000 population were calculated using 2020 population projections from the Nevada State Demographer vintage 2020 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2020.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.



Division of Public and Behavioral Health – HIV Prevention and Surveillance Program
Fast Facts
Clark County New HIV Diagnoses, 2020

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	90	27.7	8.9	79	28.0	15.4	11	25.6	2.2
Black, non-Hispanic	106	32.6	39.9	85	30.1	64.4	21	48.8	15.7
Hispanic	105	32.3	13.6	99	35.1	25.5	6	14.0	1.6
Asian/Hawaiian/ Pacific Islander	21	6.5	7.6	16	5.7	12.6	5	11.6	3.4
American Indian/ Alaska Native	2	0.6	13.0	2	0.7	27.0	0	0.0	0.0
Multi-race/Other	1	0.3	-	1	0.4	-	0	0.0	-
Total	325	100.0	13.9	282	100.0	24.2	43	100.0	3.7
Age Group at Diagnosis									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 24	55	16.9	14.2	46	16.3	23.2	9	20.9	4.7
25 to 34	123	37.8	36.9	115	40.8	67.8	8	18.6	4.9
35 to 44	64	19.7	19.7	55	19.5	33.7	9	20.9	5.5
45 to 54	52	16.0	16.9	41	14.5	26.4	11	25.6	7.2
55 to 64	27	8.3	9.9	21	7.4	15.5	6	14.0	4.4
65 +	4	1.2	1.3	4	1.4	2.8	0	0.0	0.0
Total	325	100.0	13.9	282	100.0	24.2	43	100.0	3.7
Transmission Category									
Male-to-male sexual contact (MSM)	209	64.3	8.9	209	74.1	17.9	-	-	-
Injection drug use (IDU)	12	3.7	0.5	9	3.2	0.8	3	7.0	0.3
MSM+IDU	13	4.0	0.6	13	4.6	1.1	-	-	-
Heterosexual contact	12	3.7	0.5	7	2.5	0.6	5	11.6	0.4
Perinatal exposure	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Transfusion/Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	79	24.3	3.4	44	15.6	3.8	35	81.4	3.0
Total	325	100.0	13.9	282	100.0	24.2	43	100.0	3.7

Source: Division of Public and Behavioral Health, electronic HIV/AIDS Reporting System (eHARS), (April 2021).

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and HIV Stage 3 (AIDS) cases where resident county at time of diagnosis is Clark County, both living and deceased. The surveillance data excludes HIV/HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in Clark County. HIV and HIV Stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and HIV Stage 3 (AIDS) in the same year.

* Rates per 100,000 population were calculated using 2020 population projections from the Nevada State Demographer vintage 2020 data.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.



**Division of Public and Behavioral Health – HIV Prevention and Surveillance Program
Fast Facts
Clark County New HIV Stage 3 (AIDS) Diagnoses, 2020**

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	33	28.2	3.3	27	27.6	5.3	6	31.6	1.2
Black, non-Hispanic	35	29.9	13.2	30	30.6	22.7	5	26.3	3.7
Hispanic	39	33.3	5.1	33	33.7	8.5	6	31.6	1.6
Asian/Hawaiian/ Pacific Islander	7	6.0	2.5	5	5.1	4.0	2	10.5	1.4
American Indian/ Alaska Native	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Multi-race/Other	3	2.6	-	3	3.1	-	0	0.0	-
Total	117	100.0	5.0	98	100.0	8.4	19	100.0	1.6
Age Group at Diagnosis									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 24	5	4.3	1.3	4	4.1	2.0	1	5.3	0.5
25 to 34	33	28.2	9.9	32	32.7	18.9	1	5.3	0.6
35 to 44	30	25.6	9.2	26	26.5	15.9	4	21.1	2.5
45 to 54	25	21.4	8.1	19	19.4	12.3	6	31.6	3.9
55 to 64	15	12.8	5.5	11	11.2	8.1	4	21.1	2.9
65 +	9	7.7	2.8	6	6.1	4.1	3	15.8	1.7
Total	117	100.0	5.0	98	100.0	8.4	19	100.0	1.6
Transmission Category									
Male-to-male sexual contact (MSM)	66	56.4	2.8	66	67.3	5.7	-	-	-
Injection drug use (IDU)	7	6.0	0.3	4	4.1	0.3	3	15.8	0.3
MSM+IDU	9	7.7	0.4	9	9.2	0.8	-	-	-
Heterosexual contact	9	7.7	0.4	5	5.1	0.4	4	21.1	0.3
Perinatal exposure	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Transfusion/ Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	26	22.2	1.1	14	14.3	1.2	12	63.2	1.0
Total	117	100.0	5.0	98	100.0	8.4	19	100.0	1.6

Source: Division of Public and Behavioral Health, electronic HIV/AIDS Reporting System (eHARS), (April 2021).

New HIV Stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include HIV Stage 3 (AIDS) cases diagnosed in Clark County, both living and deceased. The surveillance data excludes HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in Clark County.

* Rates per 100,000 population were calculated using 2020 population projections from the Nevada State Demographer vintage 2020 data.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.



Nevada Department of
Health and
Human Services
DIVISION OF PUBLIC AND
BEHAVIORAL HEALTH

**Division of Public and Behavioral Health – HIV Prevention and Surveillance Program
Fast Facts**

Persons Living with HIV^s in Clark County, 2020

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	3,925	36.7	388.1	3,488	38.6	678.8	437	26.5	87.9
Black, non-Hispanic	3,289	30.8	1,239.5	2,429	26.9	1,841.5	860	52.1	644.4
Hispanic	2,770	25.9	359.4	2,520	27.9	650.0	250	15.1	65.2
Asian/Hawaiian/ Pacific Islander	466	4.4	169.7	397	4.4	313.8	69	4.2	46.6
American Indian/ Alaska Native	55	0.5	357.9	41	0.5	552.9	14	0.8	176.0
Multi-race/Other	189	1.8	-	168	1.9	-	21	1.3	-
Total	10,694	100.0	457.5	9,043	100.0	774.6	1,651	100.0	141.1
Age Group at End of Year									
< 13	6	0.1	1.5	1	0.0	0.5	5	0.3	2.6
13 to 24	258	2.4	66.6	218	2.4	110.0	40	2.4	21.1
25 to 34	2,125	19.9	637.5	1,919	21.2	1,131.2	206	12.5	125.9
35 to 44	2,375	22.2	729.8	2,020	22.3	1,237.7	355	21.5	218.9
45 to 54	2,491	23.3	810.0	2,039	22.5	1,315.0	452	27.4	296.4
55 to 64	2,371	22.2	870.5	1,966	21.7	1,446.8	405	24.5	296.8
65 +	941	8.8	295.0	769	8.5	530.6	172	10.4	98.8
Unknown	127	1.2	-	111	1.2	-	16	1.0	-
Total	10,694	100.0	457.5	9,043	100.0	774.6	1,651	100.0	141.1
Transmission Category									
Male-to-male sexual contact (MSM)	7,083	66.2	303.0	7,083	78.3	606.7	-	-	-
Injection drug use (IDU)	582	5.4	24.9	369	4.1	31.6	213	12.9	18.2
MSM+IDU	584	5.5	25.0	584	6.5	50.0	-	-	-
Heterosexual contact	1,207	11.3	51.6	284	3.1	24.3	923	55.9	78.9
Perinatal exposure	74	0.7	3.2	30	0.3	2.6	44	2.7	3.8
Transfusion/Hemophilia	5	0.0	0.2	3	0.0	0.3	2	0.1	0.2
No identified risk (NIR)	1,159	10.8	49.6	690	7.6	59.1	469	28.4	40.1
Total	10,694	100.0	457.5	9,043	100.0	774.6	1,651	100.0	141.1

Source: Division of Public and Behavioral Health, electronic HIV/AIDS Reporting System (eHARS), (April 2021).

Persons living with HIV include data on persons living in Nevada with HIV (not yet HIV Stage 3 (AIDS)) and HIV Stage 3 (AIDS) based on the current address listed in eHARS. These persons may or may not have been diagnosed with HIV or HIV Stage 3 (AIDS) in Clark County or Nevada.

* Rates per 100,000 population were calculated using 2020 population projections from the Nevada State Demographer vintage 2020 data.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV Stage 3 (AIDS), living in Clark County in 2020.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.



Division of Public and Behavioral Health – HIV Prevention and Surveillance Program
 Fast Facts
 Washoe County New HIV Diagnoses, 2020

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	22	56.4	7.4	18	52.9	12.0	4	80.0	2.7
Black, non-Hispanic	4	10.3	32.2	4	11.8	58.2	0	0.0	0.0
Hispanic	11	28.2	8.8	10	29.4	15.8	1	20.0	1.6
Asian/Hawaiian/ Pacific Islander	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
American Indian/ Alaska Native	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Multi-race/Other	2	5.1	-	2	5.9	-	0	0.0	-
Total	39	100.0	8.2	34	100.0	14.2	5	100.0	2.1
Age Group at Diagnosis									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 24	6	15.4	7.5	5	14.7	12.1	1	20.0	2.6
25 to 34	21	53.8	31.7	20	58.8	59.3	1	20.0	3.1
35 to 44	4	10.3	6.5	2	5.9	6.4	2	40.0	6.5
45 to 54	3	7.7	5.3	3	8.8	10.5	0	0.0	0.0
55 to 64	3	7.7	5.0	2	5.9	6.7	1	20.0	3.3
65 +	2	5.1	2.6	2	5.9	5.7	0	0.0	0.0
Total	39	100.0	8.2	34	100.0	14.2	5	100.0	2.1
Transmission Category									
Male-to-male sexual contact (MSM)	23	59.0	4.8	23	67.6	9.6	-	-	-
Injection drug use (IDU)	2	5.1	0.4	0	0.0	0.0	2	40.0	0.8
MSM+IDU	1	2.6	0.2	1	2.9	0.4	-	-	-
Heterosexual contact	2	5.1	0.4	0	0.0	0.0	2	40.0	0.8
Perinatal exposure	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Transfusion/Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	11	28.2	2.3	10	29.4	4.2	1	20.0	0.4
Total	39	100.0	8.2	34	100.0	14.2	5	100.0	2.1

Source: Division of Public and Behavioral Health, electronic HIV/AIDS Reporting System (eHARS), (April 2021).

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and HIV Stage 3 (AIDS) cases where resident county at time of diagnosis is Washoe County, both living and deceased. The surveillance data excludes HIV/HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in Washoe County. HIV and HIV Stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and HIV Stage 3 (AIDS) in the same year.

* Rates per 100,000 population were calculated using 2020 population projections from the Nevada State Demographer vintage 2020 data.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.



**Division of Public and Behavioral Health – HIV Prevention and Surveillance Program
Fast Facts**

Washoe County New HIV Stage 3 (AIDS) Diagnoses, 2020

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	5	35.7	1.7	5	35.7	3.3	0	0.0	0.0
Black, non-Hispanic	2	14.3	16.1	2	14.3	29.1	0	0.0	0.0
Hispanic	5	35.7	4.0	5	35.7	7.9	0	0.0	0.0
Asian/Hawaiian/ Pacific Islander	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
American Indian/ Alaska Native	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Multi-race/Other	2	14.3	-	2	14.3	-	0	0.0	-
Total	14	100.0	2.9	14	100.0	5.9	0	0.0	0.0
Age Group at Diagnosis									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 24	1	7.1	1.2	1	7.1	2.4	0	0.0	0.0
25 to 34	4	28.6	6.0	4	28.6	11.9	0	0.0	0.0
35 to 44	3	21.4	4.9	3	21.4	9.6	0	0.0	0.0
45 to 54	2	14.3	3.6	2	14.3	7.0	0	0.0	0.0
55 to 64	1	7.1	1.7	1	7.1	3.4	0	0.0	0.0
65 +	3	21.4	4.0	3	21.4	8.5	0	0.0	0.0
Total	14	100.0	2.9	14	100.0	5.9	0	0.0	0.0
Transmission Category									
Male-to-male sexual contact (MSM)	7	50.0	1.5	7	50.0	2.9	0	0.0	0.0
Injection drug use (IDU)	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
MSM+IDU	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Heterosexual contact	1	7.1	0.2	1	7.1	0.4	0	0.0	0.0
Perinatal exposure	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Transfusion/ Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	6	42.9	1.3	6	42.9	2.5	0	0.0	0.0
Total	14	100.0	2.9	14	100.0	5.9	0	0.0	0.0

Source: Division of Public and Behavioral Health, electronic HIV/AIDS Reporting System (eHARS), (April 2021).

New HIV Stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include HIV Stage 3 (AIDS) cases where resident county at time of diagnosis is Washoe County. The surveillance data excludes HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in Washoe County.

* Rates per 100,000 population were calculated using 2020 population projections from the Nevada State Demographer vintage 2020 data.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.



Nevada Department of Health and Human Services
 DIVISION OF PUBLIC AND BEHAVIORAL HEALTH

**Division of Public and Behavioral Health – HIV and Prevention Surveillance Program
 Fast Facts
 Persons Living with HIV^s in Washoe County, 2020**

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*

Race/Ethnicity									
White, non-Hispanic	714	62.3	240.2	628	63.2	420.0	86	56.2	58.2
Black, non-Hispanic	115	10.0	926.3	88	8.9	1,280.2	27	17.6	487.3
Hispanic	257	22.4	206.0	230	23.2	363.2	27	17.6	43.9
Asian/Hawaiian/ Pacific Islander	28	2.4	81.7	22	2.2	138.8	6	3.9	32.6
American Indian/ Alaska Native	10	0.9	134.9	7	0.7	194.8	3	2.0	78.5
Multi-race/Other	21	1.8	-	17	1.7	-	4	2.6	-
Unknown	1	0.1	-	1	0.1	-	0	0.0	-
Total	1,146	100.0	240.7	993	100.0	415.2	153	100.0	64.6
Age Group at End of Year									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 24	30	2.6	37.5	23	2.3	55.7	7	4.6	18.1
25 to 34	170	14.8	256.3	155	15.6	459.5	15	9.8	46.0
35 to 44	198	17.3	321.2	168	16.9	540.2	30	19.6	98.2
45 to 54	273	23.8	486.2	229	23.1	803.3	44	28.8	159.2
55 to 64	309	27.0	516.0	270	27.2	910.7	39	25.5	129.0
65 +	166	14.5	219.2	148	14.9	418.3	18	11.8	44.6
Unknown	0	0.0	0.0	0	0.0	-	0	0.0	0.0
Total	1,146	100.0	240.7	993	100.0	415.2	153	100.0	64.6
Transmission Category									
Male-to-male sexual contact (MSM)	673	58.7	141.3	673	67.8	281.4	-	-	-
Injection drug use (IDU)	77	6.7	16.2	46	4.6	19.2	31	20.3	13.1
MSM+IDU	111	9.7	23.3	111	11.2	46.4	-	-	-
Heterosexual contact	106	9.2	22.3	29	2.9	12.1	77	50.3	32.5
Perinatal exposure	7	0.6	1.5	2	0.2	0.8	5	3.3	2.1
Transfusion/Hemophilia	1	0.1	0.2	0	0.0	0.0	1	0.7	0.4
No identified risk (NIR)	171	14.9	35.9	132	13.3	55.2	39	25.5	16.5
Total	1,146	100.0	240.7	993	100.0	415.2	153	100.0	64.6

Source: Division of Public and Behavioral Health, electronic HIV/AIDS Reporting System (eHARS), (April 2021).

Persons living with HIV include data on persons living in Nevada with HIV (not yet HIV Stage 3 (AIDS)) and HIV Stage 3 (AIDS) based on the current address listed in eHARS. These persons may or may not have been diagnosed with HIV or HIV Stage 3 (AIDS) in Washoe County or Nevada.

* Rates per 100,000 population were calculated using 2020 population projections from the Nevada State Demographer vintage 2020 data.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV Stage 3 (AIDS), living in Washoe County in 2020.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.



Division of Public and Behavioral Health – HIV Prevention and Surveillance Program
Fast Facts
All Other Counties[^] New HIV Diagnoses, 2020

Race/Ethnicity	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
White, non-Hispanic	3	37.5	1.1	2	28.6	1.5	1	100.0	0.8
Black, non-Hispanic	2	25.0	36.4	2	28.6	52.1	0	0.0	0.0
Hispanic	3	37.5	4.7	3	42.9	8.8	0	0.0	0.0
Asian/Hawaiian/ Pacific Islander	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
American Indian/ Alaska Native	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Multi-race/Other	0	0.0	-	0	0.0	-	0	0.0	-
Total	8	100.0	2.3	7	100.0	4.0	1	100.0	0.6
Age Group at Diagnosis									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 24	2	25.0	4.0	2	28.6	7.6	0	0.0	0.0
25 to 34	3	37.5	5.8	2	28.6	7.3	1	100.0	4.0
35 to 44	1	12.5	2.9	1	14.3	5.5	0	0.0	0.0
45 to 54	2	25.0	4.6	2	28.6	8.7	0	0.0	0.0
55 to 64	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
65 +	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Total	8	100.0	2.3	7	100.0	4.0	1	100.0	0.6
Transmission Category									
Male-to-male sexual contact (MSM)	4	50.0	1.1	4	57.1	2.3	-	-	-
Injection drug use (IDU)	1	12.5	0.3	0	0.0	0.0	1	100.0	0.6
MSM+IDU	0	0.0	0.0	0	0.0	0.0	-	-	-
Heterosexual contact	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Perinatal exposure	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Transfusion/Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	3	37.5	0.9	3	42.9	1.7	0	0.0	0.0
Total	8	100.0	2.3	7	100.0	4.0	1	100.0	0.6

Source: Division of Public and Behavioral Health, electronic HIV/AIDS Reporting System (eHARS), (April 2021).

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and HIV Stage 3 (AIDS) cases where resident county at time of diagnosis is All Other Counties, both living and deceased. The surveillance data excludes HIV/HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in All Other Counties. HIV and HIV Stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and HIV Stage 3 (AIDS) in the same year.

[^]All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

* Rates per 100,000 population were calculated using 2020 population projections from the Nevada State Demographer vintage 2020 data.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.



**Division of Public and Behavioral Health – HIV Prevention and Surveillance Program
Fast Facts**

All Other Counties[^] New HIV Stage 3 (AIDS) Diagnoses, 2020

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	1	33.3	0.4	0	0.0	0.0	1	100.0	0.8
Black, non-Hispanic	2	66.7	36.4	2	100.0	52.1	0	0.0	0.0
Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Asian/Hawaiian/ Pacific Islander	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
American Indian/ Alaska Native	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Multi-race/Other	0	0.0	-	0	0.0	0.0	0	0.0	0.0
Total	3	100.0	0.9	2	100.0	1.1	1	100.0	0.6
Age Group at Diagnosis									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 24	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
25 to 34	1	33.3	1.9	0	0.0	0.0	1	100.0	4.0
35 to 44	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
45 to 54	1	33.3	2.3	1	50.0	4.3	0	0.0	0.0
55 to 64	1	33.3	2.1	1	50.0	4.4	0	0.0	0.0
65 +	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Total	3	100.0	0.9	2	100.0	1.1	1	100.0	0.6
Transmission Category									
Male-to-male sexual contact (MSM)	1	33.3	0.3	1	50.0	0.6	-	-	-
Injection drug use (IDU)	1	33.3	0.3	0	0.0	0.0	1	100.0	0.6
MSM+IDU	0	0.0	0.0	0	0.0	0.0	-	-	-
Heterosexual contact	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Perinatal exposure	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Transfusion/ Hemophilia	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
No identified risk (NIR)	1	33.3	0.3	1	50.0	0.6	0	0.0	0.0
Total	3	100.0	0.9	2	100.0	1.1	1	100.0	0.6

Source: Division of Public and Behavioral Health, electronic HIV/AIDS Reporting System (eHARS), (April 2021).

New HIV Stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include HIV Stage 3 (AIDS) cases where resident county at time of diagnosis is All Other Counties. The surveillance data excludes HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in All Other Counties.

[^]All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

* Rates per 100,000 population were calculated using 2020 population projections from the Nevada State Demographer vintage 2020 data.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.



Nevada Department of Health and Human Services
 DIVISION OF PUBLIC AND BEHAVIORAL HEALTH

**Division of Public and Behavioral Health – HIV Prevention and Surveillance Program
 Fast Facts**

Persons Living with HIV^s in All Other Counties[^], 2020

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	342	60.4	130.4	277	59.3	214.2	65	65.7	48.9
Black, non-Hispanic	81	14.3	1,475.5	68	14.6	1,770.6	13	13.1	788.2
Hispanic	112	19.8	175.9	97	20.8	285.7	15	15.2	50.4
Asian/Hawaiian/ Pacific Islander	7	1.2	95.2	5	1.1	153.9	2	2.0	48.7
American Indian/ Alaska Native	10	1.8	76.0	9	1.9	136.9	1	1.0	15.2
Multi-race/Other	13	2.3	-	11	2.4	-	2	2.0	-
Unknown	1	0.2	-	0	0.0	-	1	1.0	-
Total	566	100.0	160.8	467	4.4	264.0	99	100.0	56.6
Age Group at End of Year									
< 13	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13 to 24	9	1.6	18.2	7	1.5	26.6	2	2.0	8.6
25 to 34	75	13.3	143.8	65	13.9	237.2	10	10.1	40.4
35 to 44	86	15.2	245.9	72	15.4	399.3	14	14.1	82.6
45 to 54	131	23.1	304.1	108	23.1	469.5	23	23.2	114.6
55 to 64	196	34.6	410.7	160	34.3	702.2	36	36.4	144.3
65 +	69	12.2	91.4	55	11.8	160.1	14	14.1	34.0
Unknown	0	0.0	-	0	0.0	-	0	0.0	-
Total	566	100.0	160.8	467	4.4	264.0	99	100.0	56.6
Transmission Category									
Male-to-male sexual contact (MSM)	246	43.5	69.9	246	52.7	139.1	-	-	-
Injection drug use (IDU)	95	16.8	27.0	66	14.1	37.3	29	29.3	16.6
MSM+IDU	60	10.6	17.0	60	12.8	33.9	-	-	-
Heterosexual contact	74	13.1	21.0	30	6.4	17.0	44	44.4	25.1
Perinatal exposure	6	1.1	1.7	1	0.2	0.6	5	5.1	2.9
Transfusion/Hemophilia	2	0.4	0.6	2	0.4	1.1	0	0.0	-
No identified risk (NIR)	83	14.7	23.6	62	13.3	35.0	21	21.2	12.0
Total	566	100.0	160.8	467	100.0	264.0	99	100.0	56.6

Source: Division of Public and Behavioral Health, electronic HIV/AIDS Reporting System (eHARS), (April 2021).

Persons living with HIV include data on persons living in Nevada with HIV (not yet HIV Stage 3 (AIDS)) and HIV Stage 3 (AIDS) based on the current address listed in eHARS. These persons may or may not have been diagnosed with HIV or HIV Stage 3 (AIDS) in All Other Counties or Nevada.

[^]All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

* Rates per 100,000 population were calculated using 2020 population projections from the Nevada State Demographer vintage 2020 data.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV Stage 3 (AIDS), living in Nevada in 2020.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.



**Division of Public and Behavioral Health – HIV Prevention and Surveillance Program
Fast Facts**

Annual Percent Change: New HIV Diagnoses, Nevada, 2019-2020

New HIV Diagnoses					
County	2019		2020		Annual % Change: % Change [†]
	N	Column %	N	Column %	

New HIV Diagnoses					
County	2019		2020		Annual % Change: % Change [†]
	N	Column %	N	Column %	
County					
Clark	452	87.4	325	87.4	-28%
Washoe	44	8.5	39	10.5	-11%
All Other Counties**	21	4.1	8	2.2	-62%
Total	517	100	372	100.0	-28%
Sex at Birth					
Male	446	86.3	323	86.8	-28%
Female	71	13.7	49	13.2	-31%
Total	517	100	372	100.0	-28%
Race/Ethnicity					
White, non-Hispanic	160	30.9	115	30.9	-28%
Black, non-Hispanic	173	33.5	112	30.1	-35%
Hispanic	153	29.6	119	32.0	-22%
Asian/Hawaiian/Pacific Islander	25	4.8	21	5.6	-16%
American Indian/Alaska Native	2	0.4	2	0.5	0%
Multi-race/Other	4	0.8	3	0.8	-25%
Total	517	100	372	100.0	-28%
Age Group*					
< 13	0	0.0	0	0.0	0%
13 to 24	94	18.2	63	16.9	-33%
25 to 34	208	40.2	147	39.5	-29%
35 to 44	102	19.7	69	18.5	-32%
45 to 54	72	13.9	57	15.3	-21%
55 to 64	33	6.4	30	8.1	-9%
65 +	8	1.5	6	1.6	-25%
Total	517	100	372	100.0	-28%
Transmission Category					
Males					
Male-to-male sexual contact (MSM)	318	71.3	236	73.1	-26%
IDU	16	3.6	9	2.8	-44%
MSM+IDU	26	5.8	14	4.3	-46%
Heterosexual contact	14	3.1	7	2.2	-50%
Perinatal Exposure	2	0.4	0	0.0	-100%
Transfusion/Hemophilia	0	0.0	0	0.0	0%
No identified risk (NIR)	70	15.7	57	17.6	-19%
Subtotal	446	100	323	100.0	-28%
Females					
IDU	11	15.5	6	12.2	-45%
Heterosexual contact	19	26.8	7	14.3	-63%
Perinatal Exposure	0	0.0	0	0.0	0%
Transfusion/Hemophilia	0	0.00	0	0.0	0%
No identified risk (NIR)	41	57.7	36	73.5	-12%
Subtotal	71	100.0	49	100.0	-31%
Total	517	100.0	372	100.0	-28%

Source: Division of Public and Behavioral Health, electronic HIV/AIDS Reporting System (eHARS), (April 2021).

* For New HIV diagnoses, age refers to age at HIV infection diagnosis. For persons living with HIV, age refers to age at the end of the report year.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

†Annual % Change is the percentage increase or decrease relative to the number of cases in 2020.



Division of Public and Behavioral Health – HIV Prevention and Surveillance Program
Fast Facts

Annual Percent Change: Persons Living with HIV[§] in Nevada, 2019-2020

County	All Persons Living with HIV [§]				
	2019		2020		Annual % Change:
	N	Column %	N	Column %	% Change [†]
County					
Clark	10,087	86	10,694	86.2	6%
Washoe	1,118	9.5	1,146	9.2	3%
All Other Counties**	521	4.4	566	4.6	9%
Total	11,726	100.0	12,406	100.0	6%
Sex at Birth					
Male	9,884	84.3	10,503	84.7	6%
Female	1,842	15.7	1,903	15.3	3%
Total	11,726	100.0	12,406	100.0	6%
Race/Ethnicity					
White, non-Hispanic	4,814	41.1	4,981	40.1	3%
Black, non-Hispanic	3,240	27.6	3,485	28.1	8%
Hispanic	2,938	25.1	3,139	25.3	7%
Asian/Hawaiian/Pacific Islander	467	4	501	4	7%
American Indian/Alaska Native	72	0.6	75	0.6	4%
Multi-race/Other	193	1.6	223	1.8	16%
Unknown	2	0	2	0	0%
Total	11,726	100.0	12,406	100.0	6%
Age Group*					
< 13	6	0.1	6	0.0	0%
13 to 24	321	2.7	297	2.4	-7%
25 to 34	2,237	19.1	2,370	19.1	6%
35 to 44	2,452	20.9	2,659	21.4	8%
45 to 54	2,935	25	2,895	23.3	-1%
55 to 64	2,613	22.3	2,876	23.2	10%
65 +	1,035	8.8	1,176	9.5	14%
Unknown	127	1.1	127	1	0%
Total	11,726	100.0	12,406	100.0	6%
Transmission Category					
Males					
Male-to-male sexual contact (MSM)	7,501	75.9	8,002	76.2	7%
IDU	482	4.9	481	4.6	0%
MSM+IDU	723	7.3	755	7.2	4%
Heterosexual contact	326	3.3	343	3.3	5%
Perinatal Exposure	34	0.3	33	0.3	-3%
Transfusion/Hemophilia	6	0.1	5	0.0	-17%
No identified risk (NIR)	812	8.2	884	8.4	9%
Subtotal	9,884	100.0	10,503	100.0	6%
Females					
IDU	266	14.4	273	14.3	3%
Heterosexual contact	1,028	55.8	1,044	54.9	2%
Perinatal Exposure	46	2.5	54	2.8	17%
Transfusion/Hemophilia	3	0.2	3	0.2	0%
No identified risk (NIR)	499	27.1	529	27.8	6%
Subtotal	1,842	100.0	1,903	100.0	3%
Total	11,726	100.0	12,406	100.0	6%

Source: Division of Public and Behavioral Health, electronic HIV/AIDS Reporting System (eHARS), (April 2021).

Persons living with HIV include data on persons living in Nevada with HIV (not yet HIV Stage 3 (AIDS)) and HIV Stage 3 (AIDS) based on the current address listed in eHARS. These persons may or may not have been diagnosed with HIV or HIV Stage 3 (AIDS) in Nevada.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV Stage 3 (AIDS), living in Nevada in 2020.

†Annual % Change is the percentage increase or decrease relative to the number of cases in 2020.



Division of Public and Behavioral Health – HIV Prevention and Surveillance Program								
Fast Facts								
Facility of Diagnosis for New HIV Diagnoses								
Facility of Diagnosis	Nevada		Clark County		Washoe County		All Other Counties*	
	N	Column %	n	Column %	n	Column %	n	Column %
HIV Counseling and Testing Site	24	6%	17	5%	7	18%	0	0%
Private Physician's Office	113	30%	110	34%	2	5%	1	13%
Inpatient Facility/Hospital	27	7%	19	6%	7	18%	1	13%
Outpatient Facility (unspecified)	89	24%	86	26%	2	5%	1	13%
Adult HIV Clinic	16	4%	5	2%	11	28%	0	0%
Correctional Facility	22	6%	19	6%	0	0%	3	38%
STD Clinic	41	11%	41	13%	0	0%	0	0%
Blood Bank or Plasma Center	18	5%	13	4%	5	13%	0	0%
Emergency Room	4	1%	2	1%	2	5%	0	0%
Tuberculosis Clinic	2	1%	2	1%	0	0%	0	0%
Drug Treatment Center	0	0%	0	0%	0	0%	0	0%
Obstetrics and Gynecology Clinic	1	0%	0	0%	1	3%	0	0%
Community Health Center	1	0%	0	0%	1	3%	0	0%
Facility/Other/Unknown	14	4%	11	3%	1	3%	2	25%
Total	372	100%	325	100%	39	100%	8	100%

Source: Division of Public and Behavioral Health, electronic HIV/AIDS Reporting System (eHARS), (April 2021).

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and HIV Stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states but currently living in Nevada. HIV and HIV Stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and HIV Stage 3 (AIDS) in 2020.

*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.



Division of Public and Behavioral Health – HIV Prevention and Surveillance Program										
Fast Facts										
Facility of Diagnosis for New Stage 3 (AIDS) Diagnoses										
Facility of Diagnosis	Nevada		Clark County		Washoe County		All Other Counties*		Unknown	
	N	Column %	n	Column %	n	Column %	n	Column %	n	Column %
HIV Counseling and Testing Site	3	2%	2	2%	0	0%	0	0%	1	100%
Private Physician's Office	35	26%	34	29%	0	0%	1	33%	0	0%
Inpatient Facility/Hospital	22	16%	15	13%	5	36%	2	67%	0	0%
Outpatient Facility (unspecified)	41	30%	41	35%	0	0%	0	0%	0	0%
Adult HIV Clinic	8	6%	4	3%	4	29%	0	0%	0	0%
Correctional Facility	2	1%	1	1%	1	7%	0	0%	0	0%
STD Clinic	8	6%	8	7%	0	0%	0	0%	0	0%
Blood Bank or Plasma Center	0	0%	0	0%	0	0%	0	0%	0	0%
Emergency Room	2	1%	2	2%	0	0%	0	0%	0	0%
Tuberculosis Clinic	0	0%	0	0%	0	0%	0	0%	0	0%
Facility/Other/Unknown	14	10%	10	9%	4	29%	0	0%	0	0%
Total	135	100%	117	100%	14	100%	3	100%	1	100%

Source: Division of Public and Behavioral Health, electronic HIV/AIDS Reporting System (eHARS), (April 2021).

New HIV Stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include HIV Stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV Stage 3 (AIDS) cases diagnosed in other states but currently living in Nevada.

*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

END HIV Nevada

For more information, contact:

<p>Lyell S. Collins, MBA HIV Prevention and Surveillance Program Manager (Health Program Specialist II) Office of HIV - HIV Prevention and Surveillance Program Nevada Department of Health and Human Services Division of Public and Behavioral Health Community Health Services 1840 E. Sahara Avenue, Suite 111 Las Vegas, NV 89104 Email: lscollins@health.nv.gov Phone: (702) 486-8105</p>	<p>Amy Lucas, MS HIV/STD Biostatistician (Health Resource Analyst II) Office of Analytics Nevada Department of Health and Human Services Division of Public and Behavioral Health 4126 Technology Way Ste 201 Carson City NV 89706 Email: alucas@health.nv.gov Phone: (775) 684-5895</p>
<p>Preston Nguyen Tang, MPH HIV Prevention Coordinator and Data Analyst (Health Program Specialist I) Office of HIV - HIV Prevention and Surveillance Program Nevada Department of Health and Human Services Division of Public and Behavioral Health Community Health Services 1840 E. Sahara Avenue, Suite 111 Las Vegas, NV 89104 Email: ptang@health.nv.gov Phone: (702) 486-6488</p>	<p>Caress Baltimore, MPH, CHES HIV Surveillance Epidemiologist (Health Resource Analyst II) Office of HIV - HIV Prevention and Surveillance Program Nevada Department of Health and Human Services Division of Public and Behavioral Health Community Health Services 1840 E. Sahara Avenue, Suite 111 Las Vegas, NV 89104 Email: cbaltimore@health.nv.gov Phone: (702) 486-5665</p>

Recommended Citation:

State of Nevada, Office of HIV. Division of Public and Behavioral Health. *2020 HIV Fast Facts*. Las Vegas, Nevada. e1.0. August 2021.

Additional References:

- 1) [End HIV Nevada](#) 2) [HIV OPHIE](#) 3) [HIV Prevention Program](#) 4) [Office of Analytics](#)

This publication was supported by the Centers for Disease Control and Prevention (CDC) through Grant Number NU62PS924579 for the HIV Prevention and Surveillance Program. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Nevada State Department of Health and Human Services nor the Centers for Disease Control and Prevention.