



**Nevada State Health Division, STD Prevention and Control Program  
Chlamydia Cases in Nevada, 2012**

	Total				Male				Female			
	N	%	NV Rate*	National Rate**	n	%	NV Rate*	National Rate**	n	%	NV Rate*	National Rate**
<b>County at Diagnosis</b>												
Clark County	8,589	77.0%	433.9	457.6	2,645	75.2%	264.5	256.9	5,943	77.8%	606.6	648.9
Washoe County	1,629	14.6%	388.2	457.6	603	17.1%	284.6	256.9	1,026	13.4%	493.9	648.9
Carson/Douglas/Lyon Counties	398	3.6%	255.7	457.6	95	2.7%	123.0	256.9	303	4.0%	386.5	648.9
All Other Counties***	542	4.9%	291.3	457.6	174	4.9%	185.1	256.9	368	4.8%	399.8	648.9
<b>Total</b>	<b>11,158</b>	<b>100.0%</b>	<b>407.1</b>	<b>457.6</b>	<b>3,517</b>	<b>100.0%</b>	<b>254.3</b>	<b>256.9</b>	<b>7,640</b>	<b>100.0%</b>	<b>562.6</b>	<b>648.9</b>
<b>Race/Ethnicity</b>												
White, non-Hispanic	2,661	23.8%	164.9	159.0	880	25.0%	108.9	82.3	1,781	23.3%	221.1	232.7
Black, non-Hispanic	1,969	17.6%	1,010.7	1,994.4	819	23.3%	843.1	787.7	1,150	15.1%	1,177.4	1,563.0
Hispanic	2,331	20.9%	326.5	383.6	708	20.1%	188.6	193.8	1,622	21.2%	479.2	578.2
American Indian/Alaska Native	147	1.3%	408.0	648.3	35	1.0%	200.3	296.9	112	1.5%	603.5	983.8
Asian/Hawaiian/Pacific Islander	357	3.2%	195.4	115.3	104	3.0%	122.5	61.2	253	3.3%	258.7	164.3
Unknown/Other	3,693	33.1%	N/A	N/A	971	27.6%	N/A	N/A	2,722	35.6%	N/A	N/A
<b>Total</b>	<b>11,158</b>	<b>100.0%</b>	<b>407.1</b>	<b>457.6</b>	<b>3,517</b>	<b>100.0%</b>	<b>254.3</b>	<b>256.9</b>	<b>7,640</b>	<b>100.0%</b>	<b>562.6</b>	<b>648.9</b>
<b>Age</b>												
< 9	0	0.0%	0.0	N/A	0	0.0%	0.0	N/A	0	0.0%	0.0	N/A
10-14	116	1.0%	63.2	74.5	16	0.5%	17.0	16.5	100	1.3%	111.9	134.6
15-19	3,176	28.5%	1,762.2	2,082.7	719	20.4%	777.6	803.0	2,456	32.1%	2,798.5	3,416.5
20-24	4,123	37.0%	2,213.0	2,515.3	1,218	34.6%	1,268.1	1,343.3	2,905	38.0%	3,218.5	3,722.5
25-29	1,862	16.7%	970.4	1,016.7	700	19.9%	703.2	689.7	1,162	15.2%	1,258.4	1,343.6
30-34	918	8.2%	466.3	459.8	367	10.4%	359.7	349.8	551	7.2%	581.0	567.6
35-39	422	3.8%	220.1	201.9	190	5.4%	190.6	168.4	232	3.0%	252.1	233.9
40-44	265	2.4%	141.2	103.7	147	4.2%	152.3	100.6	118	1.5%	129.4	105.9
45-54	190	1.7%	50.0	40.3	109	3.1%	55.9	44.8	81	1.1%	43.8	35.8
55-64	56	0.5%	17.8	11.5	32	0.9%	20.6	13.1	24	0.3%	15.0	10.1
65+	23	0.2%	6.7	2.6	15	0.4%	9.6	3.3	8	0.1%	4.2	2.1
Unknown	7	0.1%	N/A	N/A	4	0.1%	N/A	N/A	3	0.0%	N/A	N/A
<b>Total</b>	<b>11,158</b>	<b>100.0%</b>	<b>407.1</b>	<b>457.6</b>	<b>3,517</b>	<b>100.0%</b>	<b>254.3</b>	<b>256.9</b>	<b>7,640</b>	<b>100.0%</b>	<b>562.6</b>	<b>648.9</b>

Source: Nevada State Health Division Sexually Transmitted Disease Management Information Systems (STD\*MIS), data as of April 2013

\*Nevada Rates per 100,000 population were calculated using 2012 population projections from the Nevada State Demographer vintage 2011 data.

\*\* National Rates are based on the 2011 Rates from the CDC STD Surveillance Report and are expressed per 100,000 cases per population. Available at: <http://www.cdc.gov/std/stats11/default.htm>

\*\*\*All other counties include Churchill, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Mineral, Nye, Pershing, Storey, & White Pine counties

Rates highlighted in red indicate a Nevada Rate higher than the National Rate.



**Nevada State Health Division, STD Prevention and Control Program  
Gonorrhea Cases in Nevada, 2012**

	Total				Male				Female			
	N	%	NV Rate*	National Rate**	n	%	NV Rate*	National Rate**	n	%	NV Rate*	National Rate**
<b>County at Diagnosis</b>												
Clark County	1,968	86.8%	99.4	104.2	1,119	87.3%	111.9	98.7	847	86.1%	86.5	108.9
Washoe County	238	10.5%	56.7	104.2	142	11.1%	67.0	98.7	96	9.8%	46.2	108.9
Carson/Douglas/Lyon Counties	33	1.5%	21.2	104.2	11	0.9%	14.2	98.7	22	2.2%	28.1	108.9
All Other Counties***	29	1.3%	15.6	104.2	10	0.8%	10.6	98.7	19	1.9%	20.6	108.9
<b>Total</b>	<b>2,268</b>	<b>100.0%</b>	<b>82.7</b>	<b>104.2</b>	<b>1,282</b>	<b>100.0%</b>	<b>92.7</b>	<b>98.7</b>	<b>984</b>	<b>100.0%</b>	<b>72.5</b>	<b>108.9</b>
<b>Race/Ethnicity</b>												
White, non-Hispanic	538	23.7%	33.3	25.2	298	23.2%	36.9	22.1	239	24.3%	29.7	28.0
Black, non-Hispanic	698	30.8%	358.3	427.3	419	32.7%	431.3	428.3	279	28.4%	285.7	425.4
Hispanic	327	14.4%	45.8	53.8	190	14.8%	50.6	53.9	137	13.9%	40.5	53.6
American Indian/Alaska Native	19	0.8%	52.7	115.7	6	0.5%	34.3	84.4	13	1.3%	70.0	145.3
Asian/Hawaiian/Pacific Islander	42	1.9%	23.0	15.1	22	1.7%	25.9	17.0	19	1.9%	19.4	13.2
Unknown/Other	644	28.4%	N/A	N/A	347	27.1%	N/A	N/A	297	30.2%	N/A	N/A
<b>Total</b>	<b>2,268</b>	<b>100.0%</b>	<b>82.7</b>	<b>104.2</b>	<b>1,282</b>	<b>100.0%</b>	<b>92.7</b>	<b>98.7</b>	<b>984</b>	<b>100.0%</b>	<b>72.5</b>	<b>108.9</b>
<b>Age</b>												
< 9	0	0.0%	0.0	N/A	0	0.0%	0.0	N/A	0	0.0%	0.0	N/A
10-14	28	1.2%	15.3	15.6	7	0.5%	7.4	5.2	21	2.1%	23.5	26.2
15-19	516	22.8%	286.3	399.9	226	17.6%	244.4	248.6	289	29.4%	329.3	556.5
20-24	676	29.8%	362.8	517.6	361	28.2%	375.8	450.6	315	32.0%	349.0	584.2
25-29	397	17.5%	206.9	252.3	246	19.2%	247.1	266.0	150	15.2%	162.4	237.2
30-34	247	10.9%	125.5	136.0	154	12.0%	150.9	160.5	93	9.5%	98.1	110.8
35-39	121	5.3%	63.1	69.9	84	6.6%	84.2	89.3	37	3.8%	40.2	50.3
40-44	117	5.2%	62.3	46.4	83	6.5%	86.0	66.9	34	3.5%	37.3	25.8
45-54	126	5.6%	33.2	23.3	91	7.1%	46.7	37.1	35	3.6%	18.9	9.7
55-64	32	1.4%	10.2	7.5	23	1.8%	14.8	12.9	9	0.9%	5.6	2.5
65+	8	0.4%	2.3	1.2	7	0.5%	4.5	12.8	1	0.1%	0.5	0.4
Unknown	0	0.0%	N/A	N/A	0	0.0%	N/A	N/A	0	0.0%	N/A	N/A
<b>Total</b>	<b>2,268</b>	<b>100.0%</b>	<b>82.7</b>	<b>104.2</b>	<b>1,282</b>	<b>100.0%</b>	<b>92.7</b>	<b>98.7</b>	<b>984</b>	<b>100.0%</b>	<b>72.5</b>	<b>108.9</b>

Source: Nevada State Health Division Sexually Transmitted Disease Management Information Systems (STD\*MIS), data as of April 2013

\*Nevada Rates per 100,000 population were calculated using 2012 population projections from the Nevada State Demographer vintage 2011 data.

\*\* National Rates are based on the 2011 Rates from the CDC STD Surveillance Report and are expressed per 100,000 cases per population. Available at: <http://www.cdc.gov/std/stats11/default.htm>

\*\*\*All other counties include Churchill, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Mineral, Nye, Pershing, Storey, & White Pine counties

Rates highlighted in red indicate a Nevada Rate higher than the National Rate.



**Nevada State Health Division, STD Prevention and Control Program  
Primary and Secondary Syphilis Cases in Nevada, 2012**

	Total			
	N	%	NV Rate*	National Rate**
<b>Sex at Birth</b>				
Male	110	96.5%	7.9	8.2
Female	4	3.5%	0.3	1.0
<b>Total</b>	<b>114</b>	<b>100.0%</b>	<b>4.2</b>	<b>4.5</b>
<b>County at Diagnosis</b>				
Clark County	97	85.1%	4.9	4.5
Washoe County	16	14.0%	3.8	4.5
Carson/Douglas/Lyon Counties	0	0.0%	0.0	4.5
All Other Counties***	1	0.9%	0.5	4.5
<b>Total</b>	<b>114</b>	<b>100.0%</b>	<b>4.2</b>	<b>4.5</b>
<b>Race/Ethnicity</b>				
White, non-Hispanic	58	50.9%	3.6	2.3
Black, non-Hispanic	21	18.4%	10.8	15.5
Hispanic	25	21.9%	3.5	4.6
American Indian/Alaska Native	0	0.0%	0.0	2.7
Asian/Hawaiian/Pacific Islander	3	2.6%	1.6	1.6
Unknown/Other	7	6.1%	N/A	N/A
<b>Total</b>	<b>114</b>	<b>100.0%</b>	<b>4.2</b>	<b>4.5</b>
<b>Age</b>				
< 9	0	0.0%	0.0	N/A
10-14	0	0.0%	0.0	0.1
15-19	4	3.5%	2.2	3.9
20-24	18	15.8%	9.7	13.8
25-29	23	20.2%	12.0	12.1
30-34	16	14.0%	8.1	9.2
35-39	15	13.2%	7.8	6.8
40-44	8	7.0%	4.3	7.2
45-54	23	20.2%	6.1	4.7
55-64	6	5.3%	1.9	1.5
65+	1	0.9%	0.3	0.3
Unknown	0	0.0%	N/A	N/A
<b>Total</b>	<b>114</b>	<b>100.0%</b>	<b>4.2</b>	<b>4.5</b>

Source: Nevada State Health Division Sexually Transmitted Disease Management Information Systems (STD\*MIS), data as of April 2013

\*Nevada Rates per 100,000 population were calculated using 2012 population projections from the Nevada State Demographer vintage 2011 data.

\*\* National Rates are based on the 2011 Rates from the CDC STD Surveillance Report and are expressed per 100,000 cases per population.

Availble at: <http://www.cdc.gov/std/stats11/default.htm>

\*\*\*All other counties include Churchill, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Mineral, Nye, Pershing, Storey, & White Pine counties

Rates higlihed in red indicate a Nevada Rate higher than the National Rate.



## Nevada State Health Division, STD Prevention and Control Program

### Early Latent Syphilis Cases in Nevada, 2012

	Total			Male			Female		
	N	%	NV Rate*	n	%	NV Rate*	n	%	NV Rate*
<b>County at Diagnosis</b>									
Clark County	207	96.7%	10.5	166	96.0%	16.6	41	100.0%	4.2
Washoe County	5	2.3%	1.2	5	2.9%	2.4	0	0.0%	0.0
Carson/Douglas/Lyon Counties	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0
All Other Counties***	2	0.9%	1.1	2	1.2%	2.1	0	0.0%	0.0
<b>Total</b>	<b>214</b>	<b>100.0%</b>	<b>7.8</b>	<b>173</b>	<b>100.0%</b>	<b>12.5</b>	<b>41</b>	<b>100.0%</b>	<b>3.0</b>
<b>Race/Ethnicity</b>									
White, non-Hispanic	66	30.8%	4.1	54	31.2%	6.7	12	29%	1.5
Black, non-Hispanic	56	26.2%	28.7	41	23.7%	42.2	15	37%	15.4
Hispanic	58	27.1%	8.1	52	30.1%	13.9	6	15%	1.8
American Indian/Alaska Native	1	0.5%	2.8	1	0.6%	5.7	0	0%	0.0
Asian/Hawaiian/Pacific Islander	12	5.6%	6.6	8	4.6%	9.4	4	10%	4.1
Unknown/Other	21	9.8%	N/A	17	9.8%	N/A	4	10%	N/A
<b>Total</b>	<b>214</b>	<b>100.0%</b>	<b>7.8</b>	<b>173</b>	<b>100.0%</b>	<b>12.5</b>	<b>41</b>	<b>100%</b>	<b>3.0</b>
<b>Age</b>									
< 9	0	0.0%	0.0	0	0.0%	0.0	0	0%	0.0
10-14	1	0.5%	0.5	0	0.0%	0.0	1	2%	1.1
15-19	5	2.3%	2.8	3	1.7%	3.2	2	5%	2.3
20-24	30	14.0%	16.1	22	12.7%	22.9	8	20%	8.9
25-29	44	20.6%	22.9	34	19.7%	34.2	10	24%	10.8
30-34	32	15.0%	16.3	24	13.9%	23.5	8	20%	8.4
35-39	19	8.9%	9.9	16	9.2%	16.0	3	7%	3.3
40-44	29	13.6%	15.4	27	15.6%	28.0	2	5%	2.2
45-54	46	21.5%	12.1	39	22.5%	20.0	7	17%	3.8
55-64	5	2.3%	1.6	5	2.9%	3.2	0	0%	0.0
65+	3	1.4%	0.9	3	1.7%	1.9	0	0%	0.0
Unknown	0	0.0%	N/A	0	0.0%	N/A	0	0%	N/A
<b>Total</b>	<b>214</b>	<b>100.0%</b>	<b>7.8</b>	<b>173</b>	<b>100.0%</b>	<b>12.5</b>	<b>41</b>	<b>100%</b>	<b>3.0</b>

Source: Nevada State Health Division Sexually Transmitted Disease Management Information Systems (STD\*MIS), data as of April 2013

\*Nevada Rates per 100,000 population were calculated using 2012 population projections from the Nevada State Demographer vintage 2011 data.

\*\*\*All other counties include Churchill, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Mineral, Nye, Pershing, Storey, & White Pine counties

Rates highlighted in red indicate a Nevada Rate higher than the National Rate.



**Nevada State Health Division, STD Prevention and Control Program  
STD Cases in Nevada, 2012**

	Chlamydia				Gonorrhea				P&S Syphilis <sup>1</sup>				EL Syphilis <sup>2</sup>		
	N	%	NV Rate*	National Rate**	N	%	NV Rate*	National Rate**	N	%	NV Rate*	National Rate**	N	%	NV Rate*
<b>County at Diagnosis</b>															
Clark County	8,589	77.0%	433.9	457.6	1,909	87.2%	96.4	104.2	97	85.1%	4.9	4.5	207	96.7%	10.5
Washoe County	1,629	14.6%	388.2	457.6	219	10.0%	52.2	104.2	16	14.0%	3.8	4.5	5	2.3%	1.2
Carson/Douglas/Lyon Counties	398	3.6%	255.7	457.6	33	1.5%	21.2	104.2	0	0.0%	0.0	4.5	0	0.0%	0.0
All Other Counties***	542	4.9%	291.3	457.6	29	1.3%	15.6	104.2	1	0.9%	0.5	4.5	2	0.9%	1.1
<b>Total</b>	<b>11,158</b>	<b>100%</b>	<b>407.1</b>	<b>457.6</b>	<b>2,190</b>	<b>100%</b>	<b>79.9</b>	<b>104.2</b>	<b>114</b>	<b>100%</b>	<b>4.2</b>	<b>4.5</b>	<b>214</b>	<b>100%</b>	<b>7.8</b>
<b>Race/Ethnicity</b>															
White, non-Hispanic	2,661	23.8%	164.9	159.0	504	23.0%	31.2	25.2	58	50.9%	3.6	2.3	66	30.8%	4.1
Black, non-Hispanic	1,969	17.6%	1,010.7	1,994.4	662	30.2%	339.8	427.3	21	18.4%	10.8	15.5	56	26.2%	28.7
Hispanic	2,331	20.9%	326.5	383.6	308	14.1%	43.1	53.8	25	21.9%	3.5	4.6	58	27.1%	8.1
American Indian/Alaska Native	147	1.3%	408.0	648.3	18	0.8%	50.0	115.7	0	0.0%	0.0	2.7	1	0.5%	2.8
Asian/Hawaiian/Pacific Islander	357	3.2%	195.4	115.3	38	1.7%	20.8	15.1	3	2.6%	1.6	1.6	12	5.6%	6.6
Unknown/Other	3,693	33.1%	N/A	N/A	660	30.1%	N/A	N/A	7	6.1%	N/A	N/A	21	9.8%	N/A
<b>Total</b>	<b>11,158</b>	<b>100%</b>	<b>407.1</b>	<b>457.6</b>	<b>2,190</b>	<b>100%</b>	<b>79.9</b>	<b>104.2</b>	<b>114</b>	<b>100%</b>	<b>4.2</b>	<b>4.5</b>	<b>214</b>	<b>100%</b>	<b>7.8</b>
<b>Age</b>															
<9	0	0.0%	0.0	N/A	0	0.0%	0.0	N/A	0	0.0%	0.0	N/A	0	0.0%	0.0
10-14	116	1.0%	63.2	74.5	28	1.3%	15.3	15.6	0	0.0%	0.0	0.1	1	0.5%	0.5
15-19	3,176	28.5%	1,762.2	2,082.7	503	23.0%	279.1	399.9	4	3.5%	2.2	3.9	5	2.3%	2.8
20-24	4,123	37.0%	2,213.0	2,515.3	653	29.8%	350.5	517.6	18	15.8%	9.7	13.8	30	14.0%	16.1
25-29	1,862	16.7%	970.4	1,016.7	376	17.2%	195.9	252.3	23	20.2%	12.0	12.1	44	20.6%	22.9
30-34	918	8.2%	466.3	459.8	237	10.8%	120.4	136.0	16	14.0%	8.1	9.2	32	15.0%	16.3
35-39	422	3.8%	220.1	201.9	114	5.2%	59.5	69.9	15	13.2%	7.8	6.8	19	8.9%	9.9
40-44	265	2.4%	141.2	103.7	113	5.2%	60.2	46.4	8	7.0%	4.3	7.2	29	13.6%	15.4
45-54	190	1.7%	50.0	40.3	127	5.8%	33.5	23.3	23	20.2%	6.1	4.7	46	21.5%	12.1
55-64	56	0.5%	17.8	11.5	32	1.5%	10.2	7.5	6	5.3%	1.9	1.5	5	2.3%	1.6
65+	23	0.2%	6.7	2.6	7	0.3%	2.0	1.2	1	0.9%	0.3	0.3	3	1.4%	0.9
Unknown	7	0.1%	N/A	N/A	0	0.0%	N/A	N/A	0	0.0%	N/A	N/A	0	0.0%	N/A
<b>Total</b>	<b>11,158</b>	<b>100%</b>	<b>407.1</b>	<b>457.6</b>	<b>2,190</b>	<b>100%</b>	<b>79.9</b>	<b>104.2</b>	<b>114</b>	<b>100%</b>	<b>4.2</b>	<b>4.5</b>	<b>214</b>	<b>100%</b>	<b>7.8</b>

Source: Nevada State Health Division Sexually Transmitted Disease Management Information Systems (STD\*MIS), data as of April 2013

\*Nevada Rates per 100,000 population were calculated using 2012 population projections from the Nevada State Demographer vintage 2011 data.

\*\* National Rates are based on the 2011 Rates from the CDC STD Surveillance Report and are expressed per 100,000 cases per population. Available at: <http://www.cdc.gov/std/stats11/default.htm>

\*\*\*All other counties include Churchill, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Mineral, Nye, Pershing, Storey, & White Pine counties

<sup>1</sup> Syphilis, P & S refers to Primary and Secondary Syphilis

<sup>2</sup> Syphilis, EL refers to Early Latent Syphilis

Rates highlighted in red indicate a Nevada Rate higher than the National Rate.



**Nevada State Health Division, STD Prevention and Control Program  
Percent Change in STD Cases in Nevada, 2011 to 2012**

	Chlamydia			Gonorrhea			P & S Syphilis <sup>1</sup>			EL Syphilis <sup>2</sup>		
	2011	2012	% Change	2011	2012	% Change	2011	2012	% Change	2011	2012	% Change
<b>County at Diagnosis</b>												
Clark County	8,336	8,589	3.0%	1,740	1,968	13.1%	126	97	-23.0%	163	207	27.0%
Washoe County	1,490	1,629	9.3%	213	238	11.7%	8	16	100.0%	3	5	66.7%
Carson/Douglas/Lyon Counties	365	398	9.0%	30	33	10.0%	0	0	N/A	0	0	N/A
All Other Counties***	337	542	60.8%	27	29	7.4%	2	1	-50.0%	1	2	100.0%
<b>Total</b>	<b>10,528</b>	<b>11,158</b>	<b>6.0%</b>	<b>2,010</b>	<b>2,268</b>	<b>12.8%</b>	<b>136</b>	<b>114</b>	<b>-16.2%</b>	<b>167</b>	<b>214</b>	<b>28.1%</b>
<b>Race/Ethnicity</b>												
White, non-Hispanic	2,296	2,661	15.9%	409	538	31.5%	59	58	-1.7%	57	66	15.8%
Black, non-Hispanic	2,086	1,969	-5.6%	743	698	-6.1%	30	21	-30.0%	43	56	30.2%
Hispanic	2,254	2,331	3.4%	261	327	25.3%	25	25	N/A	48	58	20.8%
American Indian/Alaska Native	96	147	53.1%	12	19	58.3%	2	0	-100.0%	1	1	0.0%
Asian/Hawaiian/Pacific Islander	368	357	-3.0%	45	42	-6.7%	8	3	-62.5%	10	12	20.0%
Unknown/Other	3,428	3,693	7.7%	540	644	19.3%	12	7	-41.7%	8	21	162.5%
<b>Total</b>	<b>10,528</b>	<b>11,158</b>	<b>6.0%</b>	<b>2,010</b>	<b>2,268</b>	<b>12.8%</b>	<b>136</b>	<b>114</b>	<b>-16.2%</b>	<b>167</b>	<b>214</b>	<b>28.1%</b>
<b>Age</b>												
<9	6	0	-100.0%	4	0	-100.0%	1	0	-100.0%	0	0	N/A
10-14	95	116	22.1%	26	28	7.7%	0	0	N/A	0	1	N/A
15-19	3,208	3,176	-1.0%	528	516	-2.3%	7	4	-42.9%	9	5	-44.4%
20-24	3,900	4,123	5.7%	574	676	17.8%	27	18	-33.3%	27	30	11.1%
25-29	1,680	1,862	10.8%	316	397	25.6%	29	23	-20.7%	26	44	69.2%
30-34	821	918	11.8%	197	247	25.4%	19	16	-15.8%	30	32	6.7%
35-39	388	422	8.8%	131	121	-7.6%	13	15	15.4%	17	19	11.8%
40-44	219	265	21.0%	109	117	7.3%	13	8	-38.5%	19	29	52.6%
45-54	157	190	21.0%	93	126	35.5%	23	23	N/A	28	46	64.3%
55-64	37	56	51.4%	25	32	28.0%	2	6	200.0%	10	5	-50.0%
65+	13	23	76.9%	6	8	33.3%	2	1	-50.0%	1	3	200.0%
Unknown	4	7	75.0%	1	0	-100.0%	0	0	N/A	0	0	N/A
<b>Total</b>	<b>10,528</b>	<b>11,158</b>	<b>6.0%</b>	<b>2,010</b>	<b>2,268</b>	<b>12.8%</b>	<b>136</b>	<b>114</b>	<b>-16.2%</b>	<b>167</b>	<b>214</b>	<b>28.1%</b>

Source: Nevada State Health Division Sexually Transmitted Disease Management Information Systems (STD\*MIS), data as of April 2013

<sup>1</sup> Syphilis, P & S refers to Primary and Secondary Syphilis

<sup>2</sup> Syphilis, EL refers to Early Latent Syphilis



**Nevada State Health Division, STD Prevention and Control**  
**STD Diagnosis by Ordering Provider in Nevada, 2012**

Provider	Chlamydia		Gonorrhea		P & S Syphilis <sup>1</sup>		EL Syphilis <sup>2</sup>	
	N	%	N	%	N	%	N	%
Private Physician/HMO	3,197	29%	469	21%	30	26%	43	20%
STD Clinic	2,222	20%	642	28%	37	32%	75	35%
Labratory	1,980	18%	328	14%	0	0%	1	0%
Emergency Room/Hospital	981	9%	412	18%	10	9%	3	1%
Family Planning	574	5%	67	3%	1	1%	1	0%
Prenatal	391	4%	23	1%	1	1%	0	0%
Other Provider	341	3%	137	6%	2	2%	2	1%
Unknown	322	3%	17	1%	1	1%	1	0%
Other Clinic	287	3%	24	1%	9	8%	12	6%
Correctional Facility	286	3%	72	3%	3	3%	7	3%
HIV Test Site	270	2%	46	2%	17	15%	65	30%
Military	238	2%	24	1%	1	1%	1	0%
Job Corps	53	0%	2	0%	0	0%	0	0%
Indian Health Service	14	0%	5	0%	0	0%	0	0%
Local Pharmacy Clinic (i.e. Walgreens-TakeHome Clinic)	1	0%	0	0%	0	0%	0	0%
Mental Health Provider	1	0%	0	0%	1	1%	0	0%
Blood Bank	0	0%	0	0%	1	1%	3	1%
<b>Total</b>	<b>11,158</b>	<b>100%</b>	<b>2,268</b>	<b>100%</b>	<b>114</b>	<b>100%</b>	<b>214</b>	<b>100%</b>

Source: Nevada State Health Division Sexually Transmitted Disease Management Information Systems (STD\*MIS), data as of April 2013

<sup>1</sup> Syphilis, P & S refers to Primary and Secondary Syphilis

<sup>2</sup> Syphilis, EL refers to Early Latent Syphilis

Data are entered into STD\*MIS from provider/clinic who ordered laboratory tests. Data come to state/county via laboratory results.