

# **Pregnancy Risk Assessment Monitoring System (PRAMS): A Special Report on Young Mothers**



**University of Nevada, Reno**

**School of Community Health Sciences**

**Nevada Center for Surveys, Evaluation, and Statistics (CSES)**

## Acknowledgements

We would like to acknowledge those who assisted with “the Pregnancy Risk Assessment Monitoring System (PRAMS): A Special Report on Young Mothers”, including PRAMS project partners and the Nevada PRAMS Steering Committee who help Nevada PRAMS achieve its goals, and help in the development and selection of state-specific questions and on the use, dissemination, and application of findings.

### Recommended Citation

Gao, P., Zhang, F., Caufield, K. E., Starcevich, K., Leblanc, M., Conn, T. M., Griffin, K., Johns, L., Dahir, V., Yang, W. Official Report from University of Nevada, Reno. *Pregnancy Risk Assessment Monitoring System (PRAMS): A Special Report on Young Mothers*. November, 2020.

2017 Nevada PRAMS data had a response rate of 41% and 2018 data had a response rate of 39%, which is under the Centers for Disease Control and Prevention (CDC) required response rate threshold of 55% to publish data. Interpret data with caution due to the response rate.

### Funding Source

This surveillance project is largely supported by a grant from the Centers for Disease Control and Prevention (U01DP006241-04) with support from the Maternal Child Health Block Grant (B04MC31501) and State of Nevada General Fund. This report was supported by Sexual Risk Avoidance Education (1901NVSRAE) and Nevada Pregnancy Risk Education Program (1801NVPREP) grants. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Division nor CDC.

### Nevada PRAMS Team Members

**1) Nevada State Division of Public and Behavioral Health, Bureau of Child, Family and Community Wellness, Section of Child and Adolescent Health**

- Tami Conn, Health Program Specialist II and PRAMS Project Supervisor
- Kagan Griffin, MPH, RD, MCH Epidemiologist and PRAMS Lead Coordinator
- Lawanda A. Jones, Grants Project Analyst and PRAMS Coordinator
- Vickie Ives, MA, Section Manager, Maternal, Child and Adolescent Health

**2) University of Nevada, Reno, School of Community Health Sciences, Nevada Center for Surveys, Evaluation, and Statistics (CSES)**

- Wei Yang, PhD, MD, Executive Director of CSES and PRAMS Principal Investigator
- Veronica (Roni) Dahir, PhD, CSES Survey Director and PRAMS Co-Investigator
- Fannie Zhang, PhD, MS, Biostatistician and PRAMS Data Manager
- Katelyn E Caufield, Phone Interview Supervisor

- Katherine Starcevich, Graduate Assistant, PRAMS Coordinator
- Matthew LeBlanc, Graduate Assistant, PRAMS Survey Assistant
- Peter Gao, Graduate Assistant, PRMMS Data Analyst
- Phone Interviewers at CSES Survey Lab

## Contents

Introduction .....	1
Data and Collection and Reporting .....	1
For more information about this report: .....	4
For more information about Nevada PRAMS Project: .....	4
Characteristics of Mothers Age 20 and Younger .....	5
Q1-3 Demographics and Characteristics.....	5
Pre-Pregnancy.....	6
Q4. At any time during the 12 months before you got pregnant with your new baby, did you exercise 3 or more days of the week for fitness outside of your regular job? .....	6
Q5. During the 3 months before you got pregnant with your new baby, did you have any of the following health conditions?.....	7
Q5a. Depression.....	7
Q5b. High Blood Pressure .....	8
Q5c. Heart Disease.....	9
Q5d. Asthma .....	10
Q6. During the month before you got pregnant with your new baby, how many times a week did you take a multivitamin, a prenatal vitamin, or a folic acid vitamin? .....	11
Q7. In the 12 months before you got pregnant with your new baby, did you have any health care visits with a doctor, nurse, or other health care worker, including a dental or mental health worker? .....	12
Q8. In the 12 months before you got pregnant with your new baby, did you have any health care visits for the following reasons? .....	13
Q8a. Regular checkup at my family doctor’s office .....	13
Q8b. Regular checkup at my OB/GYN’s office .....	14
Q8c. Visit for an illness or chronic condition .....	15
Q8d. Visit for an injury .....	16
Q8e. Visit for family planning or birth control.....	17
Q8f. Visit for depression or anxiety .....	18
Q8g. Visit to have my teeth cleaned by a dentist/dental hygienist.....	19
Q8h. Other .....	20
Q9: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or other health care worker do any of the following things?.....	21
Q9a. Tell me to take a vitamin with folic acid.....	21
Q9b. Talk to me about my weight.....	22
Q9c. Talk to me about how I could improve my health before a pregnancy .....	23

Q9d. Talk to me about controlling any medical conditions such as diabetes or high blood pressure	24
Q9e. Talk to me about my desire to have or not have children .....	25
Q9f. Talk to me about using birth control to prevent pregnancy.....	26
Q9g. Ask me if I was smoking cigarettes.....	27
Q9h. Ask me if I was feeling down or depressed.....	28
Q9i. Ask me if someone was hurting me emotionally or physically .....	29
Q9j. Ask me about the kind of work I do .....	30
Q9k. Talk to me about sexually transmitted infections.....	31
Q9l: Test for HIV.....	32
Q10. Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about preparing for a pregnancy? .....	33
Q11. During the month before you got pregnant with your new baby, did you have insurance? .....	34
Q13. Did the cost of health insurance for your prenatal care cause financial problems for you or your family?.....	35
Q17. Did you have your first visit for prenatal care during the first trimester, after the first trimester, or not at all? .....	36
Q18. Did you get prenatal care as early in your pregnancy as you wanted? .....	37
Q19. Did any of these things keep you from getting prenatal care when you wanted it?.....	38
Q19a. I couldn't get an appointment when I wanted one.....	38
Q19b. I didn't have enough money or insurance to pay for my visits.....	39
Q19c. I didn't have any transportation to get to the clinic or doctor's office .....	40
Q19d. The doctor or my health plan would not start care as early as I wanted .....	41
Q19e. I had too many other things going on .....	42
Q19f. I couldn't take time off from work or school .....	43
Q19g. I didn't have my Medicaid card .....	44
Q19h. I didn't have anyone to take care of my children .....	45
Q19i. I didn't know that I was pregnant .....	46
Q19j. I didn't want anyone else to know I was pregnant .....	47
Q19k. I didn't want prenatal care .....	48
Q20. During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you any of the following? .....	49
Q20a. If I knew how much weight I should gain during pregnancy.....	49
Q20b. If I was taking any prescription medication .....	50

Q20c. If I was smoking cigarettes.....	51
Q20d. If I was drinking alcohol.....	52
Q20e. If someone was hurting me emotionally or physically.....	53
Q20f. If I was feeling down or depressed .....	54
Q20g. If I was using drugs such as marijuana, cocaine, crack, or meth.....	55
Q20h. If I wanted to be tested for HIV.....	56
Q20i. If I planned to use birth control after my baby was born .....	57
Q20j. If I planned to breastfeed my new baby .....	58
Q21. During the 12 months before the delivery of your new baby, did a doctor, nurse, or other health care worker offer you a flu shot or tell you to get one?.....	59
Q22. During the 12 months before the delivery of your new baby, did you get a flu shot? .....	60
Q23. During your most recent pregnancy, did you have your teeth cleaned by a dentist or dental hygienist? .....	61
Q25. During your most recent pregnancy, did you have any of the following health conditions?.....	62
Q25a. Gestational diabetes (diabetes that started during this pregnancy) .....	62
Q25b. High blood pressure (that started during this pregnancy).....	63
Q25c. Depression .....	64
Q25d. Asthma .....	65
Q25e. Heart problems.....	66
Tobacco and Alcohol.....	67
Q26. Have you smoked any cigarettes in the past 2 years? .....	67
Q27. In the 3 months before you got pregnant, how many cigarettes did you smoke on an average day? .....	68
Q28. In the last 3 months of your pregnancy, how many cigarettes did you smoke on an average day? .....	70
Q29. How many cigarettes do you smoke on an average day now?.....	71
Q30. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker? .....	72
Q31. Have you used any of the following tobacco products in the past 2 years?.....	73
Q31b. Hookah .....	74
Q31c. Chewing tobacco, snuff, snus, dip .....	75
Q31d. Cigars, cigarillos, or little-filtered cigars.....	76
Q32. During the 3 months before you got pregnant, on average, how often did you use e-cigarettes or other electronic nicotine products? .....	77

Q33. During the last 3 months of your pregnancy, on average, how often did you use e-cigarettes or other electronic nicotine products? .....	78
Q34. Have you had any alcoholic drinks in the past 2 years?.....	79
Q35. During the 3 months before you got pregnant, how many alcoholic drinks did you have in an average week? .....	80
Stressors.....	81
Q36. This question is about things that may have happened during the 12 months before your new baby was born.....	81
Q36a. A close family member was very sick and had to go into the hospital. ....	81
Q36b. I got separated or divorced from my husband or partners. ....	82
Q36c. I moved to a new address.....	83
Q36d. I was homeless or had to sleep outside, I a car, or in a shelter. ....	84
Q36e. My husband or partner lost their job.....	85
Q36f. I lost my job even though I wanted to go on working. ....	86
Q36g. My husband, partner, or I had a cut in work hours or pay.....	87
Q36h. I was apart from my husband or partner due to military deployment or extended work-related travel.....	88
Q36i. I argued with my husband or partner more than usual. ....	89
Q36j. My husband or partner said they didn't want me to be pregnant. ....	90
Q36k. I had problems paying the rent, mortgage, or other bills .....	91
Q36l. My husband, partner, or I went to jail .....	92
Q36m. Someone very close to me had a problem with drinking or drugs.....	93
Q36n. Someone very close to me died .....	94
Q37. In the 12 months before you got pregnant with your new baby, did any of the following people push, hit, slap, kick, choke, or physically hurt you in any other way?.....	95
Q37a. My husband or partner .....	95
Q37b. My ex-husband or ex-partner .....	96
Q37c. Another family member .....	97
Q37d. Someone else .....	98
Q38. During your most recent pregnancy, did any of the following people push, hit, slap, kick, choke, or physically hurt you in any other way? .....	99
Q38a. My husband or partner .....	99
Q38b. My ex-husband or ex-partner .....	100
Q38c. Other family members.....	101
Q38d. Someone else .....	102

Delivery .....	103
Was the baby born with a birth defect? .....	103
What was the method of delivery? .....	104
a. C-sect, 1 <sup>st</sup> .....	104
b. Forceps delivery .....	105
c. Repeated C-section .....	106
d. Vacuum delivery .....	107
e. Vaginal delivery .....	108
f. Vaginal delivery after C-section (comparison only) .....	109
After Pregnancy .....	110
Q40. After your baby was delivered, how long did he or she stay in the hospital? .....	110
Q41. Is your baby alive now? .....	111
Q42. Is your baby living with you now? .....	112
Q43. Before or after your new baby was born, did you receive information about breastfeeding from any of the following sources? .....	113
Q43a. My doctor .....	113
Q43b. A nurse, midwife, or doula .....	114
Q43c. A breastfeeding or lactation specialist .....	115
Q43d. My baby's doctor or health care provider .....	116
Q43e. A breastfeeding support group .....	117
Q43f. A breastfeeding hotline or toll-free number .....	118
Q43g. Family or friends .....	119
Q44. Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time? .....	120
Q46. Are you currently breastfeeding or feeding pumped milk to your new baby? .....	121
Q49. In which one position do you most often lay your baby down to sleep now? .....	122
Q50. In the past 2 weeks, how often has your new baby slept alone in his or her own crib or bed? ..	123
Q51. When your new baby sleeps alone, is his or her crib or bed in the same room where you sleep? .....	124
Q52. Listed below are some more things about how babies sleep. How did your new baby usually sleep in the past 2 weeks? .....	125
Q52a. In a crib, bassinet, or pack and play .....	125
Q52b. On a twin or larger mattress or bed .....	126
Q52c. With a blanket .....	127



Q52d. With toys, cushions, or pillows, including nursing pillows.....	128
Q52e. With crib bumper pads (mesh or non-mesh).....	129
Q53. Did a doctor, nurse, or other health care worker tell you any of the following things?.....	130
Q53a. Place my baby on his or her back to sleep .....	130
Q53b. Place my baby to sleep in a crib, bassinet, or pack and play .....	131
Q53c. Place my baby’s crib or bed in my room .....	132
Q53d. What things should and should not go in bed with my baby .....	133
Q54. Are you or your husband or partner doing anything now to keep from getting pregnant?.....	134
Q57. Since your new baby was born, have you had a postpartum checkup for yourself? .....	135
Q58. During your postpartum checkup, did a doctor, nurse, or other health care worker do any of the following things?.....	136
Q58a. Tell me to take a vitamin with folic acid.....	136
Q58b. Talk to me about healthy eating, exercise, and losing weight gained during pregnancy.....	137
Q58c. Talk to me about how long to wait before getting pregnant again .....	138
Q58d. Talk to me about birth control methods I can use after giving birth .....	139
Q58e. Give or prescribe me a contraceptive method such as the pill, patch, shot (Depo-Provera®), NuvaRing®, or condoms.....	140
Q58f. Insert an IUD (Mirena®, ParaGard®, Liletta®, or Skyla®) or a contraceptive implant (Nexplanon® or Implanon®).....	141
Q58g. Ask me if I was smoking cigarettes.....	142
Q58h. Ask me if someone was hurting me emotionally or physically .....	143
Q58i. Ask me if I was feeling down or depressed .....	144
Q58j. Test me for diabetes.....	145
Q59. Since your new baby was born, how often have you felt down, depressed, or hopeless? .....	146
Q60. Since your new baby was born, how often have you had little interest or little pleasure in doing things you usually enjoyed?.....	147
Q61. During your most recent pregnancy, did you take or use any of the following drugs for any reason?.....	148
Q61a. Over-the-counter pain relievers such as aspirin, Tylenol®, Advil®, or Aleve® .....	148
Q61b. Prescription pain relievers such as hydrocodone (Vicodin®), oxycodone (Percocet®), or codeine.....	149
Q61c. Marijuana or hash.....	150
Q63. During your most recent pregnancy, did you receive any of the following services? .....	151
Q63a. Food stamps or money to buy food .....	151
Q63b. WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children) .....	152

Q63c. Counseling for family and personal problems.....	153
Q63d. Help to quit smoking .....	154
Q63e. Help to reduce violence in my home .....	155
Q63f. Help to quit using drugs .....	156
Adverse Childhood Experiences.....	157
Q64. The following questions refer to the time period before you were 18 years of age. ....	157
Q64a. Did you live with anyone who was depressed, mentally ill, or suicidal? .....	157
Q64b. Did you live with anyone who was a problem drinker or alcoholic? .....	158
Q64c. Did you live with anyone who used illegal street drugs or who abused prescription medications? .....	159
Q64d. Did you live with anyone who served time or was sentenced to serve time in a prison, jail, or other correctional facility? .....	160
Q65. During the time period before you were 18 years of age did your parents get separated or divorced?.....	161
Q66. During the time period before you were 18 years of age, how often did the following things happen to you? .....	162
Q66b. Before age 18, how often did a parent or adult in your home ever hit, beat, kick or physically hurt you in any way? Do not include spanking.....	163
Q66c. How often did a parent or adult in your home ever swear at you, insult you, or put you down? .....	164
Q66d. How often did anyone at least 5 years older than you or an adult ever touch you sexually? .....	165
Q66e. How often did anyone at least 5 years older than you or an adult try to make you touch them sexually? .....	166
Q66f. How often did anyone at least 5 years older than you or an adult force you to have sex? ...	167

## Introduction

PRAMS (Pregnancy Risk Assessment Monitoring System) is a joint research project between the Nevada Division of Public and Behavioral Health and the Centers for Disease Control and Prevention (CDC). The purpose is to find out why some babies are born healthy and others are not. To do this, the PRAMS questionnaire asks new mothers about their behaviors and experiences before, during, and after their pregnancy. Each year in Nevada there are hundreds of babies born with serious health problems. Answers to the PRAMS survey will help us to learn more about ways to improve the health of mothers and babies in Nevada.

The overall goal of PRAMS is to reduce infant morbidity and mortality and to promote maternal health by influencing maternal and child health programs, policies, and maternal behaviors during pregnancy and early infancy.

The four main objectives of PRAMS are:

- Collect population-based data of high scientific quality on topics relating to pregnancy and early infancy
- Conduct data analyses in order to increase understanding of maternal behaviors and experiences during pregnancy and early infancy, and their relation to health outcomes
- Translate results from analyses into usable information for planning and evaluation of public health programs and policy.
- Build state capacity for collecting, analyzing, and translating data to address relevant maternal and infant health issues.

## Data and Collection and Reporting

---

Each month, new mothers are randomly selected from the state's electronic birth records to participate in the Nevada PRAMS Survey. The survey has core questions, which are standard across the nation, and Nevada-specific questions.

The topics covered by the core questions include:

- Maternal and infant characteristics
- Emotional and physical abuse
- Breastfeeding
- Contraception use
- Tobacco, drug and alcohol use
- Maternal morbidity
- Health insurance
- Income

- Infant mortality
- Length of stay in hospital
- Mental health
- Nutrition
- Prenatal care
- Oral health
- Pregnancy intention
- Infant sleeping environment
- Nevada-specific questions, including:
  - Physical activity
  - Services received (Women, Infants and Children, counseling, etc.
  - Adverse childhood experience
  - Health insurance
  - Prenatal care
  - Oral health
  - Tobacco and substance use
  - Breastfeeding

#### Data Collection Method

PRAMS combines two modes of data collection; a survey conducted by mailed questionnaire and a survey by telephone with multiple follow-up attempts. The principles and practices of mail/telephone survey methodology used by CDC are based primarily on the research of Don Dillman. A key aspect of his approach is to make numerous and varied contacts with sampled mothers. Here is the sequence of contacts for PRAMS surveillance: Pre-letter, Initial Mail Questionnaire Packet, Tickler, Second Mail Questionnaire Packet, Third Mail Questionnaire Packet and Telephone Follow-up. Telephone follow-up is initiated for all mail non-respondents 7 to 14 days after mailing the last questionnaire.

#### Data Weighting Process

Nevada PRAMS draws a stratified systematic sample among new mothers every month from a frame of eligible birth certificates. Nevada draws samples from two strata -- Clark County and all other counties. Multiplying together the sampling, nonresponse, and noncoverage components of the weight yields the analysis weight. The weight can be interpreted as the number of women like herself in the population that each respondent represents.

#### Data Reporting

The data of this report are based on Nevada PRAMS birth year of 2017 and 2018. The report is focused on mothers who are 20 years old or younger. Each indicator was presented as a table for young mothers broken down by demographics and health insurance status during

pregnancy. Some indicators were also presented with a comparison table between the young mother group and all mothers who have completed the Nevada PRAMS survey. All prevalences reported in this report are presented as a weighted percentage. 2017 Nevada PRAMS data had a response rate of 41% and 2018 data had a response rate of 39%, which is under the Centers for Disease Control and Prevention (CDC) required response rate threshold of 55% to publish data. Interpret data with caution due to the response rate.

Due to limited sample size of youth mother in this report (N=97), all demographics and characteristics were grouped as two groups, for example, education level has been grouped as 1) “Less than High School” and 2) “High School/Some College”; Income as “<\$32,000” and “\$32,001+”. Comparing to other groups, Hispanic is the largest race/ethnicity group (55.6%) as well as bigger than all others combined among youth mothers, therefore the race/ethnicity has been grouped as “Hispanic” and “Others”.

## Teen Pregnancy Prevention in Nevada

The Nevada Division of Public and Behavioral Health is the recipient of two (2) federal grants funded by the Family and Youth Services Bureau (FYSB), focused on teen pregnancy prevention. The Sexual Risk Avoidance Education Grant (SRAE) and the Personal Responsibility Education Program (PREP) support efforts to promote abstinence education, contraception education, and adulthood preparation topics with the goal of preventing pregnancy and the spread of sexually transmitted infections (STIs), including HIV/AIDS, among adolescents. Nevada Teen Pregnancy Prevention (TPP) partners with nine organizations to provide this education statewide.

The SRAE Program also teaches the benefits associated with self-regulation, success sequencing for poverty prevention, healthy relationships, goal setting, and resisting sexual coercion, dating violence, and other youth risk behaviors such as underage drinking or illicit drug use without normalizing teen sexual activity. The SRAE Program uses an evidence-based approach and/or effective strategies to educate youth on the optimal health behavior of avoiding early sexual activity and other risky behaviors. The SRAE Program provide services to youth populations, age 10-19, using a Positive Youth Development (PYD) framework as part of risk avoidance strategies and currently serves adolescents in thirteen counties. The goal of the SRAE Program is to educate youth on how to voluntarily refrain from early sexual activity and avoid related risky behaviors.

In addition to education on abstinence and contraceptive use, PREP projects also offer services to prepare young people for adulthood by implementing activities that address three or more of the subject areas below: healthy relationships, including development of positive self-esteem and relationship dynamics, friendships, dating, marriage and family interactions; positive adolescent development, to include promotion of healthy attitudes and values about adolescent growth and development, body image, and racial and ethnic diversity; financial

literacy, to support the development of self-sufficiency and independent living skills; parent-child communication skills; education and employment preparation skills; and healthy life skills, such as interpersonal skills and stress management.

#### For more information about this report:

---

- Dr. Wei Yang, [weiyang@unr.edu](mailto:weiyang@unr.edu)

#### For more information about Nevada PRAMS Project:

---

- Centers for Disease Control and Prevention (CDC) PRAMS:  
<https://www.cdc.gov/prams/index.htm>
- Nevada PRAMS contact info
  - 1-800-429-2669
  - [pramsnevada@health.nv.gov](mailto:pramsnevada@health.nv.gov)

## Characteristics of Mothers Age 20 and Younger

### Q1-3 Demographics and Characteristics

		<b>N</b>	<b>Weighted (N)</b>	<b>Weighted( %)</b>
<b>Total</b>		97	3969	100
<b>Marital Status</b>	Married	18	794.2	20.1
	Not Married	79	3174	79.9
<b>Race/Ethnicity</b>	Hispanic	44	2205	55.6
	Others	53	1764	44.4
<b>Education level</b>	Less than High School	32	1378	34.7
	High School/Some College	65	2591	65.3
<b>Income</b>	<\$32,000	69	2813	79.2
	\$32,001+	20	737.6	20.3
<b>Health Insurance During Pregnancy</b>	No Health Insurance	13	639.2	16.2
	Having Health Insurance	83	3311	83.8

## Pre-Pregnancy

**Q4. At any time during the 12 months before you got pregnant with your new baby, did you exercise 3 or more days of the week for fitness outside of your regular job?**

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	64	65.7%	(49.6-81.8)	33	34.3%	(18.2-50.4)
<b>Marital Status</b>	<b>Married</b>	8	51.1%	(18.9-83.4)	10	48.9%	(16.6-81.1)
	<b>Not Married</b>	56	69.3%	(50.8-87.9)	23	30.7%	(12.1-49.2)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	30	74.5%	(57.2-91.8)	14	25.5%	(8.2-42.8)
	<b>Others</b>	34	54.7%	(28.9-80.5)	19	45.3%	(19.5-71.1)
<b>Education</b>	<b>Less than High School</b>	22	74.7%	(48.3-100.0)	10	25.3%	(0.0-51.7)
	<b>High School/Some College</b>	42	60.9%	(40.9-80.9)	23	39.1%	(19.1-59.1)
<b>Income</b>	<b>&lt;\$32,000</b>	47	72.6%	(55.0-90.1)	22	27.4%	(9.9-45.0)
	<b>\$32,001+</b>	12	65.1%	(33.3-96.8)	8	34.9%	(3.2-66.7)
<b>Insurance</b>	<b>No Health Insurance</b>	11	95.2%	(87.7-100.0)	2	4.8%	(0.0-12.3)
	<b>Having Health Insurance</b>	52	59.8%	(41.6-78.0)	31	40.2%	(22.0-58.4)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	669	54.4%	(50.2-58.5)	652	45.6%	(41.5-49.8)
<b>Age</b>	<b>&lt;=20</b>	64	65.7%	(50.2-81.2)	33	34.3%	(18.8-49.8)
	<b>20+</b>	605	53.5%	(49.2-57.7)	619	46.5%	(42.3-50.8)



**Q5. During the 3 months before you got pregnant with your new baby, did you have any of the following health conditions?**

**Q5a. Depression**

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	81	91.5%	(84.9-98.2)	15	8.5%	(1.8-15.1)
<b>Marital Status</b>	<b>Married</b>	15	80.4%	(53.1-100.0)	3	19.6%	(0.0-46.9)
	<b>Not Married</b>	66	94.3%	(91.0-97.6)	12	5.7%	(2.4-9.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	41	93.5%	(82.7-100.0)	3	6.5%	(0.0-17.3)
	<b>Others</b>	40	89.1%	(81.9-96.3)	12	10.9%	(3.7-18.1)
<b>Education</b>	<b>Less than High School</b>	26	86.3%	(68.8-100.0)	6	13.7%	(0.0-31.2)
	<b>High School/Some College</b>	55	94.3%	(90.5-98.2)	9	5.7%	(1.8-9.5)
<b>Income</b>	<b>&lt;\$32,000</b>	58	90.9%	(81.9-100.0)	10	9.1%	(0.0-18.1)
	<b>\$32,001+</b>	16	91.4%	(81.6-100.0)	4	8.6%	(0.0-18.4)
<b>Insurance</b>	<b>No Health Insurance</b>	9	89.6%	(76.9-100.0)	4	10.4%	(0.0-23.1)
	<b>Having Health Insurance</b>	71	91.9%	(84.1-99.6)	11	8.1%	(0.4-15.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	1145	87.5%	(84.7-90.3)	176	12.5%	(9.7-15.3)
<b>Age</b>	<b>&lt;=20</b>	81	91.5%	(84.9-98.1)	15	8.5%	(1.9-15.1)
	<b>20+</b>	1064	87.2%	(84.2-90.1)	161	12.8%	(9.9-15.8)

Q5b. High Blood Pressure

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	94	99.1%	(97.9-100.0)	2	0.9%	(0.0-2.1)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Not Married</b>	76	98.9%	(97.4-100.0)	2	1.1%	(0.0-2.6)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	44	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Others</b>	50	98.1%	(95.3-100.0)	2	1.9%	(0.0-4.7)
<b>Education</b>	<b>Less than High School</b>	30	97.5%	(93.9-100.0)	2	2.5%	(0.0-6.1)
	<b>High School/Some College</b>	64	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Income</b>	<b>&lt;\$32,000</b>	67	99.3%	(98.0-100.0)	1	0.7%	(0.0-2.0)
	<b>\$32,001+</b>	19	97.9%	(93.6-100.0)	1	2.1%	(0.0-6.4)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Having Health Insurance</b>	80	99.0%	(97.5-100.0)	2	1.0%	(0.0-2.5)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	1281	97.1%	(95.8-98.4)	41	2.9%	(1.6-4.2)
<b>Age</b>	<b>&lt;=20</b>	94	99.1%	(97.9-100.0)	2	0.9%	(0.0-2.1)
	<b>20+</b>	1187	97.0%	(95.6-98.3)	39	3.0%	(1.7-4.4)

Q5c. Heart Disease

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	93	94.2%	(84.2-100.0)	3	5.8%	(0.0-15.8)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Not Married</b>	75	92.8%	(80.3-100.0)	3	7.2%	(0.0-19.7)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	43	99.5%	(98.5-100.0)	1	0.5%	(0.0-1.5)
	<b>Others</b>	50	87.6%	(66.2-100.0)	2	12.4%	(0.0-33.8)
<b>Education</b>	<b>Less than High School</b>	30	84.2%	(57.6-100.0)	2	15.8%	(0.0-42.4)
	<b>High School/Some College</b>	63	99.6%	(98.7-100.0)	1	0.4%	(0.0-1.3)
<b>Income</b>	<b>&lt;\$32,000</b>	67	99.6%	(98.8-100.0)	1	0.4%	(0.0-1.2)
	<b>\$32,001+</b>	19	97.9%	(93.6-100.0)	1	2.1%	(0.0-6.4)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Having Health Insurance</b>	79	93.1%	(81.1-100.0)	3	6.9%	(0.0-18.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	1286	97.2%	(95.7-98.6)	35	2.8%	(1.4-4.3)
<b>Age</b>	<b>&lt;=20</b>	93	94.2%	(84.5-100.0)	3	5.8%	(0.0-15.5)
	<b>20+</b>	1193	97.4%	(96.0-98.7)	32	2.6%	(1.3-4.0)

Q5d. Asthma

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	85	90.5%	(80.3-100.0)	12	9.5%	(0.0-19.7)
<b>Marital Status</b>	<b>Married</b>	17	97.7%	(92.9-100.0)	1	2.3%	(0.0-7.1)
	<b>Not Married</b>	68	88.7%	(76.1-100.0)	11	11.3%	(0.0-23.9)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	41	98.0%	(95.6-100.0)	3	2.0%	(0.0-4.4)
	<b>Others</b>	44	81.1%	(59.9-100.0)	9	18.9%	(0.0-40.1)
<b>Education</b>	<b>Less than High School</b>	27	80.7%	(54.2-100.0)	5	19.3%	(0.0-45.8)
	<b>High School/Some College</b>	58	95.7%	(92.4-99.0)	7	4.3%	(1.0-7.6)
<b>Income</b>	<b>&lt;\$32,000</b>	62	96.0%	(93.0-99.1)	7	4.0%	(0.9-7.0)
	<b>\$32,001+</b>	17	93.9%	(86.1-100.0)	3	6.1%	(0.0-13.9)
<b>Insurance</b>	<b>No Health Insurance</b>	11	95.4%	(87.9-100.0)	2	4.6%	(0.0-12.1)
	<b>Having Health Insurance</b>	73	89.5%	(77.5-100.0)	10	10.5%	(0.0-22.5)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	1207	90.1%	(87.5-92.8)	115	9.9%	(7.2-12.5)
<b>Age</b>	<b>&lt;=20</b>	85	90.5%	(80.6-100.0)	12	9.5%	(0.0-19.4)
	<b>20+</b>	1122	90.1%	(87.3-92.9)	103	9.9%	(7.1-12.7)

**Q6. During the month before you got pregnant with your new baby, how many times a week did you take a multivitamin, a prenatal vitamin, or a folic acid vitamin?**

		None			1-3 times/week			4-6 times/week			Every day/week		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	77	79.2%	(65.8-92.6)	4	6.4%	(0.0-16.5)	1	0.4%	(0.0-1.2)	15	14.0%	(3.9-24.0)
<b>Marital Status</b>	<b>Married</b>	13	63.8%	(32.2-95.4)	0	.	(.-)	0	.	(.-)	5	36.2%	(4.6-67.8)
	<b>Not Married</b>	64	83.1%	(68.8-97.4)	4	8.0%	(0.0-20.5)	1	0.5%	(0.0-1.4)	10	8.4%	(0.3-16.5)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	33	68.8%	(47.1-90.4)	2	10.0%	(0.0-27.4)	0	.	(.-)	9	21.2%	(4.1-38.3)
	<b>Others</b>	44	92.4%	(86.7-98.0)	2	1.9%	(0.0-4.7)	1	0.9%	(0.0-2.6)	6	4.9%	(0.5-9.2)
<b>Education</b>	<b>Less than High School</b>	26	72.0%	(43.3-100.0)	2	15.8%	(0.0-42.4)	0	.	(.-)	4	12.2%	(0.0-29.4)
	<b>High School/Some College</b>	51	83.1%	(70.4-95.8)	2	1.4%	(0.0-3.4)	1	0.6%	(0.0-1.8)	11	14.9%	(2.5-27.3)
<b>Income</b>	<b>&lt;\$32,000</b>	57	80.9%	(64.7-97.2)	4	9.1%	(0.0-23.0)	1	0.5%	(0.0-1.6)	7	9.5%	(0.0-19.4)
	<b>\$32,001+</b>	14	79.1%	(55.0-100.0)	0	.	(.-)	0	.	(.-)	6	20.9%	(0.0-45.0)
<b>Insurance</b>	<b>No Health Insurance</b>	10	91.8%	(80.9-100.0)	1	2.9%	(0.0-9.0)	0	.	(.-)	2	5.3%	(0.0-13.6)
	<b>Having Health Insurance</b>	66	76.7%	(61.1-92.2)	3	7.1%	(0.0-19.1)	1	0.5%	(0.0-1.4)	13	15.7%	(3.9-27.5)

		Didn't take vitamins			1-3 times/week			4-6 times/week			Every day/week		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	711	59.3%	(55.3-63.3)	101	6.0%	(4.1-7.8)	74	4.7%	(3.1-6.3)	436	30.0%	(26.3-33.8)
<b>Age</b>	<b>&lt;=20</b>	77	79.2%	(66.3-92.2)	4	6.4%	(0.0-16.1)	1	0.4%	(0.0-1.2)	15	14.0%	(4.2-23.7)
	<b>20+</b>	634	57.7%	(53.5-61.9)	97	5.9%	(4.1-7.8)	73	5.0%	(3.3-6.8)	421	31.3%	(27.4-35.2)

**Q7. In the 12 months before you got pregnant with your new baby, did you have any health care visits with a doctor, nurse, or other health care worker, including a dental or mental health worker?**

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	45	56.3%	(39.8-72.8)	52	43.7%	(27.2-60.2)
<b>Marital Status</b>	<b>Married</b>	8	47.3%	(14.8-79.9)	10	52.7%	(20.1-85.2)
	<b>Not Married</b>	37	58.6%	(39.8-77.3)	42	41.4%	(22.7-60.2)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	20	56.4%	(34.1-78.6)	24	43.6%	(21.4-65.9)
	<b>Others</b>	25	56.3%	(31.5-81.0)	28	43.7%	(19.0-68.5)
<b>Education</b>	<b>Less than High School</b>	12	46.1%	(15.7-76.5)	20	53.9%	(23.5-84.3)
	<b>High School/Some College</b>	33	61.8%	(43.0-80.5)	32	38.2%	(19.5-57.0)
<b>Income</b>	<b>&lt;\$32,000</b>	32	59.3%	(40.3-78.2)	37	40.7%	(21.8-59.7)
	<b>\$32,001+</b>	10	69.3%	(41.8-96.8)	10	30.7%	(3.2-58.2)
<b>Insurance</b>	<b>No Health Insurance</b>	11	94.2%	(85.2-100.0)	2	5.8%	(0.0-14.8)
	<b>Having Health Insurance</b>	34	49.3%	(30.7-68.0)	49	50.7%	(32.0-69.3)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	527	45.8%	(41.6-50.0)	792	54.2%	(50.0-58.4)
<b>Age</b>	<b>&lt;=20</b>	45	56.3%	(40.3-72.3)	52	43.7%	(27.7-59.7)
	<b>20+</b>	482	45.0%	(40.7-49.3)	740	55.0%	(50.7-59.3)

**Q8. In the 12 months before you got pregnant with your new baby, did you have any health care visits for the following reasons?**

Q8a. Regular checkup at my family doctor's office

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	24	41.5%	(18.7-64.3)	28	58.5%	(35.7-81.3)
<b>Marital Status</b>	<b>Married</b>	3	48.3%	(3.9-92.7)	7	51.7%	(7.3-96.1)
	<b>Not Married</b>	21	39.4%	(13.8-64.9)	21	60.6%	(35.1-86.2)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	8	50.6%	(20.4-80.7)	16	49.4%	(19.3-79.6)
	<b>Others</b>	16	30.3%	(9.3-51.2)	12	69.7%	(48.8-90.7)
<b>Education</b>	<b>Less than High School</b>	10	35.0%	(0.6-69.5)	10	65.0%	(30.5-99.4)
	<b>High School/Some College</b>	14	46.4%	(17.9-74.8)	18	53.6%	(25.2-82.1)
<b>Income</b>	<b>&lt;\$32,000</b>	18	45.7%	(18.1-73.2)	19	54.3%	(26.8-81.9)
	<b>\$32,001+</b>	3	23.3%	(0.0-51.5)	7	76.7%	(48.5-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	1	50.3%	(0.0-100.0)	1	49.7%	(0.0-100.0)
	<b>Having Health Insurance</b>	23	41.8%	(18.3-65.3)	26	58.2%	(34.7-81.7)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	441	53.2%	(47.8-58.5)	367	46.8%	(41.5-52.2)
<b>Age</b>	<b>&lt;=20</b>	24	41.5%	(20.3-62.7)	28	58.5%	(37.3-79.7)
	<b>20+</b>	417	53.9%	(48.4-59.4)	339	46.1%	(40.6-51.6)

Q8b. Regular checkup at my OB/GYN's office

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	34	51.9%	(29.1-74.7)	19	48.1%	(25.3-70.9)
<b>Marital Status</b>	<b>Married</b>	5	47.1%	(3.6-90.5)	5	52.9%	(9.5-96.4)
	<b>Not Married</b>	29	53.3%	(26.7-80.0)	14	46.7%	(20.0-73.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	16	48.4%	(19.2-77.6)	9	51.6%	(22.4-80.8)
	<b>Others</b>	18	56.9%	(21.2-92.7)	10	43.1%	(7.3-78.8)
<b>Education</b>	<b>Less than High School</b>	13	71.1%	(38.3-100.0)	7	28.9%	(0.0-61.7)
	<b>High School/Some College</b>	21	39.1%	(16.5-61.6)	12	60.9%	(38.4-83.5)
<b>Income</b>	<b>&lt;\$32,000</b>	26	51.5%	(25.1-77.9)	11	48.5%	(22.1-74.9)
	<b>\$32,001+</b>	5	41.6%	(0.0-86.5)	6	58.4%	(13.5-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	2	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	32	51.5%	(28.0-75.0)	18	48.5%	(25.0-72.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	344	39.9%	(34.7-45.1)	465	60.1%	(54.9-65.3)
<b>Age</b>	<b>&lt;=20</b>	34	51.9%	(30.3-73.6)	19	48.1%	(26.4-69.7)
	<b>20+</b>	310	39.1%	(33.8-44.5)	446	60.9%	(55.5-66.2)



Q8c. Visit for an illness or chronic condition

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	43	84.0%	(66.6-100.0)	9	16.0%	(0.0-33.4)
<b>Marital Status</b>	<b>Married</b>	9	95.6%	(86.6-100.0)	1	4.4%	(0.0-13.4)
	<b>Not Married</b>	34	80.3%	(58.0-100.0)	8	19.7%	(0.0-42.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	21	94.6%	(88.2-100.0)	3	5.4%	(0.0-11.8)
	<b>Others</b>	22	70.7%	(36.3-100.0)	6	29.3%	(0.0-63.7)
<b>Education</b>	<b>Less than High School</b>	17	93.6%	(85.2-100.0)	3	6.4%	(0.0-14.8)
	<b>High School/Some College</b>	26	76.8%	(49.5-100.0)	6	23.2%	(0.0-50.5)
<b>Income</b>	<b>&lt;\$32,000</b>	30	78.3%	(53.3-100.0)	7	21.7%	(0.0-46.7)
	<b>\$32,001+</b>	8	86.9%	(66.8-100.0)	2	13.1%	(0.0-33.2)
<b>Insurance</b>	<b>No Health Insurance</b>	2	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	41	84.5%	(66.7-100.0)	8	15.5%	(0.0-33.3)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	644	82.5%	(78.6-86.4)	153	17.5%	(13.6-21.4)
<b>Age</b>	<b>&lt;=20</b>	43	84.0%	(67.9-100.0)	9	16.0%	(0.0-32.1)
	<b>20+</b>	601	82.4%	(78.4-86.5)	144	17.6%	(13.5-21.6)

Q8d. Visit for an injury

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	48	86.0%	(63.8-100.0)	4	14.0%	(0.0-36.2)
<b>Marital Status</b>	<b>Married</b>	10	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Not Married</b>	38	81.5%	(53.6-100.0)	4	18.5%	(0.0-46.4)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	24	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Others</b>	24	68.5%	(27.7-100.0)	4	31.5%	(0.0-72.3)
<b>Education</b>	<b>Less than High School</b>	18	71.3%	(27.2-100.0)	2	28.7%	(0.0-72.8)
	<b>High School/Some College</b>	30	97.0%	(92.6-100.0)	2	3.0%	(0.0-7.4)
<b>Income</b>	<b>&lt;\$32,000</b>	35	97.4%	(93.6-100.0)	2	2.6%	(0.0-6.4)
	<b>\$32,001+</b>	10	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Insurance</b>	<b>No Health Insurance</b>	2	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Having Health Insurance</b>	45	85.5%	(62.7-100.0)	4	14.5%	(0.0-37.3)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	764	94.6%	(92.0-97.2)	34	5.4%	(2.8-8.0)
<b>Age</b>	<b>&lt;=20</b>	48	86.0%	(65.4-100.0)	4	14.0%	(0.0-34.6)
	<b>20+</b>	716	95.1%	(92.7-97.6)	30	4.9%	(2.4-7.3)

Q8e. Visit for family planning or birth control.

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	42	84.8%	(70.0-99.6)	10	15.2%	(0.4-30.0)
<b>Marital Status</b>	<b>Married</b>	8	93.0%	(82.2-100.0)	2	7.0%	(0.0-17.8)
	<b>Not Married</b>	34	82.2%	(63.0-100.0)	8	17.8%	(0.0-37.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	18	78.8%	(54.2-100.0)	6	21.2%	(0.0-45.8)
	<b>Others</b>	24	92.2%	(83.4-100.0)	4	7.8%	(0.0-16.6)
<b>Education</b>	<b>Less than High School</b>	18	96.0%	(89.9-100.0)	2	4.0%	(0.0-10.1)
	<b>High School/Some College</b>	24	76.4%	(52.7-100.0)	8	23.6%	(0.0-47.3)
<b>Income</b>	<b>&lt;\$32,000</b>	29	80.2%	(58.8-100.0)	8	19.8%	(0.0-41.2)
	<b>\$32,001+</b>	8	83.5%	(59.7-100.0)	2	16.5%	(0.0-40.3)
<b>Insurance</b>	<b>No Health Insurance</b>	2	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	40	85.4%	(70.2-100.0)	9	14.6%	(0.0-29.8)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	651	84.1%	(80.4-87.9)	146	15.9%	(12.1-19.6)
<b>Age</b>	<b>&lt;=20</b>	42	84.8%	(71.0-98.6)	10	15.2%	(1.4-29.0)
	<b>20+</b>	609	84.1%	(80.2-88.0)	136	15.9%	(12.0-19.8)

Q8f. Visit for depression or anxiety

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	46	87.1%	(70.0-100.0)	6	12.9%	(0.0-30.0)
<b>Marital Status</b>	<b>Married</b>	10	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Not Married</b>	36	83.0%	(61.1-100.0)	6	17.0%	(0.0-38.9)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	22	96.8%	(92.3-100.0)	2	3.2%	(0.0-7.7)
	<b>Others</b>	24	74.9%	(40.7-100.0)	4	25.1%	(0.0-59.3)
<b>Education</b>	<b>Less than High School</b>	20	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>High School/Some College</b>	26	77.4%	(50.3-100.0)	6	22.6%	(0.0-49.7)
<b>Income</b>	<b>&lt;\$32,000</b>	31	80.5%	(55.7-100.0)	6	19.5%	(0.0-44.3)
	<b>\$32,001+</b>	10	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Insurance</b>	<b>No Health Insurance</b>	2	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Having Health Insurance</b>	43	86.7%	(69.0-100.0)	6	13.3%	(0.0-31.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	717	89.1%	(85.7-92.6)	81	10.9%	(7.4-14.3)
<b>Age</b>	<b>&lt;=20</b>	46	87.1%	(71.2-100.0)	6	12.9%	(0.0-28.8)
	<b>20+</b>	671	89.3%	(85.7-92.8)	75	10.7%	(7.2-14.3)

Q8g. Visit to have my teeth cleaned by a dentist/dental hygienist

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	20	25.2%	(7.6-42.9)	32	74.8%	(57.1-92.4)
<b>Marital Status</b>	<b>Married</b>	2	5.5%	(0.0-13.9)	8	94.5%	(86.1-100.0)
	<b>Not Married</b>	18	31.5%	(8.2-54.8)	24	68.5%	(45.2-91.8)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	7	25.8%	(0.0-54.2)	17	74.2%	(45.8-100.0)
	<b>Others</b>	13	24.6%	(6.3-42.8)	15	75.4%	(57.2-93.7)
<b>Education</b>	<b>Less than High School</b>	8	34.4%	(0.0-71.6)	12	65.6%	(28.4-100.0)
	<b>High School/Some College</b>	12	18.4%	(7.6-29.1)	20	81.6%	(70.9-92.4)
<b>Income</b>	<b>&lt;\$32,000</b>	15	31.5%	(6.7-56.4)	22	68.5%	(43.6-93.3)
	<b>\$32,001+</b>	4	26.9%	(0.0-56.8)	6	73.1%	(43.2-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	2	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	18	23.9%	(5.8-41.9)	31	76.1%	(58.1-94.2)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	309	42.0%	(36.6-47.3)	489	58.0%	(52.7-63.4)
<b>Age</b>	<b>&lt;=20</b>	20	25.2%	(8.2-42.3)	32	74.8%	(57.7-91.8)
	<b>20+</b>	289	43.0%	(37.5-48.5)	457	57.0%	(51.5-62.5)

Q8h. Other

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	40	89.6%	(83.9-95.2)	12	10.4%	(4.8-16.1)
<b>Marital Status</b>	<b>Married</b>	9	98.0%	(93.7-100.0)	1	2.0%	(0.0-6.3)
	<b>Not Married</b>	31	86.9%	(78.4-95.4)	11	13.1%	(4.6-21.6)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	20	93.3%	(86.5-100.0)	4	6.7%	(0.0-13.5)
	<b>Others</b>	20	84.9%	(71.7-98.1)	8	15.1%	(1.9-28.3)
<b>Education</b>	<b>Less than High School</b>	18	95.5%	(88.5-100.0)	2	4.5%	(0.0-11.5)
	<b>High School/Some College</b>	22	85.2%	(75.6-94.8)	10	14.8%	(5.2-24.4)
<b>Income</b>	<b>&lt;\$32,000</b>	29	89.3%	(81.8-96.7)	8	10.7%	(3.3-18.2)
	<b>\$32,001+</b>	7	81.2%	(57.1-100.0)	3	18.8%	(0.0-42.9)
<b>Insurance</b>	<b>No Health Insurance</b>	2	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	37	89.2%	(83.4-95.0)	12	10.8%	(5.0-16.6)

	No			Yes		
	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Total</b>	639	80.8%	(76.6-84.9)	166	19.2%	(15.1-23.4)
<b>&lt;=20</b>	40	89.6%	(82.6-96.9)	12	10.4%	(3.7-17.4)
<b>20+</b>	599	80.2%	(75.9-84.5)	154	19.8%	(15.5-24.1)

**Q9: During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or other health care worker do any of the following things?**

Q9a. Tell me to take a vitamin with folic acid

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	43	72.5%	(49.9-95.2)	8	27.5%	(4.8-50.1)
<b>Marital Status</b>	<b>Married</b>	9	95.5%	(86.4-100.0)	1	4.5%	(0.0-13.6)
	<b>Not Married</b>	34	65.1%	(37.7-92.5)	7	34.9%	(7.5-62.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	18	56.0%	(24.3-87.8)	5	44.0%	(12.2-75.7)
	<b>Others</b>	25	92.8%	(84.1-100.0)	3	7.2%	(0.0-15.9)
<b>Education</b>	<b>Less than High School</b>	17	75.7%	(39.3-100.0)	3	24.3%	(0.0-60.7)
	<b>High School/Some College</b>	26	70.1%	(41.3-98.9)	5	29.9%	(1.1-58.7)
<b>Income</b>	<b>&lt;\$32,000</b>	32	72.3%	(44.3-100.0)	5	27.7%	(0.0-55.7)
	<b>\$32,001+</b>	8	83.6%	(59.9-100.0)	2	16.4%	(0.0-40.1)
<b>Insurance</b>	<b>No Health Insurance</b>	1	50.3%	(0.0-100.0)	1	49.7%	(0.0-100.0)
	<b>Having Health Insurance</b>	41	72.7%	(49.4-96.0)	7	27.3%	(4.0-50.6)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	570	76.3%	(71.8-80.7)	222	23.7%	(19.3-28.2)
<b>Age</b>	<b>&lt;=20</b>	43	72.5%	(51.3-93.8)	8	27.5%	(6.2-48.7)
	<b>20+</b>	527	76.5%	(72.0-81.0)	214	23.5%	(19.0-28.0)

Q9b. Talk to me about my weight

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	38	54.6%	(31.4-77.8)	15	45.4%	(22.2-68.6)
<b>Marital Status</b>	<b>Married</b>	8	76.5%	(39.8-100.0)	2	23.5%	(0.0-60.2)
	<b>Not Married</b>	30	48.2%	(22.5-74.0)	13	51.8%	(26.0-77.5)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	14	45.8%	(16.6-75.0)	11	54.2%	(25.0-83.4)
	<b>Others</b>	24	66.9%	(26.7-100.0)	4	33.1%	(0.0-73.3)
<b>Education</b>	<b>Less than High School</b>	13	41.4%	(5.2-77.5)	7	58.6%	(22.5-94.8)
	<b>High School/Some College</b>	25	63.4%	(36.1-90.8)	8	36.6%	(9.2-63.9)
<b>Income</b>	<b>&lt;\$32,000</b>	27	64.8%	(37.1-92.6)	10	35.2%	(7.4-62.9)
	<b>\$32,001+</b>	7	31.7%	(1.7-61.6)	4	68.3%	(38.4-98.3)
<b>Insurance</b>	<b>No Health Insurance</b>	1	50.3%	(0.0-100.0)	1	49.7%	(0.0-100.0)
	<b>Having Health Insurance</b>	36	54.2%	(30.4-78.1)	14	45.8%	(21.9-69.6)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	570	66.0	(61.0-71.0)	269	34.0%	(29.0-39.0)
<b>Age</b>	<b>&lt;=20</b>	38	54.6%	(32.5-76.7)	15	45.4%	(23.3-67.5)
	<b>20+</b>	532	66.7%	(60.6-71.8)	254	33.3%	(28.2-38.4)



Q9c. Talk to me about how I could improve my health before a pregnancy

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	44	71.3%	(47.7-95.0)	9	28.7%	(5.0-52.3)
<b>Marital Status</b>	<b>Married</b>	9	80.9%	(45.0-100.0)	1	19.1%	(0.0-55.0)
	<b>Not Married</b>	35	68.6%	(40.4-96.8)	8	31.4%	(3.2-59.6)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	20	74.5%	(46.8-100.0)	5	25.5%	(0.0-53.2)
	<b>Others</b>	24	66.9%	(26.7-100.0)	4	33.1%	(0.0-73.3)
<b>Education</b>	<b>Less than High School</b>	13	41.4%	(5.2-77.5)	7	58.6%	(22.5-94.8)
	<b>High School/Some College</b>	31	91.4%	(76.5-100.0)	2	8.6%	(0.0-23.5)
<b>Income</b>	<b>&lt;\$32,000</b>	31	80.0%	(55.3-100.0)	6	20.0%	(0.0-44.7)
	<b>\$32,001+</b>	9	71.4%	(28.8-100.0)	2	28.6%	(0.0-71.2)
<b>Insurance</b>	<b>No Health Insurance</b>	2	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	41	70.5%	(46.1-94.8)	9	29.5%	(5.2-53.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	624	74.3%	(69.8-78.9)	215	25.7%	(21.1-30.2)
<b>Age</b>	<b>&lt;=20</b>	44	71.3%	(49.1-93.6)	9	28.7%	(6.4-50.9)
	<b>20+</b>	580	74.5%	(69.9-79.1)	206	26.6%	(20.9-30.1)

Q9d. Talk to me about controlling any medical conditions such as diabetes or high blood pressure

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	48	84.7%	(67.1-100.0)	5	15.3%	(0.0-32.9)
<b>Marital Status</b>	<b>Married</b>	9	80.9%	(45.0-100.0)	1	19.1%	(0.0-55.0)
	<b>Not Married</b>	39	85.9%	(65.6-100.0)	4	14.1%	(0.0-34.4)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	20	73.8%	(46.0-100.0)	5	26.2%	(0.0-54.0)
	<b>Others</b>	28	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Education</b>	<b>Less than High School</b>	18	77.7%	(41.6-100.0)	2	22.3%	(0.0-58.4)
	<b>High School/Some College</b>	30	89.5%	(74.1-100.0)	3	10.5%	(0.0-25.9)
<b>Income</b>	<b>&lt;\$32,000</b>	34	83.9%	(59.3-100.0)	3	16.1%	(0.0-40.7)
	<b>\$32,001+</b>	9	71.4%	(28.8-100.0)	2	28.6%	(0.0-71.2)
<b>Insurance</b>	<b>No Health Insurance</b>	1	50.3%	(0.0-100.0)	1	49.7%	(0.0-100.0)
	<b>Having Health Insurance</b>	46	85.3%	(67.2-100.0)	4	14.7%	(0.0-32.8)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	691	84.5%	(80.4-88.7)	99	15.5%	(11.3-19.6)
<b>Age</b>	<b>&lt;=20</b>	48	83.7%	(66.2-100.0)	5	16.3%	(0.0-33.8)
	<b>20+</b>	644	84.6%	(80.3-88.8)	94	15.4%	(11.2-19.7)

Q9e. Talk to me about my desire to have or not have children

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	42	74.2%	(51.7-96.8)	11	25.8%	(3.2-48.3)
<b>Marital Status</b>	<b>Married</b>	9	95.5%	(86.4-100.0)	1	4.5%	(0.0-13.6)
	<b>Not Married</b>	33	68.0%	(40.7-95.3)	10	32.0%	(4.7-59.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	18	79.5%	(57.1-100.0)	7	20.5%	(0.0-42.9)
	<b>Others</b>	24	66.9%	(26.7-100.0)	4	33.1%	(0.0-73.3)
<b>Education</b>	<b>Less than High School</b>	16	65.8%	(23.0-100.0)	4	34.2%	(0.0-77.0)
	<b>High School/Some College</b>	26	79.9%	(58.4-100.0)	7	20.1%	(0.0-41.6)
<b>Income</b>	<b>&lt;\$32,000</b>	31	82.5%	(61.5-100.0)	6	17.5%	(0.0-38.5)
	<b>\$32,001+</b>	7	78.5%	(54.8-100.0)	4	21.5%	(0.0-45.2)
<b>Insurance</b>	<b>No Health Insurance</b>	1	50.3%	(0.0-100.0)	1	49.7%	(0.0-100.0)
	<b>Having Health Insurance</b>	41	75.5%	(52.3-98.7)	9	24.5%	(1.3-47.7)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	504	64.8%	(59.9-69.7)	336	35.2%	(30.3-40.1)
<b>Age</b>	<b>&lt;=20</b>	42	74.2%	(53.3-95.2)	11	25.8%	(4.8-46.7)
	<b>20+</b>	462	64.2%	(59.2-69.3)	325	35.8%	(30.7-40.8)

Q9f. Talk to me about using birth control to prevent pregnancy

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	25	41.0%	(18.7-63.3)	28	59.0%	(36.7-81.3)
<b>Marital Status</b>	<b>Married</b>	3	47.3%	(3.1-91.6)	7	52.7%	(8.4-96.9)
	<b>Not Married</b>	22	39.1%	(14.0-64.2)	21	60.9%	(35.8-86.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	10	34.6%	(6.6-62.6)	15	65.4%	(37.4-93.4)
	<b>Others</b>	15	49.9%	(13.1-86.6)	13	50.1%	(13.4-86.9)
<b>Education</b>	<b>Less than High School</b>	9	32.9%	(0.0-66.7)	11	67.1%	(33.3-100.0)
	<b>High School/Some College</b>	16	46.4%	(18.6-74.1)	17	53.6%	(25.9-81.4)
<b>Income</b>	<b>&lt;\$32,000</b>	19	49.7%	(22.0-77.4)	18	50.3%	(22.6-78.0)
	<b>\$32,001+</b>	3	13.0%	(0.0-30.2)	8	87.0%	(69.8-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	1	50.3%	(0.0-100.0)	1	49.7%	(0.0-100.0)
	<b>Having Health Insurance</b>	24	41.2%	(18.2-64.1)	26	58.8%	(35.9-81.8)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	529	63.7%	(58.6-68.7)	310	36.3%	(31.3-41.4)
<b>Age</b>	<b>&lt;=20</b>	25	41.0%	(20.1-61.8)	28	59.0%	(38.2-79.9)
	<b>20+</b>	504	65.1%	(59.9-70.2)	282	34.9%	(29.8-40.1)

Q9g. Ask me if I was smoking cigarettes.

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	15	25.6%	(5.9-45.2)	38	74.4%	(54.8-94.1)
<b>Marital Status</b>	<b>Married</b>	2	7.9%	(0.0-19.7)	8	92.1%	(80.3-100.0)
	<b>Not Married</b>	13	30.7%	(6.3-55.2)	30	69.3%	(44.8-93.7)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	8	22.6%	(0.1-45.0)	17	77.4%	(55.0-99.9)
	<b>Others</b>	7	29.8%	(0.0-64.1)	21	70.2%	(35.9-100.0)
<b>Education</b>	<b>Less than High School</b>	5	12.5%	(0.1-24.9)	15	87.5%	(75.1-99.9)
	<b>High School/Some College</b>	10	34.4%	(6.3-62.4)	23	65.6%	(37.6-93.7)
<b>Income</b>	<b>&lt;\$32,000</b>	11	26.9%	(2.2-51.6)	26	73.1%	(48.4-97.8)
	<b>\$32,001+</b>	2	10.8%	(0.0-27.2)	9	89.2%	(72.8-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	1	50.3%	(0.0-100.0)	1	49.7%	(0.0-100.0)
	<b>Having Health Insurance</b>	14	25.3%	(5.1-45.6)	36	74.7%	(54.4-94.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	266	31.0%	(26.3-35.8)	574	69.0%	(64.2-73.7)
<b>Age</b>	<b>&lt;=20</b>	15	25.6%	(7.2-44.0)	38	74.4%	(56.0-92.8)
	<b>20+</b>	251	31.4%	(26.4-36.3)	536	68.6%	(63.7-73.6)

Q9h. Ask me if I was feeling down or depressed

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	22	29.3%	(10.8-47.8)	31	70.7%	(52.2-89.2)
<b>Marital Status</b>	<b>Married</b>	4	38.1%	(0.0-83.0)	6	61.9%	(17.0-100.0)
	<b>Not Married</b>	18	26.7%	(7.7-45.7)	25	73.3%	(54.3-92.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	10	34.9%	(6.9-62.9)	15	65.1%	(37.1-93.1)
	<b>Others</b>	12	21.4%	(4.8-38.0)	16	78.6%	(62.0-95.2)
<b>Education</b>	<b>Less than High School</b>	11	38.3%	(3.2-73.5)	9	61.7%	(26.5-96.8)
	<b>High School/Some College</b>	11	23.2%	(1.6-44.8)	22	76.8%	(55.2-98.4)
<b>Income</b>	<b>&lt;\$32,000</b>	16	31.0%	(9.0-53.1)	21	69.0%	(46.9-91.0)
	<b>\$32,001+</b>	2	7.9%	(0.0-20.8)	9	92.1%	(79.2-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	1	50.3%	(0.0-100.0)	1	49.7%	(0.0-100.0)
	<b>Having Health Insurance</b>	21	29.1%	(10.2-48.1)	29	70.9%	(51.9-89.8)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	479	56.9%	(51.7-62.0)	362	43.1%	(38.0-48.3)
<b>Age</b>	<b>&lt;=20</b>	22	29.3%	(11.6-47.0)	31	70.7%	(53.0-88.4)
	<b>20+</b>	457	58.6%	(53.3-63.9)	331	41.4%	(36.1-46.7)

Q9i. Ask me if someone was hurting me emotionally or physically

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	27	45.8%	(23.0-68.6)	26	54.2%	(31.4-77.0)
<b>Marital Status</b>	<b>Married</b>	8	76.5%	(39.8-100.0)	2	23.5%	(0.0-60.2)
	<b>Not Married</b>	19	36.9%	(12.0-61.7)	24	63.1%	(38.3-88.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	11	41.2%	(12.2-70.2)	14	58.8%	(29.8-87.8)
	<b>Others</b>	16	52.2%	(15.1-89.4)	12	47.8%	(10.6-84.9)
<b>Education</b>	<b>Less than High School</b>	11	38.3%	(3.2-73.5)	9	61.7%	(26.5-96.8)
	<b>High School/Some College</b>	16	50.8%	(23.2-78.4)	17	49.2%	(21.6-76.8)
<b>Income</b>	<b>&lt;\$32,000</b>	20	55.9%	(28.4-83.3)	17	44.1%	(16.7-71.6)
	<b>\$32,001+</b>	4	18.7%	(0.0-40.3)	7	81.3%	(59.7-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	2	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	25	45.2%	(21.7-68.6)	25	54.8%	(31.4-78.3)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	510	60.1%	(55.0-65.2)	330	39.9%	(34.8-45.0)
<b>Age</b>	<b>&lt;=20</b>	27	45.8%	(24.5-67.1)	26	54.2%	(32.9-75.5)
	<b>20+</b>	483	61.0%	(55.7-66.3)	304	39.0%	(33.7-44.3)

Q9j. Ask me about the kind of work I do

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	26	49.5%	(26.3-72.7)	27	50.5%	(27.3-73.7)
<b>Marital Status</b>	<b>Married</b>	5	56.2%	(13.3-99.1)	5	43.8%	(0.9-86.7)
	<b>Not Married</b>	21	47.5%	(20.5-74.6)	22	52.5%	(25.4-79.5)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	11	48.5%	(18.5-78.6)	14	51.5%	(21.4-81.5)
	<b>Others</b>	15	50.9%	(13.9-87.9)	13	49.1%	(12.1-86.1)
<b>Education</b>	<b>Less than High School</b>	10	52.7%	(12.0-93.5)	10	47.3%	(6.5-88.0)
	<b>High School/Some College</b>	16	47.3%	(19.5-75.1)	17	52.7%	(24.9-80.5)
<b>Income</b>	<b>&lt;\$32,000</b>	20	62.2%	(37.6-86.8)	17	37.8%	(13.2-62.4)
	<b>\$32,001+</b>	3	16.2%	(0.0-36.4)	8	83.8%	(63.6-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	2	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	24	49.0%	(25.1-72.9)	26	51.0%	(27.1-74.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	380	46.4%	(41.2-51.6)	460	53.6%	(48.4-58.8)
<b>Age</b>	<b>&lt;=20</b>	26	49.5%	(27.9-71.1)	27	50.5%	(28.9-72.1)
	<b>20+</b>	354	46.2%	(40.8-51.5)	433	53.8%	(48.5-59.2)



Q9k. Talk to me about sexually transmitted infections

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	35	46.8%	(25.0-68.7)	18	53.2%	(31.3-75.0)
<b>Marital Status</b>	<b>Married</b>	7	48.2%	(5.0-91.4)	3	51.8%	(8.6-95.0)
	<b>Not Married</b>	28	46.4%	(20.8-72.0)	15	53.6%	(28.0-79.2)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	13	34.9%	(9.4-60.4)	12	65.1%	(39.6-90.6)
	<b>Others</b>	22	63.6%	(24.1-100.0)	6	36.4%	(0.0-75.9)
<b>Education</b>	<b>Less than High School</b>	11	24.1%	(4.8-43.4)	9	75.9%	(56.6-95.2)
	<b>High School/Some College</b>	24	62.1%	(34.7-89.5)	9	37.9%	(10.5-65.3)
<b>Income</b>	<b>&lt;\$32,000</b>	24	52.0%	(24.4-79.5)	13	48.0%	(20.5-75.6)
	<b>\$32,001+</b>	8	37.1%	(4.0-70.3)	3	62.9%	(29.7-96.0)
<b>Insurance</b>	<b>No Health Insurance</b>	2	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	32	45.2%	(22.8-67.6)	18	54.8%	(32.4-77.2)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	665	74.8%	(70.1-79.5)	175	25.2%	(20.5-29.9)
<b>Age</b>	<b>&lt;=20</b>	35	46.8%	(25.7-68.0)	18	53.2%	(32.0-74.3)
	<b>20+</b>	630	76.5%	(71.8-81.2)	157	23.5%	(18.8-28.2)

Q9I: Test for HIV

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	33	55.4%	(32.1-78.7)	20	44.6%	(21.3-67.9)
<b>Marital Status</b>	<b>Married</b>	7	63.2%	(21.3-100.0)	3	36.8%	(0.0-78.7)
	<b>Not Married</b>	26	53.1%	(25.9-80.3)	17	46.9%	(19.7-74.1)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	16	60.8%	(31.7-89.9)	9	39.2%	(10.1-68.3)
	<b>Others</b>	17	47.8%	(11.8-83.7)	11	52.2%	(16.3-88.2)
<b>Education</b>	<b>Less than High School</b>	11	55.2%	(14.2-96.3)	9	44.8%	(3.7-85.8)
	<b>High School/Some College</b>	22	55.5%	(28.1-82.9)	11	44.5%	(17.1-71.9)
<b>Income</b>	<b>&lt;\$32,000</b>	26	71.4%	(47.8-95.1)	11	28.6%	(4.9-52.2)
	<b>\$32,001+</b>	3	13.9%	(0.0-32.2)	8	86.1%	(67.8-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	0	.	(.-)	2	100.0%	(100.0-100.0)
	<b>Having Health Insurance</b>	33	57.1%	(33.1-81.0)	17	42.9%	(19.0-66.9)

Test for HIV		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	619	70.8%	(65.9-75.8)	214	29.2%	(24.2-34.1)
<b>Age</b>	<b>&lt;=20</b>	33	55.4%	(33.6-77.2)	20	44.6%	(22.8-66.4)
	<b>20+</b>	586	71.8%	(66.8-76.8)	194	28.2%	(23.2-33.2)

**Q10. Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk to you about preparing for a pregnancy?**

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	82	85.0%	(71.4-98.6)	14	15.0%	(1.4-28.6)
<b>Marital Status</b>	<b>Married</b>	17	98.1%	(94.2-100.0)	1	1.9%	(0.0-5.8)
	<b>Not Married</b>	65	81.8%	(65.1-98.4)	13	18.2%	(1.6-34.9)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	35	85.3%	(67.7-100.0)	8	14.7%	(0.0-32.3)
	<b>Others</b>	47	84.7%	(63.6-100.0)	6	15.3%	(0.0-36.4)
<b>Education</b>	<b>Less than High School</b>	24	90.9%	(83.5-98.3)	8	9.1%	(1.7-16.5)
	<b>High School/Some College</b>	58	81.9%	(62.2-100.0)	6	18.1%	(0.0-37.8)
<b>Income</b>	<b>&lt;\$32,000</b>	59	81.4%	(63.0-99.7)	10	18.6%	(0.3-37.0)
	<b>\$32,001+</b>	16	93.3%	(84.7-100.0)	3	6.7%	(0.0-15.3)
<b>Insurance</b>	<b>No Health Insurance</b>	11	95.4%	(88.0-100.0)	2	4.6%	(0.0-12.0)
	<b>Having Health Insurance</b>	71	83.0%	(67.2-98.9)	12	17.0%	(1.1-32.8)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	994	77.6%	(74.2-81.0)	322	22.4%	(19.0-25.8)
<b>Age</b>	<b>&lt;=20</b>	82	85.0%	(71.9-98.2)	14	15.0%	(1.8-28.1)
	<b>20+</b>	912	77.0%	(73.5-80.5)	308	23.0%	(19.5-26.5)

**Q11. During the month before you got pregnant with your new baby, did you have insurance?**

		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	84	83.9%	(70.8-97.0)	13	16.1%	(3.0-29.2)
<b>Marital Status</b>	<b>Married</b>	17	97.7%	(92.9-100.0)	1	2.3%	(0.0-7.1)
	<b>Not Married</b>	67	80.5%	(64.4-96.5)	12	19.5%	(3.5-35.6)
<b>Race ethnicity</b>	<b>Hispanic</b>	37	80.2%	(59.8-100.0)	7	19.8%	(0.0-40.2)
	<b>Others</b>	47	88.5%	(74.6-100.0)	6	11.5%	(0.0-25.4)
<b>Education</b>	<b>Less than High School</b>	28	85.8%	(65.2-100.0)	4	14.2%	(0.0-34.8)
	<b>High School/Some College</b>	56	82.9%	(66.0-99.7)	9	17.1%	(0.3-34.0)
<b>Income</b>	<b>&lt;\$32,000</b>	62	87.5%	(74.3-100.0)	7	12.5%	(0.0-25.7)
	<b>\$32,001+</b>	15	63.5%	(23.4-100.0)	5	36.5%	(0.0-76.6)
<b>Insurance</b>	<b>No Health Insurance</b>	0	.	(.-)	13	100.0%	(100.0-100.0)
	<b>Having Health Insurance</b>	83	100.0%	(100.0-100.0)	0	.	(.-)

		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	1138	82.9%	(79.5-86.2)	189	17.1%	(13.8-20.5)
<b>Age</b>	<b>&lt;=20</b>	84	83.9%	(71.2-96.6)	13	16.1%	(3.4-28.8)
	<b>20+</b>	1054	82.8%	(79.3-86.3)	176	17.2%	(13.7-20.7)

**Q13. Did the cost of health insurance for your prenatal care cause financial problems for you or your family?**

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	71	97.5%	(94.9-100.0)	4	2.5%	(0.0-5.1)
<b>Marital Status</b>	<b>Married</b>	14	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Not Married</b>	57	96.7%	(93.2-100.0)	4	3.3%	(0.0-6.8)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	30	97.3%	(93.3-100.0)	2	2.7%	(0.0-6.7)
	<b>Others</b>	41	97.7%	(94.3-100.0)	2	2.3%	(0.0-5.7)
<b>Education</b>	<b>Less than High School</b>	23	97.6%	(92.7-100.0)	1	2.4%	(0.0-7.3)
	<b>High School/Some College</b>	48	97.4%	(94.4-100.0)	3	2.6%	(0.0-5.6)
<b>Income</b>	<b>&lt;\$32,000</b>	49	97.3%	(94.1-100.0)	3	2.7%	(0.0-5.9)
	<b>\$32,001+</b>	17	97.6%	(92.6-100.0)	1	2.4%	(0.0-7.4)
<b>Insurance</b>	<b>No Health Insurance</b>	7	95.2%	(84.3-100.0)	1	4.8%	(0.0-15.7)
	<b>Having Health Insurance</b>	63	97.8%	(95.2-100.0)	3	2.2%	(0.0-4.8)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	949	85.3%	(82.1-88.5)	157	14.7%	(11.5-17.9)
<b>Age</b>	<b>&lt;=20</b>	71	97.5%	(94.8-100.0)	4	2.5%	(0.0-5.2)
	<b>20+</b>	878	84.6%	(81.2-88.0)	153	15.4%	(12.0-18.8)

## During Pregnancy

Q17. Did you have your first visit for prenatal care during the first trimester, after the first trimester, or not at all?

		Yes			No			No PNC		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	61	46.8%	(30.2-63.3)	32	44.0%	(26.5-61.5)	3	9.2%	(0.0-21.3)
<b>Marital Status</b>	<b>Married</b>	14	87.3%	(69.6-100.0)	3	12.7%	(0.0-30.4)	0	.	(-.)
	<b>Not Married</b>	47	36.8%	(20.3-53.4)	29	51.7%	(32.2-71.2)	3	11.5%	(0.0-26.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	25	41.6%	(20.0-63.1)	15	41.7%	(18.1-65.4)	3	16.7%	(0.0-37.2)
	<b>Others</b>	36	53.2%	(27.3-79.1)	17	46.8%	(20.9-72.7)	0	.	(-.)
<b>Education</b>	<b>Less than High School</b>	23	43.5%	(15.6-71.4)	8	45.8%	(15.1-76.6)	1	10.7%	(0.0-31.0)
	<b>High School/Some College</b>	38	48.5%	(27.8-69.2)	24	43.0%	(21.8-64.3)	2	8.5%	(0.0-23.5)
<b>Income</b>	<b>&lt;\$32,000</b>	44	44.7%	(25.4-64.1)	22	42.8%	(21.9-63.7)	2	12.5%	(0.0-29.1)
	<b>\$32,001+</b>	12	55.9%	(17.7-94.2)	8	44.1%	(5.8-82.3)	0	.	(-.)
<b>Insurance</b>	<b>No Health Insurance</b>	6	31.3%	(0.0-68.3)	6	45.7%	(0.3-91.1)	1	23.0%	(0.0-63.1)
	<b>Having Health Insurance</b>	54	49.5%	(31.0-67.9)	26	43.9%	(24.8-63.0)	2	6.6%	(0.0-18.6)

		First Trimester			Afterwards			No PNC		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	1044	75.8%	(72.0-79.7)	255	22.1%	(18.4-25.9)	11	2.0%	(0.5-3.5)
<b>Age</b>	<b>&lt;=20</b>	61	46.8%	(30.6-63.0)	32	44.0%	(27.0-61.0)	3	9.2%	(0.0-20.9)
	<b>20+</b>	983	78.1%	(74.3-81.9)	223	20.4%	(16.7-24.1)	8	1.5%	(0.2-2.7)

**Q18. Did you get prenatal care as early in your pregnancy as you wanted?**

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	30	41.5%	(23.6-59.5)	64	58.5%	(40.5-76.4)
<b>Marital Status</b>	<b>Married</b>	5	14.9%	(0.0-32.9)	13	85.1%	(67.1-100.0)
	<b>Not Married</b>	25	49.1%	(28.7-69.4)	51	50.9%	(30.6-71.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	14	42.9%	(17.9-67.9)	27	57.1%	(32.1-82.1)
	<b>Others</b>	16	40.1%	(14.1-66.1)	37	59.9%	(33.9-85.9)
<b>Education</b>	<b>Less than High School</b>	8	51.6%	(20.8-82.4)	23	48.4%	(17.6-79.2)
	<b>High School/Some College</b>	22	36.3%	(15.2-57.4)	41	63.7%	(42.6-84.8)
<b>Income</b>	<b>&lt;\$32,000</b>	23	41.1%	(19.8-62.4)	44	58.9%	(37.6-80.2)
	<b>\$32,001+</b>	5	36.2%	(0.0-76.5)	15	63.8%	(23.5-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	6	79.6%	(56.5-100.0)	6	20.4%	(0.0-43.5)
	<b>Having Health Insurance</b>	24	35.7%	(16.5-55.0)	57	64.3%	(45.0-83.5)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	285	20.8%	(17.4-24.2)	1013	79.2%	(75.8-82.6)
<b>Age</b>	<b>&lt;=20</b>	30	41.5%	(24.1-59.0)	64	58.5%	(41.0-75.9)
	<b>20+</b>	255	19.3%	(15.9-22.6)	949	80.7%	(77.4-84.1)

**Q19. Did any of these things keep you from getting prenatal care when you wanted it?**

Q19a. I couldn't get an appointment when I wanted one

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	29	83.6%	(63.9-100.0)	10	16.4%	(0.0-36.1)
<b>Marital Status</b>	<b>Married</b>	6	84.1%	(58.7-100.0)	2	15.9%	(0.0-41.3)
	<b>Not Married</b>	23	83.6%	(62.2-100.0)	8	16.4%	(0.0-37.8)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	17	80.7%	(51.5-100.0)	4	19.3%	(0.0-48.5)
	<b>Others</b>	12	88.7%	(77.0-100.0)	6	11.3%	(0.0-23.0)
<b>Education</b>	<b>Less than High School</b>	7	72.1%	(26.3-100.0)	2	27.9%	(0.0-73.7)
	<b>High School/Some College</b>	22	90.6%	(83.2-98.0)	8	9.4%	(2.0-16.8)
<b>Income</b>	<b>&lt;\$32,000</b>	23	80.6%	(53.3-100.0)	6	19.4%	(0.0-46.7)
	<b>\$32,001+</b>	4	88.7%	(71.0-100.0)	3	11.3%	(0.0-29.0)
<b>Insurance</b>	<b>No Health Insurance</b>	7	97.3%	(91.3-100.0)	1	2.7%	(0.0-8.7)
	<b>Having Health Insurance</b>	22	78.6%	(52.5-100.0)	9	21.4%	(0.0-47.5)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	278	67.5%	(61.0-74.1)	174	32.5%	(25.9-39.0)
<b>Age</b>	<b>&lt;=20</b>	29	83.6%	(65.3-100.0)	10	16.4%	(0.0-34.7)
	<b>20+</b>	249	65.4%	(58.5-72.3)	164	34.6%	(27.7-41.5)



Q19b. I didn't have enough money or insurance to pay for my visits

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	33	77.4%	(53.9-100.0)	6	22.6%	(0.0-46.1)
<b>Marital Status</b>	<b>Married</b>	7	61.6%	(10.7-100.0)	1	38.4%	(0.0-89.3)
	<b>Not Married</b>	26	78.8%	(53.8-100.0)	5	21.2%	(0.0-46.2)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	18	82.5%	(58.2-100.0)	3	17.5%	(0.0-41.8)
	<b>Others</b>	15	68.2%	(22.8-100.0)	3	31.8%	(0.0-77.2)
<b>Education</b>	<b>Less than High School</b>	7	78.8%	(41.7-100.0)	2	21.2%	(0.0-58.3)
	<b>High School/Some College</b>	26	76.6%	(46.5-100.0)	4	23.4%	(0.0-53.5)
<b>Income</b>	<b>&lt;\$32,000</b>	23	67.3%	(36.0-98.7)	6	32.7%	(1.3-64.0)
	<b>\$32,001+</b>	7	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Insurance</b>	<b>No Health Insurance</b>	6	70.2%	(22.0-100.0)	2	29.8%	(0.0-78.0)
	<b>Having Health Insurance</b>	27	80.0%	(53.3-100.0)	4	20.0%	(0.0-46.7)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	364	80.1%	(73.9-86.4)	73	19.9%	(13.6-26.1)
<b>Age</b>	<b>&lt;=20</b>	33	77.4%	(55.6-99.1)	6	22.6%	(0.9-44.4)
	<b>20+</b>	331	80.5%	(74.0-87.0)	67	19.5%	(13.0-26.0)

Q19c. I didn't have any transportation to get to the clinic or doctor's office

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	33	86.6%	(67.0-100.0)	6	13.4%	(0.0-33.0)
<b>Marital Status</b>	<b>Married</b>	7	91.0%	(72.4-100.0)	1	9.0%	(0.0-27.6)
	<b>Not Married</b>	26	86.2%	(64.9-100.0)	5	13.8%	(0.0-35.1)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	19	97.4%	(93.7-100.0)	2	2.6%	(0.0-6.3)
	<b>Others</b>	14	67.4%	(22.1-100.0)	4	32.6%	(0.0-77.9)
<b>Education</b>	<b>Less than High School</b>	7	71.7%	(25.8-100.0)	2	28.3%	(0.0-74.2)
	<b>High School/Some College</b>	26	95.7%	(91.0-100.0)	4	4.3%	(0.0-9.0)
<b>Income</b>	<b>&lt;\$32,000</b>	24	94.8%	(90.0-99.7)	5	5.2%	(0.3-10.0)
	<b>\$32,001+</b>	7	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Insurance</b>	<b>No Health Insurance</b>	7	96.7%	(89.4-100.0)	1	3.3%	(0.0-10.6)
	<b>Having Health Insurance</b>	26	82.9%	(57.0-100.0)	5	17.1%	(0.0-43.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	390	91.0%	(86.7-95.3)	40	9.0%	(4.7-13.3)
<b>Age</b>	<b>&lt;=20</b>	33	86.6%	(68.5-100.0)	6	13.4%	(0.0-31.5)
	<b>20+</b>	357	91.6%	(87.4-95.8)	34	8.4%	(4.2-12.6)

Q19d. The doctor or my health plan would not start care as early as I wanted

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	36	88.9%	(69.4-100.0)	3	11.1%	(0.0-30.6)
<b>Marital Status</b>	<b>Married</b>	6	84.6%	(61.6-100.0)	2	15.4%	(0.0-38.4)
	<b>Not Married</b>	30	89.3%	(68.2-100.0)	1	10.7%	(0.0-31.8)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	20	98.8%	(96.5-100.0)	1	1.2%	(0.0-3.5)
	<b>Others</b>	16	71.3%	(25.6-100.0)	2	28.7%	(0.0-74.4)
<b>Education</b>	<b>Less than High School</b>	8	74.1%	(28.1-100.0)	1	25.9%	(0.0-71.9)
	<b>High School/Some College</b>	28	98.0%	(95.0-100.0)	2	2.0%	(0.0-5.0)
<b>Income</b>	<b>&lt;\$32,000</b>	27	98.2%	(95.5-100.0)	2	1.8%	(0.0-4.5)
	<b>\$32,001+</b>	7	100.0%	(100.0-100.0)	0	.	(.-)
<b>Insurance</b>	<b>No Health Insurance</b>	8	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	28	84.9%	(59.0-100.0)	3	15.1%	(0.0-41.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	354	86.5%	(81.9-91.1)	82	13.5%	(8.9-18.1)
<b>Age</b>	<b>&lt;=20</b>	36	88.9%	(70.9-100.0)	3	11.1%	(0.0-29.1)
	<b>20+</b>	318	86.2%	(81.6-90.8)	79	13.8%	(9.2-18.4)

Q19e. I had too many other things going on

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	28	56.7%	(29.2-84.2)	11	43.3%	(15.8-70.8)
<b>Marital Status</b>	<b>Married</b>	5	80.1%	(54.9-100.0)	3	19.9%	(0.0-45.1)
	<b>Not Married</b>	23	54.6%	(24.9-84.2)	8	45.4%	(15.8-75.1)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	15	44.6%	(11.2-78.1)	6	55.4%	(21.9-88.8)
	<b>Others</b>	13	78.0%	(45.5-100.0)	5	22.0%	(0.0-54.5)
<b>Education</b>	<b>Less than High School</b>	6	36.4%	(0.0-82.1)	3	63.6%	(17.9-100.0)
	<b>High School/Some College</b>	22	69.0%	(37.2-100.0)	8	31.0%	(0.0-62.8)
<b>Income</b>	<b>&lt;\$32,000</b>	19	38.0%	(9.3-66.7)	10	62.0%	(33.3-90.7)
	<b>\$32,001+</b>	6	97.9%	(93.1-100.0)	1	2.1%	(0.0-6.9)
<b>Insurance</b>	<b>No Health Insurance</b>	6	52.4%	(0.0-100.0)	2	47.6%	(0.0-100.0)
	<b>Having Health Insurance</b>	22	58.2%	(25.7-90.8)	9	41.8%	(9.2-74.3)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	365	85.6%	(80.3-91.0)	64	14.4%	(9.0-19.7)
<b>Age</b>	<b>&lt;=20</b>	28	56.7%	(30.9-82.4)	11	43.3%	(17.6-69.1)
	<b>20+</b>	337	89.7%	(85.4-93.9)	53	10.3%	(6.1-14.6)

Q19f. I couldn't take time off from work or school

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	33	96.2%	(93.1-99.2)	6	3.8%	(0.8-6.9)
<b>Marital Status</b>	<b>Married</b>	6	88.6%	(71.0-100.0)	2	11.4%	(0.0-29.0)
	<b>Not Married</b>	27	96.8%	(93.7-100.0)	4	3.2%	(0.0-6.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	19	97.4%	(93.6-100.0)	2	2.6%	(0.0-6.4)
	<b>Others</b>	14	93.9%	(86.7-100.0)	4	6.1%	(0.0-13.3)
<b>Education</b>	<b>Less than High School</b>	9	100.0%	(100.0-100.0)	0	.	(.-)
	<b>High School/Some College</b>	24	93.8%	(88.3-99.3)	6	6.2%	(0.7-11.7)
<b>Income</b>	<b>&lt;\$32,000</b>	24	95.0%	(90.5-99.6)	5	5.0%	(0.4-9.5)
	<b>\$32,001+</b>	6	97.9%	(93.1-100.0)	1	2.1%	(0.0-6.9)
<b>Insurance</b>	<b>No Health Insurance</b>	7	97.3%	(91.3-100.0)	1	2.7%	(0.0-8.7)
	<b>Having Health Insurance</b>	26	95.8%	(91.7-99.8)	5	4.2%	(0.2-8.3)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	398	94.4%	(91.2-97.5)	31	5.6%	(2.5-8.8)
<b>Age</b>	<b>&lt;=20</b>	33	96.2%	(92.6-99.7)	6	3.8%	(0.3-7.4)
	<b>20+</b>	365	94.1%	(90.6-97.7)	25	5.9%	(2.3-9.4)

Q19g. I didn't have my Medicaid card

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	33	86.0%	(66.4-100.0)	6	14.0%	(0.0-33.6)
<b>Marital Status</b>	<b>Married</b>	7	91.0%	(72.4-100.0)	1	9.0%	(0.0-27.6)
	<b>Not Married</b>	26	85.6%	(64.3-100.0)	5	14.4%	(0.0-35.7)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	16	79.6%	(50.3-100.0)	5	20.4%	(0.0-49.7)
	<b>Others</b>	17	97.5%	(92.2-100.0)	1	2.5%	(0.0-7.8)
<b>Education</b>	<b>Less than High School</b>	7	71.7%	(25.8-100.0)	2	28.3%	(0.0-74.2)
	<b>High School/Some College</b>	26	94.7%	(89.1-100.0)	4	5.3%	(0.0-10.9)
<b>Income</b>	<b>&lt;\$32,000</b>	23	79.8%	(52.4-100.0)	6	20.2%	(0.0-47.6)
	<b>\$32,001+</b>	7	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Insurance</b>	<b>No Health Insurance</b>	6	93.9%	(83.9-100.0)	2	6.1%	(0.0-16.1)
	<b>Having Health Insurance</b>	27	83.1%	(57.1-100.0)	4	16.9%	(0.0-42.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	393	91.0%	(86.7-95.3)	37	9.0%	(4.7-13.3)
<b>Age</b>	<b>&lt;=20</b>	33	86.0%	(67.9-100.0)	6	14.0%	(0.0-32.1)
	<b>20+</b>	360	91.7%	(87.5-95.9)	31	8.3%	(4.1-12.5)

Q19h. I didn't have anyone to take care of my children

		No		
		N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	38	100.0%	(100.0-100.0)
<b>Marital Status</b>	<b>Married</b>	8	100.0%	(100.0-100.0)
	<b>Not Married</b>	30	100.0%	(100.0-100.0)
<b>Race ethnicity</b>	<b>Hispanic</b>	20	100.0%	(100.0-100.0)
	<b>Others</b>	18	100.0%	(100.0-100.0)
<b>Education</b>	<b>Less than High School</b>	9	100.0%	(100.0-100.0)
	<b>High School/Some College</b>	29	100.0%	(100.0-100.0)
<b>Income</b>	<b>&lt;\$32,000</b>	29	100.0%	(100.0-100.0)
	<b>\$32,001+</b>	7	100.0%	(100.0-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	8	100.0%	(100.0-100.0)
	<b>Having Health Insurance</b>	30	100.0%	(100.0-100.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	406	96.8%	(94.5-99.1)	22	3.2%	(0.9-5.5)
<b>Age</b>	<b>&lt;=20</b>	38	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>20+</b>	368	96.4%	(93.8-99.0)	22	3.6%	(1.0-6.2)

Q19i. I didn't know that I was pregnant

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	21	54.3%	(26.5-82.1)	18	45.7%	(17.9-73.5)
<b>Marital Status</b>	<b>Married</b>	6	82.5%	(57.0-100.0)	2	17.5%	(0.0-43.0)
	<b>Not Married</b>	15	51.8%	(21.8-81.7)	16	48.2%	(18.3-78.2)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	9	49.2%	(14.2-84.3)	12	50.8%	(15.7-85.8)
	<b>Others</b>	12	63.3%	(18.3-100.0)	6	36.7%	(0.0-81.7)
<b>Education</b>	<b>Less than High School</b>	6	69.3%	(23.6-100.0)	3	30.7%	(0.0-76.4)
	<b>High School/Some College</b>	15	45.1%	(12.4-77.9)	15	54.9%	(22.1-87.6)
<b>Income</b>	<b>&lt;\$32,000</b>	14	70.5%	(43.2-97.8)	15	29.5%	(2.2-56.8)
	<b>\$32,001+</b>	5	20.5%	(0.0-47.1)	2	79.5%	(52.9-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	5	57.6%	(2.9-100.0)	3	42.4%	(0.0-97.1)
	<b>Having Health Insurance</b>	16	53.1%	(20.7-85.4)	15	46.9%	(14.6-79.3)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	327	70.6%	(63.5-77.6)	103	29.4%	(22.4-36.5)
<b>Age</b>	<b>&lt;=20</b>	21	54.3%	(28.6-80.0)	18	45.7%	(20.0-71.4)
	<b>20+</b>	306	72.9%	(65.8-79.9)	85	27.1%	(20.1-34.2)



Q19j. I didn't want anyone else to know I was pregnant

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	32	78.6%	(55.8-100.0)	8	21.4%	(0.0-44.2)
<b>Marital Status</b>	<b>Married</b>	8	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Not Married</b>	24	76.7%	(51.9-100.0)	8	23.3%	(0.0-48.1)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	16	83.9%	(60.9-100.0)	5	16.1%	(0.0-39.1)
	<b>Others</b>	16	69.6%	(25.2-100.0)	3	30.4%	(0.0-74.8)
<b>Education</b>	<b>Less than High School</b>	8	79.3%	(43.1-100.0)	2	20.7%	(0.0-56.9)
	<b>High School/Some College</b>	24	78.3%	(48.8-100.0)	6	21.7%	(0.0-51.2)
<b>Income</b>	<b>&lt;\$32,000</b>	23	70.5%	(39.8-100.0)	7	29.5%	(0.0-60.2)
	<b>\$32,001+</b>	6	95.4%	(85.1-100.0)	1	4.6%	(0.0-14.9)
<b>Insurance</b>	<b>No Health Insurance</b>	7	96.7%	(89.5-100.0)	1	3.3%	(0.0-10.5)
	<b>Having Health Insurance</b>	25	72.1%	(42.6-100.0)	7	27.9%	(0.0-57.4)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	402	93.0%	(89.0-96.9)	31	7.0%	(3.1-11.0)
<b>Age</b>	<b>&lt;=20</b>	32	78.6%	(57.5-99.8)	8	21.4%	(0.2-42.5)
	<b>20+</b>	370	95.0%	(91.8-98.2)	23	5.0%	(1.8-8.2)

Q19k. I didn't want prenatal care

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	37	99.1%	(97.2-100.0)	1	0.9%	(0.0-2.8)
<b>Marital Status</b>	<b>Married</b>	8	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Not Married</b>	29	99.0%	(97.0-100.0)	1	1.0%	(0.0-3.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	19	98.6%	(95.6-100.0)	1	1.4%	(0.0-4.4)
	<b>Others</b>	18	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Education</b>	<b>Less than High School</b>	9	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>High School/Some College</b>	28	98.5%	(95.5-100.0)	1	1.5%	(0.0-4.5)
<b>Income</b>	<b>&lt;\$32,000</b>	28	98.7%	(96.0-100.0)	1	1.3%	(0.0-4.0)
	<b>\$32,001+</b>	7	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Insurance</b>	<b>No Health Insurance</b>	8	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Having Health Insurance</b>	29	98.8%	(96.2-100.0)	1	1.2%	(0.0-3.8)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	413	97.2%	(94.7-99.7)	15	2.8%	(0.3-5.3)
<b>Age</b>	<b>&lt;=20</b>	37	99.1%	(97.3-100.0)	1	0.9%	(0.0-2.7)
	<b>20+</b>	376	96.9%	(94.1-99.7)	14	3.1%	(0.3-5.9)

**Q20. During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask you any of the following?**

Q20a. If I knew how much weight I should gain during pregnancy

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	35	50.1%	(32.6-67.6)	57	49.9%	(32.4-67.4)
<b>Marital Status</b>	<b>Married</b>	5	39.6%	(6.4-72.7)	11	60.4%	(27.3-93.6)
	<b>Not Married</b>	30	53.0%	(33.0-73.0)	46	47.0%	(27.0-67.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	16	59.6%	(37.9-81.3)	25	40.4%	(18.7-62.1)
	<b>Others</b>	19	40.0%	(14.4-65.6)	32	60.0%	(34.4-85.6)
<b>Education</b>	<b>Less than High School</b>	13	49.7%	(18.1-81.4)	18	50.3%	(18.6-81.9)
	<b>High School/Some College</b>	22	50.3%	(29.2-71.4)	39	49.7%	(28.6-70.8)
<b>Income</b>	<b>&lt;\$32,000</b>	24	55.5%	(35.8-75.1)	43	44.5%	(24.9-64.2)
	<b>\$32,001+</b>	9	56.3%	(19.0-93.7)	9	43.7%	(6.3-81.0)
<b>Insurance</b>	<b>No Health Insurance</b>	5	77.8%	(52.4-100.0)	6	22.2%	(0.0-47.6)
	<b>Having Health Insurance</b>	30	46.2%	(27.2-65.1)	50	53.8%	(34.9-72.8)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	616	51.6%	(47.4-55.8)	677	48.4%	(44.2-52.6)
<b>Age</b>	<b>&lt;=20</b>	35	50.1%	(33.1-67.2)	57	49.9%	(32.8-66.9)
	<b>20+</b>	581	51.7%	(47.3-56.0)	620	48.3%	(44.0-52.7)

Q20b. If I was taking any prescription medication

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	3	4.2%	(0.0-10.9)	90	95.8%	(89.1-100.0)
<b>Marital Status</b>	<b>Married</b>	0	.	(.-.)	17	100.0%	(100.0-100.0)
	<b>Not Married</b>	3	5.4%	(0.0-13.9)	73	94.6%	(86.1-100.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	0	.	(.-.)	41	100.0%	(100.0-100.0)
	<b>Others</b>	3	8.7%	(0.0-22.2)	49	91.3%	(77.8-100.0)
<b>Education</b>	<b>Less than High School</b>	1	1.5%	(0.0-4.6)	30	98.5%	(95.4-100.0)
	<b>High School/Some College</b>	2	5.6%	(0.0-15.6)	60	94.4%	(84.4-100.0)
<b>Income</b>	<b>&lt;\$32,000</b>	3	6.1%	(0.0-15.9)	64	93.9%	(84.1-100.0)
	<b>\$32,001+</b>	0	.	(.-.)	19	100.0%	(100.0-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	1	24.9%	(0.0-69.1)	10	75.1%	(30.9-100.0)
	<b>Having Health Insurance</b>	2	1.1%	(0.0-2.6)	79	98.9%	(97.4-100.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	67	5.9%	(3.8-8.0)	1232	94.1%	(92.0-96.2)
<b>Age</b>	<b>&lt;=20</b>	3	4.2%	(0.0-10.7)	90	95.8%	(89.3-100.0)
	<b>20+</b>	64	6.0%	(3.8-8.2)	1142	94.0%	(91.8-96.2)

Q20c. If I was smoking cigarettes

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	3	4.2%	(0.0-10.9)	90	95.8%	(89.1-100.0)
<b>Marital Status</b>	<b>Married</b>	0	.	(.-.)	17	100.0%	(100.0-100.0)
	<b>Not Married</b>	3	5.4%	(0.0-13.9)	73	94.6%	(86.1-100.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	0	.	(.-.)	41	100.0%	(100.0-100.0)
	<b>Others</b>	3	8.7%	(0.0-22.2)	49	91.3%	(77.8-100.0)
<b>Education</b>	<b>Less than High School</b>	1	1.5%	(0.0-4.6)	30	98.5%	(95.4-100.0)
	<b>High School/Some College</b>	2	5.6%	(0.0-15.6)	60	94.4%	(84.4-100.0)
<b>Income</b>	<b>&lt;\$32,000</b>	3	6.1%	(0.0-15.9)	64	93.9%	(84.1-100.0)
	<b>\$32,001+</b>	0	.	(.-.)	19	100.0%	(100.0-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	1	24.9%	(0.0-69.1)	10	75.1%	(30.9-100.0)
	<b>Having Health Insurance</b>	2	1.1%	(0.0-2.6)	79	98.9%	(97.4-100.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	66	5.1%	(3.2-6.9)	1231	94.9%	(93.1-96.8)
<b>Age</b>	<b>&lt;=20</b>	3	4.2%	(0.0-10.7)	90	95.8%	(89.3-100.0)
	<b>20+</b>	63	5.1%	(3.2-7.0)	1141	94.9%	(93.0-96.8)

Q20d. If I was drinking alcohol

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	2	3.7%	(0.0-10.3)	91	96.3%	(89.7-100.0)
<b>Marital Status</b>	<b>Married</b>	0	.	(.-.)	17	100.0%	(100.0-100.0)
	<b>Not Married</b>	2	4.7%	(0.0-13.2)	74	95.3%	(86.8-100.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	0	.	(.-.)	41	100.0%	(100.0-100.0)
	<b>Others</b>	2	7.6%	(0.0-21.0)	50	92.4%	(79.0-100.0)
<b>Education</b>	<b>Less than High School</b>	0	.	(.-.)	31	100.0%	(100.0-100.0)
	<b>High School/Some College</b>	2	5.6%	(0.0-15.6)	60	94.4%	(84.4-100.0)
<b>Income</b>	<b>&lt;\$32,000</b>	2	5.4%	(0.0-15.0)	65	94.6%	(85.0-100.0)
	<b>\$32,001+</b>	0	.	(.-.)	19	100.0%	(100.0-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	1	24.9%	(0.0-69.1)	10	75.1%	(30.9-100.0)
	<b>Having Health Insurance</b>	1	0.5%	(0.0-1.4)	80	99.5%	(98.6-100.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	74	5.3%	(3.4-7.2)	1226	94.7%	(92.8-96.6)
<b>Age</b>	<b>&lt;=20</b>	2	3.7%	(0.0-10.1)	91	96.3%	(89.9-100.0)
	<b>20+</b>	72	5.4%	(3.5-7.4)	1135	94.6%	(92.6-96.5)

Q20e. If someone was hurting me emotionally or physically

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	20	22.1%	(7.7-36.6)	73	77.9%	(63.4-92.3)
<b>Marital Status</b>	<b>Married</b>	5	35.6%	(3.7-67.4)	12	64.4%	(32.6-96.3)
	<b>Not Married</b>	15	18.4%	(2.6-34.3)	61	81.6%	(65.7-97.4)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	8	26.0%	(3.3-48.8)	33	74.0%	(51.2-96.7)
	<b>Others</b>	12	18.1%	(1.9-34.3)	40	81.9%	(65.7-98.1)
<b>Education</b>	<b>Less than High School</b>	7	31.7%	(0.7-62.8)	24	68.3%	(37.2-99.3)
	<b>High School/Some College</b>	13	17.1%	(3.9-30.4)	49	82.9%	(69.6-96.1)
<b>Income</b>	<b>&lt;\$32,000</b>	16	29.8%	(10.4-49.3)	51	70.2%	(50.7-89.6)
	<b>\$32,001+</b>	4	8.2%	(0.0-17.7)	15	91.8%	(82.3-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	4	36.7%	(0.0-83.5)	7	63.3%	(16.5-100.0)
	<b>Having Health Insurance</b>	16	20.1%	(4.9-35.2)	65	79.9%	(64.8-95.1)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	431	33.8%	(29.8-37.7)	866	66.2%	(62.3-70.2)
<b>Age</b>	<b>&lt;=20</b>	20	22.1%	(8.3-36.0)	73	77.9%	(64.0-91.7)
	<b>20+</b>	411	34.6%	(30.5-38.7)	793	65.4%	(61.3-69.5)

Q20f. If I was feeling down or depressed

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	11	10.1%	(0.6-19.6)	82	89.9%	(80.4-99.4)
<b>Marital Status</b>	<b>Married</b>	3	18.3%	(0.0-46.1)	14	81.7%	(53.9-100.0)
	<b>Not Married</b>	8	7.8%	(0.0-16.7)	68	92.2%	(83.3-100.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	3	8.4%	(0.0-21.3)	38	91.6%	(78.7-100.0)
	<b>Others</b>	8	11.8%	(0.0-25.8)	44	88.2%	(74.2-100.0)
<b>Education</b>	<b>Less than High School</b>	3	11.4%	(0.0-30.2)	28	88.6%	(69.8-100.0)
	<b>High School/Some College</b>	8	9.4%	(0.0-19.9)	54	90.6%	(80.1-100.0)
<b>Income</b>	<b>&lt;\$32,000</b>	8	13.2%	(0.0-26.6)	59	86.8%	(73.4-100.0)
	<b>\$32,001+</b>	3	5.2%	(0.0-12.0)	16	94.8%	(88.0-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	1	24.9%	(0.0-69.1)	10	75.1%	(30.9-100.0)
	<b>Having Health Insurance</b>	10	7.9%	(0.0-16.0)	71	92.1%	(84.0-100.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	370	31.2%	(27.3-35.2)	927	68.8%	(64.8-72.7)
<b>Age</b>	<b>&lt;=20</b>	11	10.1%	(1.0-19.2)	82	89.9%	(80.8-99.0)
	<b>20+</b>	359	32.8%	(28.7-36.9)	845	67.2%	(63.1-71.3)



Q20g. If I was using drugs such as marijuana, cocaine, crack, or meth

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	10	13.6%	(1.6-25.6)	83	86.4%	(74.4-98.4)
<b>Marital Status</b>	<b>Married</b>	2	17.6%	(0.0-45.5)	15	82.4%	(54.5-100.0)
	<b>Not Married</b>	8	12.5%	(0.0-25.6)	68	87.5%	(74.4-100.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	2	7.4%	(0.0-20.2)	39	92.6%	(79.8-100.0)
	<b>Others</b>	8	20.1%	(0.0-40.3)	44	79.9%	(59.7-100.0)
<b>Education</b>	<b>Less than High School</b>	2	10.8%	(0.0-29.6)	29	89.2%	(70.4-100.0)
	<b>High School/Some College</b>	8	15.0%	(0.0-30.4)	54	85.0%	(69.6-100.0)
<b>Income</b>	<b>&lt;\$32,000</b>	9	19.0%	(2.3-35.8)	58	81.0%	(64.2-97.7)
	<b>\$32,001+</b>	1	2.6%	(0.0-7.9)	18	97.4%	(92.1-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	1	24.9%	(0.0-69.1)	10	75.1%	(30.9-100.0)
	<b>Having Health Insurance</b>	9	11.9%	(0.0-23.9)	72	88.1%	(76.1-100.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	242	17.6%	(14.5-20.7)	1053	82.4%	(79.3-85.5)
<b>Age</b>	<b>&lt;=20</b>	10	13.6%	(2.1-25.1)	83	86.4%	(74.9-97.9)
	<b>20+</b>	232	17.9%	(14.7-21.1)	970	82.1%	(78.9-85.3)

Q20h. If I wanted to be tested for HIV

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	26	35.7%	(18.4-53.1)	67	64.3%	(46.9-81.6)
<b>Marital Status</b>	<b>Married</b>	6	32.8%	(2.2-63.4)	11	67.2%	(36.6-97.8)
	<b>Not Married</b>	20	36.5%	(16.2-56.9)	56	63.5%	(43.1-83.8)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	11	44.3%	(19.6-69.0)	30	55.7%	(31.0-80.4)
	<b>Others</b>	15	26.7%	(5.8-47.7)	37	73.3%	(52.3-94.2)
<b>Education</b>	<b>Less than High School</b>	7	32.1%	(1.0-63.1)	24	67.9%	(36.9-99.0)
	<b>High School/Some College</b>	19	37.6%	(16.7-58.6)	43	62.4%	(41.4-83.3)
<b>Income</b>	<b>&lt;\$32,000</b>	20	36.1%	(15.6-56.6)	47	63.9%	(43.4-84.4)
	<b>\$32,001+</b>	5	38.1%	(0.0-78.9)	14	61.9%	(21.1-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	3	71.7%	(41.1-100.0)	8	28.3%	(0.0-58.9)
	<b>Having Health Insurance</b>	23	30.5%	(13.1-47.8)	58	69.5%	(52.2-86.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	556	45.3%	(41.0-49.5)	727	54.7%	(50.5-59.0)
<b>Age</b>	<b>&lt;=20</b>	26	35.7%	(19.0-52.5)	67	64.3%	(47.5-81.0)
	<b>20+</b>	530	46.0%	(41.6-50.3)	660	54.0%	(49.7-58.4)

Q20i. If I planned to use birth control after my baby was born

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	9	14.9%	(2.6-27.3)	84	85.1%	(72.7-97.4)
<b>Marital Status</b>	<b>Married</b>	3	25.6%	(0.0-55.8)	14	74.4%	(44.2-100.0)
	<b>Not Married</b>	6	12.0%	(0.0-25.1)	70	88.0%	(74.9-100.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	4	17.4%	(0.0-35.5)	37	82.6%	(64.5-100.0)
	<b>Others</b>	5	12.3%	(0.0-28.9)	47	87.7%	(71.1-100.0)
<b>Education</b>	<b>Less than High School</b>	2	10.8%	(0.0-29.6)	29	89.2%	(70.4-100.0)
	<b>High School/Some College</b>	7	17.1%	(1.1-33.0)	55	82.9%	(67.0-98.9)
<b>Income</b>	<b>&lt;\$32,000</b>	4	14.2%	(0.0-29.4)	63	85.8%	(70.6-100.0)
	<b>\$32,001+</b>	4	9.5%	(0.0-20.1)	15	90.5%	(79.9-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	0	.	(.-)	11	100.0%	(100.0-100.0)
	<b>Having Health Insurance</b>	9	17.3%	(3.2-31.4)	72	82.7%	(68.6-96.8)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	290	23.6%	(20.0-27.1)	1005	76.4%	(72.9-80.0)
<b>Age</b>	<b>&lt;=20</b>	9	14.9%	(3.0-26.9)	84	85.1%	(73.1-97.0)
	<b>20+</b>	281	24.2%	(20.5-27.9)	921	75.8%	(72.1-79.5)

Q20j. If I planned to breastfeed my new baby

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	8	12.8%	(0.9-24.7)	85	87.2%	(75.3-99.1)
<b>Marital Status</b>	<b>Married</b>	2	17.2%	(0.0-45.1)	15	82.8%	(54.9-100.0)
	<b>Not Married</b>	6	11.6%	(0.0-24.6)	70	88.4%	(75.4-100.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	1	6.4%	(0.0-19.0)	40	93.6%	(81.0-100.0)
	<b>Others</b>	7	19.5%	(0.0-39.7)	45	80.5%	(60.3-100.0)
<b>Education</b>	<b>Less than High School</b>	2	10.8%	(0.0-29.6)	29	89.2%	(70.4-100.0)
	<b>High School/Some College</b>	6	13.8%	(0.0-29.1)	56	86.2%	(70.9-100.0)
<b>Income</b>	<b>&lt;\$32,000</b>	6	17.4%	(0.8-34.0)	61	82.6%	(66.0-99.2)
	<b>\$32,001+</b>	2	4.3%	(0.0-10.6)	17	95.7%	(89.4-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	1	24.9%	(0.0-69.1)	10	75.1%	(30.9-100.0)
	<b>Having Health Insurance</b>	7	11.0%	(0.0-22.9)	74	89.0%	(77.1-100.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	182	16.6%	(13.4-19.7)	1118	83.4%	(80.3-86.6)
<b>Age</b>	<b>&lt;=20</b>	8	12.8%	(1.3-24.3)	85	87.2%	(75.7-98.7)
	<b>20+</b>	174	16.8%	(13.5-20.1)	1033	83.2%	(79.9-86.5)

**Q21. During the 12 months before the delivery of your new baby, did a doctor, nurse, or other health care worker offer you a flu shot or tell you to get one?**

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	22	33.1%	(16.0-50.2)	74	66.9%	(49.8-84.0)
<b>Marital Status</b>	<b>Married</b>	2	10.2%	(0.0-26.9)	16	89.8%	(73.1-100.0)
	<b>Not Married</b>	20	38.9%	(18.9-58.9)	58	61.1%	(41.1-81.1)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	10	37.3%	(13.6-61.0)	34	62.7%	(39.0-86.4)
	<b>Others</b>	12	27.9%	(3.6-52.1)	40	72.1%	(47.9-96.4)
<b>Education</b>	<b>Less than High School</b>	5	15.0%	(0.0-35.7)	27	85.0%	(64.3-100.0)
	<b>High School/Some College</b>	17	42.8%	(21.4-64.1)	47	57.2%	(35.9-78.6)
<b>Income</b>	<b>&lt;\$32,000</b>	16	32.9%	(12.4-53.4)	52	67.1%	(46.6-87.6)
	<b>\$32,001+</b>	4	34.6%	(0.0-75.2)	16	65.4%	(24.8-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	2	54.7%	(12.8-96.7)	11	45.3%	(3.3-87.2)
	<b>Having Health Insurance</b>	19	28.6%	(10.8-46.4)	63	71.4%	(53.6-89.2)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	289	29.5%	(25.5-33.5)	1018	70.5%	(66.5-74.5)
<b>Age</b>	<b>&lt;=20</b>	22	33.1%	(16.5-49.8)	74	66.9%	(50.2-83.5)
	<b>20+</b>	267	29.2%	(25.1-33.3)	944	70.8%	(66.7-74.9)

**Q22. During the 12 months before the delivery of your new baby, did you get a flu shot?**

		No			Yes, before pregnancy			Yes, during pregnancy		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	46	67.8%	(54.8-80.7)	12	6.7%	(2.2-11.2)	39	25.5%	(13.3-37.8)
<b>Marital Status</b>	<b>Married</b>	9	52.7%	(20.2-85.2)	2	10.2%	(0.0-26.9)	7	37.1%	(4.4-69.9)
	<b>Not Married</b>	37	71.5%	(58.9-84.2)	10	5.8%	(2.4-9.3)	32	22.6%	(10.6-34.7)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	20	71.2%	(55.0-87.5)	7	8.0%	(0.5-15.4)	17	20.8%	(6.5-35.1)
	<b>Others</b>	26	63.4%	(41.5-85.4)	5	5.1%	(0.3-9.8)	22	31.5%	(10.3-52.7)
<b>Education</b>	<b>Less than High School</b>	16	71.0%	(48.2-93.8)	4	5.4%	(0.0-11.0)	12	23.6%	(1.7-45.5)
	<b>High School/Some College</b>	30	66.0%	(49.5-82.5)	8	7.4%	(1.0-13.8)	27	26.6%	(11.4-41.7)
<b>Income</b>	<b>&lt;\$32,000</b>	32	64.8%	(47.9-81.7)	10	8.2%	(2.0-14.4)	27	27.0%	(11.2-42.8)
	<b>\$32,001+</b>	10	70.5%	(43.5-97.6)	2	4.6%	(0.0-11.5)	8	24.9%	(0.0-50.3)
<b>Insurance</b>	<b>No Health Insurance</b>	3	57.7%	(16.9-98.5)	1	2.9%	(0.0-9.0)	9	39.5%	(0.0-79.2)
	<b>Having Health Insurance</b>	42	69.5%	(55.7-83.4)	11	7.5%	(2.1-12.8)	30	23.0%	(10.1-35.9)

		No			Yes, before pregnancy			Yes, during pregnancy		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	686	66.0%	(62.3-69.7)	123	9.5%	(7.1-11.9)	498	24.4%	(21.3-27.6)
<b>Age</b>	<b>&lt;=20</b>	46	67.8%	(54.5-81.0)	12	6.7%	(2.0-11.3)	39	25.5%	(13.3-37.8)
	<b>20+</b>	640	65.9%	(62.0-69.8)	111	9.8%	(7.2-12.3)	459	24.3%	(21.1-27.6)

**Q23. During your most recent pregnancy, did you have your teeth cleaned by a dentist or dental hygienist?**

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	69	72.2%	(57.1-87.3)	28	27.8%	(12.7-42.9)
<b>Marital Status</b>	<b>Married</b>	9	48.3%	(15.8-80.8)	9	51.7%	(19.2-84.2)
	<b>Not Married</b>	60	78.2%	(61.6-94.8)	19	21.8%	(5.2-38.4)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	28	68.9%	(48.2-89.7)	16	31.1%	(10.3-51.8)
	<b>Others</b>	41	76.3%	(54.4-98.2)	12	23.7%	(1.8-45.6)
<b>Education</b>	<b>Less than High School</b>	20	64.3%	(35.5-93.1)	12	35.7%	(6.9-64.5)
	<b>High School/Some College</b>	49	76.4%	(59.4-93.4)	16	23.6%	(6.6-40.6)
<b>Income</b>	<b>&lt;\$32,000</b>	48	67.2%	(47.7-86.7)	21	32.8%	(13.3-52.3)
	<b>\$32,001+</b>	13	75.5%	(50.2-100.0)	7	24.5%	(0.0-49.8)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	55	66.7%	(49.3-84.0)	28	33.3%	(16.0-50.7)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	834	69.2%	(65.5-72.9)	480	30.8%	(27.1-34.5)
<b>Age</b>	<b>&lt;=20</b>	69	72.2%	(57.6-86.8)	28	27.8%	(13.2-42.4)
	<b>20+</b>	765	69.0%	(65.1-72.8)	452	31.0%	(27.2-34.9)

**Q25. During your most recent pregnancy, did you have any of the following health conditions?**

Q25a. Gestational diabetes (diabetes that started during this pregnancy)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	94	98.8%	(97.3-100.0)	3	1.2%	(0.0-2.7)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Not Married</b>	76	98.5%	(96.7-100.0)	3	1.5%	(0.0-3.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	43	99.2%	(97.5-100.0)	1	0.8%	(0.0-2.5)
	<b>Others</b>	51	98.3%	(95.8-100.0)	2	1.7%	(0.0-4.2)
<b>Education</b>	<b>Less than High School</b>	31	98.9%	(96.6-100.0)	1	1.1%	(0.0-3.4)
	<b>High School/Some College</b>	63	98.7%	(96.8-100.0)	2	1.3%	(0.0-3.2)
<b>Income</b>	<b>&lt;\$32,000</b>	67	98.8%	(97.1-100.0)	2	1.2%	(0.0-2.9)
	<b>\$32,001+</b>	19	97.9%	(93.6-100.0)	1	2.1%	(0.0-6.4)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	80	98.5%	(96.8-100.0)	3	1.5%	(0.0-3.2)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	1195	89.6%	(87.0-92.3)	119	10.4%	(7.7-13.0)
<b>Age</b>	<b>&lt;=20</b>	94	98.8%	(97.3-100.0)	3	1.2%	(0.0-2.7)
	<b>20+</b>	1101	88.9%	(86.0-91.8)	116	11.1%	(8.2-14.0)



Q25b. High blood pressure (that started during this pregnancy)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	86	91.5%	(81.4-100.0)	11	8.5%	(0.0-18.6)
<b>Marital Status</b>	<b>Married</b>	17	98.6%	(95.8-100.0)	1	1.4%	(0.0-4.2)
	<b>Not Married</b>	69	89.7%	(77.2-100.0)	10	10.3%	(0.0-22.8)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	41	89.3%	(71.9-100.0)	3	10.7%	(0.0-28.1)
	<b>Others</b>	45	94.2%	(89.7-98.8)	8	5.8%	(1.2-10.3)
<b>Education</b>	<b>Less than High School</b>	29	97.1%	(93.4-100.0)	3	2.9%	(0.0-6.6)
	<b>High School/Some College</b>	57	88.5%	(73.5-100.0)	8	11.5%	(0.0-26.5)
<b>Income</b>	<b>&lt;\$32,000</b>	63	97.1%	(94.7-99.5)	6	2.9%	(0.5-5.3)
	<b>\$32,001+</b>	15	65.2%	(24.7-100.0)	5	34.8%	(0.0-75.3)
<b>Insurance</b>	<b>No Health Insurance</b>	11	66.6%	(18.9-100.0)	2	33.4%	(0.0-81.1)
	<b>Having Health Insurance</b>	74	96.2%	(93.7-98.8)	9	3.8%	(1.2-6.3)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	1176	91.3%	(89.0-93.6)	135	8.7%	(6.4-11.0)
<b>Age</b>	<b>&lt;=20</b>	86	91.5%	(81.7-100.0)	11	8.5%	(0.0-18.3)
	<b>20+</b>	1090	91.3%	(88.9-93.6)	124	8.7%	(6.4-11.1)

Q25c. Depression

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	79	90.5%	(83.8-97.3)	18	9.5%	(2.7-16.2)
<b>Marital Status</b>	<b>Married</b>	14	79.5%	(52.2-100.0)	4	20.5%	(0.0-47.8)
	<b>Not Married</b>	65	93.3%	(89.6-97.0)	14	6.7%	(3.0-10.4)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	41	93.5%	(82.7-100.0)	3	6.5%	(0.0-17.3)
	<b>Others</b>	38	86.9%	(78.9-94.8)	15	13.1%	(5.2-21.1)
<b>Education</b>	<b>Less than High School</b>	27	87.4%	(70.1-100.0)	5	12.6%	(0.0-29.9)
	<b>High School/Some College</b>	52	92.2%	(87.8-96.6)	13	7.8%	(3.4-12.2)
<b>Income</b>	<b>&lt;\$32,000</b>	55	88.8%	(79.5-98.1)	14	11.2%	(1.9-20.5)
	<b>\$32,001+</b>	18	96.4%	(91.1-100.0)	2	3.6%	(0.0-8.9)
<b>Insurance</b>	<b>No Health Insurance</b>	11	95.4%	(87.9-100.0)	2	4.6%	(0.0-12.1)
	<b>Having Health Insurance</b>	67	89.6%	(81.6-97.5)	16	10.4%	(2.5-18.4)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	1124	87.2%	(84.4-89.9)	186	12.8%	(10.1-15.6)
<b>Age</b>	<b>&lt;=20</b>	79	90.5%	(83.8-97.3)	18	9.5%	(2.7-16.2)
	<b>20+</b>	1045	86.9%	(84.0-89.8)	168	13.1%	(10.2-16.0)

Q25d. Asthma

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	88	91.8%	(81.7-100.0)	9	8.2%	(0.0-18.3)
<b>Marital Status</b>	<b>Married</b>	17	97.7%	(92.9-100.0)	1	2.3%	(0.0-7.1)
	<b>Not Married</b>	71	90.4%	(77.8-100.0)	8	9.6%	(0.0-22.2)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	42	98.8%	(97.1-100.0)	2	1.2%	(0.0-2.9)
	<b>Others</b>	46	83.1%	(61.9-100.0)	7	16.9%	(0.0-38.1)
<b>Education</b>	<b>Less than High School</b>	29	83.1%	(56.6-100.0)	3	16.9%	(0.0-43.4)
	<b>High School/Some College</b>	59	96.4%	(93.4-99.4)	6	3.6%	(0.6-6.6)
<b>Income</b>	<b>&lt;\$32,000</b>	64	97.4%	(94.9-99.8)	5	2.6%	(0.2-5.1)
	<b>\$32,001+</b>	18	96.0%	(89.8-100.0)	2	4.0%	(0.0-10.2)
<b>Insurance</b>	<b>No Health Insurance</b>	11	95.4%	(87.9-100.0)	2	4.6%	(0.0-12.1)
	<b>Having Health Insurance</b>	76	91.1%	(79.1-100.0)	7	8.9%	(0.0-20.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	1231	93.0%	(90.6-95.3)	79	7.0%	(4.7-9.4)
<b>Age</b>	<b>&lt;=20</b>	88	91.8%	(82.0-100.0)	9	8.2%	(0.0-18.0)
	<b>20+</b>	1143	93.1%	(90.7-95.4)	70	6.9%	(4.6-9.3)

Q25e. Heart problems

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	96	99.7%	(99.2-100.0)	1	0.3%	(0.0-0.8)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Not Married</b>	78	99.7%	(99.0-100.0)	1	0.3%	(0.0-1.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	43	99.5%	(98.5-100.0)	1	0.5%	(0.0-1.5)
	<b>Others</b>	53	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Education</b>	<b>Less than High School</b>	32	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>High School/Some College</b>	64	99.6%	(98.7-100.0)	1	0.4%	(0.0-1.3)
<b>Income</b>	<b>&lt;\$32,000</b>	68	99.6%	(98.8-100.0)	1	0.4%	(0.0-1.2)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Having Health Insurance</b>	82	99.7%	(99.0-100.0)	1	0.3%	(0.0-1.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	1289	98.4%	(97.3-99.4)	21	1.6%	(0.6-2.7)
<b>Age</b>	<b>&lt;=20</b>	96	99.7%	(99.2-100.0)	1	0.3%	(0.0-0.8)
	<b>20+</b>	1193	98.2%	(97.1-99.4)	20	1.8%	(0.6-2.9)

## Tobacco and Alcohol

Q26. Have you smoked any cigarettes in the past 2 years?

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	68	83.1%	(73.1-93.1)	29	16.9%	(6.9-26.9)
<b>Marital Status</b>	<b>Married</b>	15	77.2%	(45.3-100.0)	3	22.8%	(0.0-54.7)
	<b>Not Married</b>	53	84.6%	(75.6-93.6)	26	15.4%	(6.4-24.4)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	40	97.1%	(94.2-100.0)	4	2.9%	(0.0-5.8)
	<b>Others</b>	28	65.6%	(44.0-87.2)	25	34.4%	(12.8-56.0)
<b>Education</b>	<b>Less than High School</b>	21	78.8%	(57.3-100.0)	11	21.2%	(0.0-42.7)
	<b>High School/Some College</b>	47	85.4%	(75.0-95.8)	18	14.6%	(4.2-25.0)
<b>Income</b>	<b>&lt;\$32,000</b>	46	79.5%	(65.7-93.2)	23	20.5%	(6.8-34.3)
	<b>\$32,001+</b>	15	90.0%	(79.6-100.0)	5	10.0%	(0.0-20.4)
<b>Insurance</b>	<b>No Health Insurance</b>	9	74.0%	(38.4-100.0)	4	26.0%	(0.0-61.6)
	<b>Having Health Insurance</b>	58	84.8%	(75.1-94.5)	25	15.2%	(5.5-24.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	1024	79.8%	(76.5-83.1)	291	20.2%	(16.9-23.5)
<b>Age</b>	<b>&lt;=20</b>	68	83.1%	(73.2-93.1)	29	16.9%	(6.9-26.8)
	<b>20+</b>	956	79.5%	(76.0-83.0)	262	20.5%	(17.0-24.0)

**Q27. In the 3 months before you got pregnant, how many cigarettes did you smoke on an average day?**

		21-40 cigarettes			11-20 cigarettes			6-10 cigarettes			1-5 cigarettes			None (0 cigarettes)		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	2	3.2%	(0.0-7.6)	9	13.3%	(4.9-21.8)	10	29.1%	(0.0-58.5)	5	18.3%	(0.0-43.6)	12	36.2%	(8.2-64.2)
<b>Marital Status</b>	<b>Married</b>	0	.	(.-)	0	.	(.-)	2	58.2%	(0.0-100.0)	1	6.7%	(0.0-21.1)	3	35.2%	(0.0-92.6)
	<b>Not Married</b>	2	4.4%	(0.0-10.9)	9	18.7%	(5.1-32.3)	8	17.2%	(4.0-30.5)	4	23.0%	(0.0-54.2)	9	36.6%	(5.4-67.8)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	1	5.1%	(0.0-15.9)	0	.	(.-)	1	6.3%	(0.0-19.4)	1	3.6%	(0.0-11.4)	6	85.0%	(65.2-100.0)
	<b>Others</b>	1	2.3%	(0.0-7.0)	9	19.3%	(4.7-33.8)	9	39.2%	(3.0-75.4)	4	24.8%	(0.0-58.1)	6	14.5%	(1.6-27.4)
<b>Education</b>	<b>Less than High School</b>	1	4.4%	(0.0-14.1)	3	13.0%	(0.0-31.3)	6	64.1%	(28.2-100.0)	1	3.2%	(0.0-10.1)	3	15.3%	(0.0-35.9)
	<b>High School/Some College</b>	1	2.5%	(0.0-7.5)	6	13.5%	(2.1-24.9)	4	9.6%	(0.0-19.6)	4	26.6%	(0.0-62.3)	9	47.8%	(12.7-82.8)
<b>Income</b>	<b>&lt;\$32,000</b>	1	2.0%	(0.0-6.2)	8	15.3%	(4.1-26.5)	8	32.6%	(0.0-67.0)	3	19.4%	(0.0-49.9)	11	30.7%	(6.0-55.3)
	<b>\$32,001+</b>	1	8.0%	(0.0-26.2)	1	7.0%	(0.0-23.2)	1	8.0%	(0.0-26.2)	2	15.4%	(0.0-43.2)	1	61.6%	(9.2-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	0	.	(.-)	1	11.2%	(0.0-37.4)	0	.	(.-)	3	88.8%	(62.6-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	2	3.8%	(0.0-9.3)	8	13.8%	(3.7-23.8)	10	35.1%	(2.6-67.5)	2	3.7%	(0.0-9.2)	12	43.7%	(13.3-74.1)

		41+ cigarettes			21-40 cigarettes			11-20 cigarettes			6-10 cigarettes		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	2	0.20%	(0.0-0.5)	11	2.60%	(0.2-5.0)	71	16.40%	(10.6-22.3)	64	15.10%	(9.5-20.7)
<b>Age</b>	<b>&lt;=20</b>	0	.	(.-)	2	3.20%	(0.0-7.7)	9	13.30%	(3.2-23.5)	10	29.10%	(3.9-54.2)
	<b>20+</b>	2	0.20%	(0.0-0.5)	9	2.60%	(0.0-5.1)	62	16.70%	(10.4-22.9)	54	14.10%	(8.4-19.7)

		1-5 cigarettes			< 1 cigarette			None (0 cigarettes)		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	77	26.90%	(19.5-34.4)	29	11.10%	(6.0-16.2)	121	27.70%	(20.9-34.4)
<b>Age</b>	<b>&lt;=20</b>	5	18.30%	(0.0-40.1)	0	.	(.-.)	12	36.20%	(12.1-60.3)
	<b>20+</b>	72	27.60%	(19.8-35.4)	29	11.90%	(6.4-17.4)	109	27.00%	(20.0-34.1)

**Q28. In the last 3 months of your pregnancy, how many cigarettes did you smoke on an average day?**

		11-20 cigarettes			6 -10 cigarettes			1-5 cigarettes			None (0 cigarettes)		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1	1.6%	(0.0-4.8)	3	4.6%	(0.0-10.1)	6	8.9%	(1.9-15.9)	28	84.9%	(76.3-93.5)
<b>Marital Status</b>	<b>Married</b>	0	.	(.-)	0	.	(.-)	0	.	(.-)	6	100.0%	(100.0-100.0)
	<b>Not Married</b>	1	2.2%	(0.0-6.8)	3	6.5%	(0.0-14.6)	6	12.5%	(1.7-23.3)	22	78.8%	(64.5-93.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	0	.	(.-)	1	5.1%	(0.0-15.9)	1	3.6%	(0.0-11.4)	7	91.2%	(77.7-100.0)
	<b>Others</b>	1	2.3%	(0.0-7.0)	2	4.4%	(0.0-11.2)	5	11.2%	(0.4-22.1)	21	82.1%	(68.0-96.2)
<b>Education</b>	<b>Less than High School</b>	1	4.4%	(0.0-14.1)	1	5.4%	(0.0-17.1)	3	12.0%	(0.0-28.5)	9	78.1%	(52.9-100.0)
	<b>High School/Some College</b>	0	.	(.-)	2	4.2%	(0.0-10.3)	3	7.2%	(0.0-15.8)	19	88.6%	(78.2-99.1)
<b>Income</b>	<b>&lt;\$32,000</b>	0	.	(.-)	3	5.9%	(0.0-13.2)	6	11.4%	(1.8-20.9)	22	82.7%	(70.9-94.5)
	<b>\$32,001+</b>	1	8.0%	(0.0-26.2)	0	.	(.-)	0	.	(.-)	5	92.0%	(73.8-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	0	.	(.-)	1	11.2%	(0.0-37.4)	0	.	(.-)	3	88.8%	(62.6-100.0)
	<b>Having Health Insurance</b>	1	1.9%	(0.0-5.8)	2	3.3%	(0.0-8.0)	6	10.7%	(1.7-19.7)	25	84.1%	(73.6-94.5)

		11-20 cigarettes			6-10 cigarettes			1-5 cigarettes			< 1 cigarette			None (0 cigarettes)		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	10	2.7%	(0.0-5.7)	28	5.4%	(2.3-8.6)	47	8.9%	(5.1-12.8)	19	5.3%	(1.7-8.9)	269	77.6%	(71.3-83.8)
<b>Age</b>	<b>&lt;=20</b>	1	1.6%	(0.0-4.7)	3	4.6%	(0.0-10.3)	6	8.9%	(1.0-16.8)	0	.	(.-)	28	84.9%	(73.9-95.8)
	<b>20+</b>	9	2.8%	(0.0-6.0)	25	5.5%	(2.1-8.9)	41	8.9%	(4.8-13.0)	19	5.7%	(1.9-9.6)	241	77.0%	(70.3-83.7)



**Q29. How many cigarettes do you smoke on an average day now?**

		21-40 cigarettes			11-20 cigarettes			6 -10 cigarettes		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1	1.6%	(0.0-4.8)	2	2.7%	(0.0-6.6)	6	23.6%	(0.0-53.2)
<b>Marital Status</b>	<b>Married</b>	0	.	(.-)	0	.	(.-)	1	52.7%	(0.0-100.0)
	<b>Not Married</b>	1	2.2%	(0.0-6.8)	2	3.8%	(0.0-9.4)	5	11.9%	(0.7-23.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	0	.	(.-)	0	.	(.-)	0	.	(.-)
	<b>Others</b>	1	2.3%	(0.0-7.0)	2	3.9%	(0.0-9.7)	6	34.2%	(0.0-70.9)
<b>Education</b>	<b>Less than High School</b>	1	4.4%	(0.0-14.1)	1	4.4%	(0.0-14.1)	4	57.9%	(17.6-98.2)
	<b>High School/Some College</b>	0	.	(.-)	1	1.7%	(0.0-5.3)	2	4.7%	(0.0-11.8)
<b>Income</b>	<b>&lt;\$32,000</b>	0	.	(.-)	2	3.5%	(0.0-8.5)	6	30.2%	(0.0-64.9)
	<b>\$32,001+</b>	1	8.0%	(0.0-26.2)	0	.	(.-)	0	.	(.-)
<b>Insurance</b>	<b>No Health Insurance</b>	0	.	(.-)	0	.	(.-)	1	11.2%	(0.0-37.4)
	<b>Having Health Insurance</b>	1	1.9%	(0.0-5.8)	2	3.3%	(0.0-8.0)	5	26.2%	(0.0-59.3)

		1-5 cigarettes			< 1 cigarette			None (0 cigarettes)		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	7	10.8%	(2.9-18.7)	1	1.9%	(0.0-5.8)	21	59.3%	(30.4-88.3)
<b>Marital Status</b>	<b>Married</b>	1	5.5%	(0.0-17.5)	0	.	(.-)	4	41.8%	(0.0-100.0)
	<b>Not Married</b>	6	13.0%	(1.5-24.4)	1	2.7%	(0.0-8.2)	17	66.4%	(47.7-85.2)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	3	15.0%	(0.0-34.8)	0	.	(.-)	6	85.0%	(65.2-100.0)
	<b>Others</b>	4	8.9%	(0.0-18.7)	1	2.8%	(0.0-8.4)	15	48.0%	(13.0-82.9)
<b>Education</b>	<b>Less than High School</b>	2	8.5%	(0.0-22.7)	0	.	(.-)	6	24.7%	(0.0-52.2)
	<b>High School/Some College</b>	5	12.1%	(1.2-23.1)	1	3.0%	(0.0-9.0)	15	78.5%	(64.1-92.9)
<b>Income</b>	<b>&lt;\$32,000</b>	5	9.3%	(0.6-18.1)	1	2.4%	(0.0-7.4)	17	54.6%	(21.3-87.9)
	<b>\$32,001+</b>	1	8.0%	(0.0-26.2)	0	.	(.-)	4	84.0%	(56.2-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	0	.	(.-)	0	.	(.-)	3	88.8%	(62.6-100.0)
	<b>Having Health Insurance</b>	7	13.1%	(2.8-23.3)	1	2.3%	(0.0-7.0)	18	53.2%	(21.8-84.7)

		11-20 cigarettes			6-10 cigarettes			1-5 cigarettes			< 1 cigarette			None (0 cigarettes)		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	41	8.6%	(4.3-13.0)	45	11.2%	(6.0-16.3)	52	14.7%	(9.1-20.4)	13	4.9%	(1.3-8.5)	215	59.3%	(51.5-67.2)
<b>Age</b>	<b>&lt;=20</b>	2	2.7%	(0.0-6.6)	6	23.6%	(0.0-49.1)	7	10.8%	(1.8-19.9)	1	1.9%	(0.0-5.7)	21	59.3%	(34.3-84.4)
	<b>20+</b>	39	9.1%	(4.4-13.7)	39	10.3%	(5.2-15.4)	45	15.0%	(9.0-21.0)	12	5.1%	(1.2-8.9)	194	59.3%	(51.1-67.6)

**Q30. Which of the following statements best describes the rules about smoking inside your home now, even if no one who lives in your home is a smoker?**

		Not allowed anywhere			Allowed some places/times			Permitted anywhere		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	88	90.2%	(79.4-100.0)	6	8.6%	(0.0-19.3)	3	1.2%	(0.0-2.6)
<b>Marital Status</b>	<b>Married</b>	17	89.9%	(70.5-100.0)	1	10.1%	(0.0-29.5)	0	.	(.-)
	<b>Not Married</b>	71	90.2%	(77.7-100.0)	5	8.3%	(0.0-20.7)	3	1.5%	(0.0-3.2)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	43	96.4%	(89.1-100.0)	1	3.6%	(0.0-10.9)	0	.	(.-)
	<b>Others</b>	45	82.4%	(61.2-100.0)	5	14.9%	(0.0-36.1)	3	2.7%	(0.0-5.9)
<b>Education</b>	<b>Less than High School</b>	28	81.7%	(55.2-100.0)	3	17.2%	(0.0-43.7)	1	1.1%	(0.0-3.4)
	<b>High School/Some College</b>	60	94.7%	(88.0-100.0)	3	4.1%	(0.0-10.5)	2	1.2%	(0.0-3.0)
<b>Income</b>	<b>&lt;\$32,000</b>	64	97.2%	(94.7-99.7)	3	1.6%	(0.0-3.5)	2	1.2%	(0.0-2.9)
	<b>\$32,001+</b>	17	85.2%	(63.1-100.0)	2	12.9%	(0.0-34.6)	1	1.8%	(0.0-5.6)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)	0	.	(.-)	0	.	(.-)
	<b>Having Health Insurance</b>	74	88.2%	(75.5-100.0)	6	10.3%	(0.0-23.0)	3	1.4%	(0.0-3.1)

		Not allowed anywhere			Allowed some places/times			Permitted anywhere		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	1272	96.9%	(95.3-98.5)	26	2.6%	(1.1-4.0)	9	0.5%	(0.0-1.0)
<b>Age</b>	<b>&lt;=20</b>	88	90.2%	(79.8-100.0)	6	8.6%	(0.0-18.9)	3	1.2%	(0.0-2.6)
	<b>20+</b>	1184	97.4%	(96.0-98.9)	20	2.1%	(0.7-3.4)	6	0.5%	(0.0-1.0)

**Q31. Have you used any of the following tobacco products in the past 2 years?**

**Q31a. E-Cigarettes or other electronic nicotine products**

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	75	89.6%	(82.8-96.4)	22	10.4%	(3.6-17.2)
<b>Marital Status</b>	<b>Married</b>	16	96.3%	(90.7-100.0)	2	3.7%	(0.0-9.3)
	<b>Not Married</b>	59	87.9%	(79.3-96.5)	20	12.1%	(3.5-20.7)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	43	99.5%	(98.5-100.0)	1	0.5%	(0.0-1.5)
	<b>Others</b>	32	77.2%	(61.3-93.1)	21	22.8%	(6.9-38.7)
<b>Education</b>	<b>Less than High School</b>	26	93.8%	(88.1-99.6)	6	6.2%	(0.4-11.9)
	<b>High School/Some College</b>	49	87.3%	(77.2-97.4)	16	12.7%	(2.6-22.8)
<b>Income</b>	<b>&lt;\$32,000</b>	52	88.0%	(78.7-97.4)	17	12.0%	(2.6-21.3)
	<b>\$32,001+</b>	16	91.7%	(82.2-100.0)	4	8.3%	(0.0-17.8)
<b>Insurance</b>	<b>No Health Insurance</b>	8	71.1%	(34.8-100.0)	5	28.9%	(0.0-65.2)
	<b>Having Health Insurance</b>	66	93.1%	(89.8-96.4)	17	6.9%	(3.6-10.2)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	1175	91.8%	(89.7-94.0)	134	8.2%	(6.0-10.3)
<b>Age</b>	<b>&lt;=20</b>	75	89.6%	(82.7-96.5)	22	10.4%	(3.5-17.3)
	<b>20+</b>	1100	92.0%	(89.7-94.3)	112	8.0%	(5.7-10.3)

Q31b. Hookah

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	85	88.2%	(76.7-99.6)	12	11.8%	(0.4-23.3)
<b>Marital Status</b>	<b>Married</b>	17	97.7%	(92.9-100.0)	1	2.3%	(0.0-7.1)
	<b>Not Married</b>	68	85.8%	(71.7-99.9)	11	14.2%	(0.1-28.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	44	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Others</b>	41	73.3%	(50.1-96.6)	12	26.7%	(3.4-49.9)
<b>Education</b>	<b>Less than High School</b>	25	79.4%	(53.0-100.0)	7	20.6%	(0.0-47.0)
	<b>High School/Some College</b>	60	92.8%	(83.4-100.0)	5	7.2%	(0.0-16.6)
<b>Income</b>	<b>&lt;\$32,000</b>	61	92.2%	(83.4-100.0)	8	7.8%	(0.0-16.6)
	<b>\$32,001+</b>	18	95.4%	(88.4-100.0)	2	4.6%	(0.0-11.6)
<b>Insurance</b>	<b>No Health Insurance</b>	12	81.5%	(47.4-100.0)	1	18.5%	(0.0-52.6)
	<b>Having Health Insurance</b>	72	89.4%	(77.3-100.0)	11	10.6%	(0.0-22.7)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1223	92.2%	(89.8-94.5)	81	7.8%	(5.5-10.2)
<b>Age</b>	<b>&lt;=20</b>	85	88.2%	(77.1-99.2)	12	11.8%	(0.8-22.9)
	<b>20+</b>	1138	92.5%	(90.1-94.8)	69	7.5%	(5.2-9.9)

Q31c. Chewing tobacco, snuff, snus, dip

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	92	98.2%	(96.5-99.8)	5	1.8%	(0.2-3.5)
<b>Marital Status</b>	<b>Married</b>	16	96.6%	(91.3-100.0)	2	3.4%	(0.0-8.7)
	<b>Not Married</b>	76	98.6%	(96.9-100.0)	3	1.4%	(0.0-3.1)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	44	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Others</b>	48	95.9%	(91.9-99.9)	5	4.1%	(0.1-8.1)
<b>Education</b>	<b>Less than High School</b>	30	98.1%	(95.3-100.0)	2	1.9%	(0.0-4.7)
	<b>High School/Some College</b>	62	98.2%	(96.1-100.0)	3	1.8%	(0.0-3.9)
<b>Income</b>	<b>&lt;\$32,000</b>	67	99.0%	(97.4-100.0)	2	1.0%	(0.0-2.6)
	<b>\$32,001+</b>	18	96.3%	(90.4-100.0)	2	3.7%	(0.0-9.6)
<b>Insurance</b>	<b>No Health Insurance</b>	12	97.1%	(90.9-100.0)	1	2.9%	(0.0-9.1)
	<b>Having Health Insurance</b>	79	98.4%	(96.7-100.0)	4	1.6%	(0.0-3.3)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	1287	99.4%	(99.1-99.8)	18	0.6%	(0.2-0.9)
<b>Age</b>	<b>&lt;=20</b>	92	98.2%	(96.5-99.9)	5	1.8%	(0.1-3.5)
	<b>20+</b>	1195	99.5%	(99.2-99.9)	13	0.5%	(0.1-0.8)

Q31d. Cigars, cigarillos, or little-filtered cigars

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	91	97.7%	(95.8-99.6)	6	2.3%	(0.4-4.2)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Not Married</b>	73	97.1%	(94.6-99.5)	6	2.9%	(0.5-5.4)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	43	99.2%	(97.5-100.0)	1	0.8%	(0.0-2.5)
	<b>Others</b>	48	95.8%	(91.7-99.9)	5	4.2%	(0.1-8.3)
<b>Education</b>	<b>Less than High School</b>	28	95.7%	(91.0-100.0)	4	4.3%	(0.0-9.0)
	<b>High School/Some College</b>	63	98.7%	(96.8-100.0)	2	1.3%	(0.0-3.2)
<b>Income</b>	<b>&lt;\$32,000</b>	64	97.4%	(94.9-99.8)	5	2.6%	(0.2-5.1)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Insurance</b>	<b>No Health Insurance</b>	11	94.2%	(85.2-100.0)	2	5.8%	(0.0-14.8)
	<b>Having Health Insurance</b>	79	98.3%	(96.6-100.0)	4	1.7%	(0.0-3.4)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1249	95.4%	(93.6-97.2)	59	4.6%	(2.8-6.4)
<b>Age</b>	<b>&lt;=20</b>	91	97.7%	(95.7-99.7)	6	2.3%	(0.3-4.3)
	<b>20+</b>	1158	95.2%	(93.3-97.2)	53	4.8%	(2.8-6.7)

**Q32. During the 3 months before you got pregnant, on average, how often did you use e-cigarettes or other electronic nicotine products?**

		More than once a day			Once a day			2-6 days a week			1 day a week or less			Not use electronic vapor products		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	9	17.4%	(6.3-28.4)	1	16.7%	(0.0-49.8)	1	2.6%	(0.0-8.1)	7	13.8%	(4.3-23.2)	12	49.5%	(16.4-82.6)
<b>Marital Status</b>	<b>Married</b>	0	.	(-.)	0	.	(-.)	1	16.5%	(0.0-51.7)	0	.	(-.)	3	83.5%	(48.3-100.0)
	<b>Not Married</b>	9	20.7%	(5.6-35.7)	1	19.9%	(0.0-57.4)	0	.	(-.)	7	16.4%	(3.6-29.2)	9	43.0%	(5.5-80.5)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	0	.	(-.)	0	.	(-.)	0	.	(-.)	1	4.4%	(0.0-13.7)	5	95.6%	(86.3-100.0)
	<b>Others</b>	9	26.8%	(5.4-48.3)	1	25.8%	(0.0-65.3)	1	4.1%	(0.0-12.7)	6	18.9%	(1.7-36.1)	7	24.3%	(3.8-44.9)
<b>Education</b>	<b>Less than High School</b>	3	24.2%	(0.0-49.8)	0	.	(-.)	0	.	(-.)	2	22.2%	(0.0-51.6)	5	53.6%	(20.4-86.7)
	<b>High School/Some College</b>	6	15.5%	(3.4-27.5)	1	21.3%	(0.0-63.3)	1	3.4%	(0.0-10.2)	5	11.4%	(2.7-20.2)	7	48.4%	(7.1-89.7)
<b>Income</b>	<b>&lt;\$32,000</b>	6	15.3%	(1.5-29.1)	1	23.2%	(0.0-63.2)	0	.	(-.)	6	16.1%	(2.5-29.7)	11	45.5%	(11.1-79.8)
	<b>\$32,001+</b>	2	16.2%	(0.0-46.4)	0	.	(-.)	1	10.3%	(0.0-34.1)	1	8.5%	(0.0-28.2)	1	65.1%	(13.1-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	2	15.9%	(0.0-45.4)	1	63.9%	(11.7-100.0)	1	10.1%	(0.0-33.5)	1	10.1%	(0.0-33.5)	0	.	(-.)
	<b>Having Health Insurance</b>	7	17.9%	(3.2-32.6)	0	.	(-.)	0	.	(-.)	6	15.1%	(3.2-26.9)	12	67.1%	(48.7-85.4)

		More than once a day			Once a day			2-6 days a week			1 day a week or less			Not use electronic vapor products		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	32	8.6%	(3.6-13.5)	6	3.1%	(0.0-6.3)	7	2.4%	(0.0-5.1)	42	11.0%	(5.9-16.2)	254	74.9%	(67.5-82.3)
<b>Age</b>	<b>&lt;20</b>	9	17.4%	(6.3-28.4)	1	16.7%	(0.0-49.8)	1	2.6%	(0.0-8.1)	7	13.8%	(4.3-23.2)	12	49.5%	(16.4-82.6)
	<b>20+</b>	23	8.1%	(2.8-13.3)	5	2.2%	(0.0-5.0)	6	2.4%	(0.0-5.2)	35	10.9%	(5.4-16.3)	242	76.5%	(68.8-84.1)

**Q33. During the last 3 months of your pregnancy, on average, how often did you use e-cigarettes or other electronic nicotine products?**

		More than once a day			Once a day			2-6 days a week			1 day a week or less			Not use electronic vapor products		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	3	4.5%	(0.0-10.1)	1	13.3%	(0.0-41.0)	1	1.7%	(0.0-5.3)	1	1.7%	(0.0-5.3)	24	78.8%	(49.7-100.0)
<b>Marital Status</b>	<b>Married</b>	0	.	(.-)	0	.	(.-)	0	.	(.-)	0	.	(.-)	4	100.0%	(100.0-100.0)
	<b>Not Married</b>	3	5.2%	(0.0-11.8)	1	15.2%	(0.0-46.6)	1	2.0%	(0.0-6.1)	1	2.0%	(0.0-6.1)	20	75.7%	(42.5-100.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	0	.	(.-)	0	.	(.-)	0	.	(.-)	0	.	(.-)	5	100.0%	(100.0-100.0)
	<b>Others</b>	3	6.1%	(0.0-14.3)	1	17.9%	(0.0-53.5)	1	2.3%	(0.0-7.3)	1	2.3%	(0.0-7.3)	19	71.4%	(33.8-100.0)
<b>Education</b>	<b>Less than High School</b>	0	.	(.-)	0	.	(.-)	0	.	(.-)	1	10.0%	(0.0-29.8)	9	90.0%	(70.2-100.0)
	<b>High School/Some College</b>	3	5.4%	(0.0-12.1)	1	16.0%	(0.0-49.7)	1	2.1%	(0.0-6.3)	0	.	(.-)	15	76.5%	(41.4-100.0)
<b>Income</b>	<b>&lt;\$32,000</b>	3	5.8%	(0.0-13.3)	1	17.0%	(0.0-51.6)	1	2.2%	(0.0-6.9)	1	2.2%	(0.0-6.9)	18	72.8%	(36.4-100.0)
	<b>\$32,001+</b>	0	.	(.-)	0	.	(.-)	0	.	(.-)	0	.	(.-)	5	100.0%	(100.0-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	0	.	(.-)	1	63.9%	(11.8-100.0)	0	.	(.-)	0	.	(.-)	4	36.1%	(0.0-88.2)
	<b>Having Health Insurance</b>	3	5.7%	(0.0-13.1)	0	.	(.-)	1	2.2%	(0.0-6.7)	1	2.2%	(0.0-6.7)	20	90.0%	(80.1-99.9)

		More than once a day			Once a day			2-6 days a week			1 day a week or less			Not use electronic vapor products		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	9	2.6%	(0.0-5.8)	5	1.7%	(0.0-3.9)	6	0.7%	(0.1-1.3)	8	1.0%	(0.3-1.7)	312	94.0%	(90.1-98.0)
<b>Age</b>	<b>&lt;=20</b>	3	4.5%	(0.0-10.3)	1	13.3%	(0.0-37.2)	1	1.7%	(0.0-5.2)	1	1.7%	(0.0-5.2)	24	78.8%	(54.3-100.0)
	<b>20+</b>	6	2.4%	(0.0-5.9)	4	0.8%	(0.0-2.0)	5	0.6%	(0.1-1.2)	7	0.9%	(0.2-1.6)	288	95.2%	(91.4-98.9)



**Q34. Have you had any alcoholic drinks in the past 2 years?**

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	52	63.5%	(47.2-79.8)	45	36.5%	(20.2-52.8)
<b>Marital Status</b>	<b>Married</b>	11	72.6%	(46.9-98.4)	7	27.4%	(1.6-53.1)
	<b>Not Married</b>	41	61.2%	(42.0-80.4)	38	38.8%	(19.6-58.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	31	74.2%	(54.0-94.4)	13	25.8%	(5.6-46.0)
	<b>Others</b>	21	50.1%	(24.7-75.5)	32	49.9%	(24.5-75.3)
<b>Education</b>	<b>Less than High School</b>	22	76.1%	(49.7-100.0)	10	23.9%	(0.0-50.3)
	<b>High School/Some College</b>	30	56.8%	(36.4-77.1)	35	43.2%	(22.9-63.6)
<b>Income</b>	<b>&lt;\$32,000</b>	40	73.4%	(57.0-89.9)	29	26.6%	(10.1-43.0)
	<b>\$32,001+</b>	7	36.9%	(2.5-71.3)	13	63.1%	(28.7-97.5)
<b>Insurance</b>	<b>No Health Insurance</b>	8	57.2%	(11.4-100.0)	5	42.8%	(0.0-88.6)
	<b>Having Health Insurance</b>	44	65.0%	(47.9-82.2)	39	35.0%	(17.8-52.1)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	384	32.0%	(28.1-36.0)	919	68.0%	(64.0-71.9)
<b>Age</b>	<b>&lt;=20</b>	52	63.5%	(47.7-79.3)	45	36.5%	(20.7-52.3)
	<b>20+</b>	332	29.5%	(25.6-33.5)	874	70.5%	(66.5-74.4)

**Q35. During the 3 months before you got pregnant, how many alcoholic drinks did you have in an average week?**

		14+ drinks			8-13 drinks			1-3 drinks			< 1 drink			None (0 drinks)		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	3	2.4%	(0.0-5.4)	1	0.7%	(0.0-2.0)	13	37.8%	(10.1-65.4)	21	39.3%	(13.4-65.2)	11	19.9%	(2.1-37.7)
<b>Marital Status</b>	<b>Married</b>	0	.	(.-)	0	.	(.-)	5	45.4%	(0.3-90.5)	2	26.8%	(0.0-67.4)	2	27.8%	(0.0-68.8)
	<b>Not Married</b>	3	3.0%	(0.0-6.7)	1	0.8%	(0.0-2.4)	8	36.1%	(3.7-68.4)	19	42.0%	(11.7-72.4)	9	18.1%	(0.0-37.4)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	1	2.4%	(0.0-7.4)	0	.	(.-)	2	36.7%	(0.0-79.0)	6	25.5%	(0.0-56.9)	7	35.4%	(0.1-70.7)
	<b>Others</b>	2	2.4%	(0.0-6.1)	1	1.2%	(0.0-3.7)	11	38.7%	(2.0-75.4)	15	51.1%	(14.8-87.3)	4	6.6%	(0.0-14.1)
<b>Education</b>	<b>Less than High School</b>	1	3.1%	(0.0-10.3)	1	3.1%	(0.0-10.3)	2	61.4%	(13.7-100.0)	5	21.7%	(0.0-51.5)	2	10.7%	(0.0-29.0)
	<b>High School/Some College</b>	2	2.2%	(0.0-5.6)	0	.	(.-)	11	31.6%	(2.7-60.4)	16	43.9%	(14.4-73.5)	9	22.3%	(0.7-43.9)
<b>Income</b>	<b>&lt;\$32,000</b>	2	2.6%	(0.0-6.3)	1	1.3%	(0.0-3.9)	6	10.1%	(1.0-19.2)	16	67.4%	(43.6-91.3)	7	18.6%	(0.0-38.1)
	<b>\$32,001+</b>	0	.	(.-)	0	.	(.-)	6	58.6%	(15.5-100.0)	4	11.6%	(0.0-25.1)	4	29.8%	(0.0-70.2)
<b>Insurance</b>	<b>No Health Insurance</b>	0	.	(.-)	0	.	(.-)	2	80.9%	(47.2-100.0)	2	13.5%	(0.0-39.4)	1	5.6%	(0.0-19.2)
	<b>Having Health Insurance</b>	3	2.9%	(0.0-6.5)	1	0.8%	(0.0-2.4)	11	29.7%	(2.0-57.5)	18	43.6%	(15.2-72.0)	10	23.0%	(2.2-43.8)

		14+ drinks			8-13 drinks			1-3 drinks			< 1 drink			None (0 drinks)		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	17	1.6%	(0.5-2.8)	33	3.8%	(1.9-5.7)	269	25.6%	(21.3-29.8)	359	38.6%	(33.8-43.4)	171	17.9%	(14.1-21.8)
<b>Age</b>	<b>&lt;20</b>	3	2.4%	(0.0-5.4)	1	0.7%	(0.0-2.0)	13	37.8%	(12.2-63.4)	21	39.3%	(15.5-63.1)	11	19.9%	(3.5-36.3)
	<b>20+</b>	14	1.6%	(0.4-2.8)	32	4.0%	(2.0-6.0)	256	25.0%	(20.8-29.3)	338	38.6%	(33.7-43.5)	160	17.9%	(13.9-21.8)

## Stressors

**Q36. This question is about things that may have happened during the 12 months before your new baby was born.**

Q36a. A close family member was very sick and had to go into the hospital.

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	80	76.5%	(60.6-92.4)	17	23.5%	(7.6-39.4)
<b>Marital Status</b>	<b>Married</b>	15	79.4%	(54.8-100.0)	3	20.6%	(0.0-45.2)
	<b>Not Married</b>	65	75.8%	(56.9-94.7)	14	24.2%	(5.3-43.1)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	38	84.3%	(66.0-100.0)	6	15.7%	(0.0-34.0)
	<b>Others</b>	42	66.8%	(40.8-92.7)	11	33.2%	(7.3-59.2)
<b>Education</b>	<b>Less than High School</b>	24	64.4%	(33.0-95.8)	8	35.6%	(4.2-67.0)
	<b>High School/Some College</b>	56	83.0%	(66.6-99.3)	9	17.0%	(0.7-33.4)
<b>Income</b>	<b>&lt;\$32,000</b>	57	78.4%	(59.9-96.9)	12	21.6%	(3.1-40.1)
	<b>\$32,001+</b>	17	85.6%	(63.6-100.0)	3	14.4%	(0.0-36.4)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	66	71.8%	(53.6-90.1)	17	28.2%	(9.9-46.4)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1033	80.1%	(76.8-83.4)	277	19.9%	(16.6-23.2)
<b>Age</b>	<b>&lt;=20</b>	80	76.5%	(61.1-91.9)	17	23.5%	(8.1-38.9)
	<b>20+</b>	953	80.4%	(77.0-83.8)	260	19.6%	(16.2-23.0)

Q36b. I got separated or divorced from my husband or partners.

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	91	91.5%	(82.1-100.0)	6	8.5%	(0.0-17.9)
<b>Marital Status</b>	<b>Married</b>	17	85.1%	(58.0-100.0)	1	14.9%	(0.0-42.0)
	<b>Not Married</b>	74	93.1%	(83.7-100.0)	5	6.9%	(0.0-16.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	41	93.0%	(82.1-100.0)	3	7.0%	(0.0-17.9)
	<b>Others</b>	50	89.7%	(73.5-100.0)	3	10.3%	(0.0-26.5)
<b>Education</b>	<b>Less than High School</b>	30	90.1%	(73.2-100.0)	2	9.9%	(0.0-26.8)
	<b>High School/Some College</b>	61	92.3%	(81.0-100.0)	4	7.7%	(0.0-19.0)
<b>Income</b>	<b>&lt;\$32,000</b>	63	88.0%	(74.9-100.0)	6	12.0%	(0.0-25.1)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Having Health Insurance</b>	77	89.8%	(78.6-100.0)	6	10.2%	(0.0-21.4)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1234	93.5%	(91.3-95.6)	74	6.5%	(4.4-8.7)
<b>Age</b>	<b>&lt;=20</b>	91	91.5%	(82.4-100.0)	6	8.5%	(0.0-17.6)
	<b>20+</b>	1143	93.6%	(91.4-95.8)	68	6.4%	(4.2-8.6)

Q36c. I moved to a new address.

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	48	49.6%	(32.4-66.7)	49	50.4%	(33.3-67.6)
<b>Marital Status</b>	<b>Married</b>	3	6.2%	(0.0-13.6)	15	93.8%	(86.4-100.0)
	<b>Not Married</b>	45	60.4%	(41.1-79.7)	34	39.6%	(20.3-58.9)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	27	53.3%	(30.3-76.3)	17	46.7%	(23.7-69.7)
	<b>Others</b>	21	44.9%	(19.3-70.6)	32	55.1%	(29.4-80.7)
<b>Education</b>	<b>Less than High School</b>	18	44.6%	(14.9-74.2)	14	55.4%	(25.8-85.1)
	<b>High School/Some College</b>	30	52.2%	(31.6-72.8)	35	47.8%	(27.2-68.4)
<b>Income</b>	<b>&lt;\$32,000</b>	33	57.2%	(37.7-76.8)	36	42.8%	(23.2-62.3)
	<b>\$32,001+</b>	10	36.7%	(4.1-69.3)	10	63.3%	(30.7-95.9)
<b>Insurance</b>	<b>No Health Insurance</b>	7	35.4%	(0.0-73.6)	6	64.6%	(26.4-100.0)
	<b>Having Health Insurance</b>	40	52.0%	(33.5-70.6)	43	48.0%	(29.4-66.5)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	846	64.7%	(60.7-68.7)	460	35.3%	(31.3-39.3)
<b>Age</b>	<b>&lt;=20</b>	48	49.6%	(33.0-66.2)	49	50.4%	(33.8-67.0)
	<b>20+</b>	798	65.9%	(61.9-70.0)	411	34.1%	(30.0-38.1)

Q36d. I was homeless or had to sleep outside, I a car, or in a shelter.

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	92	94.8%	(87.3-100.0)	5	5.2%	(0.0-12.7)
<b>Marital Status</b>	<b>Married</b>	17	97.7%	(92.9-100.0)	1	2.3%	(0.0-7.1)
	<b>Not Married</b>	75	94.1%	(84.8-100.0)	4	5.9%	(0.0-15.2)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	42	98.6%	(96.7-100.0)	2	1.4%	(0.0-3.3)
	<b>Others</b>	50	90.0%	(73.8-100.0)	3	10.0%	(0.0-26.2)
<b>Education</b>	<b>Less than High School</b>	32	100.0%	(100.0-100.0)	0	.	(.-)
	<b>High School/Some College</b>	60	92.0%	(80.7-100.0)	5	8.0%	(0.0-19.3)
<b>Income</b>	<b>&lt;\$32,000</b>	64	92.6%	(82.1-100.0)	5	7.4%	(0.0-17.9)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)	0	.	(.-)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	78	93.7%	(84.8-100.0)	5	6.3%	(0.0-15.2)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1178	89.8%	(87.2-92.4)	129	10.2%	(7.6-12.8)
<b>Age</b>	<b>&lt;=20</b>	76	79.7%	(66.0-93.4)	20	20.3%	(6.6-34.0)
	<b>20+</b>	1102	90.6%	(88.0-93.2)	109	9.4%	(6.8-12.0)

Q36e. My husband or partner lost their job.

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	76	79.7%	(65.5-93.9)	20	20.3%	(6.1-34.5)
<b>Marital Status</b>	<b>Married</b>	15	79.3%	(54.8-100.0)	3	20.7%	(0.0-45.2)
	<b>Not Married</b>	61	79.8%	(63.1-96.4)	17	20.2%	(3.6-36.9)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	36	81.0%	(62.0-100.0)	7	19.0%	(0.0-38.0)
	<b>Others</b>	40	78.0%	(56.7-99.3)	13	22.0%	(0.7-43.3)
<b>Education</b>	<b>Less than High School</b>	27	93.8%	(87.8-99.8)	5	6.2%	(0.2-12.2)
	<b>High School/Some College</b>	49	72.1%	(52.1-92.1)	15	27.9%	(7.9-47.9)
<b>Income</b>	<b>&lt;\$32,000</b>	52	82.1%	(67.4-96.9)	17	17.9%	(3.1-32.6)
	<b>\$32,001+</b>	17	59.2%	(19.7-98.6)	3	40.8%	(1.4-80.3)
<b>Insurance</b>	<b>No Health Insurance</b>	9	60.1%	(13.8-100.0)	4	39.9%	(0.0-86.2)
	<b>Having Health Insurance</b>	66	83.4%	(70.0-96.7)	16	16.6%	(3.3-30.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1178	89.8%	(87.2-92.4)	129	10.2%	(7.6-12.8)
<b>Age</b>	<b>&lt;=20</b>	76	79.7%	(66.0-93.4)	20	20.3%	(6.6-34.0)
	<b>20+</b>	1102	90.6%	(88.0-93.2)	109	9.4%	(6.8-12.0)

Q36f. I lost my job even though I wanted to go on working.

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	84	92.0%	(84.2-99.8)	13	8.0%	(0.2-15.8)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Not Married</b>	66	90.0%	(80.3-99.7)	13	10.0%	(0.3-19.7)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	40	97.1%	(94.2-100.0)	4	2.9%	(0.0-5.8)
	<b>Others</b>	44	85.6%	(69.0-100.0)	9	14.4%	(0.0-31.0)
<b>Education</b>	<b>Less than High School</b>	28	95.7%	(91.0-100.0)	4	4.3%	(0.0-9.0)
	<b>High School/Some College</b>	56	90.0%	(78.5-100.0)	9	10.0%	(0.0-21.5)
<b>Income</b>	<b>&lt;\$32,000</b>	58	89.8%	(79.0-100.0)	11	10.2%	(0.0-21.0)
	<b>\$32,001+</b>	18	96.0%	(89.8-100.0)	2	4.0%	(0.0-10.2)
<b>Insurance</b>	<b>No Health Insurance</b>	12	97.6%	(92.5-100.0)	1	2.4%	(0.0-7.5)
	<b>Having Health Insurance</b>	71	90.9%	(81.7-100.0)	12	9.1%	(0.0-18.3)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1188	89.9%	(87.4-92.5)	118	10.1%	(7.5-12.6)
<b>Age</b>	<b>&lt;=20</b>	84	92.0%	(84.5-99.5)	13	8.0%	(0.5-15.5)
	<b>20+</b>	1104	89.8%	(87.1-92.4)	105	10.2%	(7.6-12.9)



Q36g. My husband, partner, or I had a cut in work hours or pay.

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	82	85.1%	(73.9-96.4)	15	14.9%	(3.6-26.1)
<b>Marital Status</b>	<b>Married</b>	14	63.1%	(30.1-96.1)	4	36.9%	(3.9-69.9)
	<b>Not Married</b>	68	90.6%	(81.0-100.0)	11	9.4%	(0.0-19.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	39	91.8%	(82.8-100.0)	5	8.2%	(0.0-17.2)
	<b>Others</b>	43	76.7%	(55.3-98.2)	10	23.3%	(1.8-44.7)
<b>Education</b>	<b>Less than High School</b>	31	89.3%	(69.0-100.0)	1	10.7%	(0.0-31.0)
	<b>High School/Some College</b>	51	82.9%	(69.4-96.4)	14	17.1%	(3.6-30.6)
<b>Income</b>	<b>&lt;\$32,000</b>	57	80.9%	(65.6-96.2)	12	19.1%	(3.8-34.4)
	<b>\$32,001+</b>	17	92.9%	(83.8-100.0)	3	7.1%	(0.0-16.2)
<b>Insurance</b>	<b>No Health Insurance</b>	12	97.6%	(92.5-100.0)	1	2.4%	(0.0-7.5)
	<b>Having Health Insurance</b>	70	83.2%	(70.0-96.4)	13	16.8%	(3.6-30.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1112	85.2%	(82.2-88.2)	194	14.8%	(11.8-17.8)
<b>Age</b>	<b>&lt;=20</b>	82	85.1%	(74.3-96.0)	15	14.9%	(4.0-25.7)
	<b>20+</b>	1030	85.2%	(82.1-88.4)	179	14.8%	(11.6-17.9)

Q36h. I was apart from my husband or partner due to military deployment or extended work-related travel.

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	91	95.0%	(89.5-100.0)	6	5.0%	(0.0-10.5)
<b>Marital Status</b>	<b>Married</b>	16	81.7%	(57.6-100.0)	2	18.3%	(0.0-42.4)
	<b>Not Married</b>	75	98.3%	(96.6-100.0)	4	1.7%	(0.0-3.4)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	40	92.0%	(82.4-100.0)	4	8.0%	(0.0-17.6)
	<b>Others</b>	51	98.7%	(96.6-100.0)	2	1.3%	(0.0-3.4)
<b>Education</b>	<b>Less than High School</b>	32	100.0%	(100.0-100.0)	0	.	(.-)
	<b>High School/Some College</b>	59	92.3%	(83.9-100.0)	6	7.7%	(0.0-16.1)
<b>Income</b>	<b>&lt;\$32,000</b>	64	95.7%	(90.5-100.0)	5	4.3%	(0.0-9.5)
	<b>\$32,001+</b>	19	89.2%	(68.0-100.0)	1	10.8%	(0.0-32.0)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	77	94.0%	(87.4-100.0)	6	6.0%	(0.0-12.6)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1244	96.1%	(94.5-97.6)	64	3.9%	(2.4-5.5)
<b>Age</b>	<b>&lt;=20</b>	91	95.0%	(89.7-100.0)	6	5.0%	(0.0-10.3)
	<b>20+</b>	1153	96.2%	(94.6-97.8)	58	3.8%	(2.2-5.4)

Q36i. I argued with my husband or partner more than usual.

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	63	75.0%	(62.1-87.9)	34	25.0%	(12.1-37.9)
<b>Marital Status</b>	<b>Married</b>	11	62.0%	(30.8-93.2)	7	38.0%	(6.8-69.2)
	<b>Not Married</b>	52	78.3%	(64.7-91.8)	27	21.7%	(8.2-35.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	30	76.5%	(58.9-94.2)	14	23.5%	(5.8-41.1)
	<b>Others</b>	33	73.1%	(54.0-92.3)	20	26.9%	(7.7-46.0)
<b>Education</b>	<b>Less than High School</b>	21	70.8%	(45.1-96.4)	11	29.2%	(3.6-54.9)
	<b>High School/Some College</b>	42	77.3%	(63.1-91.5)	23	22.7%	(8.5-36.9)
<b>Income</b>	<b>&lt;\$32,000</b>	42	68.8%	(51.4-86.2)	27	31.2%	(13.8-48.6)
	<b>\$32,001+</b>	14	86.7%	(73.7-99.6)	6	13.3%	(0.4-26.3)
<b>Insurance</b>	<b>No Health Insurance</b>	8	66.4%	(25.5-100.0)	5	33.6%	(0.0-74.5)
	<b>Having Health Insurance</b>	55	77.1%	(64.0-90.2)	28	22.9%	(9.8-36.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1018	77.9%	(74.5-81.4)	290	22.1%	(18.6-25.5)
<b>Age</b>	<b>&lt;=20</b>	63	75.0%	(62.4-87.6)	34	25.0%	(12.4-37.6)
	<b>20+</b>	955	78.2%	(74.6-81.8)	256	21.8%	(18.2-25.4)

Q36j. My husband or partner said they didn't want me to be pregnant.

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	85	87.4%	(75.2-99.6)	11	12.6%	(0.4-24.8)
<b>Marital Status</b>	<b>Married</b>	16	96.7%	(91.9-100.0)	2	3.3%	(0.0-8.1)
	<b>Not Married</b>	69	85.1%	(70.1-100.0)	9	14.9%	(0.0-29.9)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	40	88.4%	(71.0-100.0)	4	11.6%	(0.0-29.0)
	<b>Others</b>	45	86.2%	(69.5-100.0)	7	13.8%	(0.0-30.5)
<b>Education</b>	<b>Less than High School</b>	30	85.1%	(58.1-100.0)	1	14.9%	(0.0-41.9)
	<b>High School/Some College</b>	55	88.7%	(77.0-100.0)	10	11.3%	(0.0-23.0)
<b>Income</b>	<b>&lt;\$32,000</b>	59	83.5%	(66.8-100.0)	9	16.5%	(0.0-33.2)
	<b>\$32,001+</b>	18	95.4%	(88.4-100.0)	2	4.6%	(0.0-11.6)
<b>Insurance</b>	<b>No Health Insurance</b>	12	97.1%	(90.9-100.0)	1	2.9%	(0.0-9.1)
	<b>Having Health Insurance</b>	72	85.5%	(71.1-99.8)	10	14.5%	(0.2-28.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1225	93.0%	(90.7-95.2)	82	7.0%	(4.8-9.3)
<b>Age</b>	<b>&lt;=20</b>	85	87.4%	(75.7-99.2)	11	12.6%	(0.8-24.3)
	<b>20+</b>	1140	93.4%	(91.2-95.6)	71	6.6%	(4.4-8.8)

Q36k. I had problems paying the rent, mortgage, or other bills

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	80	86.0%	(76.2-95.7)	17	14.0%	(4.3-23.8)
<b>Marital Status</b>	<b>Married</b>	13	71.6%	(44.9-98.3)	5	28.4%	(1.7-55.1)
	<b>Not Married</b>	67	89.6%	(79.8-99.4)	12	10.4%	(0.6-20.2)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	37	90.0%	(80.5-99.5)	7	10.0%	(0.5-19.5)
	<b>Others</b>	43	80.9%	(62.9-99.0)	10	19.1%	(1.0-37.1)
<b>Education</b>	<b>Less than High School</b>	31	98.6%	(95.9-100.0)	1	1.4%	(0.0-4.1)
	<b>High School/Some College</b>	49	79.2%	(64.7-93.8)	16	20.8%	(6.2-35.3)
<b>Income</b>	<b>&lt;\$32,000</b>	54	81.5%	(68.1-95.0)	15	18.5%	(5.0-31.9)
	<b>\$32,001+</b>	18	94.9%	(87.4-100.0)	2	5.1%	(0.0-12.6)
<b>Insurance</b>	<b>No Health Insurance</b>	12	97.6%	(92.5-100.0)	1	2.4%	(0.0-7.5)
	<b>Having Health Insurance</b>	68	84.2%	(72.7-95.7)	15	15.8%	(4.3-27.3)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1112	83.5%	(80.3-86.7)	195	16.5%	(13.3-19.7)
<b>Age</b>	<b>&lt;=20</b>	80	86.0%	(76.6-95.4)	17	14.0%	(4.6-23.4)
	<b>20+</b>	1032	83.3%	(80.0-86.7)	178	16.7%	(13.3-20.0)

Q36l. My husband, partner, or I went to jail

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	90	92.6%	(84.4-100.0)	7	7.4%	(0.0-15.6)
<b>Marital Status</b>	<b>Married</b>	17	91.8%	(75.6-100.0)	1	8.2%	(0.0-24.4)
	<b>Not Married</b>	73	92.8%	(83.3-100.0)	6	7.2%	(0.0-16.7)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	42	96.2%	(89.9-100.0)	2	3.8%	(0.0-10.1)
	<b>Others</b>	48	88.1%	(71.7-100.0)	5	11.9%	(0.0-28.3)
<b>Education</b>	<b>Less than High School</b>	30	97.3%	(93.4-100.0)	2	2.7%	(0.0-6.6)
	<b>High School/Some College</b>	60	90.1%	(77.9-100.0)	5	9.9%	(0.0-22.1)
<b>Income</b>	<b>&lt;\$32,000</b>	62	89.5%	(78.0-100.0)	7	10.5%	(0.0-22.0)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Having Health Insurance</b>	76	91.1%	(81.3-100.0)	7	8.9%	(0.0-18.7)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1259	97.3%	(96.1-98.5)	50	2.7%	(1.5-3.9)
<b>Age</b>	<b>&lt;=20</b>	90	92.6%	(84.6-100.0)	7	7.4%	(0.0-15.4)
	<b>20+</b>	1169	97.7%	(96.5-98.8)	43	2.3%	(1.2-3.5)

Q36m. Someone very close to me had a problem with drinking or drugs

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	73	79.3%	(65.5-93.0)	24	20.7%	(7.0-34.5)
<b>Marital Status</b>	<b>Married</b>	14	93.3%	(85.9-100.0)	4	6.7%	(0.0-14.1)
	<b>Not Married</b>	59	75.8%	(59.0-92.5)	20	24.2%	(7.5-41.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	39	90.3%	(77.0-100.0)	5	9.7%	(0.0-23.0)
	<b>Others</b>	34	65.5%	(41.3-89.6)	19	34.5%	(10.4-58.7)
<b>Education</b>	<b>Less than High School</b>	24	67.6%	(37.9-97.2)	8	32.4%	(2.8-62.1)
	<b>High School/Some College</b>	49	85.5%	(73.6-97.4)	16	14.5%	(2.6-26.4)
<b>Income</b>	<b>&lt;\$32,000</b>	53	81.7%	(67.1-96.3)	16	18.3%	(3.7-32.9)
	<b>\$32,001+</b>	16	92.8%	(84.4-100.0)	4	7.2%	(0.0-15.6)
<b>Insurance</b>	<b>No Health Insurance</b>	9	89.6%	(76.9-100.0)	4	10.4%	(0.0-23.1)
	<b>Having Health Insurance</b>	63	77.1%	(61.2-93.1)	20	22.9%	(6.9-38.8)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1106	86.0%	(83.1-88.8)	203	14.0%	(11.2-16.9)
<b>Age</b>	<b>&lt;=20</b>	73	79.3%	(66.0-92.5)	24	20.7%	(7.5-34.0)
	<b>20+</b>	1033	86.5%	(83.6-89.4)	179	13.5%	(10.6-16.4)

Q36n. Someone very close to me died

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	75	85.1%	(74.2-96.1)	22	14.9%	(3.9-25.8)
<b>Marital Status</b>	<b>Married</b>	15	86.2%	(66.0-100.0)	3	13.8%	(0.0-34.0)
	<b>Not Married</b>	60	84.9%	(72.1-97.6)	19	15.1%	(2.4-27.9)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	35	90.5%	(81.8-99.1)	9	9.5%	(0.9-18.2)
	<b>Others</b>	40	78.5%	(57.2-99.7)	13	21.5%	(0.3-42.8)
<b>Education</b>	<b>Less than High School</b>	24	77.8%	(51.4-100.0)	8	22.2%	(0.0-48.6)
	<b>High School/Some College</b>	51	89.0%	(81.1-96.9)	14	11.0%	(3.1-18.9)
<b>Income</b>	<b>&lt;\$32,000</b>	52	90.6%	(86.1-95.1)	17	9.4%	(4.9-13.9)
	<b>\$32,001+</b>	16	83.3%	(60.6-100.0)	4	16.7%	(0.0-39.4)
<b>Insurance</b>	<b>No Health Insurance</b>	12	97.6%	(92.5-100.0)	1	2.4%	(0.0-7.5)
	<b>Having Health Insurance</b>	63	83.2%	(70.3-96.1)	20	16.8%	(3.9-29.7)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1072	83.8%	(80.8-86.8)	237	16.2%	(13.2-19.2)
<b>Age</b>	<b>&lt;=20</b>	75	85.1%	(74.4-95.8)	22	14.9%	(4.2-25.6)
	<b>20+</b>	997	83.7%	(80.6-86.9)	215	16.3%	(13.1-19.4)



**Q37. In the 12 months before you got pregnant with your new baby, did any of the following people push, hit, slap, kick, choke, or physically hurt you in any other way?**

Q37a. My husband or partner

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	93	98.4%	(96.8-100.0)	4	1.6%	(0.0-3.2)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Not Married</b>	75	98.0%	(95.9-100.0)	4	2.0%	(0.0-4.1)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	42	98.5%	(96.3-100.0)	2	1.5%	(0.0-3.7)
	<b>Others</b>	51	98.3%	(95.8-100.0)	2	1.7%	(0.0-4.2)
<b>Education</b>	<b>Less than High School</b>	32	100.0%	(100.0-100.0)	0	.	(.-)
	<b>High School/Some College</b>	61	97.5%	(95.0-100.0)	4	2.5%	(0.0-5.0)
<b>Income</b>	<b>&lt;\$32,000</b>	65	97.7%	(95.4-100.0)	4	2.3%	(0.0-4.6)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)	0	.	(.-)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	79	98.1%	(96.1-100.0)	4	1.9%	(0.0-3.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1286	98.0%	(96.8-99.1)	24	2.0%	(0.9-3.2)
<b>Age</b>	<b>&lt;=20</b>	93	98.4%	(96.7-100.0)	4	1.6%	(0.0-3.3)
	<b>20+</b>	1193	98.0%	(96.7-99.2)	20	2.0%	(0.8-3.3)

Q37b. My ex-husband or ex-partner

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	95	99.2%	(98.2-100.0)	2	0.8%	(0.0-1.8)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Not Married</b>	77	99.0%	(97.7-100.0)	2	1.0%	(0.0-2.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	43	99.3%	(97.9-100.0)	1	0.7%	(0.0-2.1)
	<b>Others</b>	52	99.1%	(97.4-100.0)	1	0.9%	(0.0-2.6)
<b>Education</b>	<b>Less than High School</b>	32	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>High School/Some College</b>	63	98.8%	(97.2-100.0)	2	1.2%	(0.0-2.8)
<b>Income</b>	<b>&lt;\$32,000</b>	67	98.9%	(97.4-100.0)	2	1.1%	(0.0-2.6)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Having Health Insurance</b>	81	99.1%	(97.8-100.0)	2	0.9%	(0.0-2.2)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1275	97.8%	(96.7-98.9)	33	2.2%	(1.1-3.3)
<b>Age</b>	<b>&lt;=20</b>	95	99.2%	(98.1-100.0)	2	0.8%	(0.0-1.9)
	<b>20+</b>	1180	97.7%	(96.5-98.9)	31	2.3%	(1.1-3.5)

Q37c. Another family member

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	94	95.4%	(87.9-100.0)	3	4.6%	(0.0-12.1)
<b>Marital Status</b>	<b>Married</b>	17	97.7%	(92.9-100.0)	1	2.3%	(0.0-7.1)
	<b>Not Married</b>	77	94.8%	(85.5-100.0)	2	5.2%	(0.0-14.5)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	43	99.2%	(97.5-100.0)	1	0.8%	(0.0-2.5)
	<b>Others</b>	51	90.6%	(74.5-100.0)	2	9.4%	(0.0-25.5)
<b>Education</b>	<b>Less than High School</b>	31	98.7%	(95.9-100.0)	1	1.3%	(0.0-4.1)
	<b>High School/Some College</b>	63	93.6%	(82.4-100.0)	2	6.4%	(0.0-17.6)
<b>Income</b>	<b>&lt;\$32,000</b>	66	93.4%	(83.0-100.0)	3	6.6%	(0.0-17.0)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Having Health Insurance</b>	80	94.4%	(85.5-100.0)	3	5.6%	(0.0-14.5)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1291	98.4%	(97.3-99.5)	17	1.6%	(0.5-2.7)
<b>Age</b>	<b>&lt;=20</b>	94	95.4%	(88.1-100.0)	3	4.6%	(0.0-11.9)
	<b>20+</b>	1197	98.6%	(97.6-99.7)	14	1.4%	(0.3-2.4)

Q37d. Someone else

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	92	98.0%	(96.2-99.8)	5	2.0%	(0.2-3.8)
<b>Marital Status</b>	<b>Married</b>	15	93.4%	(85.4-100.0)	3	6.6%	(0.0-14.6)
	<b>Not Married</b>	77	99.2%	(98.0-100.0)	2	0.8%	(0.0-2.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	42	98.8%	(97.1-100.0)	2	1.2%	(0.0-2.9)
	<b>Others</b>	50	97.0%	(93.4-100.0)	3	3.0%	(0.0-6.6)
<b>Education</b>	<b>Less than High School</b>	32	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>High School/Some College</b>	60	97.0%	(94.2-99.7)	5	3.0%	(0.3-5.8)
<b>Income</b>	<b>&lt;\$32,000</b>	66	98.4%	(96.5-100.0)	3	1.6%	(0.0-3.5)
	<b>\$32,001+</b>	18	95.4%	(88.4-100.0)	2	4.6%	(0.0-11.6)
<b>Insurance</b>	<b>No Health Insurance</b>	12	97.1%	(90.9-100.0)	1	2.9%	(0.0-9.1)
	<b>Having Health Insurance</b>	79	98.2%	(96.4-100.0)	4	1.8%	(0.0-3.6)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1283	98.5%	(97.6-99.5)	23	1.5%	(0.5-2.4)
<b>Age</b>	<b>&lt;=20</b>	92	98.0%	(96.2-99.9)	5	2.0%	(0.1-3.8)
	<b>20+</b>	1191	98.6%	(97.6-99.6)	18	1.4%	(0.4-2.4)

**Q38. During your most recent pregnancy, did any of the following people push, hit, slap, kick, choke, or physically hurt you in any other way?**

Q38a. My husband or partner

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	95	99.2%	(98.2-100.0)	2	0.8%	(0.0-1.8)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Not Married</b>	77	99.0%	(97.7-100.0)	2	1.0%	(0.0-2.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	44	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Others</b>	51	98.3%	(95.8-100.0)	2	1.7%	(0.0-4.2)
<b>Education</b>	<b>Less than High School</b>	32	100.0%	(100.0-100.0)	0	.	(.-)
	<b>High School/Some College</b>	63	98.8%	(97.2-100.0)	2	1.2%	(0.0-2.8)
<b>Income</b>	<b>&lt;\$32,000</b>	67	98.9%	(97.4-100.0)	2	1.1%	(0.0-2.6)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)	0	.	(.-)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	81	99.1%	(97.8-100.0)	2	0.9%	(0.0-2.2)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1292	98.3%	(97.2-99.4)	17	1.7%	(0.6-2.8)
<b>Age</b>	<b>&lt;=20</b>	95	99.2%	(98.1-100.0)	2	0.8%	(0.0-1.9)
	<b>20+</b>	1197	98.3%	(97.1-99.5)	15	1.7%	(0.5-2.9)

Q38b. My ex-husband or ex-partner

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	95	99.1%	(97.9-100.0)	2	0.9%	(0.0-2.1)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Not Married</b>	77	98.9%	(97.4-100.0)	2	1.1%	(0.0-2.6)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	44	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Others</b>	51	98.1%	(95.3-100.0)	2	1.9%	(0.0-4.7)
<b>Education</b>	<b>Less than High School</b>	32	100.0%	(100.0-100.0)	0	.	(.-)
	<b>High School/Some College</b>	63	98.7%	(96.8-100.0)	2	1.3%	(0.0-3.2)
<b>Income</b>	<b>&lt;\$32,000</b>	67	98.8%	(97.1-100.0)	2	1.2%	(0.0-2.9)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)	0	.	(.-)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	81	99.0%	(97.5-100.0)	2	1.0%	(0.0-2.5)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1295	99.3%	(98.7-99.9)	12	0.7%	(0.1-1.3)
<b>Age</b>	<b>&lt;=20</b>	95	99.1%	(97.9-100.0)	2	0.9%	(0.0-2.1)
	<b>20+</b>	1200	99.3%	(98.7-100.0)	10	0.7%	(0.0-1.3)

Q38c. Other family members

		No		
		N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	97	100.0%	(100.0-100.0)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)
	<b>Not Married</b>	79	100.0%	(100.0-100.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	44	100.0%	(100.0-100.0)
	<b>Others</b>	53	100.0%	(100.0-100.0)
<b>Education</b>	<b>Less than High School</b>	32	100.0%	(100.0-100.0)
	<b>High School/Some College</b>	65	100.0%	(100.0-100.0)
<b>Income</b>	<b>&lt;\$32,000</b>	69	100.0%	(100.0-100.0)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)
	<b>Having Health Insurance</b>	83	100.0%	(100.0-100.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1298	99.1%	(98.3-99.9)	9	0.9%	(0.1-1.7)
<b>Age</b>	<b>&lt;=20</b>	97	100.0%	(100.0-100.0)	0	.	(.-)
	<b>20+</b>	1201	99.0%	(98.2-99.9)	9	1.0%	(0.1-1.8)

Q38d. Someone else

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	95	99.3%	(98.4-100.0)	2	0.7%	(0.0-1.6)
<b>Marital Status</b>	<b>Married</b>	17	98.1%	(94.2-100.0)	1	1.9%	(0.0-5.8)
	<b>Not Married</b>	78	99.7%	(99.0-100.0)	1	0.3%	(0.0-1.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	43	99.5%	(98.5-100.0)	1	0.5%	(0.0-1.5)
	<b>Others</b>	52	99.1%	(97.4-100.0)	1	0.9%	(0.0-2.6)
<b>Education</b>	<b>Less than High School</b>	32	100.0%	(100.0-100.0)	0	.	(.-)
	<b>High School/Some College</b>	63	99.0%	(97.5-100.0)	2	1.0%	(0.0-2.5)
<b>Income</b>	<b>&lt;\$32,000</b>	68	99.6%	(98.8-100.0)	1	0.4%	(0.0-1.2)
	<b>\$32,001+</b>	19	97.9%	(93.6-100.0)	1	2.1%	(0.0-6.4)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	81	99.2%	(98.1-100.0)	2	0.8%	(0.0-1.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1295	99.5%	(99.1-100.0)	11	0.5%	(0.0-0.9)
<b>Age</b>	<b>&lt;=20</b>	95	99.3%	(98.4-100.0)	2	0.7%	(0.0-1.6)
	<b>20+</b>	1200	99.5%	(99.0-100.0)	9	0.5%	(0.0-1.0)



## Delivery

Was the baby born with a birth defect?

		No		
		N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	97	100.0%	(100.0-100.0)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)
	<b>Not Married</b>	79	100.0%	(100.0-100.0)
<b>Race ethnicity</b>	<b>Hispanic</b>	44	100.0%	(100.0-100.0)
	<b>Others</b>	53	100.0%	(100.0-100.0)
<b>Education</b>	<b>Less than High School</b>	32	100.0%	(100.0-100.0)
	<b>High School/Some College</b>	65	100.0%	(100.0-100.0)
<b>Income</b>	<b>&lt;\$32,000</b>	69	100.0%	(100.0-100.0)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)
	<b>Having Health Insurance</b>	83	100.0%	(100.0-100.0)

		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	3	0.3%	(0.0-0.7)	1317	99.7%	(99.3-100.0)
<b>Age</b>	<b>&lt;=20</b>	0	.	(.-)	97	100.0%	(100.0-100.0)
	<b>20+</b>	3	0.3%	(0.0-0.7)	1220	99.7%	(99.3-100.0)

What was the method of delivery?

a. C-sect, 1<sup>st</sup>

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	82	78.7%	(63.7-93.8)	15	21.3%	(6.2-36.3)
<b>Marital Status</b>	<b>Married</b>	14	79.8%	(56.9-100.0)	4	20.2%	(0.0-43.1)
	<b>Not Married</b>	68	78.5%	(60.6-96.3)	11	21.5%	(3.7-39.4)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	38	85.2%	(69.9-100.0)	6	14.8%	(0.0-30.1)
	<b>Others</b>	44	70.7%	(44.6-96.8)	9	29.3%	(3.2-55.4)
<b>Education</b>	<b>Less than High School</b>	29	73.5%	(43.6-100.0)	3	26.5%	(0.0-56.4)
	<b>High School/Some College</b>	53	81.5%	(65.4-97.7)	12	18.5%	(2.3-34.6)
<b>Income</b>	<b>&lt;\$32,000</b>	58	78.7%	(61.4-95.9)	11	21.3%	(4.1-38.6)
	<b>\$32,001+</b>	19	97.9%	(93.6-100.0)	1	2.1%	(0.0-6.4)
<b>Insurance</b>	<b>No Health Insurance</b>	12	97.1%	(91.0-100.0)	1	2.9%	(0.0-9.0)
	<b>Having Health Insurance</b>	69	75.1%	(57.7-92.4)	14	24.9%	(7.6-42.3)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1084	75.5%	(71.7-79.2)	243	24.5%	(20.8-28.3)
<b>Age</b>	<b>&lt;=20</b>	82	78.7%	(64.2-93.3)	15	21.3%	(6.7-35.8)
	<b>20+</b>	1002	75.2%	(71.4-79.1)	228	24.8%	(20.9-28.6)

b. Forceps delivery

		No		
		N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	97	100.0%	(100.0-100.0)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)
	<b>Not Married</b>	79	100.0%	(100.0-100.0)
<b>Race ethnicity</b>	<b>Hispanic</b>	44	100.0%	(100.0-100.0)
	<b>Others</b>	53	100.0%	(100.0-100.0)
<b>Education</b>	<b>Less than High School</b>	32	100.0%	(100.0-100.0)
	<b>High School/Some College</b>	65	100.0%	(100.0-100.0)
<b>Income</b>	<b>&lt;\$32,000</b>	69	100.0%	(100.0-100.0)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)
	<b>Having Health Insurance</b>	83	100.0%	(100.0-100.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1322	99.8%	(99.5-100.0)	5	0.2%	(0.0-0.5)
<b>Age</b>	<b>&lt;=20</b>	97	100.0%	(100.0-100.0)	0	.	(.-)
	<b>20+</b>	1225	99.8%	(99.5-100.0)	5	0.2%	(0.0-0.5)

c. Repeated C-section

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	94	94.0%	(84.0-100.0)	3	6.0%	(0.0-16.0)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Not Married</b>	76	92.6%	(80.1-100.0)	3	7.4%	(0.0-19.9)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	42	90.0%	(72.6-100.0)	2	10.0%	(0.0-27.4)
	<b>Others</b>	52	99.1%	(97.4-100.0)	1	0.9%	(0.0-2.6)
<b>Education</b>	<b>Less than High School</b>	30	97.5%	(93.9-100.0)	2	2.5%	(0.0-6.1)
	<b>High School/Some College</b>	64	92.2%	(77.2-100.0)	1	7.8%	(0.0-22.8)
<b>Income</b>	<b>&lt;\$32,000</b>	68	99.5%	(98.4-100.0)	1	0.5%	(0.0-1.6)
	<b>\$32,001+</b>	18	70.0%	(28.2-100.0)	2	30.0%	(0.0-71.8)
<b>Insurance</b>	<b>No Health Insurance</b>	12	68.3%	(20.1-100.0)	1	31.7%	(0.0-79.9)
	<b>Having Health Insurance</b>	81	99.0%	(97.5-100.0)	2	1.0%	(0.0-2.5)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1165	88.5%	(85.9-91.1)	162	11.5%	(8.9-14.1)
<b>Age</b>	<b>&lt;=20</b>	94	94.0%	(84.4-100.0)	3	6.0%	(0.0-15.6)
	<b>20+</b>	1071	88.0%	(85.3-90.8)	159	12.0%	(9.2-14.7)

d. Vacuum delivery

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	96	99.6%	(98.8-100.0)	1	0.4%	(0.0-1.2)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Not Married</b>	78	99.5%	(98.6-100.0)	1	0.5%	(0.0-1.4)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	44	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Others</b>	52	99.1%	(97.4-100.0)	1	0.9%	(0.0-2.6)
<b>Education</b>	<b>Less than High School</b>	31	98.9%	(96.6-100.0)	1	1.1%	(0.0-3.4)
	<b>High School/Some College</b>	65	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Income</b>	<b>&lt;\$32,000</b>	68	99.5%	(98.4-100.0)	1	0.5%	(0.0-1.6)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Having Health Insurance</b>	82	99.5%	(98.6-100.0)	1	0.5%	(0.0-1.4)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	1292	97.2%	(95.8-98.6)	35	2.8%	(1.4-4.2)
<b>Age</b>	<b>&lt;=20</b>	96	99.6%	(98.8-100.0)	1	0.4%	(0.0-1.2)
	<b>20+</b>	1196	97.0%	(95.5-98.5)	34	3.0%	(1.5-4.5)

e. Vaginal delivery

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	18	27.2%	(10.7-43.7)	79	72.8%	(56.3-89.3)
<b>Marital Status</b>	<b>Married</b>	4	20.2%	(0.0-43.1)	14	79.8%	(56.9-100.0)
	<b>Not Married</b>	14	29.0%	(9.4-48.6)	65	71.0%	(51.4-90.6)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	8	24.9%	(3.9-45.9)	36	75.1%	(54.1-96.1)
	<b>Others</b>	10	30.1%	(4.1-56.2)	43	69.9%	(43.8-95.9)
<b>Education</b>	<b>Less than High School</b>	5	29.0%	(0.0-58.7)	27	71.0%	(41.3-100.0)
	<b>High School/Some College</b>	13	26.3%	(6.5-46.0)	52	73.7%	(54.0-93.5)
<b>Income</b>	<b>&lt;\$32,000</b>	12	21.9%	(4.6-39.1)	57	78.1%	(60.9-95.4)
	<b>\$32,001+</b>	3	32.0%	(0.0-73.3)	17	68.0%	(26.7-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	2	34.6%	(0.0-82.0)	11	65.4%	(18.0-100.0)
	<b>Having Health Insurance</b>	16	25.9%	(8.6-43.3)	67	74.1%	(56.7-91.4)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	438	38.9%	(34.8-43.0)	889	61.1%	(57.0-65.2)
<b>Age</b>	<b>&lt;=20</b>	18	27.2%	(11.2-43.2)	79	72.8%	(56.8-88.8)
	<b>20+</b>	420	39.8%	(35.6-44.1)	810	60.2%	(55.9-64.4)

f. Vaginal delivery after C-section (comparison only)

		No		
		N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	97	100.0%	(100.0-100.0)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)
	<b>Not Married</b>	79	100.0%	(100.0-100.0)
<b>Race ethnicity</b>	<b>Hispanic</b>	44	100.0%	(100.0-100.0)
	<b>Others</b>	53	100.0%	(100.0-100.0)
<b>Education</b>	<b>Less than High School</b>	32	100.0%	(100.0-100.0)
	<b>High School/Some College</b>	65	100.0%	(100.0-100.0)
<b>Income</b>	<b>&lt;\$32,000</b>	69	100.0%	(100.0-100.0)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)
	<b>Having Health Insurance</b>	83	100.0%	(100.0-100.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	1294	97.2%	(95.7-98.6)	33	2.8%	(1.4-4.3)
<b>Age</b>	<b>&lt;=20</b>	97	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>20+</b>	1197	96.9%	(95.4-98.5)	33	3.1%	(1.5-4.6)

## After Pregnancy

### Q40. After your baby was delivered, how long did he or she stay in the hospital?

		< 1 day			1-2 days			3-5 days			6-14 days			> 14 days		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	3	3.6%	(0.0-9.6)	66	65.4%	(48.9-81.9)	22	25.6%	(10.2-41.0)	2	0.7%	(0.0-1.8)	3	4.7%	(0.0-12.2)
<b>Marital Status</b>	<b>Married</b>	2	15.9%	(0.0-43.0)	8	31.4%	(4.8-58.0)	8	52.7%	(20.5-84.8)	0	.	(-.)	0	.	(-.)
	<b>Not Married</b>	1	0.5%	(0.0-1.5)	58	73.9%	(55.9-92.0)	14	18.8%	(2.1-35.5)	2	0.9%	(0.0-2.3)	3	5.8%	(0.0-15.2)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	1	5.4%	(0.0-16.1)	33	74.3%	(55.2-93.3)	7	12.7%	(0.9-24.6)	0	.	(-.)	2	7.6%	(0.0-20.8)
	<b>Others</b>	2	1.3%	(0.0-3.4)	33	54.4%	(28.6-80.2)	15	41.5%	(15.4-67.6)	2	1.7%	(0.0-4.2)	1	1.0%	(0.0-3.2)
<b>Education</b>	<b>Less than High School</b>	1	8.6%	(0.0-25.2)	21	48.0%	(18.3-77.8)	8	31.9%	(2.3-61.6)	1	0.8%	(0.0-2.4)	1	10.7%	(0.0-31.0)
	<b>High School/Some College</b>	2	0.9%	(0.0-2.3)	45	74.7%	(57.5-91.9)	14	22.2%	(5.2-39.3)	1	0.7%	(0.0-2.1)	2	1.4%	(0.0-3.5)
<b>Income</b>	<b>&lt;\$32,000</b>	2	4.8%	(0.0-13.3)	50	66.5%	(46.9-86.1)	12	21.8%	(4.4-39.1)	2	1.0%	(0.0-2.6)	2	5.9%	(0.0-16.4)
	<b>\$32,001+</b>	1	1.1%	(0.0-3.5)	10	71.2%	(44.6-97.9)	8	25.1%	(0.0-50.4)	0	.	(-.)	1	2.5%	(0.0-7.7)
<b>Insurance</b>	<b>No Health Insurance</b>	0	.	(-.)	9	69.5%	(28.9-100.0)	2	4.6%	(0.0-12.1)	1	2.9%	(0.0-9.0)	1	23.0%	(0.0-63.1)
	<b>Having Health Insurance</b>	3	4.3%	(0.0-11.5)	57	65.0%	(46.9-83.1)	20	29.8%	(12.1-47.5)	1	0.3%	(0.0-1.0)	1	0.6%	(0.0-1.7)

		<1 Day			1-2 days			3-5 days			6-14 days			> 14 days		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	89	6.1%	(4.2-7.9)	750	53.9%	(49.7-58.1)	344	29.5%	(25.6-33.3)	36	2.9%	(1.6-4.3)	65	5.1%	(3.3-7.0)
<b>Age</b>	<b>&lt;20</b>	3	3.6%	(0.0-9.4)	66	65.4%	(49.4-81.3)	22	25.6%	(10.7-40.5)	2	0.7%	(0.0-1.8)	3	4.7%	(0.0-11.9)
	<b>20+</b>	86	6.3%	(4.3-8.2)	684	53.0%	(48.7-57.3)	322	29.8%	(25.8-33.8)	34	3.1%	(1.7-4.5)	62	5.2%	(3.2-7.1)



**Q41. Is your baby alive now?**

		Yes		
		N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	97	100.0%	(100.0-100.0)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)
	<b>Not Married</b>	79	100.0%	(100.0-100.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	44	100.0%	(100.0-100.0)
	<b>Others</b>	53	100.0%	(100.0-100.0)
<b>Education</b>	<b>Less than High School</b>	32	100.0%	(100.0-100.0)
	<b>High School/Some College</b>	65	100.0%	(100.0-100.0)
<b>Income</b>	<b>&lt;\$32,000</b>	69	100.0%	(100.0-100.0)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)
	<b>Having Health Insurance</b>	83	100.0%	(100.0-100.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	6	0.4%	(0.0-0.8)	1285	99.6%	(99.2-100.0)
<b>Age</b>	<b>&lt;=20</b>	0	.	(.-)	97	100.0%	(100.0-100.0)
	<b>20+</b>	6	0.4%	(0.0-0.9)	1188	99.6%	(99.1-100.0)

**Q42. Is your baby living with you now?**

		Yes		
		N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	96	100.0%	(100.0-100.0)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)
	<b>Not Married</b>	78	100.0%	(100.0-100.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	44	100.0%	(100.0-100.0)
	<b>Others</b>	52	100.0%	(100.0-100.0)
<b>Education</b>	<b>Less than High School</b>	31	100.0%	(100.0-100.0)
	<b>High School/Some College</b>	65	100.0%	(100.0-100.0)
<b>Income</b>	<b>&lt;\$32,000</b>	68	100.0%	(100.0-100.0)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	13	100.0%	(100.0-100.0)
	<b>Having Health Insurance</b>	82	100.0%	(100.0-100.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	8	1.1%	(0.1-2.1)	1281	98.9%	(97.9-99.9)
<b>Age</b>	<b>&lt;=20</b>	0	.	(.-)	96	100.0%	(100.0-100.0)
	<b>20+</b>	8	1.2%	(0.1-2.3)	1185	98.8%	(97.7-99.9)

**Q43. Before or after your new baby was born, did you receive information about breastfeeding from any of the following sources?**

Q43a. My doctor

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	21	29.5%	(13.3-45.7)	76	70.5%	(54.3-86.7)
<b>Marital Status</b>	<b>Married</b>	6	38.3%	(7.1-69.6)	12	61.7%	(30.4-92.9)
	<b>Not Married</b>	15	27.3%	(8.5-46.1)	64	72.7%	(53.9-91.5)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	8	38.0%	(14.4-61.6)	36	62.0%	(38.4-85.6)
	<b>Others</b>	13	18.9%	(1.7-36.1)	40	81.1%	(63.9-98.3)
<b>Education</b>	<b>Less than High School</b>	9	41.0%	(10.7-71.3)	23	59.0%	(28.7-89.3)
	<b>High School/Some College</b>	12	23.4%	(5.1-41.7)	53	76.6%	(58.3-94.9)
<b>Income</b>	<b>&lt;\$32,000</b>	18	39.9%	(19.4-60.4)	51	60.1%	(39.6-80.6)
	<b>\$32,001+</b>	2	4.6%	(0.0-11.6)	18	95.4%	(88.4-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	2	25.9%	(0.0-66.1)	11	74.1%	(33.9-100.0)
	<b>Having Health Insurance</b>	19	30.4%	(12.5-48.2)	64	69.6%	(51.8-87.5)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	354	31.2%	(27.2-35.3)	919	68.8%	(64.7-72.8)
<b>Age</b>	<b>&lt;=20</b>	21	29.5%	(13.8-45.3)	76	70.5%	(54.7-86.2)
	<b>20+</b>	333	31.4%	(27.2-35.5)	843	68.6%	(64.5-72.8)

Q43b. A nurse, midwife, or doula

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	18	25.3%	(9.6-40.9)	79	74.7%	(59.1-90.4)
<b>Marital Status</b>	<b>Married</b>	6	39.8%	(8.0-71.6)	12	60.2%	(28.4-92.0)
	<b>Not Married</b>	12	21.6%	(3.8-39.5)	67	78.4%	(60.5-96.2)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	8	32.7%	(9.5-56.0)	36	67.3%	(44.0-90.5)
	<b>Others</b>	10	15.9%	(0.0-32.7)	43	84.1%	(67.3-100.0)
<b>Education</b>	<b>Less than High School</b>	5	12.9%	(0.0-30.3)	27	87.1%	(69.7-100.0)
	<b>High School/Some College</b>	13	31.8%	(11.1-52.6)	52	68.2%	(47.4-88.9)
<b>Income</b>	<b>&lt;\$32,000</b>	12	23.3%	(5.3-41.3)	57	76.7%	(58.7-94.7)
	<b>\$32,001+</b>	5	45.5%	(7.3-83.7)	15	54.5%	(16.3-92.7)
<b>Insurance</b>	<b>No Health Insurance</b>	1	31.7%	(0.0-79.9)	12	68.3%	(20.1-100.0)
	<b>Having Health Insurance</b>	17	24.2%	(8.1-40.2)	66	75.8%	(59.8-91.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	335	29.8%	(25.9-33.8)	936	70.2%	(66.2-74.1)
<b>Age</b>	<b>&lt;=20</b>	18	25.3%	(10.1-40.4)	79	74.7%	(59.6-89.9)
	<b>20+</b>	317	30.2%	(26.1-34.3)	857	69.8%	(65.7-73.9)

Q43c. A breastfeeding or lactation specialist

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	31	37.9%	(20.3-55.6)	64	62.1%	(44.4-79.7)
<b>Marital Status</b>	<b>Married</b>	5	38.9%	(6.0-71.8)	13	61.1%	(28.2-94.0)
	<b>Not Married</b>	26	37.7%	(17.1-58.3)	51	62.3%	(41.7-82.9)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	11	29.7%	(6.9-52.5)	32	70.3%	(47.5-93.1)
	<b>Others</b>	20	49.5%	(24.1-74.8)	32	50.5%	(25.2-75.9)
<b>Education</b>	<b>Less than High School</b>	11	48.2%	(17.8-78.6)	21	51.8%	(21.4-82.2)
	<b>High School/Some College</b>	20	32.0%	(11.3-52.7)	43	68.0%	(47.3-88.7)
<b>Income</b>	<b>&lt;\$32,000</b>	23	42.6%	(21.6-63.7)	45	57.4%	(36.3-78.4)
	<b>\$32,001+</b>	6	13.1%	(0.4-25.7)	14	86.9%	(74.3-99.6)
<b>Insurance</b>	<b>No Health Insurance</b>	2	5.3%	(0.0-13.6)	11	94.7%	(86.4-100.0)
	<b>Having Health Insurance</b>	29	44.9%	(25.8-64.0)	52	55.1%	(36.0-74.2)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	299	22.2%	(18.6-25.8)	979	77.8%	(74.2-81.4)
<b>Age</b>	<b>&lt;=20</b>	31	37.9%	(20.8-55.0)	64	62.1%	(45.0-79.2)
	<b>20+</b>	268	21.0%	(17.4-24.6)	915	79.0%	(75.4-82.6)

Q43d. My baby's doctor or health care provider

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	23	28.5%	(12.3-44.6)	73	71.5%	(55.4-87.7)
<b>Marital Status</b>	<b>Married</b>	5	35.6%	(4.5-66.8)	13	64.4%	(33.2-95.5)
	<b>Not Married</b>	18	26.6%	(7.9-45.3)	60	73.4%	(54.7-92.1)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	5	21.3%	(1.1-41.5)	39	78.7%	(58.5-98.9)
	<b>Others</b>	18	38.6%	(13.1-64.2)	34	61.4%	(35.8-86.9)
<b>Education</b>	<b>Less than High School</b>	9	44.8%	(14.0-75.6)	23	55.2%	(24.4-86.0)
	<b>High School/Some College</b>	14	19.1%	(4.5-33.7)	50	80.9%	(66.3-95.5)
<b>Income</b>	<b>&lt;\$32,000</b>	16	29.7%	(10.5-49.0)	52	70.3%	(51.0-89.5)
	<b>\$32,001+</b>	4	9.2%	(0.0-19.5)	16	90.8%	(80.5-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	2	5.8%	(0.0-14.7)	11	94.2%	(85.3-100.0)
	<b>Having Health Insurance</b>	21	33.3%	(14.9-51.8)	61	66.7%	(48.2-85.1)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	409	37.5%	(33.4-41.7)	862	62.5%	(58.3-66.6)
<b>Age</b>	<b>&lt;=20</b>	23	28.5%	(12.9-44.1)	73	71.5%	(55.9-87.1)
	<b>20+</b>	386	38.3%	(33.9-42.6)	789	61.7%	(57.4-66.1)

Q43e. A breastfeeding support group

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	66	69.1%	(53.5-84.7)	30	30.9%	(15.3-46.5)
<b>Marital Status</b>	<b>Married</b>	12	81.9%	(63.0-100.0)	6	18.1%	(0.0-37.0)
	<b>Not Married</b>	54	65.7%	(46.9-84.4)	24	34.3%	(15.6-53.1)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	30	71.7%	(52.1-91.3)	14	28.3%	(8.7-47.9)
	<b>Others</b>	36	65.4%	(40.5-90.3)	16	34.6%	(9.7-59.5)
<b>Education</b>	<b>Less than High School</b>	22	78.2%	(56.6-99.9)	10	21.8%	(0.1-43.4)
	<b>High School/Some College</b>	44	63.8%	(43.6-84.1)	20	36.2%	(15.9-56.4)
<b>Income</b>	<b>&lt;\$32,000</b>	48	69.7%	(50.7-88.8)	20	30.3%	(11.2-49.3)
	<b>\$32,001+</b>	14	72.4%	(41.6-100.0)	6	27.6%	(0.0-58.4)
<b>Insurance</b>	<b>No Health Insurance</b>	8	50.3%	(5.4-95.2)	5	49.7%	(4.8-94.6)
	<b>Having Health Insurance</b>	57	72.8%	(56.7-88.8)	25	27.2%	(11.2-43.3)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	949	73.4%	(69.6-77.2)	314	26.6%	(22.8-30.4)
<b>Age</b>	<b>&lt;=20</b>	66	69.1%	(54.1-84.1)	30	30.9%	(15.9-45.9)
	<b>20+</b>	883	73.7%	(69.8-77.6)	284	26.3%	(22.4-30.2)

Q43f. A breastfeeding hotline or toll-free number

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	84	89.2%	(80.0-98.4)	12	10.8%	(1.6-20.0)
<b>Marital Status</b>	<b>Married</b>	15	94.5%	(87.6-100.0)	3	5.5%	(0.0-12.4)
	<b>Not Married</b>	69	87.8%	(76.4-99.2)	9	12.2%	(0.8-23.6)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	39	91.5%	(80.4-100.0)	5	8.5%	(0.0-19.6)
	<b>Others</b>	45	86.0%	(70.4-100.0)	7	14.0%	(0.0-29.6)
<b>Education</b>	<b>Less than High School</b>	27	93.5%	(87.3-99.7)	5	6.5%	(0.3-12.7)
	<b>High School/Some College</b>	57	86.7%	(73.0-100.0)	7	13.3%	(0.0-27.0)
<b>Income</b>	<b>&lt;\$32,000</b>	61	91.7%	(82.1-100.0)	7	8.3%	(0.0-17.9)
	<b>\$32,001+</b>	16	76.9%	(46.7-100.0)	4	23.1%	(0.0-53.3)
<b>Insurance</b>	<b>No Health Insurance</b>	11	78.6%	(44.0-100.0)	2	21.4%	(0.0-56.0)
	<b>Having Health Insurance</b>	72	91.3%	(83.1-99.6)	10	8.7%	(0.4-16.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1137	88.6%	(85.8-91.4)	122	11.4%	(8.6-14.2)
<b>Age</b>	<b>&lt;=20</b>	84	89.2%	(80.3-98.1)	12	10.8%	(1.9-19.7)
	<b>20+</b>	1053	88.6%	(85.6-91.5)	110	11.4%	(8.5-14.4)



Q43g. Family or friends

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	21	23.9%	(8.8-38.9)	75	76.1%	(61.1-91.2)
<b>Marital Status</b>	<b>Married</b>	2	20.9%	(0.0-53.0)	16	79.1%	(47.0-100.0)
	<b>Not Married</b>	19	24.6%	(7.6-41.7)	59	75.4%	(58.3-92.4)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	8	19.3%	(0.0-38.8)	36	80.7%	(61.2-100.0)
	<b>Others</b>	13	30.3%	(6.8-53.8)	39	69.7%	(46.2-93.2)
<b>Education</b>	<b>Less than High School</b>	7	18.0%	(0.0-39.1)	25	82.0%	(60.9-100.0)
	<b>High School/Some College</b>	14	27.2%	(7.4-47.1)	50	72.8%	(52.9-92.6)
<b>Income</b>	<b>&lt;\$32,000</b>	17	24.7%	(7.5-41.8)	51	75.3%	(58.2-92.5)
	<b>\$32,001+</b>	2	30.0%	(0.0-71.9)	18	70.0%	(28.1-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	3	37.5%	(0.0-84.4)	10	62.5%	(15.6-100.0)
	<b>Having Health Insurance</b>	18	21.2%	(6.5-35.9)	64	78.8%	(64.1-93.5)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	421	34.4%	(30.3-38.4)	853	65.6%	(61.6-69.7)
<b>Age</b>	<b>&lt;=20</b>	21	23.9%	(9.4-38.3)	75	76.1%	(61.7-90.6)
	<b>20+</b>	400	35.2%	(31.0-39.4)	778	64.8%	(60.6-69.0)

**Q44. Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time?**

BF5EVER		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	10	11.9%	(0.0-24.0)	87	88.1%	(76.0-100.0)
<b>Marital Status</b>	<b>Married</b>	2	3.3%	(0.0-8.1)	16	96.7%	(91.9-100.0)
	<b>Not Married</b>	8	14.1%	(0.0-29.0)	71	85.9%	(71.0-100.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	6	10.4%	(0.0-23.8)	38	89.6%	(76.2-100.0)
	<b>Others</b>	4	13.8%	(0.0-35.0)	49	86.2%	(65.0-100.0)
<b>Education</b>	<b>Less than High School</b>	3	26.7%	(0.0-56.6)	29	73.3%	(43.4-100.0)
	<b>High School/Some College</b>	7	4.1%	(1.0-7.1)	58	95.9%	(92.9-99.0)
<b>Income</b>	<b>&lt;\$32,000</b>	6	7.8%	(0.0-18.3)	63	92.2%	(81.7-100.0)
	<b>\$32,001+</b>	2	5.0%	(0.0-12.4)	18	95.0%	(87.6-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	1	2.9%	(0.0-9.0)	12	97.1%	(91.0-100.0)
	<b>Having Health Insurance</b>	9	13.7%	(0.0-28.0)	74	86.3%	(72.0-100.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	97	9.2%	(6.7-11.7)	1195	90.8%	(88.3-93.3)
<b>Age</b>	<b>&lt;=20</b>	10	11.9%	(0.3-23.6)	87	88.1%	(76.4-99.7)
	<b>20+</b>	87	9.0%	(6.4-11.5)	1108	91.0%	(88.5-93.6)

**Q46. Are you currently breastfeeding or feeding pumped milk to your new baby?**

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	53	69.2%	(53.5-84.9)	34	30.8%	(15.1-46.5)
<b>Marital Status</b>	<b>Married</b>	10	73.1%	(46.5-99.7)	6	26.9%	(0.3-53.5)
	<b>Not Married</b>	43	68.1%	(49.4-86.8)	28	31.9%	(13.2-50.6)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	24	60.8%	(36.5-85.0)	14	39.2%	(15.0-63.5)
	<b>Others</b>	29	80.1%	(69.0-91.1)	20	19.9%	(8.9-31.0)
<b>Education</b>	<b>Less than High School</b>	19	53.1%	(19.9-86.3)	10	46.9%	(13.7-80.1)
	<b>High School/Some College</b>	34	75.7%	(61.5-90.0)	24	24.3%	(10.0-38.5)
<b>Income</b>	<b>&lt;\$32,000</b>	40	71.7%	(53.3-90.2)	23	28.3%	(9.8-46.7)
	<b>\$32,001+</b>	9	70.0%	(41.4-98.5)	9	30.0%	(1.5-58.6)
<b>Insurance</b>	<b>No Health Insurance</b>	6	62.4%	(19.5-100.0)	6	37.6%	(0.0-80.5)
	<b>Having Health Insurance</b>	47	71.1%	(54.3-87.9)	27	28.9%	(12.1-45.7)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	503	47.7%	(43.4-52.1)	720	52.3%	(47.9-56.6)
<b>Age</b>	<b>&lt;=20</b>	55	69.4%	(54.4-84.5)	34	30.6%	(15.5-45.6)
	<b>20+</b>	448	46.1%	(41.6-50.6)	686	53.9%	(49.4-58.4)

**Q49. In which one position do you most often lay your baby down to sleep now?**

		Side			Back			Stomach		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	19	25.1%	(8.6-41.6)	72	64.9%	(47.3-82.6)	2	5.5%	(0.0-15.5)
<b>Marital Status</b>	<b>Married</b>	3	5.6%	(0.0-12.6)	14	75.8%	(44.1-100.0)	0	.	(.-)
	<b>Not Married</b>	16	30.0%	(10.3-49.7)	58	62.2%	(41.8-82.5)	2	6.9%	(0.0-19.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	11	31.4%	(7.8-55.0)	31	59.3%	(34.9-83.8)	1	9.3%	(0.0-26.8)
	<b>Others</b>	8	17.3%	(0.0-38.5)	41	71.8%	(47.7-96.0)	1	0.8%	(0.0-2.5)
<b>Education</b>	<b>Less than High School</b>	6	44.7%	(13.4-76.0)	22	42.3%	(14.3-70.3)	0	.	(.-)
	<b>High School/Some College</b>	13	14.8%	(0.0-29.9)	50	76.8%	(57.4-96.2)	2	8.4%	(0.0-23.3)
<b>Income</b>	<b>&lt;\$32,000</b>	14	25.7%	(6.1-45.3)	51	67.5%	(47.1-87.8)	1	0.5%	(0.0-1.6)
	<b>\$32,001+</b>	4	8.9%	(0.0-18.9)	15	63.6%	(23.5-100.0)	1	27.5%	(0.0-70.1)
<b>Insurance</b>	<b>No Health Insurance</b>	4	31.6%	(0.0-73.4)	7	35.7%	(0.0-75.1)	1	32.6%	(0.0-81.9)
	<b>Having Health Insurance</b>	15	24.0%	(5.9-42.1)	64	70.2%	(51.5-88.9)	1	0.4%	(0.0-1.3)

		Side			Back			Stomach		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	150	11.6%	(8.9-14.3)	1056	79.0%	(75.4-82.6)	59	7.8%	(5.2-10.3)
<b>Age</b>	<b>&lt;=20</b>	19	25.1%	(9.2-41.0)	72	64.9%	(47.8-82.0)	2	5.5%	(0.0-15.2)
	<b>20+</b>	131	10.5%	(7.9-13.1)	984	80.2%	(76.6-83.7)	57	7.9%	(5.3-10.6)

**Q50. In the past 2 weeks, how often has your new baby slept alone in his or her own crib or bed?**

		Always			Often/Almost Always			Sometimes			Rarely			Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	41	44.5%	(27.4-61.7)	26	26.3%	(10.9-41.6)	14	13.6%	(1.4-25.9)	6	2.4%	(0.5-4.4)	9	13.1%	(1.8-24.4)
<b>Marital Status</b>	<b>Married</b>	8	42.2%	(10.6-73.7)	3	14.3%	(0.0-34.6)	3	4.4%	(0.0-9.7)	0	.	(.-)	4	39.2%	(6.0-72.4)
	<b>Not Married</b>	33	45.1%	(25.2-65.1)	23	29.3%	(11.0-47.6)	11	16.0%	(0.9-31.0)	6	3.1%	(0.5-5.6)	5	6.5%	(0.0-15.9)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	16	45.9%	(22.3-69.4)	14	18.2%	(4.2-32.3)	7	20.1%	(0.0-40.7)	2	1.6%	(0.0-3.8)	4	14.2%	(0.0-29.9)
	<b>Others</b>	25	42.9%	(18.1-67.7)	12	36.2%	(10.0-62.4)	7	5.6%	(1.0-10.3)	4	3.6%	(0.0-7.3)	5	11.7%	(0.0-28.0)
<b>Education</b>	<b>Less than High School</b>	18	42.1%	(12.7-71.6)	5	19.2%	(0.0-46.0)	5	15.6%	(0.0-36.6)	1	1.4%	(0.0-4.2)	2	21.7%	(0.0-48.5)
	<b>High School/Some College</b>	23	45.8%	(25.0-66.6)	21	30.0%	(11.2-48.7)	9	12.6%	(0.0-27.7)	5	3.0%	(0.3-5.7)	7	8.6%	(0.0-17.2)
<b>Income</b>	<b>&lt;\$32,000</b>	30	52.8%	(32.5-73.0)	19	20.3%	(4.4-36.1)	10	10.5%	(0.0-21.3)	4	2.3%	(0.0-4.6)	6	14.2%	(0.0-28.9)
	<b>\$32,001+</b>	8	16.7%	(2.0-31.5)	5	34.4%	(0.3-68.5)	2	28.6%	(0.0-70.8)	2	4.4%	(0.0-10.9)	3	15.9%	(0.0-38.5)
<b>Insurance</b>	<b>No Health Insurance</b>	4	10.7%	(0.0-23.9)	3	24.5%	(0.0-60.6)	2	35.6%	(0.0-84.2)	1	2.5%	(0.0-7.7)	2	26.7%	(0.0-68.1)
	<b>Having Health Insurance</b>	36	50.6%	(32.0-69.2)	23	26.7%	(9.8-43.7)	12	9.6%	(0.3-18.9)	5	2.5%	(0.3-4.7)	7	10.6%	(0.0-21.3)

		Always			Often/Almost Always			Sometimes			Rarely			Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	679	51.9%	(47.7-56.1)	248	20.3%	(16.8-23.8)	136	11.1%	(8.4-13.9)	77	5.6%	(3.8-7.5)	148	11.0%	(8.4-13.6)
<b>Age</b>	<b>&lt;=20</b>	41	44.5%	(28.0-61.1)	26	26.3%	(11.5-41.1)	14	13.6%	(1.9-25.4)	6	2.4%	(0.4-4.5)	9	13.1%	(2.1-24.1)
	<b>20+</b>	638	52.5%	(48.1-56.9)	222	19.8%	(16.2-23.4)	122	10.9%	(8.1-13.7)	71	5.9%	(3.9-7.9)	139	10.9%	(8.2-13.5)

**Q51. When your new baby sleeps alone, is his or her crib or bed in the same room where you sleep?**

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	4	1.7%	(0.0-3.3)	82	98.3%	(96.7-100.0)
<b>Marital Status</b>	<b>Married</b>	1	3.2%	(0.0-9.7)	13	96.8%	(90.3-100.0)
	<b>Not Married</b>	3	1.4%	(0.0-3.1)	69	98.6%	(96.9-100.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	0	.	(.-)	39	100.0%	(100.0-100.0)
	<b>Others</b>	4	3.7%	(0.0-7.7)	43	96.3%	(92.3-100.0)
<b>Education</b>	<b>Less than High School</b>	0	.	(.-)	29	100.0%	(100.0-100.0)
	<b>High School/Some College</b>	4	2.4%	(0.0-4.9)	53	97.6%	(95.1-100.0)
<b>Income</b>	<b>&lt;\$32,000</b>	3	1.7%	(0.0-3.8)	60	98.3%	(96.2-100.0)
	<b>\$32,001+</b>	1	2.5%	(0.0-7.8)	15	97.5%	(92.2-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	0	.	(.-)	10	100.0%	(100.0-100.0)
	<b>Having Health Insurance</b>	4	1.9%	(0.0-3.9)	71	98.1%	(96.1-100.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	138	9.3%	(6.9-11.8)	1004	90.7%	(88.2-93.1)
<b>Age</b>	<b>&lt;=20</b>	4	1.6%	(0.0-3.4)	84	98.4%	(96.6-100.0)
	<b>20+</b>	134	9.9%	(7.3-12.6)	920	90.1%	(87.4-92.7)

**Q52. Listed below are some more things about how babies sleep. How did your new baby usually sleep in the past 2 weeks?**

Q52a. In a crib, bassinet, or pack and play

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	20	19.1%	(6.9-31.3)	76	80.9%	(68.7-93.1)
<b>Marital Status</b>	<b>Married</b>	6	50.2%	(18.1-82.4)	12	49.8%	(17.6-81.9)
	<b>Not Married</b>	14	11.3%	(1.3-21.2)	64	88.7%	(78.8-98.7)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	9	21.1%	(3.8-38.5)	34	78.9%	(61.5-96.2)
	<b>Others</b>	11	16.5%	(0.0-33.4)	42	83.5%	(66.6-100.0)
<b>Education</b>	<b>Less than High School</b>	5	25.5%	(0.0-52.5)	26	74.5%	(47.5-100.0)
	<b>High School/Some College</b>	15	15.7%	(4.5-26.9)	50	84.3%	(73.1-95.5)
<b>Income</b>	<b>&lt;\$32,000</b>	14	18.7%	(3.7-33.6)	55	81.3%	(66.4-96.3)
	<b>\$32,001+</b>	6	31.1%	(0.4-61.7)	14	68.9%	(38.3-99.6)
<b>Insurance</b>	<b>No Health Insurance</b>	2	26.7%	(0.0-68.1)	10	73.3%	(31.9-100.0)
	<b>Having Health Insurance</b>	18	17.8%	(5.7-29.9)	65	82.2%	(70.1-94.3)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	186	14.2%	(11.3-17.2)	1089	85.8%	(82.8-88.7)
<b>Age</b>	<b>&lt;=20</b>	20	19.1%	(7.3-30.9)	76	80.9%	(69.1-92.7)
	<b>20+</b>	166	13.8%	(10.8-16.9)	1013	86.2%	(83.1-89.2)

Q52b. On a twin or larger mattress or bed

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	52	55.3%	(38.3-72.3)	43	44.7%	(27.7-61.7)
<b>Marital Status</b>	<b>Married</b>	9	44.5%	(12.8-76.2)	9	55.5%	(23.8-87.2)
	<b>Not Married</b>	43	58.0%	(38.6-77.5)	34	42.0%	(22.5-61.4)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	24	60.6%	(38.6-82.6)	19	39.4%	(17.4-61.4)
	<b>Others</b>	28	48.8%	(23.2-74.3)	24	51.2%	(25.7-76.8)
<b>Education</b>	<b>Less than High School</b>	18	43.3%	(13.6-73.0)	12	56.7%	(27.0-86.4)
	<b>High School/Some College</b>	34	61.6%	(42.6-80.5)	31	38.4%	(19.5-57.4)
<b>Income</b>	<b>&lt;\$32,000</b>	37	58.7%	(38.9-78.5)	31	41.3%	(21.5-61.1)
	<b>\$32,001+</b>	10	47.1%	(9.5-84.8)	10	52.9%	(15.2-90.5)
<b>Insurance</b>	<b>No Health Insurance</b>	6	46.3%	(0.0-92.9)	6	53.7%	(7.1-100.0)
	<b>Having Health Insurance</b>	46	57.3%	(39.0-75.6)	36	42.7%	(24.4-61.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	838	65.7%	(61.6-69.8)	422	34.3%	(30.2-38.4)
<b>Age</b>	<b>&lt;=20</b>	52	55.3%	(38.9-71.8)	43	44.7%	(28.2-61.1)
	<b>20+</b>	786	66.5%	(62.3-70.7)	379	33.5%	(29.3-37.7)



Q52c. With a blanket

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	28	30.2%	(14.5-45.8)	68	69.8%	(54.2-85.5)
<b>Marital Status</b>	<b>Married</b>	7	32.3%	(2.5-62.1)	11	67.7%	(37.9-97.5)
	<b>Not Married</b>	21	29.6%	(11.5-47.7)	57	70.4%	(52.3-88.5)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	13	27.0%	(7.0-47.1)	30	73.0%	(52.9-93.0)
	<b>Others</b>	15	34.1%	(9.6-58.5)	38	65.9%	(41.5-90.4)
<b>Education</b>	<b>Less than High School</b>	13	42.6%	(12.9-72.3)	18	57.4%	(27.7-87.1)
	<b>High School/Some College</b>	15	23.7%	(5.6-41.7)	50	76.3%	(58.3-94.4)
<b>Income</b>	<b>&lt;\$32,000</b>	20	38.1%	(18.1-58.2)	49	61.9%	(41.8-81.9)
	<b>\$32,001+</b>	8	16.1%	(1.8-30.5)	12	83.9%	(69.5-98.2)
<b>Insurance</b>	<b>No Health Insurance</b>	4	32.7%	(0.0-74.6)	8	67.3%	(25.4-100.0)
	<b>Having Health Insurance</b>	24	29.9%	(12.9-46.9)	59	70.1%	(53.1-87.1)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	583	48.5%	(44.2-52.8)	676	51.5%	(47.2-55.8)
<b>Age</b>	<b>&lt;=20</b>	28	30.2%	(15.0-45.3)	68	69.8%	(54.7-85.0)
	<b>20+</b>	555	50.1%	(45.6-54.5)	608	49.9%	(45.5-54.4)

Q52d. With toys, cushions, or pillows, including nursing pillows

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	88	90.3%	(78.7-100.0)	6	9.7%	(0.0-21.3)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Not Married</b>	70	87.8%	(73.6-100.0)	6	12.2%	(0.0-26.4)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	41	90.0%	(72.5-100.0)	2	10.0%	(0.0-27.5)
	<b>Others</b>	47	90.5%	(76.9-100.0)	4	9.5%	(0.0-23.1)
<b>Education</b>	<b>Less than High School</b>	28	98.8%	(96.5-100.0)	1	1.2%	(0.0-3.5)
	<b>High School/Some College</b>	60	85.8%	(69.1-100.0)	5	14.2%	(0.0-30.9)
<b>Income</b>	<b>&lt;\$32,000</b>	62	86.8%	(71.0-100.0)	5	13.2%	(0.0-29.0)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Insurance</b>	<b>No Health Insurance</b>	10	78.5%	(43.0-100.0)	2	21.5%	(0.0-57.0)
	<b>Having Health Insurance</b>	77	92.4%	(80.4-100.0)	4	7.6%	(0.0-19.6)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1153	90.4%	(87.8-93.0)	104	9.6%	(7.0-12.2)
<b>Age</b>	<b>&lt;=20</b>	88	90.3%	(79.1-100.0)	6	9.7%	(0.0-20.9)
	<b>20+</b>	1065	90.4%	(87.7-93.1)	98	9.6%	(6.9-12.3)

Q52e. With crib bumper pads (mesh or non-mesh)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	75	86.0%	(74.2-97.8)	17	14.0%	(2.2-25.8)
<b>Marital Status</b>	<b>Married</b>	17	97.7%	(92.9-100.0)	1	2.3%	(0.0-7.1)
	<b>Not Married</b>	58	83.0%	(68.4-97.6)	16	17.0%	(2.4-31.6)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	38	96.3%	(92.8-99.7)	5	3.7%	(0.3-7.2)
	<b>Others</b>	37	72.9%	(48.9-96.9)	12	27.1%	(3.1-51.1)
<b>Education</b>	<b>Less than High School</b>	22	79.2%	(51.5-100.0)	6	20.8%	(0.0-48.5)
	<b>High School/Some College</b>	53	89.5%	(79.6-99.4)	11	10.5%	(0.6-20.4)
<b>Income</b>	<b>&lt;\$32,000</b>	55	90.5%	(81.2-99.7)	11	9.5%	(0.3-18.8)
	<b>\$32,001+</b>	17	93.9%	(86.1-100.0)	3	6.1%	(0.0-13.9)
<b>Insurance</b>	<b>No Health Insurance</b>	8	73.8%	(37.2-100.0)	4	26.2%	(0.0-62.8)
	<b>Having Health Insurance</b>	66	88.3%	(76.0-100.0)	13	11.7%	(0.0-24.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1065	86.0%	(83.1-88.8)	191	14.0%	(11.2-16.9)
<b>Age</b>	<b>&lt;=20</b>	75	86.0%	(74.6-97.4)	17	14.0%	(2.6-25.4)
	<b>20+</b>	990	86.0%	(83.0-88.9)	174	14.0%	(11.1-17.0)

**Q53. Did a doctor, nurse, or other health care worker tell you any of the following things?**

Q53a. Place my baby on his or her back to sleep

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	8	13.2%	(0.9-25.5)	86	86.8%	(74.5-99.1)
<b>Marital Status</b>	<b>Married</b>	1	18.5%	(0.0-50.8)	17	81.5%	(49.2-100.0)
	<b>Not Married</b>	7	11.8%	(0.0-24.8)	69	88.2%	(75.2-100.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	2	7.6%	(0.0-21.0)	40	92.4%	(79.0-100.0)
	<b>Others</b>	6	20.1%	(0.0-41.6)	46	79.9%	(58.4-100.0)
<b>Education</b>	<b>Less than High School</b>	4	24.2%	(0.0-51.1)	27	75.8%	(48.9-100.0)
	<b>High School/Some College</b>	4	7.4%	(0.0-18.8)	59	92.6%	(81.2-100.0)
<b>Income</b>	<b>&lt;\$32,000</b>	7	17.8%	(1.2-34.4)	62	82.2%	(65.6-98.8)
	<b>\$32,001+</b>	0	.	(.-.)	20	100.0%	(100.0-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	0	.	(.-.)	12	100.0%	(100.0-100.0)
	<b>Having Health Insurance</b>	8	15.8%	(1.3-30.2)	73	84.2%	(69.8-98.7)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	110	10.0%	(7.2-12.7)	1168	90.0%	(87.3-92.8)
<b>Age</b>	<b>&lt;=20</b>	8	13.2%	(1.3-25.1)	86	86.8%	(74.9-98.7)
	<b>20+</b>	102	9.7%	(6.9-12.5)	1082	90.3%	(87.5-93.1)

Q53b. Place my baby to sleep in a crib, bassinet, or pack and play

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	12	7.8%	(0.0-15.7)	82	92.2%	(84.3-100.0)
<b>Marital Status</b>	<b>Married</b>	1	1.4%	(0.0-4.2)	17	98.6%	(95.8-100.0)
	<b>Not Married</b>	11	9.5%	(0.0-19.3)	65	90.5%	(80.7-100.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	3	2.4%	(0.0-5.2)	39	97.6%	(94.8-100.0)
	<b>Others</b>	9	14.6%	(0.0-31.3)	43	85.4%	(68.7-100.0)
<b>Education</b>	<b>Less than High School</b>	3	3.3%	(0.0-7.4)	28	96.7%	(92.6-100.0)
	<b>High School/Some College</b>	9	10.3%	(0.0-21.9)	54	89.7%	(78.1-100.0)
<b>Income</b>	<b>&lt;\$32,000</b>	10	9.7%	(0.0-20.4)	59	90.3%	(79.6-100.0)
	<b>\$32,001+</b>	1	2.5%	(0.0-7.7)	19	97.5%	(92.3-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	2	6.0%	(0.0-15.3)	10	94.0%	(84.7-100.0)
	<b>Having Health Insurance</b>	10	8.2%	(0.0-17.4)	71	91.8%	(82.6-100.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	217	16.3%	(13.1-19.5)	1063	83.7%	(80.5-86.9)
<b>Age</b>	<b>&lt;=20</b>	12	7.8%	(0.2-15.5)	82	92.2%	(84.5-99.8)
	<b>20+</b>	205	17.0%	(13.6-20.3)	981	83.0%	(79.7-86.4)

Q53c. Place my baby's crib or bed in my room

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	40	43.9%	(26.5-61.2)	54	56.1%	(38.8-73.5)
<b>Marital Status</b>	<b>Married</b>	10	47.7%	(15.5-79.8)	8	52.3%	(20.2-84.5)
	<b>Not Married</b>	30	42.9%	(22.7-63.0)	46	57.1%	(37.0-77.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	15	32.5%	(10.6-54.4)	27	67.5%	(45.6-89.4)
	<b>Others</b>	25	58.0%	(33.3-82.6)	27	42.0%	(17.4-66.7)
<b>Education</b>	<b>Less than High School</b>	10	32.0%	(2.9-61.0)	21	68.0%	(39.0-97.1)
	<b>High School/Some College</b>	30	50.2%	(29.1-71.2)	33	49.8%	(28.8-70.9)
<b>Income</b>	<b>&lt;\$32,000</b>	29	35.3%	(16.2-54.4)	40	64.7%	(45.6-83.8)
	<b>\$32,001+</b>	8	66.5%	(37.9-95.0)	12	33.5%	(5.0-62.1)
<b>Insurance</b>	<b>No Health Insurance</b>	5	60.6%	(17.6-100.0)	7	39.4%	(0.0-82.4)
	<b>Having Health Insurance</b>	35	40.9%	(22.4-59.4)	46	59.1%	(40.6-77.6)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	589	45.6%	(41.4-49.8)	690	54.4%	(50.2-58.6)
<b>Age</b>	<b>&lt;=20</b>	40	43.9%	(27.1-60.6)	54	56.1%	(39.4-72.9)
	<b>20+</b>	549	45.7%	(41.4-50.1)	636	54.3%	(49.9-58.6)

Q53d. What things should and should not go in bed with my baby

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	10	16.6%	(1.7-31.5)	84	83.4%	(68.5-98.3)
<b>Marital Status</b>	<b>Married</b>	0	.	(.-.)	18	100.0%	(100.0-100.0)
	<b>Not Married</b>	10	20.8%	(2.7-39.0)	66	79.2%	(61.0-97.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	4	11.6%	(0.0-29.3)	38	88.4%	(70.7-100.0)
	<b>Others</b>	6	22.8%	(0.0-47.3)	46	77.2%	(52.7-100.0)
<b>Education</b>	<b>Less than High School</b>	3	3.3%	(0.0-7.4)	28	96.7%	(92.6-100.0)
	<b>High School/Some College</b>	7	23.7%	(2.6-44.7)	56	76.3%	(55.3-97.4)
<b>Income</b>	<b>&lt;\$32,000</b>	9	22.5%	(2.9-42.2)	60	77.5%	(57.8-97.1)
	<b>\$32,001+</b>	0	.	(.-.)	20	100.0%	(100.0-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	1	2.5%	(0.0-7.7)	11	97.5%	(92.3-100.0)
	<b>Having Health Insurance</b>	9	19.4%	(2.1-36.7)	72	80.6%	(63.3-97.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	188	13.9%	(10.9-16.9)	1092	86.1%	(83.1-89.1)
<b>Age</b>	<b>&lt;=20</b>	10	16.6%	(2.2-31.0)	84	83.4%	(69.0-97.8)
	<b>20+</b>	178	13.7%	(10.7-16.7)	1008	86.3%	(83.3-89.3)

**Q54. Are you or your husband or partner doing anything now to keep from getting pregnant?**

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	17	16.4%	(3.7-29.0)	77	83.6%	(71.0-96.3)
<b>Marital Status</b>	<b>Married</b>	4	13.6%	(0.0-31.2)	14	86.4%	(68.8-100.0)
	<b>Not Married</b>	13	17.1%	(1.8-32.3)	63	82.9%	(67.7-98.2)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	7	13.9%	(0.0-28.7)	35	86.1%	(71.3-100.0)
	<b>Others</b>	10	19.3%	(0.0-40.8)	42	80.7%	(59.2-100.0)
<b>Education</b>	<b>Less than High School</b>	7	31.8%	(1.7-61.8)	24	68.2%	(38.2-98.3)
	<b>High School/Some College</b>	10	8.2%	(1.5-14.8)	53	91.8%	(85.2-98.5)
<b>Income</b>	<b>&lt;\$32,000</b>	14	14.6%	(2.6-26.5)	55	85.4%	(73.5-97.4)
	<b>\$32,001+</b>	2	3.7%	(0.0-9.6)	18	96.3%	(90.4-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	1	23.7%	(0.0-65.0)	11	76.3%	(35.0-100.0)
	<b>Having Health Insurance</b>	16	15.0%	(2.3-27.8)	65	85.0%	(72.2-97.7)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	265	21.7%	(18.2-25.2)	1026	78.3%	(74.8-81.8)
<b>Age</b>	<b>&lt;=20</b>	17	16.4%	(4.1-28.6)	77	83.6%	(71.4-95.9)
	<b>20+</b>	248	22.1%	(18.5-25.8)	949	77.9%	(74.2-81.5)



**Q57. Since your new baby was born, have you had a postpartum checkup for yourself?**

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	17	22.7%	(7.1-38.2)	77	77.3%	(61.8-92.9)
<b>Marital Status</b>	<b>Married</b>	2	16.8%	(0.0-44.0)	16	83.2%	(56.0-100.0)
	<b>Not Married</b>	15	24.2%	(6.0-42.4)	61	75.8%	(57.6-94.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	9	20.1%	(0.4-39.9)	33	79.9%	(60.1-99.6)
	<b>Others</b>	8	25.8%	(1.4-50.3)	44	74.2%	(49.7-98.6)
<b>Education</b>	<b>Less than High School</b>	4	26.1%	(0.0-55.2)	27	73.9%	(44.8-100.0)
	<b>High School/Some College</b>	13	20.8%	(2.9-38.8)	50	79.2%	(61.2-97.1)
<b>Income</b>	<b>&lt;\$32,000</b>	16	30.9%	(10.8-51.0)	53	69.1%	(49.0-89.2)
	<b>\$32,001+</b>	1	2.5%	(0.0-7.7)	19	97.5%	(92.3-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	0	.	(.-)	12	100.0%	(100.0-100.0)
	<b>Having Health Insurance</b>	17	27.1%	(9.2-45.0)	64	72.9%	(55.0-90.8)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	127	11.8%	(8.9-14.8)	1166	88.2%	(85.2-91.1)
<b>Age</b>	<b>&lt;=20</b>	17	22.7%	(7.7-37.7)	77	77.3%	(62.3-92.3)
	<b>20+</b>	110	10.9%	(8.0-13.9)	1089	89.1%	(86.1-92.0)

**Q58. During your postpartum checkup, did a doctor, nurse, or other health care worker do any of the following things?**

Q58a. Tell me to take a vitamin with folic acid

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	46	55.8%	(36.3-75.3)	30	44.2%	(24.7-63.7)
<b>Marital Status</b>	<b>Married</b>	14	87.9%	(67.9-100.0)	2	12.1%	(0.0-32.1)
	<b>Not Married</b>	32	46.8%	(23.9-69.6)	28	53.2%	(30.4-76.1)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	20	66.0%	(41.8-90.2)	12	34.0%	(9.8-58.2)
	<b>Others</b>	26	42.3%	(16.1-68.5)	18	57.7%	(31.5-83.9)
<b>Education</b>	<b>Less than High School</b>	15	49.4%	(15.3-83.6)	12	50.6%	(16.4-84.7)
	<b>High School/Some College</b>	31	59.0%	(35.6-82.4)	18	41.0%	(17.6-64.4)
<b>Income</b>	<b>&lt;\$32,000</b>	30	52.3%	(28.4-76.3)	22	47.7%	(23.7-71.6)
	<b>\$32,001+</b>	12	71.0%	(38.9-100.0)	7	29.0%	(0.0-61.1)
<b>Insurance</b>	<b>No Health Insurance</b>	5	67.4%	(27.5-100.0)	6	32.6%	(0.0-72.5)
	<b>Having Health Insurance</b>	40	52.5%	(31.1-74.0)	24	47.5%	(26.0-68.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	587	52.5%	(48.1-57.0)	573	47.5%	(43.0-51.9)
<b>Age</b>	<b>&lt;=20</b>	46	55.8%	(37.1-74.5)	30	44.2%	(25.5-62.9)
	<b>20+</b>	541	52.3%	(47.7-56.9)	543	47.7%	(43.1-52.3)

Q58b. Talk to me about healthy eating, exercise, and losing weight gained during pregnancy

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	46	55.8%	(36.3-75.3)	30	44.2%	(24.7-63.7)
<b>Marital Status</b>	<b>Married</b>	14	87.9%	(67.9-100.0)	2	12.1%	(0.0-32.1)
	<b>Not Married</b>	32	46.8%	(23.9-69.6)	28	53.2%	(30.4-76.1)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	20	66.0%	(41.8-90.2)	12	34.0%	(9.8-58.2)
	<b>Others</b>	26	42.3%	(16.1-68.5)	18	57.7%	(31.5-83.9)
<b>Education</b>	<b>Less than High School</b>	15	49.4%	(15.3-83.6)	12	50.6%	(16.4-84.7)
	<b>High School/Some College</b>	31	59.0%	(35.6-82.4)	18	41.0%	(17.6-64.4)
<b>Income</b>	<b>&lt;\$32,000</b>	30	52.3%	(28.4-76.3)	22	47.7%	(23.7-71.6)
	<b>\$32,001+</b>	12	71.0%	(38.9-100.0)	7	29.0%	(0.0-61.1)
<b>Insurance</b>	<b>No Health Insurance</b>	5	67.4%	(27.5-100.0)	6	32.6%	(0.0-72.5)
	<b>Having Health Insurance</b>	40	52.5%	(31.1-74.0)	24	47.5%	(26.0-68.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	587	52.5%	(48.1-57.0)	573	47.5%	(43.0-51.9)
<b>Age</b>	<b>&lt;=20</b>	46	55.8%	(37.1-74.5)	30	44.2%	(25.5-62.9)
	<b>20+</b>	541	52.3%	(47.7-56.9)	543	47.7%	(43.1-52.3)

Q58c. Talk to me about how long to wait before getting pregnant again

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	38	46.4%	(27.1-65.7)	39	53.6%	(34.3-72.9)
<b>Marital Status</b>	<b>Married</b>	11	41.4%	(10.4-72.4)	5	58.6%	(27.6-89.6)
	<b>Not Married</b>	27	47.8%	(24.9-70.6)	34	52.2%	(29.4-75.1)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	15	42.2%	(16.2-68.2)	18	57.8%	(31.8-83.8)
	<b>Others</b>	23	51.9%	(23.2-80.7)	21	48.1%	(19.3-76.8)
<b>Education</b>	<b>Less than High School</b>	12	31.7%	(2.8-60.6)	15	68.3%	(39.4-97.2)
	<b>High School/Some College</b>	26	53.7%	(30.3-77.0)	24	46.3%	(23.0-69.7)
<b>Income</b>	<b>&lt;\$32,000</b>	26	57.2%	(34.5-79.9)	27	42.8%	(20.1-65.5)
	<b>\$32,001+</b>	9	19.8%	(3.1-36.5)	10	80.2%	(63.5-96.9)
<b>Insurance</b>	<b>No Health Insurance</b>	5	51.2%	(4.5-97.9)	7	48.8%	(2.1-95.5)
	<b>Having Health Insurance</b>	33	45.5%	(24.3-66.7)	31	54.5%	(33.3-75.7)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	599	50.0%	(45.6-54.5)	563	50.0%	(45.5-54.4)
<b>Age</b>	<b>&lt;=20</b>	38	46.4%	(27.9-64.8)	39	53.6%	(35.2-72.1)
	<b>20+</b>	561	50.3%	(45.7-54.9)	524	49.7%	(45.1-54.3)

Q58d. Talk to me about birth control methods I can use after giving birth

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1	0.5%	(0.0-1.5)	76	99.5%	(98.5-100.0)
<b>Marital Status</b>	<b>Married</b>	0	.	(.-.)	16	100.0%	(100.0-100.0)
	<b>Not Married</b>	1	0.6%	(0.0-1.9)	60	99.4%	(98.1-100.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	1	0.9%	(0.0-2.7)	32	99.1%	(97.3-100.0)
	<b>Others</b>	0	.	(.-.)	44	100.0%	(100.0-100.0)
<b>Education</b>	<b>Less than High School</b>	0	.	(.-.)	27	100.0%	(100.0-100.0)
	<b>High School/Some College</b>	1	0.8%	(0.0-2.3)	49	99.2%	(97.7-100.0)
<b>Income</b>	<b>&lt;\$32,000</b>	.	.	.	53	100.0%	(100.0-100.0)
	<b>\$32,001+</b>	.	.	.	19	100.0%	(100.0-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	0	.	(.-.)	12	100.0%	(100.0-100.0)
	<b>Having Health Insurance</b>	1	0.6%	(0.0-1.9)	63	99.4%	(98.1-100.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	121	10.9%	(8.1-13.7)	1040	89.1%	(86.3-91.9)
<b>Age</b>	<b>&lt;=20</b>	1	0.5%	(0.0-1.5)	76	99.5%	(98.5-100.0)
	<b>20+</b>	120	11.6%	(8.6-14.6)	964	88.4%	(85.4-91.4)

Q58e. Give or prescribe me a contraceptive method such as the pill, patch, shot (Depo-Provera®), NuvaRing®, or condoms

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	26	32.3%	(14.6-49.9)	51	67.7%	(50.1-85.4)
<b>Marital Status</b>	<b>Married</b>	6	37.0%	(5.3-68.7)	10	63.0%	(31.3-94.7)
	<b>Not Married</b>	20	30.9%	(10.1-51.7)	41	69.1%	(48.3-89.9)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	11	24.2%	(4.3-44.1)	22	75.8%	(55.9-95.7)
	<b>Others</b>	15	43.1%	(14.5-71.6)	29	56.9%	(28.4-85.5)
<b>Education</b>	<b>Less than High School</b>	9	26.5%	(0.0-54.6)	18	73.5%	(45.4-100.0)
	<b>High School/Some College</b>	17	35.1%	(13.0-57.3)	33	64.9%	(42.7-87.0)
<b>Income</b>	<b>&lt;\$32,000</b>	20	45.6%	(22.1-69.1)	33	54.4%	(30.9-77.9)
	<b>\$32,001+</b>	5	10.3%	(0.0-21.3)	14	89.7%	(78.7-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	4	47.0%	(0.7-93.2)	8	53.0%	(6.8-99.3)
	<b>Having Health Insurance</b>	22	28.7%	(10.4-46.9)	42	71.3%	(53.1-89.6)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	635	54.4%	(50.0-58.8)	526	45.6%	(41.2-50.0)
<b>Age</b>	<b>&lt;=20</b>	26	32.3%	(15.4-49.1)	51	67.7%	(50.9-84.6)
	<b>20+</b>	609	55.9%	(51.4-60.5)	475	44.1%	(39.5-48.6)

Q58f. Insert an IUD (Mirena®, ParaGard®, Liletta®, or Skyla®) or a contraceptive implant (Nexplanon® or Implanon®)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	51	71.9%	(56.1-87.7)	26	28.1%	(12.3-43.9)
<b>Marital Status</b>	<b>Married</b>	9	45.6%	(11.8-79.4)	7	54.4%	(20.6-88.2)
	<b>Not Married</b>	42	79.2%	(64.2-94.2)	19	20.8%	(5.8-35.8)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	20	75.1%	(56.1-94.1)	13	24.9%	(5.9-43.9)
	<b>Others</b>	31	67.5%	(41.5-93.6)	13	32.5%	(6.4-58.5)
<b>Education</b>	<b>Less than High School</b>	21	77.6%	(49.9-100.0)	6	22.4%	(0.0-50.1)
	<b>High School/Some College</b>	30	69.0%	(49.6-88.4)	20	31.0%	(11.6-50.4)
<b>Income</b>	<b>&lt;\$32,000</b>	34	70.5%	(50.6-90.3)	19	29.5%	(9.7-49.4)
	<b>\$32,001+</b>	14	80.1%	(55.5-100.0)	5	19.9%	(0.0-44.5)
<b>Insurance</b>	<b>No Health Insurance</b>	9	76.8%	(40.6-100.0)	3	23.2%	(0.0-59.4)
	<b>Having Health Insurance</b>	42	71.2%	(53.6-88.7)	22	28.8%	(11.3-46.4)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	910	78.9%	(75.3-82.5)	249	21.1%	(17.5-24.7)
<b>Age</b>	<b>&lt;=20</b>	51	71.9%	(56.7-87.0)	26	28.1%	(13.0-43.3)
	<b>20+</b>	859	79.4%	(75.7-83.1)	223	20.6%	(16.9-24.3)

Q58g. Ask me if I was smoking cigarettes

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	18	24.1%	(7.6-40.6)	59	75.9%	(59.4-92.4)
<b>Marital Status</b>	<b>Married</b>	6	32.8%	(2.6-63.0)	10	67.2%	(37.0-97.4)
	<b>Not Married</b>	12	21.6%	(2.2-41.1)	49	78.4%	(58.9-97.8)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	10	35.0%	(9.4-60.7)	23	65.0%	(39.3-90.6)
	<b>Others</b>	8	9.4%	(1.8-17.0)	36	90.6%	(83.0-98.2)
<b>Education</b>	<b>Less than High School</b>	3	18.3%	(0.0-45.7)	24	81.7%	(54.3-100.0)
	<b>High School/Some College</b>	15	26.9%	(6.4-47.4)	35	73.1%	(52.6-93.6)
<b>Income</b>	<b>&lt;\$32,000</b>	11	18.5%	(1.9-35.2)	42	81.5%	(64.8-98.1)
	<b>\$32,001+</b>	7	51.1%	(13.0-89.2)	12	48.9%	(10.8-87.0)
<b>Insurance</b>	<b>No Health Insurance</b>	4	62.4%	(21.9-100.0)	8	37.6%	(0.0-78.1)
	<b>Having Health Insurance</b>	14	14.3%	(4.0-24.6)	50	85.7%	(75.4-96.0)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	532	44.9%	(40.5-49.3)	628	55.1%	(50.7-59.5)
<b>Age</b>	<b>&lt;=20</b>	18	24.1%	(8.3-39.8)	59	75.9%	(60.2-91.7)
	<b>20+</b>	514	46.3%	(41.8-50.9)	569	53.7%	(49.1-58.2)



Q58h. Ask me if someone was hurting me emotionally or physically

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	25	30.6%	(13.2-47.9)	52	69.4%	(52.1-86.8)
<b>Marital Status</b>	<b>Married</b>	6	29.5%	(1.2-57.8)	10	70.5%	(42.2-98.8)
	<b>Not Married</b>	19	30.9%	(10.1-51.6)	42	69.1%	(48.4-89.9)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	11	32.3%	(7.2-57.5)	22	67.7%	(42.5-92.8)
	<b>Others</b>	14	28.2%	(6.1-50.3)	30	71.8%	(49.7-93.9)
<b>Education</b>	<b>Less than High School</b>	7	24.2%	(0.0-52.1)	20	75.8%	(47.9-100.0)
	<b>High School/Some College</b>	18	33.7%	(11.9-55.5)	32	66.3%	(44.5-88.1)
<b>Income</b>	<b>&lt;\$32,000</b>	16	30.4%	(10.0-50.9)	37	69.6%	(49.1-90.0)
	<b>\$32,001+</b>	8	44.1%	(4.5-83.7)	11	55.9%	(16.3-95.5)
<b>Insurance</b>	<b>No Health Insurance</b>	7	87.3%	(72.8-100.0)	5	12.7%	(0.0-27.2)
	<b>Having Health Insurance</b>	18	16.0%	(6.1-26.0)	46	84.0%	(74.0-93.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	589	50.3%	(45.9-54.7)	575	49.7%	(45.3-54.1)
<b>Age</b>	<b>&lt;=20</b>	25	30.6%	(13.9-47.2)	52	69.4%	(52.8-86.1)
	<b>20+</b>	564	51.7%	(47.1-56.2)	523	48.3%	(43.8-52.9)

Q58i. Ask me if I was feeling down or depressed

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	11	15.5%	(2.4-28.5)	66	84.5%	(71.5-97.6)
<b>Marital Status</b>	<b>Married</b>	3	15.5%	(0.0-36.6)	13	84.5%	(63.4-100.0)
	<b>Not Married</b>	8	15.5%	(0.0-31.1)	53	84.5%	(68.9-100.0)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	7	14.7%	(0.0-31.8)	26	85.3%	(68.2-100.0)
	<b>Others</b>	4	16.4%	(0.0-36.4)	40	83.6%	(63.6-100.0)
<b>Education</b>	<b>Less than High School</b>	2	16.5%	(0.0-43.7)	25	83.5%	(56.3-100.0)
	<b>High School/Some College</b>	9	15.0%	(1.0-28.9)	41	85.0%	(71.1-99.0)
<b>Income</b>	<b>&lt;\$32,000</b>	8	21.4%	(2.2-40.5)	45	78.6%	(59.5-97.8)
	<b>\$32,001+</b>	2	5.2%	(0.0-12.9)	17	94.8%	(87.1-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	3	45.7%	(0.0-92.0)	9	54.3%	(8.0-100.0)
	<b>Having Health Insurance</b>	8	7.7%	(0.8-14.6)	56	92.3%	(85.4-99.2)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	271	27.6%	(23.6-31.7)	895	72.4%	(68.3-76.4)
<b>Age</b>	<b>&lt;=20</b>	11	15.5%	(3.0-28.0)	66	84.5%	(72.0-97.0)
	<b>20+</b>	260	28.5%	(24.3-32.7)	829	71.5%	(67.3-75.7)

Q58j. Test me for diabetes

VPP_DIAB_RAW		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	54	72.0%	(54.9-89.2)	23	28.0%	(10.8-45.1)
<b>Marital Status</b>	<b>Married</b>	13	65.6%	(28.9-100.0)	3	34.4%	(0.0-71.1)
	<b>Not Married</b>	41	73.8%	(55.0-92.7)	20	26.2%	(7.3-45.0)
<b>Race ethnicity</b>	<b>Hispanic</b>	20	78.6%	(61.6-95.6)	13	21.4%	(4.4-38.4)
	<b>Others</b>	34	63.3%	(33.9-92.7)	10	36.7%	(7.3-66.1)
<b>Education</b>	<b>Less than High School</b>	14	47.3%	(13.3-81.3)	13	52.7%	(18.7-86.7)
	<b>High School/Some College</b>	40	84.4%	(70.3-98.5)	10	15.6%	(1.5-29.7)
<b>Income</b>	<b>&lt;\$32,000</b>	37	77.3%	(60.1-94.4)	16	22.7%	(5.6-39.9)
	<b>\$32,001+</b>	15	76.3%	(45.0-100.0)	4	23.7%	(0.0-55.0)
<b>Insurance</b>	<b>No Health Insurance</b>	10	97.5%	(92.0-100.0)	1	2.5%	(0.0-8.0)
	<b>Having Health Insurance</b>	43	65.4%	(45.1-85.7)	22	34.6%	(14.3-54.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	892	74.0%	(70.0-77.9)	276	26.0%	(22.1-30.0)
<b>Age</b>	<b>&lt;=20</b>	54	72.0%	(55.6-88.4)	23	28.0%	(11.6-44.4)
	<b>20+</b>	838	74.1%	(70.0-78.2)	253	25.9%	(21.8-30.0)

**Q59. Since your new baby was born, how often have you felt down, depressed, or hopeless?**

		Always			Often/almost Always			Sometimes			Rarely			Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	2	5.6%	(0.0-15.8)	10	3.7%	(1.4-6.1)	27	22.6%	(10.1-35.0)	21	25.3%	(9.2-41.5)	34	42.7%	(25.4-60.0)
<b>Marital Status</b>	<b>Married</b>	0	.	(-.)	2	3.7%	(0.0-9.2)	4	33.3%	(2.3-64.2)	6	26.4%	(0.8-52.0)	6	36.6%	(3.8-69.5)
	<b>Not Married</b>	2	7.1%	(0.0-19.7)	8	3.8%	(1.0-6.5)	23	19.9%	(7.1-32.7)	15	25.0%	(5.9-44.2)	28	44.2%	(24.2-64.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	1	9.3%	(0.0-27.0)	4	3.1%	(0.0-6.2)	11	15.8%	(2.5-29.2)	8	28.5%	(5.4-51.6)	18	43.2%	(20.2-66.2)
	<b>Others</b>	1	1.1%	(0.0-3.2)	6	4.6%	(0.5-8.7)	16	30.9%	(9.1-52.8)	13	21.3%	(0.0-42.8)	16	42.1%	(15.8-68.4)
<b>Education</b>	<b>Less than High School</b>	1	14.9%	(0.0-41.9)	2	2.2%	(0.0-5.5)	9	18.0%	(0.0-36.6)	6	6.6%	(0.5-12.6)	13	58.4%	(29.0-87.8)
	<b>High School/Some College</b>	1	0.7%	(0.0-2.2)	8	4.6%	(1.2-7.9)	18	25.0%	(8.8-41.3)	15	35.3%	(13.6-57.0)	21	34.4%	(14.5-54.2)
<b>Income</b>	<b>&lt;\$32,000</b>	2	7.9%	(0.0-21.8)	7	3.7%	(0.8-6.5)	22	28.4%	(11.7-45.0)	14	22.3%	(3.8-40.9)	24	37.8%	(17.7-57.8)
	<b>\$32,001+</b>	0	.	(-.)	3	5.8%	(0.0-13.4)	4	9.6%	(0.0-20.3)	7	49.1%	(11.9-86.4)	6	35.4%	(1.2-69.6)
<b>Insurance</b>	<b>No Health Insurance</b>	0	.	(-.)	2	4.8%	(0.0-12.5)	3	25.0%	(0.0-61.3)	4	40.6%	(0.0-88.1)	3	29.7%	(0.0-71.3)
	<b>Having Health Insurance</b>	2	6.8%	(0.0-18.8)	7	3.0%	(0.7-5.3)	24	22.3%	(9.1-35.5)	17	22.6%	(6.0-39.2)	31	45.4%	(26.6-64.2)

		Always			Often/almost Always			Sometimes			Rarely			Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	13	1.6%	(0.4-2.7)	104	6.6%	(4.7-8.6)	318	24.0%	(20.5-27.6)	413	28.0%	(24.2-31.7)	446	39.9%	(35.7-44.0)
<b>Age</b>	<b>&lt;=20</b>	2	5.6%	(0.0-15.5)	10	3.7%	(1.1-6.3)	27	22.6%	(10.5-34.7)	21	25.3%	(9.7-40.9)	34	42.7%	(26.0-59.4)
	<b>20+</b>	11	1.2%	(0.3-2.2)	94	6.9%	(4.8-8.9)	291	24.1%	(20.4-27.8)	392	28.2%	(24.4-32.0)	412	39.6%	(35.3-43.9)

**Q60. Since your new baby was born, how often have you had little interest or little pleasure in doing things you usually enjoyed?**

		Often/almost Always			Sometimes			Rarely			Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	12	6.1%	(1.7-10.5)	27	20.1%	(8.5-31.7)	15	15.5%	(2.8-28.1)	40	58.3%	(42.3-74.3)
<b>Marital Status</b>	<b>Married</b>	3	11.9%	(0.0-29.2)	3	6.6%	(0.0-14.5)	3	12.0%	(0.0-29.2)	9	69.5%	(44.1-94.8)
	<b>Not Married</b>	9	4.6%	(1.5-7.8)	24	23.5%	(9.0-38.1)	12	16.4%	(1.1-31.6)	31	55.5%	(36.3-74.7)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	5	3.9%	(0.4-7.5)	11	19.3%	(2.3-36.3)	7	7.9%	(0.4-15.5)	19	68.8%	(50.1-87.5)
	<b>Others</b>	7	8.9%	(0.0-18.0)	16	21.0%	(5.3-36.7)	8	24.8%	(0.4-49.2)	21	45.3%	(19.3-71.4)
<b>Education</b>	<b>Less than High School</b>	4	4.6%	(0.0-9.7)	7	18.5%	(0.0-39.9)	6	20.7%	(0.0-47.5)	14	56.2%	(26.2-86.2)
	<b>High School/Some College</b>	8	6.9%	(0.6-13.3)	20	20.9%	(7.1-34.8)	9	12.7%	(0.0-25.4)	26	59.5%	(40.6-78.3)
<b>Income</b>	<b>&lt;\$32,000</b>	10	7.5%	(1.4-13.5)	21	24.4%	(8.8-40.1)	11	12.6%	(0.8-24.3)	27	55.5%	(36.3-74.8)
	<b>\$32,001+</b>	2	4.0%	(0.0-10.2)	5	11.9%	(0.0-23.9)	3	6.7%	(0.0-15.2)	10	77.4%	(59.2-95.7)
<b>Insurance</b>	<b>No Health Insurance</b>	1	1.8%	(0.0-5.5)	6	54.2%	(7.5-100.0)	0	.	(.-)	5	44.1%	(0.0-91.0)
	<b>Having Health Insurance</b>	11	7.0%	(1.7-12.3)	20	13.2%	(4.8-21.6)	15	18.5%	(3.7-33.3)	35	61.4%	(44.7-78.0)

		Always			Often/almost Always			Sometimes			Rarely			Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	36	3.0%	(1.6-4.5)	105	7.9%	(5.7-10.1)	292	23.6%	(20.1-27.2)	353	22.2%	(18.9-25.6)	500	43.2%	(39.0-47.4)
<b>Age</b>	<b>&lt;=20</b>	0	.	(.-)	12	6.1%	(1.7-10.6)	27	20.1%	(8.7-31.5)	15	15.5%	(3.3-27.7)	40	58.3%	(42.5-74.2)
	<b>20+</b>	36	3.3%	(1.7-4.8)	93	8.1%	(5.7-10.4)	265	23.9%	(20.2-27.6)	338	22.8%	(19.3-26.2)	460	42.0%	(37.6-46.3)

**Q61. During your most recent pregnancy, did you take or use any of the following drugs for any reason?**

Q61a. Over-the-counter pain relievers such as aspirin, Tylenol®, Advil®, or Aleve®

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	40	48.0%	(30.5-65.5)	54	52.0%	(34.5-69.5)
<b>Marital Status</b>	<b>Married</b>	6	26.7%	(1.0-52.4)	12	73.3%	(47.6-99.0)
	<b>Not Married</b>	34	53.4%	(33.5-73.4)	42	46.6%	(26.6-66.5)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	23	48.8%	(25.3-72.3)	19	51.2%	(27.7-74.7)
	<b>Others</b>	17	47.0%	(20.9-73.1)	35	53.0%	(26.9-79.1)
<b>Education</b>	<b>Less than High School</b>	16	66.7%	(40.3-93.2)	15	33.3%	(6.8-59.7)
	<b>High School/Some College</b>	24	38.0%	(17.4-58.7)	39	62.0%	(41.3-82.6)
<b>Income</b>	<b>&lt;\$32,000</b>	31	49.1%	(28.5-69.7)	38	50.9%	(30.3-71.5)
	<b>\$32,001+</b>	6	22.4%	(0.0-47.0)	14	77.6%	(53.0-100.0)
<b>Insurance</b>	<b>No Health Insurance</b>	5	33.9%	(0.0-76.0)	7	66.1%	(24.0-100.0)
	<b>Having Health Insurance</b>	34	50.4%	(31.6-69.2)	47	49.6%	(30.8-68.4)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	496	42.6%	(38.4-46.8)	802	57.4%	(53.2-61.6)
<b>Age</b>	<b>&lt;=20</b>	40	48.0%	(31.2-64.9)	54	52.0%	(35.1-68.8)
	<b>20+</b>	456	42.2%	(37.9-46.5)	748	57.8%	(53.5-62.1)

Q61b. Prescription pain relievers such as hydrocodone (Vicodin®), oxycodone (Percocet®), or codeine

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	90	93.9%	(83.7-100.0)	3	6.1%	(0.0-16.3)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Not Married</b>	72	92.4%	(79.7-100.0)	3	7.6%	(0.0-20.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	42	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Others</b>	48	86.3%	(64.7-100.0)	3	13.7%	(0.0-35.3)
<b>Education</b>	<b>Less than High School</b>	28	97.5%	(93.7-100.0)	2	2.5%	(0.0-6.3)
	<b>High School/Some College</b>	62	92.1%	(76.9-100.0)	1	7.9%	(0.0-23.1)
<b>Income</b>	<b>&lt;\$32,000</b>	66	92.1%	(78.1-100.0)	2	7.9%	(0.0-21.9)
	<b>\$32,001+</b>	19	97.9%	(93.6-100.0)	1	2.1%	(0.0-6.4)
<b>Insurance</b>	<b>No Health Insurance</b>	12	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	77	92.7%	(80.6-100.0)	3	7.3%	(0.0-19.4)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1226	95.4%	(93.7-97.1)	69	4.6%	(2.9-6.3)
<b>Age</b>	<b>&lt;=20</b>	90	93.9%	(84.1-100.0)	3	6.1%	(0.0-15.9)
	<b>20+</b>	1136	95.5%	(93.9-97.1)	66	4.5%	(2.9-6.1)

Q61c. Marijuana or hash

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	83	92.9%	(85.1-100.0)	10	7.1%	(0.0-14.9)
<b>Marital Status</b>	<b>Married</b>	17	97.7%	(92.9-100.0)	1	2.3%	(0.0-7.1)
	<b>Not Married</b>	66	91.7%	(81.9-100.0)	9	8.3%	(0.0-18.1)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	42	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Others</b>	41	84.0%	(66.9-100.0)	10	16.0%	(0.0-33.1)
<b>Education</b>	<b>Less than High School</b>	25	94.8%	(89.5-100.0)	5	5.2%	(0.0-10.5)
	<b>High School/Some College</b>	58	91.9%	(80.4-100.0)	5	8.1%	(0.0-19.6)
<b>Income</b>	<b>&lt;\$32,000</b>	60	91.1%	(80.4-100.0)	8	8.9%	(0.0-19.6)
	<b>\$32,001+</b>	18	96.0%	(89.8-100.0)	2	4.0%	(0.0-10.2)
<b>Insurance</b>	<b>No Health Insurance</b>	9	92.2%	(81.6-100.0)	3	7.8%	(0.0-18.4)
	<b>Having Health Insurance</b>	73	93.0%	(83.8-100.0)	7	7.0%	(0.0-16.2)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1183	90.2%	(87.6-92.8)	114	9.8%	(7.2-12.4)
<b>Age</b>	<b>&lt;=20</b>	83	92.9%	(85.3-100.0)	10	7.1%	(0.0-14.7)
	<b>20+</b>	1100	90.0%	(87.3-92.7)	104	10.0%	(7.3-12.7)



**Q63. During your most recent pregnancy, did you receive any of the following services?**

Q63a. Food stamps or money to buy food

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	65	59.3%	(41.9-76.8)	29	40.7%	(23.2-58.1)
<b>Marital Status</b>	<b>Married</b>	12	57.7%	(24.1-91.2)	6	42.3%	(8.8-75.9)
	<b>Not Married</b>	53	59.8%	(39.6-79.9)	23	40.2%	(20.1-60.4)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	31	60.1%	(36.2-84.1)	11	39.9%	(15.9-63.8)
	<b>Others</b>	34	58.3%	(32.7-84.0)	18	41.7%	(16.0-67.3)
<b>Education</b>	<b>Less than High School</b>	19	68.4%	(42.2-94.7)	12	31.6%	(5.3-57.8)
	<b>High School/Some College</b>	46	54.5%	(33.1-75.8)	17	45.5%	(24.2-66.9)
<b>Income</b>	<b>&lt;\$32,000</b>	43	55.5%	(34.9-76.1)	26	44.5%	(23.9-65.1)
	<b>\$32,001+</b>	18	70.0%	(28.2-100.0)	2	30.0%	(0.0-71.8)
<b>Insurance</b>	<b>No Health Insurance</b>	10	64.4%	(15.8-100.0)	2	35.6%	(0.0-84.2)
	<b>Having Health Insurance</b>	54	58.1%	(39.3-77.0)	27	41.9%	(23.0-60.7)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	984	68.7%	(64.7-72.8)	313	31.3%	(27.2-35.3)
<b>Age</b>	<b>&lt;=20</b>	65	59.3%	(42.4-76.3)	29	40.7%	(23.7-57.6)
	<b>20+</b>	919	69.5%	(65.3-73.6)	284	30.5%	(26.4-34.7)

Q63b. WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	23	20.2%	(7.0-33.5)	71	79.8%	(66.5-93.0)
<b>Marital Status</b>	<b>Married</b>	8	29.2%	(3.1-55.3)	10	70.8%	(44.7-96.9)
	<b>Not Married</b>	15	17.9%	(2.7-33.2)	61	82.1%	(66.8-97.3)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	7	16.7%	(0.6-32.9)	35	83.3%	(67.1-99.4)
	<b>Others</b>	16	24.6%	(3.0-46.1)	36	75.4%	(53.9-97.0)
<b>Education</b>	<b>Less than High School</b>	3	13.1%	(0.0-33.9)	28	86.9%	(66.1-100.0)
	<b>High School/Some College</b>	20	24.0%	(7.1-40.9)	43	76.0%	(59.1-92.9)
<b>Income</b>	<b>&lt;\$32,000</b>	13	20.1%	(3.2-37.1)	56	79.9%	(62.9-96.8)
	<b>\$32,001+</b>	10	30.6%	(3.1-58.1)	10	69.4%	(41.9-96.9)
<b>Insurance</b>	<b>No Health Insurance</b>	2	6.0%	(0.0-15.3)	10	94.0%	(84.7-100.0)
	<b>Having Health Insurance</b>	21	23.1%	(7.6-38.5)	60	76.9%	(61.5-92.4)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	793	56.4%	(52.2-60.6)	506	43.6%	(39.4-47.8)
<b>Age</b>	<b>&lt;=20</b>	23	20.2%	(7.4-33.0)	71	79.8%	(67.0-92.6)
	<b>20+</b>	770	59.2%	(55.0-63.5)	435	40.8%	(36.5-45.0)

Q63c. Counseling for family and personal problems

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	89	98.6%	(97.2-100.0)	4	1.4%	(0.0-2.8)
<b>Marital Status</b>	<b>Married</b>	17	98.9%	(96.8-100.0)	1	1.1%	(0.0-3.2)
	<b>Not Married</b>	72	98.5%	(96.8-100.0)	3	1.5%	(0.0-3.2)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	41	99.3%	(97.9-100.0)	1	0.7%	(0.0-2.1)
	<b>Others</b>	48	97.7%	(95.0-100.0)	3	2.3%	(0.0-5.0)
<b>Education</b>	<b>Less than High School</b>	30	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>High School/Some College</b>	59	97.9%	(95.7-100.0)	4	2.1%	(0.0-4.3)
<b>Income</b>	<b>&lt;\$32,000</b>	65	98.4%	(96.5-100.0)	3	1.6%	(0.0-3.5)
	<b>\$32,001+</b>	19	98.9%	(96.5-100.0)	1	1.1%	(0.0-3.5)
<b>Insurance</b>	<b>No Health Insurance</b>	12	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Having Health Insurance</b>	76	98.3%	(96.7-100.0)	4	1.7%	(0.0-3.3)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1204	92.7%	(90.4-95.1)	90	7.3%	(4.9-9.6)
<b>Age</b>	<b>&lt;=20</b>	89	98.6%	(97.1-100.0)	4	1.4%	(0.0-2.9)
	<b>20+</b>	1115	92.3%	(89.8-94.8)	86	7.7%	(5.2-10.2)

Q63d. Help to quit smoking

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	91	99.1%	(97.9-100.0)	2	0.9%	(0.0-2.1)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Not Married</b>	73	98.9%	(97.4-100.0)	2	1.1%	(0.0-2.6)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	42	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Others</b>	49	98.0%	(95.2-100.0)	2	2.0%	(0.0-4.8)
<b>Education</b>	<b>Less than High School</b>	30	100.0%	(100.0-100.0)	0	.	(.-)
	<b>High School/Some College</b>	61	98.7%	(96.8-100.0)	2	1.3%	(0.0-3.2)
<b>Income</b>	<b>&lt;\$32,000</b>	66	98.8%	(97.1-100.0)	2	1.2%	(0.0-2.9)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)	0	.	(.-)
<b>Insurance</b>	<b>No Health Insurance</b>	12	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	78	99.0%	(97.5-100.0)	2	1.0%	(0.0-2.5)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1266	97.0%	(95.4-98.7)	27	3.0%	(1.3-4.6)
<b>Age</b>	<b>&lt;=20</b>	91	99.1%	(97.9-100.0)	2	0.9%	(0.0-2.1)
	<b>20+</b>	1175	96.9%	(95.1-98.7)	25	3.1%	(1.3-4.9)

Q63e. Help to reduce violence in my home

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	92	99.6%	(98.8-100.0)	1	0.4%	(0.0-1.2)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Not Married</b>	74	99.5%	(98.5-100.0)	1	0.5%	(0.0-1.5)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	42	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Others</b>	50	99.1%	(97.3-100.0)	1	0.9%	(0.0-2.7)
<b>Education</b>	<b>Less than High School</b>	30	100.0%	(100.0-100.0)	0	.	(.-)
	<b>High School/Some College</b>	62	99.4%	(98.2-100.0)	1	0.6%	(0.0-1.8)
<b>Income</b>	<b>&lt;\$32,000</b>	67	99.5%	(98.4-100.0)	1	0.5%	(0.0-1.6)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)	0	.	(.-)
<b>Insurance</b>	<b>No Health Insurance</b>	12	100.0%	(100.0-100.0)	0	.	(.-)
	<b>Having Health Insurance</b>	79	99.5%	(98.6-100.0)	1	0.5%	(0.0-1.4)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1282	97.8%	(96.3-99.4)	12	2.2%	(0.6-3.7)
<b>Age</b>	<b>&lt;=20</b>	92	99.6%	(98.8-100.0)	1	0.4%	(0.0-1.2)
	<b>20+</b>	1190	97.7%	(96.0-99.4)	11	2.3%	(0.6-4.0)

Q63f. Help to quit using drugs

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	92	99.6%	(98.8-100.0)	1	0.4%	(0.0-1.2)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Not Married</b>	74	99.5%	(98.5-100.0)	1	0.5%	(0.0-1.5)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	42	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Others</b>	50	99.1%	(97.3-100.0)	1	0.9%	(0.0-2.7)
<b>Education</b>	<b>Less than High School</b>	29	98.9%	(96.5-100.0)	1	1.1%	(0.0-3.5)
	<b>High School/Some College</b>	63	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Income</b>	<b>&lt;\$32,000</b>	67	99.5%	(98.4-100.0)	1	0.5%	(0.0-1.6)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)	0	.	(.-.)
<b>Insurance</b>	<b>No Health Insurance</b>	12	100.0%	(100.0-100.0)	0	.	(.-.)
	<b>Having Health Insurance</b>	79	99.5%	(98.6-100.0)	1	0.5%	(0.0-1.4)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1276	97.7%	(96.3-99.2)	19	2.3%	(0.8-3.7)
<b>Age</b>	<b>&lt;=20</b>	92	99.6%	(98.8-100.0)	1	0.4%	(0.0-1.2)
	<b>20+</b>	1184	97.6%	(96.0-99.2)	18	2.4%	(0.8-4.0)

## Adverse Childhood Experiences

**Q64. The following questions refer to the time period before you were 18 years of age.**

Q64a. Did you live with anyone who was depressed, mentally ill, or suicidal?

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	70	82.6%	(70.1-95.0)	24	17.4%	(5.0-29.9)
<b>Marital Status</b>	<b>Married</b>	15	94.2%	(87.1-100.0)	3	5.8%	(0.0-12.9)
	<b>Not Married</b>	55	79.6%	(64.2-94.9)	21	20.4%	(5.1-35.8)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	37	96.2%	(92.8-99.7)	5	3.8%	(0.3-7.2)
	<b>Others</b>	33	65.6%	(41.2-90.0)	19	34.4%	(10.0-58.8)
<b>Education</b>	<b>Less than High School</b>	23	78.0%	(51.3-100.0)	8	22.0%	(0.0-48.7)
	<b>High School/Some College</b>	47	85.0%	(72.8-97.1)	16	15.0%	(2.9-27.2)
<b>Income</b>	<b>&lt;\$32,000</b>	52	86.0%	(74.8-97.2)	17	14.0%	(2.8-25.2)
	<b>\$32,001+</b>	14	88.3%	(76.7-100.0)	6	11.7%	(0.0-23.3)
<b>Insurance</b>	<b>No Health Insurance</b>	10	95.2%	(87.5-100.0)	2	4.8%	(0.0-12.5)
	<b>Having Health Insurance</b>	60	80.6%	(66.1-95.1)	21	19.4%	(4.9-33.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	993	80.2%	(77.0-83.4)	297	19.8%	(16.6-23.0)
<b>Age</b>	<b>&lt;=20</b>	70	82.6%	(70.5-94.6)	24	17.4%	(5.4-29.5)
	<b>20+</b>	923	80.0%	(76.7-83.4)	273	20.0%	(16.6-23.3)

Q64b. Did you live with anyone who was a problem drinker or alcoholic?

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	71	78.7%	(64.6-92.9)	23	21.3%	(7.1-35.4)
<b>Marital Status</b>	<b>Married</b>	13	68.4%	(35.9-100.0)	5	31.6%	(0.0-64.1)
	<b>Not Married</b>	58	81.4%	(66.1-96.6)	18	18.6%	(3.4-33.9)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	38	94.8%	(88.0-100.0)	4	5.2%	(0.0-12.0)
	<b>Others</b>	33	58.8%	(33.2-84.5)	19	41.2%	(15.5-66.8)
<b>Education</b>	<b>Less than High School</b>	23	67.8%	(37.7-97.8)	8	32.2%	(2.2-62.3)
	<b>High School/Some College</b>	48	84.6%	(71.7-97.5)	15	15.4%	(2.5-28.3)
<b>Income</b>	<b>&lt;\$32,000</b>	51	79.2%	(64.0-94.4)	18	20.8%	(5.6-36.0)
	<b>\$32,001+</b>	17	95.6%	(89.8-100.0)	3	4.4%	(0.0-10.2)
<b>Insurance</b>	<b>No Health Insurance</b>	10	95.2%	(87.5-100.0)	2	4.8%	(0.0-12.5)
	<b>Having Health Insurance</b>	60	75.5%	(59.1-91.9)	21	24.5%	(8.1-40.9)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	961	79.3%	(76.0-82.6)	327	20.7%	(17.4-24.0)
<b>Age</b>	<b>&lt;=20</b>	71	78.7%	(65.1-92.4)	23	21.3%	(7.6-34.9)
	<b>20+</b>	890	79.4%	(76.0-82.8)	304	20.6%	(17.2-24.0)



Q64c. Did you live with anyone who used illegal street drugs or who abused prescription medications?

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	77	87.2%	(77.9-96.5)	17	12.8%	(3.5-22.1)
<b>Marital Status</b>	<b>Married</b>	13	77.8%	(54.4-100.0)	5	22.2%	(0.0-45.6)
	<b>Not Married</b>	64	89.6%	(79.6-99.6)	12	10.4%	(0.4-20.4)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	39	95.4%	(88.8-100.0)	3	4.6%	(0.0-11.2)
	<b>Others</b>	38	77.0%	(58.2-95.8)	14	23.0%	(4.2-41.8)
<b>Education</b>	<b>Less than High School</b>	27	94.8%	(89.2-100.0)	4	5.2%	(0.0-10.8)
	<b>High School/Some College</b>	50	83.2%	(69.5-96.9)	13	16.8%	(3.1-30.5)
<b>Income</b>	<b>&lt;\$32,000</b>	55	83.8%	(71.1-96.5)	14	16.2%	(3.5-28.9)
	<b>\$32,001+</b>	17	93.8%	(85.7-100.0)	3	6.2%	(0.0-14.3)
<b>Insurance</b>	<b>No Health Insurance</b>	11	97.0%	(90.6-100.0)	1	3.0%	(0.0-9.4)
	<b>Having Health Insurance</b>	66	85.8%	(74.9-96.8)	15	14.2%	(3.2-25.1)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1054	83.4%	(80.3-86.5)	231	16.6%	(13.5-19.7)
<b>Age</b>	<b>&lt;=20</b>	77	87.2%	(78.1-96.3)	17	12.8%	(3.7-21.9)
	<b>20+</b>	977	83.1%	(79.8-86.4)	214	16.9%	(13.6-20.2)

Q64d. Did you live with anyone who served time or was sentenced to serve time in a prison, jail, or other correctional facility?

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	72	81.7%	(69.0-94.5)	22	18.3%	(5.5-31.0)
<b>Marital Status</b>	<b>Married</b>	13	67.5%	(34.9-100.0)	5	32.5%	(0.0-65.1)
	<b>Not Married</b>	59	85.3%	(72.4-98.3)	17	14.7%	(1.7-27.6)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	37	96.1%	(92.5-99.6)	5	3.9%	(0.4-7.5)
	<b>Others</b>	35	63.9%	(39.1-88.6)	17	36.1%	(11.4-60.9)
<b>Education</b>	<b>Less than High School</b>	23	67.1%	(37.1-97.1)	8	32.9%	(2.9-62.9)
	<b>High School/Some College</b>	49	89.5%	(82.3-96.7)	14	10.5%	(3.3-17.7)
<b>Income</b>	<b>&lt;\$32,000</b>	53	84.3%	(72.2-96.4)	16	15.7%	(3.6-27.8)
	<b>\$32,001+</b>	16	92.3%	(83.3-100.0)	4	7.7%	(0.0-16.7)
<b>Insurance</b>	<b>No Health Insurance</b>	9	92.2%	(81.6-100.0)	3	7.8%	(0.0-18.4)
	<b>Having Health Insurance</b>	63	80.2%	(65.3-95.1)	18	19.8%	(4.9-34.7)

		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1109	86.5%	(83.6-89.5)	178	13.5%	(10.5-16.4)
<b>Age</b>	<b>&lt;=20</b>	72	81.7%	(69.4-94.1)	22	18.3%	(5.9-30.6)
	<b>20+</b>	1037	86.9%	(83.9-89.9)	156	13.1%	(10.1-16.1)

**Q65. During the time period before you were 18 years of age did your parents get separated or divorced?**

		No			Yes			Never married		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	50	55.9%	(38.2-73.5)	35	41.8%	(24.2-59.4)	5	2.3%	(0.3-4.4)
<b>Marital Status</b>	<b>Married</b>	9	44.6%	(13.1-76.0)	9	55.4%	(24.0-86.9)	0	.	(.-)
	<b>Not Married</b>	41	59.0%	(38.6-79.4)	26	38.0%	(17.7-58.4)	5	3.0%	(0.3-5.7)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	28	63.7%	(41.0-86.5)	11	33.9%	(11.2-56.5)	3	2.4%	(0.0-5.2)
	<b>Others</b>	22	44.4%	(18.0-70.8)	24	53.3%	(26.8-79.8)	2	2.3%	(0.0-5.6)
<b>Education</b>	<b>Less than High School</b>	14	37.5%	(8.4-66.6)	11	58.5%	(29.0-88.1)	3	4.0%	(0.0-8.9)
	<b>High School/Some College</b>	36	66.1%	(47.3-84.9)	24	32.5%	(13.8-51.1)	2	1.4%	(0.0-3.5)
<b>Income</b>	<b>&lt;\$32,000</b>	40	63.5%	(43.2-83.7)	23	34.6%	(14.4-54.9)	3	1.9%	(0.0-4.1)
	<b>\$32,001+</b>	9	54.0%	(17.8-90.3)	9	41.0%	(5.8-76.2)	2	5.0%	(0.0-12.4)
<b>Insurance</b>	<b>No Health Insurance</b>	9	92.3%	(81.6-100.0)	2	4.8%	(0.0-12.5)	1	3.0%	(0.0-9.3)
	<b>Having Health Insurance</b>	41	48.7%	(29.5-67.9)	32	49.0%	(29.8-68.2)	4	2.2%	(0.0-4.5)

		No			Yes			Never married			Don't know		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	713	53.3%	(49.0-57.5)	472	36.8%	(32.7-41.0)	85	8.8%	(6.3-11.3)	8	1.1%	(0.0-2.2)
<b>Age</b>	<b>&lt;=20</b>	50	52.7%	(35.8-69.7)	35	39.4%	(22.8-56.1)	5	2.2%	(0.2-4.3)	2	5.6%	(0.0-15.5)
	<b>20+</b>	663	53.3%	(48.9-57.7)	437	36.6%	(32.4-40.9)	80	9.4%	(6.7-12.0)	6	0.7%	(0.0-1.6)

**Q66. During the time period before you were 18 years of age, how often did the following things happen to you?**

Q66a. How often did your parents or adults in your home ever slap, hit, kick, punch or beat each other up?

		Never			Once			More than once		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	72	79.8%	(66.6-93.1)	6	8.0%	(0.0-16.6)	15	12.2%	(1.3-23.1)
<b>Marital Status</b>	<b>Married</b>	12	81.8%	(62.7-100.0)	0	.	(.-.)	6	18.2%	(0.0-37.3)
	<b>Not Married</b>	60	79.4%	(63.4-95.3)	6	10.0%	(0.0-20.8)	9	10.7%	(0.0-23.5)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	35	87.4%	(74.5-100.0)	3	7.1%	(0.0-18.2)	4	5.4%	(0.0-12.3)
	<b>Others</b>	37	70.4%	(46.6-94.1)	3	9.0%	(0.0-22.7)	11	20.7%	(0.0-42.3)
<b>Education</b>	<b>Less than High School</b>	25	79.6%	(52.5-100.0)	1	1.4%	(0.0-4.2)	4	19.0%	(0.0-46.1)
	<b>High School/Some College</b>	47	79.9%	(65.6-94.3)	5	11.4%	(0.0-24.3)	11	8.6%	(1.9-15.4)
<b>Income</b>	<b>&lt;\$32,000</b>	54	86.2%	(75.6-96.9)	3	5.5%	(0.0-14.2)	11	8.2%	(2.0-14.5)
	<b>\$32,001+</b>	15	89.2%	(77.9-100.0)	2	5.0%	(0.0-12.5)	3	5.8%	(0.0-13.3)
<b>Insurance</b>	<b>No Health Insurance</b>	9	75.0%	(38.7-100.0)	2	22.0%	(0.0-57.7)	1	3.0%	(0.0-9.4)
	<b>Having Health Insurance</b>	62	80.7%	(66.3-95.0)	4	5.3%	(0.0-12.8)	14	14.0%	(1.2-26.8)

		Never			Once			More than once		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	998	80.4%	(77.1-83.7)	76	6.5%	(4.3-8.7)	195	13.1%	(10.3-15.8)
<b>Age</b>	<b>&lt;=20</b>	72	79.8%	(67.0-92.7)	6	8.0%	(0.0-16.3)	15	12.2%	(1.7-22.7)
	<b>20+</b>	926	80.4%	(77.0-83.9)	70	6.4%	(4.1-8.7)	180	13.1%	(10.3-16.0)

Q66b. Before age 18, how often did a parent or adult in your home ever hit, beat, kick or physically hurt you in any way? Do not include spanking

		Never			Once			More than once		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	82	88.0%	(77.8-98.2)	4	5.2%	(0.0-12.2)	8	6.7%	(0.0-14.5)
<b>Marital Status</b>	<b>Married</b>	13	67.5%	(34.9-100.0)	2	9.3%	(0.0-25.7)	3	23.2%	(0.0-55.1)
	<b>Not Married</b>	69	93.3%	(85.3-100.0)	2	4.2%	(0.0-11.8)	5	2.5%	(0.2-4.8)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	39	95.6%	(89.1-100.0)	1	3.0%	(0.0-9.1)	2	1.4%	(0.0-3.3)
	<b>Others</b>	43	78.6%	(58.3-98.9)	3	8.0%	(0.0-21.4)	6	13.4%	(0.0-30.1)
<b>Education</b>	<b>Less than High School</b>	29	87.8%	(67.1-100.0)	0	.	(.-)	2	12.2%	(0.0-32.9)
	<b>High School/Some College</b>	53	88.2%	(77.1-99.2)	4	8.0%	(0.0-18.5)	6	3.8%	(0.6-7.0)
<b>Income</b>	<b>&lt;\$32,000</b>	59	84.1%	(70.2-98.0)	2	6.5%	(0.0-16.0)	8	9.3%	(0.0-20.1)
	<b>\$32,001+</b>	18	97.0%	(92.4-100.0)	2	3.0%	(0.0-7.6)	0	.	(.-)
<b>Insurance</b>	<b>No Health Insurance</b>	11	81.0%	(45.9-100.0)	1	19.0%	(0.0-54.1)	0	.	(.-)
	<b>Having Health Insurance</b>	70	89.3%	(79.2-99.4)	3	2.7%	(0.0-6.9)	8	8.0%	(0.0-17.3)

		Never			Once			More than once		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1058	83.4%	(80.3-86.6)	56	3.9%	(2.3-5.5)	169	12.6%	(9.8-15.4)
<b>Age</b>	<b>&lt;=20</b>	82	88.0%	(78.2-97.9)	4	5.2%	(0.0-11.9)	8	6.7%	(0.0-14.2)
	<b>20+</b>	976	83.1%	(79.8-86.3)	52	3.8%	(2.2-5.5)	161	13.1%	(10.2-16.1)

Q66c. How often did a parent or adult in your home ever swear at you, insult you, or put you down?

		Never			Once			More than once		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	58	73.3%	(60.0-86.7)	7	5.3%	(0.0-11.7)	28	21.4%	(9.3-33.4)
<b>Marital Status</b>	<b>Married</b>	9	59.9%	(27.8-92.0)	0	.	(.-)	9	40.1%	(8.0-72.2)
	<b>Not Married</b>	49	76.8%	(62.8-90.7)	7	6.7%	(0.0-14.7)	19	16.6%	(5.0-28.2)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	32	80.6%	(64.2-97.0)	2	1.6%	(0.0-3.8)	8	17.8%	(1.7-34.0)
	<b>Others</b>	26	64.2%	(42.0-86.4)	5	10.0%	(0.0-23.9)	20	25.8%	(7.3-44.2)
<b>Education</b>	<b>Less than High School</b>	22	80.7%	(59.0-100.0)	3	3.0%	(0.0-6.8)	5	16.3%	(0.0-37.6)
	<b>High School/Some College</b>	36	69.4%	(52.4-86.4)	4	6.5%	(0.0-16.0)	23	24.0%	(9.2-38.8)
<b>Income</b>	<b>&lt;\$32,000</b>	43	75.8%	(61.1-90.6)	7	7.4%	(0.0-16.3)	18	16.8%	(4.5-29.0)
	<b>\$32,001+</b>	11	66.8%	(34.9-98.6)	0	.	(.-)	9	33.2%	(1.4-65.1)
<b>Insurance</b>	<b>No Health Insurance</b>	8	72.0%	(34.9-100.0)	1	19.0%	(0.0-54.2)	3	9.0%	(0.0-20.9)
	<b>Having Health Insurance</b>	50	74.0%	(59.7-88.3)	6	2.7%	(0.5-5.0)	24	23.3%	(9.2-37.4)

		Never			Once			More than once		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	787	65.4%	(61.5-69.4)	111	7.2%	(5.0-9.4)	382	27.4%	(23.7-31.1)
<b>Age</b>	<b>&lt;=20</b>	58	73.3%	(60.3-86.4)	7	5.3%	(0.0-11.5)	28	21.4%	(9.6-33.2)
	<b>20+</b>	729	64.8%	(60.6-68.9)	104	7.3%	(5.0-9.7)	354	27.9%	(24.0-31.7)

Q66d. How often did anyone at least 5 years older than you or an adult ever touch you sexually?

		Never			Once			More than once		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	78	79.6%	(65.0-94.2)	7	8.6%	(0.0-18.1)	9	11.8%	(0.0-24.1)
<b>Marital Status</b>	<b>Married</b>	15	77.2%	(45.3-100.0)	2	20.5%	(0.0-52.5)	1	2.3%	(0.0-7.1)
	<b>Not Married</b>	63	80.2%	(63.9-96.5)	5	5.6%	(0.0-13.4)	8	14.2%	(0.0-29.4)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	41	99.1%	(97.4-100.0)	1	0.9%	(0.0-2.6)	0	.	(.-)
	<b>Others</b>	37	55.3%	(29.6-81.0)	6	18.2%	(0.0-38.2)	9	26.5%	(2.1-50.9)
<b>Education</b>	<b>Less than High School</b>	24	68.1%	(38.1-98.2)	3	13.1%	(0.0-33.9)	4	18.8%	(0.0-45.6)
	<b>High School/Some College</b>	54	85.7%	(71.4-100.0)	4	6.2%	(0.0-15.6)	5	8.1%	(0.0-19.6)
<b>Income</b>	<b>&lt;\$32,000</b>	56	79.9%	(63.9-95.9)	6	11.4%	(0.0-24.4)	7	8.7%	(0.0-19.4)
	<b>\$32,001+</b>	19	97.9%	(93.6-100.0)	1	2.1%	(0.0-6.4)	0	.	(.-)
<b>Insurance</b>	<b>No Health Insurance</b>	10	78.0%	(42.3-100.0)	1	19.0%	(0.0-54.1)	1	3.0%	(0.0-9.4)
	<b>Having Health Insurance</b>	67	79.8%	(63.7-95.9)	6	6.7%	(0.0-15.8)	8	13.6%	(0.0-28.0)

		Never			Once			More than once		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
	<b>Total</b>	1072	85.3%	(82.3-88.3)	86	7.0%	(4.8-9.2)	118	7.7%	(5.5-9.8)
<b>Age</b>	<b>&lt;=20</b>	78	79.6%	(65.5-93.7)	7	8.6%	(0.0-17.8)	9	11.8%	(0.0-23.7)
	<b>20+</b>	994	85.8%	(82.8-88.8)	79	6.9%	(4.6-9.2)	109	7.3%	(5.2-9.5)

Q66e. How often did anyone at least 5 years older than you or an adult try to make you touch them sexually?

		Never			Once			More than once		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	80	82.5%	(68.9-96.0)	7	9.9%	(0.0-19.9)	7	7.7%	(0.0-17.9)
<b>Marital Status</b>	<b>Married</b>	14	68.5%	(35.9-100.0)	3	29.1%	(0.0-61.9)	1	2.3%	(0.0-7.1)
	<b>Not Married</b>	66	86.0%	(71.7-100.0)	4	5.0%	(0.0-12.7)	6	9.0%	(0.0-21.7)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	41	97.0%	(90.9-100.0)	1	3.0%	(0.0-9.1)	0	.	(.-)
	<b>Others</b>	39	64.4%	(39.1-89.7)	6	18.4%	(0.0-38.4)	7	17.2%	(0.0-38.6)
<b>Education</b>	<b>Less than High School</b>	26	70.4%	(40.3-100.0)	2	12.0%	(0.0-32.6)	3	17.6%	(0.0-44.5)
	<b>High School/Some College</b>	54	88.9%	(78.0-99.8)	5	8.8%	(0.0-19.3)	4	2.4%	(0.0-4.8)
<b>Income</b>	<b>&lt;\$32,000</b>	58	84.0%	(70.1-97.9)	5	12.5%	(0.0-26.0)	6	3.5%	(0.6-6.3)
	<b>\$32,001+</b>	19	97.5%	(92.3-100.0)	1	2.5%	(0.0-7.7)	0	.	(.-)
<b>Insurance</b>	<b>No Health Insurance</b>	9	75.0%	(38.6-100.0)	2	22.0%	(0.0-57.7)	1	3.0%	(0.0-9.4)
	<b>Having Health Insurance</b>	70	83.8%	(69.1-98.5)	5	7.6%	(0.0-17.4)	6	8.6%	(0.0-20.7)

		Never			Once			More than once		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1129	90.4%	(88.1-92.8)	65	5.2%	(3.3-7.1)	82	4.3%	(2.8-5.8)
<b>Age</b>	<b>&lt;=20</b>	80	82.5%	(69.4-95.5)	7	9.9%	(0.2-19.5)	7	7.7%	(0.0-17.5)
	<b>20+</b>	1049	91.1%	(88.8-93.4)	58	4.8%	(2.9-6.8)	75	4.1%	(2.6-5.5)



Q66f. How often did anyone at least 5 years older than you or an adult force you to have sex?

		Never			Once			More than once		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	84	88.8%	(77.3-100.0)	7	5.1%	(0.0-11.4)	3	6.0%	(0.0-16.2)
<b>Marital Status</b>	<b>Married</b>	18	100.0%	(100.0-100.0)	0	.	(.-)	0	.	(.-)
	<b>Not Married</b>	66	86.0%	(71.7-100.0)	7	6.4%	(0.0-14.3)	3	7.6%	(0.0-20.2)
<b>Race/Ethnicity</b>	<b>Hispanic</b>	41	99.3%	(97.9-100.0)	1	0.7%	(0.0-2.1)	0	.	(.-)
	<b>Others</b>	43	75.9%	(52.4-99.3)	6	10.6%	(0.0-24.3)	3	13.5%	(0.0-35.0)
<b>Education</b>	<b>Less than High School</b>	27	81.2%	(54.4-100.0)	2	2.5%	(0.0-6.2)	2	16.3%	(0.0-43.2)
	<b>High School/Some College</b>	57	92.9%	(83.5-100.0)	5	6.5%	(0.0-15.9)	1	0.6%	(0.0-1.8)
<b>Income</b>	<b>&lt;\$32,000</b>	60	91.7%	(82.8-100.0)	7	7.1%	(0.0-15.9)	2	1.2%	(0.0-2.9)
	<b>\$32,001+</b>	20	100.0%	(100.0-100.0)	0	.	(.-)	0	.	(.-)
<b>Insurance</b>	<b>No Health Insurance</b>	10	78.0%	(42.3-100.0)	2	22.0%	(0.0-57.7)	0	.	(.-)
	<b>Having Health Insurance</b>	73	90.8%	(78.8-100.0)	5	1.9%	(0.2-3.6)	3	7.2%	(0.0-19.3)

		Never			Once			More than once		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Overall Total</b>	<b>Total</b>	1201	94.1%	(92.2-96.1)	41	3.4%	(1.8-4.9)	38	2.5%	(1.2-3.8)
<b>Age</b>	<b>&lt;=20</b>	84	88.8%	(77.7-100.0)	7	5.1%	(0.0-11.2)	3	6.0%	(0.0-15.9)
	<b>20+</b>	1117	94.6%	(92.7-96.5)	34	3.2%	(1.7-4.8)	35	2.2%	(1.1-3.4)